DAILY RAINFALL 1911 - 1920

WARWICKSHIRE

ALCESTER RAGLEY HALL	1911 - 1920
ASHORNE	1912-14, 19-1920
BARFORD RECTORY	1911 - 1912
BEDWORTH CEMETERY	1911 - 1919
BIDFORD MOOR HALL	1913-15, 17-1920
BIRMINGHAM EDGBASTON	1911 - 1920
BIRMINGHAM EDGBASTON HIGHFIELD RD	1915 - 1919
BIRMINGHAM ERDINGTON	1912 - 1920
BARMINGHAM EDGBASTON HAGLEY RD	1911 - 1919
BIRMINGHAM HANDSWORTH WOOD	1917 - 1918
BIRMINGHAM 1 HOCKLEY BROOK VALLEY	1912 - 1913
BIRMINGHAM GRAVELLY HILL	1911 - 1920
BIRMINGHAM PERRY BARR	1917 - 1920
BIRMINGHAM SEWAGE WORKS SALTLEY	1912 - 1915
CASTLE BROMWICH HALL	1911 - 1914
COVENTRY	1920
COVENTRY CITY HOSPITAL	1911 - 1920
COVENTRY KERESLEY GRANGE	1911 - 1920
COVENTRY KINGSWOOD	1911 - 1918
COVENTRY RADCLIFFE RD	1917 - 1920
COVENTRY ST PAULS RD	1911 - 1916
FARNBOROUGH	1911 - 1920
FOLESHILL FOXFORD COUNTY SCH	1911 - 1916
HAMPTON-IN-ARDEN, HAMPTON MANOR	1911-15, 17-1918
HAMPTON-IN-ARDEN, ESTCOTE	1914 - 196
HATTON HOUSE	1913 - 1915
HOCKLEY HEATH PACKWOOD	1915 - 1918
KENILWORTH GREAT GATEHOUSE	1917-18, 1920
KINETON LODGE FARM	1918 - 1920
KINGS NEWNHAM	1914-15, 18-1919
LAPWORTH ARDEN HILL	1918
LEAMINGTON SPA	1911 - 1920
LEAMINGTON BINSWOOD AVENUE	1911 - 1915
LEAMINGTON WEST HILL CUBBINGTON	1911 - 1915
LONG COMPTON WESTON PARK	1916 - 1920

MINWORTH GREAVES	1912; 14 - 1920
MOSELEY CHANTRY & OXFORD RD	1913 - 1920
MOSELEY HIGHFIELD RD	1914-17, 1919
MOSELEY PROSPECT RD	1913 - 1920
NORTHFIELD WEST HEATH HSE	1913 - 1916
NUNEATON ASTLEY VICARAGE	1920
NUNEATON CHILVERS COTON VICARAGE	1914 - 1919
RADFORD HSE	1911 - 1915
RUGBY BILTON GRANGE	1911-17, 19-1920
RUGBY CALDECOTT	1911 - 1920
RUGBY FRANKTON HSE	1912
RYTON-ON-DUNSMORE	1911 - 1920
SELLY OAK BOURNVILLE	1911 - 1920
SELLY OAK SOUTH HILL	1914 - 1920
SOLIHULL CEMETERY	1915 - 1916
SOLIHULL MARSH COTTAGE	1911 - 1920
SOUTHAM STOCKTON HSE	1916 - 1917
SPARKHILL	1914 - 1920
STRATFORD-ON-AVON	1911-15, 1917
STRATFORD-UPON-AVON, KING EDWARD VI SCH	1912 - 1915
STRATFORD-ON-AVON MILCOTE SEWAGE P.S	1919 - 1920
STRATFORD-ON-AVON SHOTTERY HALL	1911 - 1920
STRATFORD-ON-AVON SNITTERFIELD	1911 - 1920
STUDLEY COLLEGE	1914-15, 17-1920
SUTTON COLDFIELD THE PARK	1911 - 1920
STRETT-ON-DUNSMORE	1914 - 1920
TANWORTH-IN-ARDEN	1911
WARWICK THE LAWN GARDENS	1920
WARWICK CASTLE GARDENS	1911 - 1920
WELLESBOURNE SCHOOL	1914 - 1916
WHITACRE BIRMINGHAM W.W.	1911 - 1920
WITTON RES	1911
WORMLEIGHTON HALL	1911-16, 18-1919

FORM A2.
BRITISH RAINFALL.

22 JUN 1912

REGIST 911.

2454

LEAMINGTON SPA

1911 - 1920

Kept at Leamington

in the County of Warwi

by Public Health Dep

E. Burnet

teorological Office Pattern

op 8 in.

above Ground 1 ft. 0 in.

" Sea Level 166 ft.

9 a.m.

Name Leamington (Avenue)

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·08	·05	·01	·02	·02	·01	—	—	·05	·01	1
2	—	—	·05	·01	—	—	—	·23	—	·26	·04	·03	2
3	·02	—	—	·03	·01	·01	·02	·15	·01	—	·01	—	3
4	—	—	—	—	·01	—	—	—	·10	·09	·30	·16	4
5	·01	—	08.	—	—	—	—	·11	—	·03	·02	—	5
6	·05	—	·01	·06	—	—	—	[illegible]	—	—	·06	·32	6
7	·13	—	·04	·01	—	—	—	—	—	—	·13	·07	7
8	·01	—	—	—	—	—	—	—	—	—	·03	·10	8
9	·13	—	—	—	—	—	—	—	—	—	·17	·04	9
10	·05	—	·07	—	—	—	—	·11	—	—	—	·32	10
11	·04	·15	·01	—	—	—	—	·01	—	—	·44	—	11
12	·11	—	·01	—	—	—	—	—	·11	—	·23	—	12
13	·03	—	07.	—	—	—	—	—	·30	—	·02	·41	13
14	—	—	·05	—	—	—	—	—	—	—	—	·37	14
15	—	·01	·03	—	—	—	—	—	—	·01	·12	·01	15
16	—	·08	·03	—	—	—	—	—	—	—	·27	·08	16
17	·02	01.	—	—	—	07	—	—	—	—	·11	·19	17
18	—	—	—	—	—	·01	—	—	—	·01	·01	·18	18
19	—	·21	—	—	—	—	—	—	·10	·11 ~~·02~~	16.	·03	19
20	—	—	—	—	—	·03	·04	·61	·03	·02	—	·29	20
21	·01	·08	·05	—	—	·01	—	·31	—	·14	—	·06	21
22	—	·08	·03	—	·01	—	—	—	—	·16 ~~·02~~	·02	·33	22
23	—	·01	06·	—	—	·02	—	—	·21	·02	—	·15	23
24	—	·05	·07	—	—	·02	—	07 ~~·09~~	—	·53	—	·11	24
25	—	·08	06.	—	—	·05	—	·01	—	—	—	·05	25
26	—	·05	—	·02	—	·04	—	·11	—	·22	·15	·14	26
27	—	·09	—	·07	—	·02	—	·41	·23	·01	·07	·09	27
28	—	·09	02	·07	·08	·01	—	—	—	—	·14	·01	28
29	—	X	—	·07	·01	·02	—	·02	·39	·19	—	—	29
30	—	X	—	·02	—	·21	08·	·01	—	·05	·01	·01	30
31	—	X	·03	X	—	X	—	—	X	·05	X	—	31
Total	0·63	0·99	0·85	0·41	0·13	0·54	0·16	2·17	1·48	1·90	2·56	3·56	TOTAL for year 15·38
No. of Rain Days.	13	13	19	10	6	14	4	14	9	16	22	25	165

FORM A2.
BRITISH RAINFALL.
22 JUN 1912

REGIST 911.

Kept at Leamington Spa

in the County of Warwickshire

by Public Health Department
E. Burnet, M.B. (M.O.H)

RAIN GAUGE
Pattern Meteorological Office Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 166 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Leamington (Avenue)
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·08	·05	·01	·02	·02	·01	–	–	·05	·01	1
2	–	–	·05	·01	–	–	–	·23	–	·26	·04	·03	2
3	·02	–	–	·03	·01	·01	·02	·15	·01	–	·01	–	3
4	[illegible]	–	–	–	·01	–	–	–	·10	·09	·30	·16	4
5	·01	–	08.	–	–	–	–	·11	–	·03	·02	–	5
6	·05	–	·01	·06	–	–	–	[illegible]	–	–	·06	·32	6
7	·13	–	·04	·01	–	–	–	–	–	–	·13	·07	7
8	·01	–	–	–	–	–	–	–	–	–	·03	·10	8
9	·13	–	–	–	–	–	–	–	–	–	·17	·04	9
10	·05	–	·07	–	–	–	–	·11	–	–	–	·32	10
11	·04	·15	·01	–	–	–	–	·01	–	–	·44	–	11
12	·11	–	·01	–	–	–	–	–	·11	–	·23	–	12
13	·03	–	07.	–	–	–	–	–	·30	–	·02	·41	13
14	–	–	·05	–	–	–	–	–	–	–	–	·37	14
15	–	·01	·03	–	–	–	–	–	–	·01	·12	·01	15
16	–	·08	·03	–	–	–	–	–	–	–	·27	·08	16
17	·02	01.	–	–	–	07.	–	–	–	–	·11	·19	17
18	–	–	–	–	–	·01	–	–	–	01.	·01	·18	18
19	–	·21	–	–	–	–	–	–	·10	·11 ~~·02~~	16.	·03	19
20	–	–	–	–	–	·03	·04	·61	·03	·02	–	·29	20
21	·01	·08	·05	–	–	·01	–	·31	–	·14	–	·06	21
22	–	·08	·03	–	·01	–	–	–	–	·16 ~~·02~~	·02	·33	22
23	–	·01	06.	–	–	·02	–	–	·21	·02	–	·15	23
24	–	·05	·07	–	–	·02	–	07 ~~·09~~	–	·53	–	·11	24
25	–	·08	06.	–	–	·05	–	·01	–	–	–	·05	25
26	–	·05	–	·02	–	·04	–	·11	–	·22	·15	·14	26
27	–	·09	–	·07	–	·02	–	·41	·23	·01	·07	·09	27
28	–	·09	02.	·07	·08	·01	–	–	–	–	·14	·01	28
29	–	X	–	·07	·01	·02	–	·02	·39	·19	–	–	29
30	–	X	–	·02	–	·21	08.	·01	–	·05	·01	·01	30
31	–	X	·03	X	–	X	–	–	X	·05	X	–	31
Total	0·63	0·99	0·85	0·41	0·13	0·54	0·16	2·17	1·48	1·90	2·56	3·56	TOTAL for year 15·38
No. of Rain Days.	13	13	19	10	6	14	4	14	9	16	22	25	165

0, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

28 FEB 1913

Kept at Leamington Spa (Pump Room Gardens)

in the County of Warwick.

by G. W. Hammond for M.O.H.
H. Gibbons Ward M.O.H.
per G. J. Osborn

Lat. Long.

Nearest Railway Station Leamington (L.N.W.R.)

Time of Observation 9 am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

Sea Level 166 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	—	—	·13	·05	—	·03	·08	—	·18	1
2	—	—	·07	·06	—	·06	·40	—	—	—	—	—	2
3	·04	—	·20	—	·29	·07	·07	—	·03	—	·01	·08	3
4	·10	—	·36	—	·15	·45	—	·36	—	—	·18	—	4
5	·22	—	·14	—	·13	·05	—	·02	·02	—	—	·01	5
6	·19	·16	—	—	·03	·15	—	·30	·04	—	—	·04	6
7	—	·09	—	—	·09	·27	—	·45	—	—	—	—	7
8	·36	·19	·19	·04	—	·15	—	·22	·03	—	·01	·04	8
9	·05	·04	·06	·07	—	·59	—	·21	—	—	—	·18	9
10	—	—	·01	—	—	·02	—	·02	—	—	·25	—	10
11	·13	·07	·01	—	—	·10	—	·06	—	—	·21	·55	11
12	·03	·33	·15	—	·09	—	·02	·07	—	—	·05	—	12
13	—	·01	—	—	—	—	·03	—	—	—	—	—	13
14	·04	—	·39	—	·02	·08	—	—	—	—	·01	—	14
15	·05	·07	·07	—	·32	—	—	·07	—	—	—	·16	15
16	·65	—	·26	—	·02	·15	—	·07	—	·08	—	—	16
17	1·00	—	·01	—	—	·09	—	·31	—	—	·05	20	17
18	·13	—	·24	—	—	—	—	·08	—	·06	—	—	18
19	·21	·05	·08	—	—	—	·11	·47	—	—	—	—	19
20	·01	—	·31	—	·03	—	·27	·08	—	·33	·01	—	20
21	·07	·02	·29	—	·82	—	·02	·62	—	·27	—	—	21
22	·34	·17	—	—	1·21	·24	·24	·28	—	—	—	·04	22
23	·20	·28	·32	—	—	·07	2·03	·17	—	—	·10	·30	23
24	·23	—	—	—	—	·68	—	·10	—	—	—	·15	24
25	·17	—	—	—	—	·56	—	·26	—	—	·25	·30	25
26	—	·08	·03	—	—	·01	—	·79	—	·55	·15	·13	26
27	—	—	—	—	—	·14	—	—	—	·60	—	·21	27
28	—	·05	—	—	—	·11	·65	·61	·04	·21	·17	·33	28
29	—	·01	—	—	—	·02	·33	·02	·50	·30	—	·12	29
30	—	×	—	—	·19	·03	·12	—	·01	·11	—	—	30
31	—	×	·20	×	·56	×	·89	·08	×	—	×	·05	31
Total	4·22	1·62	3·40	·17	3·95	4·22	5·21	5·72	·70	2·59	1·45	3·07	TOTAL for year 36·32
No. of Rain Days	20	15	21	3	14	23	14	24	8	10	13	18	183

EDWARD STANFORD, 12, 13 & 4, LONG ACRE, W.C.
Waterlow and Sons Limited, Printe London Wall, London.

Price 2d.

S. made ✓

FORM A.
BRITISH RAINFALL.
24 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Leamington Spa
in the County of Warwickshire
by Public Health Department

Lat. 52° 18′ Long. 1° 30′
Time of Observation 9 a.m.
Nearest Railway Station Leamington (Avenue)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	—	0.11	0.05	0.14	—	—	—	0.88	—	0.06	—	1
2	—	0.17	Trace	—	—	—	0.02	—	0.17	0.89	0.01	—	2
3	—	—	0.15	—	0.67	—	—	—	—	0.32	—	0.06	3
4	0.70	—	—	—	0.06	—	0.02	—	—	0.14	0.04	0.46	4
5	0.01	—	Trace	—	—	0.06	0.09	—	0.03	0.33	0.06	—	5
6	—	0.04	0.10	—	0.24	0.09	0.62	—	—	0.21	—	0.10	6
7	—	0.07	—	—	0.27	0.03	0.05	—	—	0.19	0.13	0.02	7
8	—	0.05	—	—	0.10	0.03	—	0.03	—	0.21	—	Trace	8
9	—	.36	0.01	—	0.14	0.19	0.04	0.01	0.14	—	0.04	0.06	9
10	—	—	Trace	0.06	0.18	—	—	0.03	—	—	0.25	—	10
11	0.70	—	—	0.34	0.09	—	—	0.31	—	0.29	0.57	—	11
12	—	—	—	—	0.13	—	—	—	—	—	0.60	—	12
13	0.03	—	0.05	0.02	—	—	—	—	0.16	—	0.24	—	13
14	0.05	—	0.40	0.04	—	—	0.39	—	—	0.07	0.01	—	14
15	0.06	0.05	0.57	0.48	—	—	0.04	0.02	—	—	0.02	0.01	15
16	0.04	—	(Snow) 0.79	0.07	—	—	Trace	—	—	—	0.01	Trace	16
17	—	0.01	0.04	0.04	—	—	0.10	—	0.05	—	Trace	0.01	17
18	—	—	0.20	0.04	0.01	—	0.08	—	—	—	0.03	Trace	18
19	0.13	—	0.02	0.01	0.02	—	0.05	—	0.16	—	—	—	19
20	0.35	—	0.09	0.06	—	—	—	—	—	0.17	0.15	—	20
21	—	—	0.09	0.05	0.08	—	0.03	—	—	—	0.47	—	21
22	0.41	Trace	0.25	—	—	0.02	—	0.10	0.35	—	—	—	22
23	—	—	0.01	—	—	0.03	—	0.07	0.02	—	0.01	0.02	23
24	0.04	—	—	0.01	—	—	—	0.08	—	—	Trace	Trace	24
25	—	0.01	—	0.10	—	0.01	—	—	0.01	0.01	—	Trace	25
26	—	0.05	0.02	0.13	—	—	—	0.08	—	0.18	—	0.28	26
27	—	0.07	Trace	0.05	0.09	—	—	—	—	—	—	—	27
28	0.49	—	0.15	0.46	0.01	—	—	—	—	0.08	—	—	28
29	—	×	0.27	0.93	0.01	—	—	0.08	—	0.02	—	0.10	29
30	0.29	×	—	—	—	—	—	—	—	0.12	0.16	—	30
31	—	×	0.05	×	0.14	×	×	0.13	×	0.06	×	—	31
Total	3.31	0.88	3.37	2.94	2.38	0.46	1.53	0.94	1.97	3.29	2.86	1.12	YEAR'S TOTAL 25.05
Rain Days.	14	10	19	18	17	8	12	11	10	16	18	10	163

W.7,000, XI. 13

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~14

Kept at LEAMINGTON SPA PUMP ROOM GARDENS

in the County of WARWICKSHIRE

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				08		01	15	21		01		05		1
2	01						02	35		02	02	50		2
3			01		14		39	01			80			3
4	21		02	21	02			17				33		4
5	03		08	21	19	11	22	01			32			5
6		07		09	05	01					03	03		6
7		09	33	05	12	01	07	09			11	03		7
8	04		10	04	03	86	01	21						8
9	27		21	18		140		06	04					9
10	04	07		32	08				21		[illegible]			10
11		12	30	06	22	20					26	41		11
12		01	10				38		29		04	37		12
13	02	13	15						03	14	11	29		13
14		03	06				13			42	07	17		14
15			11				01	01	09	03	02	03		15
16	01		03				03		05					16
17		17	04						06			29		17
18			02				09					36		18
19			01				04		03		04	03		19
20		08	23				02					26		20
21		27	02			16	01	12		11		21		21
22			03	02	25	01	04	07		28				22
23		02	07		04					11		03		23
24	01	02	06		07		04			33	09			24
25	08		04							42	03	25		25
26			13					26		06	18	24		26
27	08							02		07	03	14		27
28		08	11		09					13	05	112		28
29		X	09		01					19	10			29
30		x	01								39	24		30
31	02	x		x	01	x	41		x		x	02		31
TOTAL	·82	1·16	2·36	1·26	1·32	2·77	2·06	1·59	·80	2·32	2·69	5·40	Year's Total 24·~~19~~ 55	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~15

Kept at LEAMINGTON SPA PUMPROOM Gardens

in the County of WARWICKSHIRE

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	2·8	41	20		61	18		01	11	19	01	14		1
2	28	20	79	28		[illegible]		59		74		21		2
3	147	03	08	13	03		210	155				30		3
4	03				31		83	04				147		4
5	03	59			03		45	18			05	73		5
6	51	33		08			214	41				07		6
7	10	59		08	28	48	32	14				58		7
8	10	28		[illegible]			02	04			22			8
9	05	08		26				04			40	86		9
Rl. 10	79	05	18					64			16	01		10
11				15	15		02				173	04		11
12	13	10		46	117			36			179	25		12
13	03	69			219							06		13
14	[illegible] -	[illegible] -					31	08	11			99		14
15	61			05	15		02	06		08	41	25		15
16	05	99			48		191	05				02		16
17		38			74		04					02		17
18		71	31									01		18
19		03			23		38							19
20	53			03								24		20
21	28	48			05		45			06		20		21
22	23		59	15			166		02			24		22
23	05	18	03				142		10	123		93		23
24			28	10		10	61		149	87		23		24
25			03			112	15		25	53	02	80		25
26		18				[illegible]	06		02			96		26
27		03				20	21			156		08		27
28		71					06	45	15	11				28
29		X				48	05	12			29	12		29
30	18	x		05		102	02	01		29	22	15		30
31	08	x		x		x	02	10	x	24	x	33		31
TOTAL	58·1	70·4	24·9	18·2	64·2	35·8	132·5	48·7	22·5	59·0	53·0	102·9	Year's Total 690·2	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

27-III-16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
JAN 1916

Kept at Leamington Spa
in the County of Warwick
by Medical Officer of Health

Lat. 52° 18' N Long. 1° 30' W
Time of Observation 9 AM
Nearest Railway Station Leamington Spa
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	inches	inches	inches	inches	inches	inches ×	Millimetres		Millimetres		Millimetres		
1	·11	·16	·08	–	·24	–	–	0·1	1·1	1·9	0·1	1·4	1
2	·11	·08	·31	·11	–	·07	–	5·9	–	7·4	–	2·1	2
3	·58	·01	·03	·05	·01	–	21·0	15·5	–	–	–	3·0	3
4	·01	–	–	–	·12	–	8·3	0·4	–	–	–	14·7	4
5	·01	·23	–	–	·01	–	4·5	1·8	–	–	0·5	7·3	5
6	·20	·13	–	·03	–	–	21·4	4·1	–	–	–	0·7	6
7	·04	·23	–	·03	·11	·19	3·2	1·4	–	–	–	5·8	7
8	·04	·11	–	–	–	–	0·2	0·4	–	–	2·2	–	8
9	·02	·03	–	·10	–	–	–	0·4	–	–	4·0	8·6	9
10	·31	·02	·07	–	–	–	–	6·4	–	–	1·6	0·1	10
11	–	–	–	·06	·06	–	0·2	–	–	–	17·3	0·4	11
12	·05	·04	–	·18	·46 ~~·64~~	–	–	3·6	–	–	17·9	2·5	12
13	·01	·27	–	–	·86	–	–	–	·	–	–	0·6	13
14	–	–	–	–	–	–	3·1	0·8	1·1	–	–	9·9	14
15	·24	–	–	·02	·06	–	0·2	0·6	–	0·8	4·1	2·5	15
16	·02	·39	–	–	·19	–	19·1	0·5	–	–	–	0·2	16
17	–	·15	Trace	–	·29	–	0·4	–	–	–	–	0·2	17
18	–	·28	·12	–	–	–	–	–	–	–	–	0·1	18
19	–	·01	–	–	·09	–	3·8	–	–	–	–	–	19
20	·21	–	–	·01	–	–	–	–	–	–	–	2·4	20
21	·11	·19	–	–	·02	–	4·5	–	–	0·6	–	2·0	21
22	·09	–	·23	·06	–	–	16·6	–	0·2	–	–	2·4	22
23	·02	·07	·01	–	–	–	14·2	–	1·0	12·3	–	9·3	23
24	–	–	·11	·04	–	·04	6·1	–	14·9	8·7	–	2·3	24
25	–	–	·01	–	–	·44	1·5	–	2·5	5·3	0·2	8·0	25
26	–	·07	–	–	–	–	0·6	–	0·2	–	–	9·6	26
27	–	·01	–	–	–	·08	2·1	–	–	15·6	–	0·8	27
28	–	·28	–	–	–	–	0·6	4·5	1·5	1·1	–	–	28
29	–	☒	–	–	–	(·49)	0·5	1·2	–	–	2·9	1·2	29
30	·07	☒	–	·02	–	·40	0·2	0·1	–	2·9	2·2	1·5	30
31	·03	☒	–	☒	–	☒	0·2	1·0	☒	2·4	☒	3·3	31
Total	2·28	2·76	·97	·71	2·52	1·41	132·5	48·7	22·5	59·0	53·0	102·9	YEAR'S TOTAL 27·14
Rain Days.	20	20	9	12	13	7	5·22 23	1·92 10	·89 8	2·32 11	2·09 10	4·05 28	170

W. 8,000. X. 15.

× Rainfall in inches to end of June + in Millimetres July 1st to Dec 31st

2487

2454

BRITISH RAINFALL. FORM A.

11 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Royal Leamington Spa

in the County of Warwickshire

by J. G. Allen Ward

Lat. 52° 18' N Long. 1° 30' W

Time of Observation 9 a. m

Nearest Railway Station Leamington L+NW

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2·6	-	1·1	-	·3	1·3	2·2	-	-	2·1	1·5	-	1
2	12·6	-	1·5	-	4·7	2·1	1·3	-	·4	11·7	6·8	-	2
3	-	14·2	-	-	·7	·2	·4	-	6·7	5·3	1·8	-	3
4	6·3	·7	-	-	10·8	5·0	-	-	1·4	-	1·2	-	4
5	1·3	-	-	-	3·3	5·6	2·9	-	-	1·6	6·7	-	5
6	·4	5·2	2·6	2·7	3·5	2·0	11·8	-	-	1·6	1·2	-	6
7	2·0	-	3·0	-	-	·5	6·4	-	-	3·4	6·0	3·8	7
8	·1	-	·9	-	5·7	·9	·1	-	-	Trace	17·1	4·4	8
9	-	-	·6	-	4·0	3·0	-	-	-	-	Trace	·6	9
10	-	4·9	1·1	1·0	-	·5	·5	-	-	-	"	-	10
11	·7	2·5	1·6	3·4	2·3	11·7	-	-	~~[illegible]~~ 1·2	·7	"	7·7	11
12	·3	1·9	2·0	·4	7·9	·5	2·5	-	-	-	"	-	12
13	-	4·9	8·6	·1	·2	-	3·6	4·8	-	2·6	"	-	13
14	-	11·0	-	1·6	·5	-	-	-	-	-	"	-	14
15	-	5·5	14·0	·4	2·7	-	3·9	5·8	-	2·0	-	-	15
16	·2	1·1	8·8	5·1	·9	-	1·3	2·1	-	0·4	-	-	16
17	1·9	2·8	-	5·2	-	-	-	·6	9·2	-	"	-	17
18	-	2·2	·7	1·3	-	-	-	7·8	1·5	1·4	-	-	18
19	·6	·5	4·1	5·7	-	-	-	·3	1·9	-	19·8	1·5	19
20	·9	-	6·6	1·9	-	-	-	·4	-	-	12·8	7·5	20
21	·4	·3	7·6	1·6	-	-	11·2	-	-	-	1·2	9·8	21
22	-	·6	·3	-	1·2	·7	-	-	-	1·0	-	12·8	22
23	·5	10·2	-	·5	1·0	·5	-	1·6	-	·4	-	4·3	23
24	-	8·7	·1	·2	-	1·1	-	1·0	-	4·2	1·5	3·8	24
25	-	1·7	2·7	-	1·5	-	-	7·9	-	-	-	-	25
26	·3	1·0	·6	-	·5	2·4	-	2·0	1·9	~~[illegible]~~ 3·3	5·0	-	26
27	·9	1·4	12·6	-	-	·5	-	1·8	-	3·6	·3	Trace	27
28	-	7·9	20·9	-	-	1·2	2·1	-	1·5	·8	Trace	3·4	28
29	-	1·3	-	-	-	5·5	-	~~21·2~~	-	4·9	do	1·2	29
30	-	╳	-	-	-	1·1	-	·2	-	6·3	-	·3	30
31	-	╳	-	╳	-	╳	-	·2	╳	2·1	╳	4·0	31
Total	32·0	90·5	102·0	31·1	51·7	46·3	50·2	60·7	25·7	59·4	82·9	65·1	YEAR'S TOTAL 697·6
Rain Days.	~~17~~ 16	22	~~22~~ 21	~~15~~ 14	18	20	~~14~~ 13	15	4	~~21~~ 20	~~23~~ 14	14	~~210~~ 196

W. 8,000, VIII. 16

3330 131

2371

2454

30. JAN

BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Leamington Spa
in the County of Warwickshire
by D. H. Gibbons Ward

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station L & N.W.R. Leamington Spa
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 9. in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

In millimetres

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Trace	-	-	·6	-	-	-	16·2	2·0	-	1·3	4·5	1
2	Trace	-	-	·5	-	-	-	2·4	-	Trace	Trace	-	2
3	·9	-	-	-	-	4·0	-	4·1	-	8·5	1·2	-	3
4	-	3·1	3·1	7·7	-	-	-	2·0	-	9·0	-	-	4
5	·6	-	3·1	-	-	-	-	Trace	·7	2·2	2·0	-	5
6	Trace	-	1·3	3·7	-	-	-	-	Trace	3·8	2·2	·4	6
7	10·7	-	Trace	-	-	11·1	Trace	-	-	1·8	Trace	·4	7
8	11·5	-	-	-	-	-	7·6	8·2	Trace	9·5	2·7	3·3	8
9	·7	-	3·0	4·7	-	-	Trace	6·2	1·1	·6	4·6	-	9
10	6·2	-	5·0	2·0	7·0	-	-	2·0	Trace	-	-	-	10
11	4·2	-	2·2	2·8	13·8	-	-	14·0	2·2	5·5	Trace	-	11
12	2·0	-	Trace	8·0	Trace	-	-	·7	-	6·0	Trace	Trace	12
13	Trace	-	Trace	-	2·3	·8	-	3·6	·9	Trace	-	-	13
14	·7	-	1·1	·8	-	Trace	-	·3	-	-	-	-	14
15	Trace	-	-	·9	-	-	·4	-	-	1·0	-	2·5	15
16	2·2	7·3	-	-	·9	-	6·0	-	-	·5	-	9·3	16
17	1·1	·9	Trace	3·1	Trace	1·5	6·8	·4	1·1	2·3	-	Trace	17
18	0·3 ~~·3~~	Trace	-	2·9	14·6	28·2	2·4	1·1	25·6	1·0	-	-	18
19	0·7 ~~·4~~	7·5	5·0	·5	2·0	1·1	-	-	·4	-	-	-	19
20	Trace	3·7	Trace	Trace	·4	1·4	1·0	Trace	Trace	-	Trace	-	20
21	Trace	·5	2·1	Trace	9·3	5·0	9·8	·4	-	Trace	Trace	Trace	21
22	-	-	1·5	-	4·3	4·5	-	·3	-	2·9	-	-	22
23	-	3·6	-	-	1·5	-	-	5·1	-	1·1	-	·5	23
24	Trace	·7	-	-	1·4	-	-	·8	-	6·4	-	Trace	24
25	-	1·0	1·8	-	Trace	5·2	-	Trace	Trace	Trace	1·5	-	25
26	-	-	-	-	-	-	-	7·4	3·2	-	2·2	-	26
27	-	-	Trace	-	-	·5	·8	14·0	-	-	-	-	27
28	-	-	1·8	-	1·8	Trace	-	2·8	-	Trace	-	1·4	28
29	-	X	-	-	-	13·1	2·0	8·0	-	11·0	-	7·5	29
30	Trace	X	-	-	-	7·0	8·0	5·0	-	Trace	Trace	·4	30
31	Trace	X	·6	X	-	X	·4	2·3	X	Trace	X	2·5	31
Total	41·8	28·3	31·6	38·2	59·3	83·4 ~~82·6~~	45·2	107·3	37·2	73·1	17·7	32·7	YEAR'S TOTAL 595·8 595·8
Rain Days.	13	9	13	13	12	13	11	23	9	17	8	11	152

W. 8 000, IX. 17.

3·31

15

[illegible] ~~H~~ RO

2454

FORM A. BRITISH RAINFALL.

5. 2. 19

REGISTER OF RAINFALL IN 1918

Kept at Leamington Spa

in the County of Warwickshire

by Medical Officer of Health

Lat. 52° 18' N. Long. 1° 30' W.

Time of Observation

Nearest Railway Station L & N. Western

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	1.5	Trace	1.5	Trace	-	-	-	.5	Trace	4.3	Trace	1
2	-	3.9	-	.4	-	-	-	4.5	10.0	.5	1.5	3.5	2
3	-	2.5	.3	.4	5.6	-	-	1.0	4.8	Trace	3.4	.5	3
4	-	.3	.4	-	-	-	-	Trace	2.8	-	10.5	1.1	4
5	-	Trace	-	1.3	6.5	-	-	2.5	.4	3.4	-	Trace	5
6	Trace	5.5	Trace	3.8	-	1.1	-	-	2.0	.8	-	Trace	6
7	Trace	2.5	-	.7	.5	Trace	-	-	3.6	3.8	3.0	-	7
8	Trace	1.3	-	.3	-	-	-	-	5.8	5.5	-	1.6	8
9	Trace	7.1	-	4.3	-	6.8	5.6	-	.7	5.5	Trace	1.3	9
10	1.3	Trace	-	Trace	-	-	5.1	-	2.4	1.0	Trace	4.0	10
11	Trace	-	-	Trace	1.9	-	1.1	-	.8	-	Trace	1.0	11
12	1.0	1.1	1.6	-	3.0	-	4.6	-	3.4	.1	-	Trace	12
13	-	-	-	Trace	Trace	.3	1.1	-	8.2	3.3	-	1.4	13
14	7.2	-	-	Trace	-	Trace	4.0	-	.3	-	Trace	1.5	14
15	14.3	-	-	11.0	Trace	-	5.0	-	2.3	4.7	-	3.3	15
16	6.0	-	-	18.4	-	5.8	Trace	Trace	3.0	1.0	-	.7	16
17	10.1	-	-	1.2	-	-	7.9	Trace	20.0	-	-	1.6	17
18	1.5	-	-	-	-	5.7	3.7	-	Trace	1.6	-	6.4	18
19	Trace	2.4	3.0	.8	-	-	4.1	-	1.8	.5	-	4.5	19
20	-	2.5	-	16.6	-	.5	17.0	-	6.2	Trace	-	Trace	20
21	1.0	Trace	-	8.5	-	.8	.8	-	1.0	6.3	-	1.5	21
22	3.8	-	-	-	5.6	-	1.2	-	.8	-	-	9.0	22
23	1.4	-	-		14.5	Trace	2.4	-	.3	.7	Trace	-	23
24	Trace	3.2	-	-	-	-	7.3	-	Trace	Trace	3.7	.5	24
25	-	-	-	-	-	.5	.6	5.8	.4	Trace	Trace	-	25
26	-	-	-	-	-	-	129	Trace	1.1	-	1.6	2.2	26
27	-	.8	Trace	-	-	Trace	2.9	6.6	-	-	2.4	3.3	27
28	-	4.2	5.0	Trace	-	1.3	-	-	29.5	-	2.0	2.5	28
29	-	✕	1.1	-	-	-	-	-	-	-	-	Trace	29
30	-	✕	9.2	-	-	-	-	1.6	-	Trace	2.2	4.7	30
31	-	✕	5.2	✕	-	✕	-	-	✕	-	✕	Trace	31
Total	47.6	38.8	25.8	69.2	37.6	22.8	87.3	22.0	112.1	38.7	34.6	56.1	YEAR'S TOTAL 592.6 ~~590.6~~
Rain Days	17 10	17 14	11 8	19 12	10 7	9 13	19 19	10 6	27 25	21 15	16 10	28 2x	~~208~~ 151
	1.87	1.53	1.02	2.73	1.48	.90	3.44	.87	4.41	1.52	1.36	2.21	23.33

W, 6,500, VIII 18. W W C

cw/ p auth Ex. C.A.B. 5/2/20 2279

B m...

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2454

REGISTER OF RAINFALL IN 1919.

7 FEB 20

Kept at Leamington Spa [MO]
in the County of Warwick
by Medical Officer of Health

Lat. 52° 18' N Long. 1° 30' W
Time of Observation 9h GMT
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.7	0.7	2.6	-	2.6	.	2.3	-	-	6.9	0.2	13.5	1
2	4.5	-	0.9	-	-	-	4.7	-	23.2	0.6	3.0	-	2
3	25.1	-	2.4	-	1.5	6.4	2.5	-	7.8	-	4.7	3.1	3
4	1.4	5.6	13.3	-	-	1.2	4.8	2.7	6.5	-	0.5	1.7	4
5	-	5.6	3.8	-	-	.	-	-	5.8	-	-	5.8	5
6	0.4	2.5	3.6	-	17.0	-	-	-	-	-	-	0.9	6
7	1.2	-	4.9	0.6	-	-	-	-	-	-	0.5	-	7
8	3.2	-	1.4	3.4	-	-	-	-	-	-	-	.	8
9	-	.	0.3	0.8	-	-	-	-	-	-	1.2	-	9
10	-	-	11.2	0.4	-	-	-	-	-	-	0.7	3.2	10
11	1.9	-	8.0	0.3	0.3	-	12.2	-	-	-	-	0.2	11
12	2.0	-	1.5	4.1	-	3.1	-	-	-	4.0	6.0	-	12
13	4.8	-	-	5.0	-	-	1.0	-	3.1	4.4	-	0.4	13
14	15.5	-	-	1.8	-	-	-	-	2.4	-	-	0.2	14
15	5.9	2.0	0.1	4.5	-	-	-	-	-	-	-	7.1	15
16	6.6	20.0	-	-	-	-	-	7.4	-	-	3.1	-	16
17	0.4	15.0	-	0.1	-	-	-	-	-	-	4.7	0.2	17
18	-	-	6.9	-	-	-	.	2.8	-	-	1.3	1.8	18
19	1.8	11.7	27.0	-	-	2.3	30.3	7.3	0.8	0.5	-	0.3	19
20	12.5	2.0	7.0	-	-	-	6.6	3.7	1.3	-	8.2	1.7	20
21	0.3	12.5	1.1	-	-	0.2	10.6	-	-	-	1.1	2.7	21
22	-	5.2	-	-	-	-	-	0.2	9.6	-	0.2	10.1	22
23	-	-	-	-	-	1.5	-	0.1	-	14.6	-	2.5	23
24	-	-	-	1.5	-	-	-	0.1	-	7.9	1.8	1.1	24
25	3.1	-	-	0.8	1.6	1.0	-	4.4	-	-	-	1.7	25
26	1.0	0.3	3.9	1.3	-	0.1	-	0.8	2.4	-	-	10.7	26
27	2.1	-	1.8	9.2	-	-	-	8.8	-	-	-	-	27
28	4.6	-	-	-	-	-	-	-	-	-	2.1	7.4	28
29	1.3		-	0.4	-	0.4	-	0.5	-	4.6	-	4.3	29
30	-	✕	6.3	4.5	-	5.0	-	0.1	-	0.7	1.0	5.9	30
31		✕	-	✕	-	✕	1.0	-	✕	0.4	✕	-	31
Total	110.3	83.1	108.0 ~~80.0~~	38.7	23.0	21.2	76.0	38.9	62.9	44.6	40.3 ~~40.4~~	86.5	Year's Total 733.5
Days with 0·2 mm. or more	22	12	19	15	5	9	10	10	10	10	17	23	162

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from [illegible] 3203.

734

2144

2454

copy MO

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leamington Spa (MO)
in the County of Warwickshire
by The Medical Officer of Health

Lat. 52° 18' N Long. 1° 30' W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 165 ft.

18 APL 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	0.2	2.5	9.3	-	10.8	-	0.6	5.0	-	2.7	1
2	-	-	-	1.5	-	-	1.2	2.6	2.0	6.0	-	2.6	2
3	-	0.7	-	1.0	-	-	18.4	-	2.0	5.0	-	-	3
4	-	-	0.1	5.8	0.3	-	-	9.8	0.3	5.2	-	0.2	4
5	-	-	4.0	0.2	4.1	-	13.6	1.5	1.1	8.2	-	0.2	5
6	-	-	6.9	0.3	2.1	-	1.7	-	-	-	-	0.2	6
7	-	-	0.1	3.7	0.3	-	2.7	-	-	-	-	-	7
8	4.2	1.5	-	16.1	0.6	-	7.0	-	-	-	-	-	8
9	8.8	0.3	-	12.7	-	-	1.0	6.2	-	-	-	-	9
10	6.2	2.3	2.6	0.4	-	1.1	-	-	-	-	0.8	-	10
11	7.5	0.3	0.3	4.4	12.5	5.3	1.4	-	-	-	-	0.1	11
12	0.5	0.2	1.0	1.3	0.4	20.9	1.7	3.5	-	-	0.3	1.5	12
13	0.2	0.4	7.1	2.4	-	-	-	1.8	0.6	-	-	0.3	13
14	0.8	-	16.0	6.5	-	5.1	0.2	-	5.6	0.7	5.3	-	14
15	-	3.3	8.0	4.9	-	0.9	-	-	2.5	8.8	1.5	-	15
16	-	-	-	1.5	1.5	3.2	2.0	-	5.0	3.8	2.8	-	16
17	-	-	-	5.4	3.1	-	-	-	20.5	3.5	-	0.8	17
18	4.6	-	-	2.0	1.3	-	6.0	4.0	19.1	-	-	0.3	18
19	0.1	7.0	-	5.6	-	-	4.0	0.7	0.1	-	-	-	19
20	-	2.4	-	6.9	-	8.5	-	-	-	-	-	-	20
21	0.3	-	-	0.4	-	-	1.2	1.0	0.1	-	-	0.5	21
22	0.3	-	-	3.0	-	-	-	2.4	0.2	-	-	-	22
23	-	-	-	0.1	-	-	12.7	1.2	-	-	-	9.5	23
24	-	-	2.7	1.0	-	-	-	0.2	-	-	-	3.7	24
25	4.6	1.2	1.2	0.2	12.7	-	14.1	-	-	-	0.3	-	25
26	2.1	-	4.5	0.9	0.8	-	0.3	-	-	-	-	2.3	26
27	4.1	0.2	0.4	3.9	-	9.3	0.3	-	-	-	2.5	6.0	27
28	8.9	-	0.1	-	6.0	-	2.5	-	-	-	-	2.4	28
29	0.7	-	4.5	-	4.3	-	2.5	-	-	-	1.8	10.8	29
30	0.3		-	1.0	0.2	2.6	1.0	-	5.0	-	2.4	6.8	30
31	0.5		0.2		-		0.4	-		11.0		0.5	31
TOTAL	54.7 ✓	19.8 ✓	59.9 ✓	95.6 ✓	59.5 ✓	56.9 ✓	~~104.7~~ 106.7	34.9 ✓	64.7 ✓	57.2 ✓	17.7 ✓	51.4 ✓	YEAR'S TOTAL 679.0 180
Days with 0·2 mm. or more	17 ✓	12 ✓	15 ✓	27 ✓	16 ✓	9 ✓	23 ✓	12 ✓	13 ✓	10 ✓	9	18 ✓	
	10	6	11	21	10	8	19	10	9	9	6	10	128

(44,284). Wt. ,958—21. 6500. 10/19. Gp.132. A.&E.W.

Copied from 10/3203

Cor for aith

REGIS

LEAMINGTON
BINSWOOD AVENUE
WARWICK

1911 - 1915

FORM A2.
BRITISH RAINFALL.

1 JAN 1912

Kept at 31 Binswoo
Leami
in the County of Wa
by Rev. A. Corbet

el stone Bottle
5 in.
Ground ft. 9 in.
Sea Level ft.
30
Name Leamington
Distance 1m Direction S.

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.62		.03					.02			.05	.02	1
2				.04	.12			.38		.26	.03	.02	2
3					.18	.20			.01	.01	.02		3
4	.02	.01	.08	.02					.09	.10	.24	.16	4
5	.05							.11		.04	.62		5
6	.28		.03	.06							.06	.37	6
7			.17								.25	.07	7
8	.26										.05	.08	8
9	.06		.04								.19	.08	9
10	.02	.13	.58					.10			.01	.30	10
11	.15							.01			.43		11
12	.02		.46						.11		.23		12
13			.04						.30		.02	.41	13
14			.03									.36	14
15		.07	.09							.01	.11	.02	15
16						.09					.25	.08	16
17			.02								.14	.20	17
18		.36				.05				.02		.20	18
19						.25	.05	.01	.11	.10	.19	.02	19
20		.08	.04	.01				.53	.10	.10		.29	20
21	.01	.15	.02					.26		.13		.05	21
22		.01	.02			.25				.15	.02	.31	22
23		.08	.27			.04			.21	.26		.23	23
24		.08	.03	.01						.61		.11	24
25		.04	.02	.04	.60			.13				.05	25
26		.10		.25				.11		.21	.15	.13	26
27		.19	.11	.07				.43	.20	.01	.06	.09	27
28		.22		.24						.20	.13	.01	28
29				.03			.07	.03	.39			–	29
30				.18				.03	.01	.06		.01	30
31			.07							.08		—	31
Total	.88	1.52	2.15	.95	.90	.88	.12	2.17	1.53	2.15	2.65	3.66	TOTAL for year 19.56
No. of Rain Days.	10	13	18 19	11	3	6	2	13	10	17	21	3.66 25	~~19.26~~ ~~149~~ 150

W. 8,000, X. '11.

Total Rainfall ~~19.26~~

Corᵈ for auth

REGIS

FORM A2.
BRITISH RAINFALL.

1 JAN 1912

Kept at 31 Binswood Av.
Leamington
in the County of Warwick
by Rev. A Corbet

RAIN GAUGE
Pattern funnel & stone bottle
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level ft.

Time of Observation 9.30

Nearest Railway Station
Name Leamington
Distance 1ᵐ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.03					.02			.05	.02	1
2				.04	.12			.38		.26	.03	.02	2
3					.18	.20			.01	.01	.02		3
4	.02	.01	.08	.02					.09	.10	.24	.16	4
5	.05							.11		.04	.02		5
6	.28		.03	.06							.06	.37	6
7			.17								.25	.04	7
8	.26										.05	.08	8
9	.05		.04								.19	.08	9
10	.02	.13	.58					.10			.01	.30	10
11	.15							.01			.43		11
12	.02		.46						.11		.23		12
13			.04						.30		.02	.41	13
14			.03									.36	14
15		.07	.09							.01	.11	.02	15
16						.09					.25	.08	16
17			.02								.14	.20	17
18		.36				.05				.02		.20	18
19						.25	.05	.01	.11	.10	.19	.02	19
20		.08	.04	.01				.55	.10	.10		.29	20
21	.01	.15	.02					.26		.13		.05	21
22		.01	.02			.25				.15	.02	.31	22
23		.08	.27			.04			.21	.06		.25	23
24		.08	.03	.01						.61		.11	24
25		.04	.02	.04	.60			.13				.05	25
26		.10		.25				.11		.21	.15	.13	26
27		.19	.11	.07				.43	.20	.01	.06	.09	27
28		.22		.24						.20	.13	.01	28
29				.03			.07	.03	.39			–	29
30				.18				.03	.01	.06		.01	30
31			.07							.08		—	31
Total	.88	1.52	2.15	.95	.90	.88	.12	2.17	1.53	2.15	2.65	3.66 3.66	TOTAL for year 19.56 ~~19.26~~
No. of Rain Days.	10	13	~~18~~ 19	11	3	6	2	13	10	17	21	25	~~149~~ 150

W. 8,000, X. '11.

Total Rainfall 19.26

Ex 8L

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

3. JAN 1913

Kept at 31 Binswood Av. Leamington

in the County of Warwick

by Rev. Athelstan Corbet

RAIN GAUGE
Pattern Stone Jar & Funnel
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level ft.

Time of Observation 9.30

Nearest Railway Station
Name Leamington LN&WR
Distance 1 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.01			.15			.04	.08		.10	1
2			.07	.07		.05							2
3	.04		.13		.30	.07		.37	.05			.08	3
4	.09		.43		.16	.45		.04			.18		4
5	.18	.03	.14		.12	.04		.27	.03			.01	5
6	.19	.10			.02	.19		.39	.05			.03	6
7		.11	.01		.10	.27		.42					7
8	.35	.17	.14	.02		.37		.19	.08			.03	8
9	.03	.03	.06	.09		.63		.01				.18	9
10			.01			.02		.04			.23		10
11	.14	.08	.01			.10		.08	.01		.13	.55	11
12	.02	.29	.16		.10						.05		12
13		.01									.02		13
14	.04		.40		.02			.07					14
15	.06	.06	.07		.32			.01				.15	15
16	.74		.25		.02			.08		.07			16
17	.70		.10			.07		.32			.07	.21	17
18	.14		.14					.07		.06			18
19	.20	.04	.03		.02		.15	.45		.01	.01		19
20	.06		.28		.05		.25	.09		.31			20
21	.01	.02	.29		.78		.03	.65		.25			21
22	.42	.15			.90	.27	.25	.31				.04	22
23	.06	.28	.33		.01		1.48	.19			.15	.31	23
24	.08					.40		.10				.16	24
25	.01							.32			.25	.32	25
26		.12	.02				.27	.78		.56	.22	.12	26
27							.09			.64		.24	27
28		.06					.45	.63	.04	.24	.18	.43	28
29		.01	.02				.39	.03	.52	.23	.02	.01	29
30					.20		.11			.11			30
31			.16		.52		.93	.08				.07	31
Total	3.54	1.56	3.26	.18	3.64	3.58	2.38	5.99	.82	2.56	1.51	3.04	TOTAL for year 33.86
No. of Rain Days.	20	17	23	3	16	14	11	25	8	11	12	18	176 178

W. 8,000, X. '11.

away from home June 12 to July 16th — cannot vouch for interval

Ex 32

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at 31 Binswood Av. Leamington
in the County of Warwick
by Rev. Athelstane Corbet

Lat. .... Long. ....
Time of Observation 9.30
Nearest Railway Station Milverton L.N.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 9 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12	.05	.15				1.00		.05		1
2		.15	.01		.04		.06		.20	.94	.01		2
3	.03		.16		.65		.03			.31		.05	3
4	.70				.15					.14	.04	.45	4
5	.01					.05	.09		.04	.37	.66		5
6	.01	.64	.08		.25	.19	.63			.20		.10	6
7		.08			.30	.02	.08			.29	.13	.03	7
8		.06			.09	.15		.02		.11			8
9		.36	.01		.14	.21	.08	.01	.15		.05	.06	9
10	.02			.08	.16			.03			.27		10
11	.65			.34	.04			.37		.34	.57		11
12					.12				.01		.70		12
13	.05			.01					.17		.27		13
14	.05	—	.40	.07			.52	.01		.08	.01		14
15	.06	.06	.67	.62			.08				.01		15
16			.83	.02					.02		.01		16
17	.12		.07	.12			.09		.05		.03	.01	17
18			.24	.05	.04		.06						18
19	.11		.05		.04		.04		.15				19
20	.38		.06	.07						.17	.21		20
21			.12	.06	.10		.04				.38		21
22	.41		.26			.05		.14	.34				22
23								.04	.02		.01		23
24	.05			.02				.06					24
25		.02		.10					.01	.02		.01	25
26		.06		.18	.09			.08		.16		.25	26
27		.07	.04	.05	.08								27
28	.52		.10	.47						.09		.05	28
29	.02		.29	.97				.04		.02		.06	29
30	.29									.10	.15		30
31			.05		.25			.15		.05			31
Total	3.47	.90	3.40	3.28	2.69	.67	1.82	.95	2.16	3.39	2.96	1.07	YEAR'S TOTAL 26.76
Rain Days.	17	9	18	17	17	6	12	11	12	16	18	10	163

W.7,000, XI. 13

written 6.IV.15

~~W~~ DL [illegible] 9.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at 31 Binswood Avenue
in the County of Leamington Warwick
by Rev. A. Corbet

Lat. Long.
Time of Observation 9. 30
Nearest Railway Station L.N.W.R.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground ft. 14 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.90?		.02	.02	.19			.02	.64	1
2							.42	.45		.03	.79	.49	2
3			.02		.15								3
4	.19			.22	.02			.14			.31	.34	4
5	.03		.07	.21	.18	.10	.21	.04			.03		5
6		.07	.02	.07	.06	.02					.09	.05	6
7		.12	.34	.06	.14		.06	.11				.03	7
8	.04	.01	.09	.03	.04	.82		.21					8
9	.26		.20	.18	.02	1.31		.06	.03				9
10	.05	.08		.30	.07	.01			.20				10
11		.15	.33	.14	.17	.20			—		.25	.45	11
12	.01	.03	.10				.38		.30		.06	.34	12
13	.01	.16	.19						.04	.12	.06	.38	13
14		.03	.08				.14			.40	.08	.20	14
15	.02		.19						.12	.01	.03	.02	15
16			.04				.02		.05				16
17		.20	.05				.07		.05			.32	17
18			.01				.02		.02			.36	18
19			.05				.11		.02		.04	.02	19
20		.09	.19			.13	.03					.31	20
21		.30	.07					.06		.12		.15	21
22		.02	.02	.02	.25		.04	.08		.28			22
23		.04	.06		.04					.15		.03	23
24			.10		.05		.07			.30	.08		24
25	.08		.04					.29		.50	.04	.25	25
26			.18							.05	.16	.23	26
27	.08									.04	.02	.14	27
28		.08	.12		.09					.12	.04	1.20	28
29		X	.08		.07					.22	.12		29
30		X	.04			.14				.02	.44	.23	30
31	.03	X		X		X	.41		X		X	.02	31
Total	.80	1.38	2.68	2.13?	1.29	2.75	2.00	1.63	.83	2.36	2.66	6.60	YEAR'S TOTAL ~~25.71~~ 26.11?
Rain Days.	11	14	25	10	14	9	14	10	9	14	18	22	170

W. 8,000. X. 14.

31, Binswood Avenue,
Leamington.

8 [illegible] 1915

April 7. 1915

Dear Sir

In reply to your query as to ·90 Ap 1/14 – I can only state that that is the amount in my records – I enclose a letter I received in 1905 regarding a similar discrepancy – on investigation I found, that the amount recorded for that day by an observer, about 1/4 of a mile off. was rather less

three miles, & that of another
only about 200 yards from,
Kennedy was again
less, showing that I was nearer
the centre of the Storm —
I suppose the same must be
the reason for the discrepancy
that you refer to —

Yrs very truly
Albert Vance Torbert

~~75~~ Crd [illegible] 12.IV.16

FORM A. BRITISH RAINFALL.

11 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at 34 Lillington Road Leamington

in the County of Warwick

by Rev. A Corbet

Lat. Long.

Time of Observation 9.30

Nearest Railway Station G.W.R 1 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	.16	.11		.24			.01	.08	.10		.05	1
2	.11	.10	.30	.12		.07		.31		.29		.08	2
3	.59			.05	.08		1.05	.50				.12	3
4	.01				.05		.30	.01				.60	4
5		.23	.02		.01		.12	.05				.12	5
6	.18	.14		.12			.90	.18			.06	.03	6
7	.05	.26		.05	.15	.16	.12	.06				.23	7
8	.05	.12						.02			.07		8
9		.02		.10				.01			.19	.39	9
10	.32		.07					.15			.06		10
11				.05	.05						.77		11
12	.04	.02		.18	.50			.13			.70	.12	12
13		.35			.85							.04	13
14		.01		+ .01			.10	.04	.04	.01		.46	14
15	.24				.06		.01	.10		.02	.17	.04	15
16		.41			.20		.76	.02		.01		.01	16
17		.12			.27		.02						17
18		.30	.14										18
19		.02	.01		.10		.15						19
20	.25											.01	20
21	.10	.17			.02		.19			.04		.09	21
22	.10		.21	.08			.75		.01			.12	22
23	.02	.07	.02			.01	.68		.04	.52		.36	23
24			.07	.03		.02	.40		.57	.35		.10	24
25						.52	.06		.16	.03		.32	25
26							.02		.01			.39	26
27						.05	.13			.48		.03	27
28		.25					.01	.15	.07	.05			28
29						.08		.05			.12		29
30	.05	X		.01	~~2.58~~	.34	.01			.12	.08	.04	30
31	.02	X		X	+	X	.01	.03	X	.10	X	.14	31
Total	2.22	2.75	.95	.80	2.58	1.25	5.79 5.79	1.82	.98	2.12	2.22	3.89	YEAR'S TOTAL 28.37 27.37
Rain Days.	16	17	9	11	13	8	20	17	8	13	9	23	164

W. 8,000. X. 15.

+ moved to 34 Lillington Road about 700 yards East

ASHORNE

WARWICKSHIRE

1912-14, 1919-1920

FORM A2.
BRITISH RAINFALL.
-8 MAY 1913

RE 2

owdon.

Kept at Ashorne 5 in.

Ground 1 ft. – in.

in the County of Wa Sea Level 160? ft.
170? on B.

am.

by G. T. Oa Name Leamington (S.W.R)

Distance 5 mls. Direction N

IMPORTANT NOTI the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ear in the space provided for it at the end of this ment of rain, the selection and placing tish Rainfall Organization are given in *Rules for Rainfall Observers*, sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·02	·13	–	·05	1
2									–	–	–	–	2
3									–	–	·01	·06	3
4									–	–	·22	–	4
5									·02	–	·01	·02	5
6									·01	–	–	·06	6
7									–	–	–	·01	7
8									·01	–	–	·04	8
9									–	–	–	·20	9
10									–	–	·14	–	10
11									–	–	·09	·51	11
12									–	–	·03	–	12
13									–	–	·02	–	13
14									–	·01	–	–	14
15									–	–	–	·18	15
16									–	·06	·02	–	16
17									–	–	·05	·31	17
18									–	·05	–	–	18
19									–	–	–	–	19
20									–	·30	–	–	20
21									–	·25	–	–	21
22									–	–	–	–	22
23									–	·01	·06	·36	23
24									–	–	–	·06	24
25									–	–	·25	·34	25
26									–	·48	·18	·16	26
27									–	·46	–	·17	27
28									·04	·17	·26	·53	28
29									·50	·10	·04	·01	29
30									·02	·09	–	–	30
31										–		·06	31
Total									·62	2.11	1·38	3·13	TOTAL for year
No. of Rain Days.									7	12	14	18	

W. 8,000, X. '11.

REGISTER OF RAINFALL 2

FORM A2.
BRITISH RAINFALL.
8 MAY 1913

Kept at Ashorne

in the County of Warwick

by G. T. Osborn

RAIN GAUGE	Pattern Snowdon.
	Diameter of top 5 in.
	Height of top above Ground 1 ft. – in.
	„ „ „ Sea Level 160? ft. 170? on B.
Time of Observation	9 am
Nearest Railway Station	Name Leamington (G.W.R).
	Distance 5 mls. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·02	·13	–	·05	1
2									–	–	–	–	2
3									–	–	·01	·06	3
4									–	–	·22	–	4
5									·02	–	·01	·02	5
6									·01	–	–	·06	6
7									–	–	–	·01	7
8									·01	–	–	·04	8
9									–	–	–	·20	9
10									–	–	·14	–	10
11									–	–	·09	·51	11
12									–	–	·03	–	12
13									–	–	·02	–	13
14									–	·01	–	–	14
15									–	–	–	·18	15
16									–	·06	·02	–	16
17									–	–	·05	·31	17
18									–	·05	–	–	18
19									–	–	–	–	19
20									–	·30	–	–	20
21									–	·25	–	–	21
22									–	–	–	–	22
23									–	·01	·06	·36	23
24									–	–	–	·06	24
25									–	–	·25	·34	25
26									–	·48	·18	·16	26
27									–	·46	–	·17	27
28									·04	·17	·26	·53	28
29									·50	·10	·04	·01	29
30									·02	·09	–	–	30
31										–		·06	31
Total									·62	2.11	1·38	3·13	TOTAL for year
No. of Rain Days.									7	12	14	18	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 APR 1914

Kept at Ashorne
in the County of Warwick
by S J Osborn.

Lat. ________ Long. /
Nearest Railway Station Leamington
Time of Observation ________
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 190' ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	·10	·05	·15	–	–	–	·79	–	·07	–	1
2	–	·15	–	–	–	–	·01	–	·16	·87	·01	–	2
3	·03	–	·13	–	·78	–	–	–	–		–	·08	3
4	·57	–	–	–	·05	–	·01	–	–	·46 }	·05	·35	4
5	–	–	–	–	–		·09	–	·02		·06	–	5
6	·01	·02	·09	–	·44 }		·60	–	–		–	·09	6
7	–	·05	–	–		·43 }	·09	–	–	·47 }	·09	·01	7
8	–	·03	–	–	·10		–	·04	–		–	–	8
9	–	·31	·01	–	·45 }	·19	·06	·01	·17	–	·02	·06	9
10	·01	–	–	·06		–	–	·05	–	–	·83 }	–	10
11	·67	–	–	·34	·12	–	–	·08	–	·25		–	11
12	–	–	–	–	·08	–	–	–	–	–	·60?	–	12
13	·07	–	·05	·01	–	–	–	–	·21	–	·13	–	13
14	·06	·01	·92 }		–	–	·67?	–	–	·09	·01	–	14
15	·08	·06		34 }	–	–	·10	–	–	–	·02	·01	15
16	·03	·04	·72		–	–	–	–	–	–	·01	–	16
17	·08	–	·03	·27 }	–	–		–	·09	–	–	·01	17
18	·02	–			·01	–	·28 }	–	–	–	·03	–	18
19	·13	–	·27 }	·01	·02	–		–	·26	–	–	–	19
20	·31	–		·06	–	–	–	–	–	·32	·51 }	–	20
21	–	–	·08	·05	·09	–	·05	–	–	–		–	21
22	·54	–	·23	–	–	·11	–	·05	·39	–	–	–	22
23	·02	–	·01	–	–	·01	–	·02	·03	–	·01	·01	23
24	·03	–	–	·02	–	–	–	·04	–	–	–	–	24
25	–	·01	–	·10	–	·01	–	–	·01	·01	–	–	25
26	–	·04	·02	? ·14 }	–	–	–	·10	–	·08	–	·18	26
27	–	·06	–	·05 }	·17	–	–	–	–	–	–	–	27
28	·36	–	·20	·44	·02	–	–	–	–	·05	–	–	28
29	·01		·27	·98	·01	–	–	·04	–	·01	–	·06	29
30	·22		–	–	–	–	–	–	–	·08	·11	–	30
31	–		·05		·02		–	·07		·03		–	31
Total	3·26	·78	3·18	2·92	2·51	·75	1·96	·50	2·13	2·72	2·66	·86	TOTAL for year 24·23
No. of Rain Days	20	11	19	18	17	8	12	10	10	16	18	10	164

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

P. T. O.

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Ashorne

in the County of Warwick.

by G T Osborn

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 160' ft.

Time of Observation 9 am

Nearest Railway Station
Name Leamington
Distance 5 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·06	-	·01	·15	·23	-	-	-	·50	1
2	·01	-	-	-	-	-	·01	·33	-	·01	·04		2
3	-	-	·20	-	·11	-	·40	·01	-	-	·96	-	3
4	·26	-		·18	·01	-	-	·20	-	-	-	·30	4
5	·03	-		·13	·20?	·14	·23	·01	-	-	·35	-	5
6	-	·14	-	·10	·04	·01	-	-	-	-	·05	·06	6
7	-		·35		·10	·01	·08	·10	-	-	·15	·05	7
8	·04	-	·11		·03	·80	·05	·15	-	-	-	-	8
9	·27	-	·25	·12	-	1·34	-	·08	·02	-	-	-	9
10	·04	·08	-	·16	·06	-	-	-	·26	-	-	-	10
11	-	·12	·34	·03	·10	·32	-	-	-	-	·29	·95	11
12	-	·01	·32	-	-	-	·38	-	·40	-	·02		12
13	·03	·14		-	-	-	-	-	·04	-	·10	·35	13
14	-	·03	·07	-	-	-	·12	-	-	·12	·05	·10	14
15	·02	·02	·10	-	-	-	·01	·02	·09	·40	·03	·05	15
16	-	-	·02	-	-	-	·04	-	·03	·03	-	-	16
17	-	·22	·03	-	-	-	-	-	·04	-	-	·32	17
18	-	-	·02	-	-	-	·11	-	·01	-	-	·36	18
19	-	-	·01	-	-	-	·20	-	·04	-	·06	·02	19
20	-	·10	·23	-	-	-	·02	-	-	-	-	·25	20
21	-	·38	·02	-	-	·03	·01	·12	-	·27	-	·21	21
22	-	-	·04	·02	·20	-	·04	·04	-		-	-	22
23	-	·05	·42	-	·05	-	-	·01	-	·51	-	·02	23
24	·01			-	·18	-	·05	-	-		·09	·02	24
25	·08	-		-	-	-	-	·33	-	·32	·01	·26	25
26	-	-	·15	-	-	-	·06		-	·04	·18	·23	26
27	·09	-	-	-	-	-	-	-	-	·05	·02	·11	27
28	-	·07	·11	-	·14	-	-	-	-	·10	·06	1·20	28
29	-		·05	-	·03	-	-	-	-	·19	·08	-	29
30	-		·01	-	-	-	-	-	-	·01	·30	·38	30
31	·01		-		·01		·42	-		-		·61	31
Total	·89	1·36	2.85	·80	1·26	2·63	2.38	1·63	·93	2·05	2.84	5·74	TOTAL for year 25·36
No. of Rain Days	12	14	25	10	14	8	18	14	9	14	18	23	179

7,000. X. '09.

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL
3 - MAR 1915

RAINFALL IN 1914

At Ashorne

In the County of Warwick

Rain Gauge
Diameter of Funnel 5 in.
Height of Top — *Above Ground* 1' ft. – in.
Height of Top — *Above Sea Level* 160 ? ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	·89	·27	9	12
FEB.	1·36	·38	21	14
MAR.	2·85	·35	7	25
APR.	·80	·18	4	10
MAY	1·26	·20	6, 22	14
JUNE	2·63	1·30	9	8
JULY	2·38	·42	31	18
AUG.	1·63	·33	2	14
SEPT.	·93	·40	12	9
OCT.	2·05	·40	15	14
NOV.	2·84	·96	3	18
DEC.	5·74	1·20	28	23
Total	25·36	144		179

Signed G Toslom

[*Please fill in the other side also.*

W. 18,000. XI. 12.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascer[illegible]ined ?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge ?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station			
Church			

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

REMARKS on the weather of the year or on any meteorological occurrences should be made on the special slip Form E.

6L1 9652

22-3

(Weekly Gauge)

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL
3 - MAR 1915

RAINFALL IN 1914

At Ashorne

In the County of Warwick

Rain Gauge

Diameter of Funnel 5 in.

Height of Top: *Above Ground* 1 ft. 3 in.

Height of Top: *Above Sea Level* 160 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	·90			
FEB.	1·34			
MAR.	3·03			
APR.	·81			
MAY	1·15			
JUNE	2·61			
JULY	2·28			
AUG.	1·61			
SEPT.	·91			
OCT.	2·11			
NOV.	2·99			
DEC.	5·82			
Total	25·56	649		

Signed S. I. Osborn

[*Please fill in the other side also.*

W. 17,000. X.14.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude ………………………… **N.**

Longitude …………………………

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station			
Church			

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

2482

FORM B.
BRITISH RAINFALL

To be filled and returned
to DR. H. R. MILL, *Director,*
BRITISH RAINFALL ORGANIZATION
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

9 JAN 1917

RAINFALL IN 1916

At Ashorne

In the County of Warwick

Rain Gauge
Diameter of Funnel 5 in.
Height of Top — *Above Ground* 1 ft. – in.
Height of Top — *Above Sea Level* 160 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·17			
FEB.	3·44			
MAR.	4·02			
APR.	1·41			
MAY	2.23			
JUNE	1·55			
JULY	2·40			
AUG.	2·69			
SEPT.	·99			
OCT.	2·27			
NOV.	2·86			
DEC.	2·85			
Total	27·88	708		

Signed ST Osborn

[*Please fill in the other side also.*

W. 16,000. viii.16.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude .... **N.**

Longitude ....

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station			
Church			

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

2788

Weekly Gauge 2483

To be filled and returned
to Dr. H. R. MILL, *Director*,
British Rainfall Organization,
62 Camden Square, London, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL
9 JAN 1917

RAINFALL IN 1916

At Ashorne

In the County of Warwick

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. 6 in.
Height of Top: *Above Sea Level* 160? ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
Jan.	1·12			
Feb.	3·39			
Mar.	4·01			
Apr.	1·44			
May	2·21			
June	1·51			
July	2.42			
Aug.	2·67			
Sept.	·95			
Oct.	2·25			
Nov.	2·89			
Dec.	2·86			
Total X	27·72	704		

Signed G T Osborn.

W. 16,000. viii.16.

[*Please fill in the other side also.*

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude .... **N.**

Longitude ....

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station			
Church			

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

2662

2366

FORM B.

BRITISH RAINFALL

6 FEB 1918

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.1
Copies of this form will be supplied with pleasure.

RAINFALL IN 1917

At Ashorne

In the County of Warwick

Rain Gauge { Diameter of Funnel 5 in.

Height of Top { *Above Ground* 1 ft. – in.

Above Sea Level 160 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·60			
FEB.	·87			
MAR.	1·65			
APR.	1·15			
MAY	2.85			
JUNE	2.00			
JULY	1·10			
AUG.	4·05			
SEPT.	1·57			
OCT.	2·89			
NOV.	1·52			
DEC.	·50			
Total	21.75	552		

Signed E T Osborn.

W. 16,000. ix.17.

[Please fill in the other side also.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
June 1.	50 yds	S E.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Fruit Trees.	15 ft	20 ft.	S ~~[illegible]~~ E.

In order that the position may be accurately entered on a map please mention

Latitude **N.**

Longitude

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Leamington Spa GWR.	5½ miles.	N
Church	Newbold Pacey		

Notes.

~~**If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.**~~

Lowest Min Temp 10° on Feb. 5th & 7th. on Grass -2°.

June 17th Th ☉² ▲ 7pm floods in Leamington 2 ft. deep.

9(:12

To be filled and returned
to DR. H. R. MILL,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL.

RAINFALL IN 1918

At Ashorne

In the County of Warwick

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. – in.
Height of Top: *Above Sea Level* 160 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches	Date	
JAN.	2.26			
FEB.	1·21			
MAR.	1·12			
APR.	3·13			
MAY	1·89			
JUNE	1·13			
JULY	2.34			
AUG.	·69			
SEPT.	4·92			
OCT.	1·63			
NOV.	1·48			
DEC.	2·59			
Total	24·39	620		

Signed R Osborn

[Please fill in the other side also.

15,000, XI., '07.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance	Direction.

In any case please mention

Nearest Parish Church and Railway Station.

	Name.	Distance.	Direction.
Church			
Station			

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address.

REMARKS ON THE YEAR.

24·39

Ex 8t

2274

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

29 JAN 20

Kept at Ashorne.

in the County of Warwick

by S. Osborn.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Leamington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·02	·05								·01		1
2	·16				·22								2
3	1·20				·07				·78				3
4	·06						·88				·34		4
5	·62			—									5
6	·01								·36			1·08	6
7	·06	·27				·29		·06					7
8	·11		1·25										8
9	·04												9
10	·01			·33	·56								10
11	·12						·29						11
12	·01			·12									12
13						·11							13
14												·10	14
15	1·05	·06	·85							·61			15
16								·27					16
17							·15						17
18					·03		—						18
19				·40			1·28						19
20							·41				·54	·64	20
21			1·64			·11	·51						21
22		2·34									·35		22
23	·70			·06				·70		·90			23
24			·03		·09								24
25													25
26				44				[illegible]					26
27						·20						1·06	27
28				·12									28
29											·40		29
30		×	·19	·22				1·08	·50		·03		30
31	35	×	·10	×		×	·07	—	×	·30	×	·81	31
Total	4·24	2·69	4·11	1·69	·97	·71	3·59	2·11	1·64	1·81	1·67	3·69	Year's Total 28·92
Days with ·01 in. or more	—	—	—	—	—	—	—	—	—	—	—	—	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ashorne
in the County of Warwick.
by S T Osborn.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Leamington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 165? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			—									·10	1
2			·02							·12			2
3	·03	·04	—	·47									3
4			·02				·80		·30				4
5			—			·01							5
6			·49								·01		6
7		·01	·03					·48					7
8		·08	—		·60								8
9			—	1·60						·84			9
10		·08	·11	·02						—			10
11	1·15		—				1·43		·07			·03	11
12		·02	·30	·22		1·15							12
13		·01									·05		13
14								·12					14
15	·07		1·15							·12			15
16													16
17							·20						17
18	·02		—	1·06								·12	18
19					·80				2·75				19
20			—			1·02					·23		20
21		·49						·39					21
22	·29												22
23										·36			23
24	·01		·12	·76			·43		·06			·62	24
25	—	·05	·06										25
26		—											26
27		—	·23								·12		27
28		·04						·22					28
29		—											29
30		✕		·32	1·11	·65			·63	·01	·25		30
31	1·10	✕	·20	✕	—	✕	1·03	·02	✕	·40	✕	1·18	31
TOTAL	2·67	·82	2·73	4·45	2·51	2·83	3·89	1·23	3·81	1·85	·66	2·05	YEAR'S TOTAL 29·50
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BARFORD
RECTORY
WARWICK
1911 - 1912

REG 11

FORM A2.
BRITISH RAINFALL.
9 JUL 1912

Kept at Barford Rect

in the County of War

by Rev. W. Ingham

in.

bove Ground ft. in.

,, Sea Level ft.

9·0

Name Warwick G.W.R.

Distance 3 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·25		·37	·04	·07				·03		1
2			·05								·05	·08	2
3			~~·09~~	·10	·19			·45		30	·06	·15	3
4	·03		~~·04~~		·17	·08					·02		4
5			·09								·18	·17	5
6	·06		·04	·02				·15		11	·08		6
7				·01								·29	7
8	·24										23		8
9	·24		·26								·03	·20	9
10					·28						·09	·45	10
11	·08	·16	·59								·54		11
12	·15												12
13			·57						·23		·25		13
14			·08						·49		·07	·56	14
15												·48	15
16		·08	·08								·12	·01	16
17											·28		17
18						·02					·25	24	18
19		·40				·10					·20	·15	19
20				·04		·35			·12	·05			20
21		·11	·01			~~·08~~		·25		·10			21
22		·12						·41		·05		·43	22
23			·04			·08				30		·50	23
24		·06	·41			·30				·48			24
25		·09				·50		·09	·29			·18	25
26		·09		·02		·04							26
27		·10	·01	·26						·28	·18	·15	27
28		·26	·11	·25		·01		·49		·21	·08		28
29				·22		·23			·24	55			29
30							28		·38				30
31													31
Total	·80	1·47	2·56	·92	~~1·06~~ 1·01	1·75	·35	~~1·74~~ 1·84	1·80	2·43	2·74	4·04	TOTAL for year 21·71
No. of Rain Days.	6	10	14	8	4	11	2	6	6	10	18	15	~~21·66~~ 110

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 JUL 1912

REGISTER OF RAINFALL IN 1911

Kept at Barford Rectory

in the County of Warwick

by Rev. W. Ingham Brooke

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9·0

Nearest Railway Station
Name Warwick G.W.R.
Distance 3 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·25		·37	·04	·07				·03		1
2			·05								·05	·08	2
3			~~·09~~	·10	·19			·45		30	·06	·15	3
4	·03		~~·01~~		·17	·08					·02		4
5			·09								·18	·17	5
6	·06		·01	·02				·15		11	·08		6
7				·01								·29	7
8	·24										23		8
9	·24		·26								·03	·20	9
10					·28						·09	·45	10
11	·08	·16	·59								·54		11
12	·15												12
13			·57						·23		·25		13
14			·08						·49		·07	·56	14
15												·48	15
16		·08	·08								·12	·01	16
17											·28		17
18						·02					·25	24	18
19		·40				·10					·20	·15	19
20				·04		·35			·12	·05			20
21		·11	·01			~~·08~~		·25		·10			21
22		·12						·41		·05		·43	22
23			·04			·08				30		·50	23
24		·06	·41			·30				·48			24
25		·09				·50		·09	·29			·18	25
26		·09		·02		·04							26
27		·10	·01	·26						·28	·18	·15	27
28		·26	·11	·25		·01		·49		·21	·08		28
29				·22		·23			·24	55			29
30							28		·38				30
31													31
Total	·80	1·47	2·56	·92	~~1·06~~ 1·01	1·75	·35	~~1·74~~ 1·84	1·80	2·43	2·74	4·04	TOTAL for year 21·71
No. of Rain Days.	6	10	14	8	4	11	2	6	6	10	18	15	~~21·66~~ 110

W. 8,000, X. '11.

~~W~~ ~~Com~~ for arith ? 11. VI. 13.

REGISTER OF RAINFALL IN 1912

for W.D.

FORM A.
BRITISH RAINFALL.
13 MAY 1913

Kept at Barford Rectory

in the County of Warwick.

by ~~[illegible]~~ Rev. W. T. Brooke.

Lat. Long.

Time of Observation 9 - o'clock A.M.

Nearest Railway Station Warwick. G.W.R.

Diameter of Rain Gauge 8 1/2 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·05)
estd

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02		·35		1·17					1
2				·04			·25					·10	2
3						·50	·36					·08	3
4	·08					·08		~~1~~·24	·11				4
5	·13		·62		·08	·45					·33		5
6	·19	·08	·18		·07	·05		·50					6
7	·23			·24	·30		·10	·62					7
8		·24			·01	·50		·18					8
9	·42	·22	·21		·11							·05	9
10		·08				·60		·18				·25	10
11	·14		·07			·17					·26		11
12	·12	·03									·15	·69	12
13		·59	·19		·08								13
14		·02					·07	·05					14
15	·08		·41		·16	·17		·15					15
16	·08	·08	·12		·39	·26						·18	16
17	·70											·40	17
18	1·00		·32			·15		·50			·12		18
19	·72							·10					19
20		·05	·21					·67					20
21			·33				·20	·07	·65				21
22			·23		1·20		·50	·93					22
23	·40	·21			·87	·16		·40					23
24	·13					·17		·32			·06	·50	24
25						·52		·10			·10		25
26			·45			·70		·44			·40	·59	26
27			·02				·90	1·00		·80	·15		27
28						·08	·10			·70		·40	28
29		·41				·20	·50	·66		·47	·23	·85	29
30								·04	·54	·32			30
31			·26			—	1·17	—	—	—	—	(·05)	31
	—	—	·02	—	·35	~~5·01~~							YEAR'S TOTAL
Total	~~4·42~~	~~2·01~~	~~3·62~~	~~·30~~	~~3·35~~	~~4·99~~	~~2·98~~	~~8·32~~	~~1·30~~	~~2·29~~	~~1·80~~	~~4·09~~	~~39·45~~ ~~[illegible]~~ ~~39·49~~
Rain Days.	~~14~~	~~11~~	~~14~~	~~3~~	~~10~~	~~14~~	~~9~~	~~20~~	~~3~~	~~4~~	~~9~~	~~11~~	~~125~~
	4·42	2·01	3·64	·28	3·70	4·66	4·15	7·15	1·30	2·29	1·80	4·14	39·54

W. 7,500, XI. 12

8L ✓

BEDWORTH
CEMETERI|
WARWICK.
1911 - 1919

391

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REG 11

Kept at *Bedworth*

in the County of *Warwic*

by *Mr. G. O. Bo*

5 in.

ove Ground 1 ft. in.

„ Sea Level 385 ft.

n { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03								·02	·02	1
2	·04				·21		·05	·22		·18	·04	·06	2
3		·02			·20			·20	·03	·02			3
4	·01		·12	·07				·01	·06	·27	·35	·22	4
5	·02			·02				·05			·05		5
6	·29		·03					·02		·02	·05	·44	6
7	·02										·18	·11	7
8	·10		·12									·18	8
9			·12								·18	·04	9
10		·08	·17					·11				·38	10
11	·17										·38		11
12	·01		·42						·25		·32		12
13			·07						·15		·02	·39	13
14		·03	·03									·50	14
15		·07	·04							·02	·08	·05	15
16						·05					·11	·07	16
17			·03			·09					·07	·26	17
18		·36				·30					·02	·20	18
19		·01			·03	·33		·02	·19	·25	·34	·04	19
20		·08		·01				·17	·09	·02		·40	20
21		·27						·49		·21		·28	21
22			·07	·01				·01		·27		·20	22
23			·20			·42			·36	·02	·01	·14	23
24		·13	·02	·01		·45		·08		·40		·13	24
25		·08	·04	·06	·46	·11				·13			25
26		·07		·30		·02		·02		·25	·15	·19	26
27		·26	·08	·07		·01		·23	·26		·04	·08	27
28		·18		·19							·09		28
29						·14	·08		·28	·10			29
30						·06		·02		·13			30
31			·01										31
Total	·67	1·64	1·60	·74	·90	1·98	·13	1·65	1·67	2·29	2·50	4·38	TOTAL for year 20·15
No. of Rain Days	9	13	17	9	4	11	2	14	9	15	19	22	144

9,000, IX. '10.

8L ✓

391

FORM A2.
BRITISH RAINFALL
26 JAN 1912

REGISTER OF RAINFALL 11

Kept at *Bedworth Cemetery*

in the County of *Warwickshire*

by *Mr. G. C. Bosworth*

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 385 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03								·02	·02	1
2	·04				·21		·05	·22		·18	·04	·06	2
3		·02			·20			·20	·03	·02			3
4	·01		·12	·07				·01	·06	·27	·35	·22	4
5	·02			·02				·05			·05		5
6	·29		·03					·02	—	·02	·05	·44	6
7	·02										·18	·11	7
8	·10		·12									·18	8
9			·12								·18	·04	9
10		·08	·17					·11				·38	10
11	·17										·38		11
12	·01		·42						·25		·32		12
13			·07						·15		·02	·39	13
14		·03	·03		—							·50	14
15		·07	·04							·02	·08	·05	15
16						·05					·11	·07	16
17			·03			·09					·07	·26	17
18		·36				·30					·02	·20	18
19		·01			·03	·33		·02	·19	·25	·34	·04	19
20		·08		·01				·17	·09	·02		·40	20
21		·27						·49		·21		·28	21
22			·07	·01	—			·01	—	·27		·20	22
23.			·20			·42			·36	·02	·01	·14	23
24		·13	·02	·01		·45		·08		·40		·13	24
25		·08	·04	·06	·46	·11				·13			25
26		·07		·30		·02		·02		·25	·15	·19	26
27		·26	·08	·07		·01		·23	·26		·04	·08	27
28		·18		·19							·09		28
29						·14	·08		·28	·10			29
30						·06		·02		·13	—		30
31			·01										31
Total	·67	1·64	1·60	·74	·90	1·98	·13	1·65	1·67	2·29	2·50	4·38	TOTAL for year 20·15
No. of Rain Days	9	13	17	9	4	11	2	14	9	15	19	22	144

9,000, IX. '10.

82

357

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bedworth Cemetery

in the County of Warwickshire 1

by G. O. Bosworth

Rain Gauge { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04			.16	.03	.02	.02			.23	1
2			.10	.16	.02	.09						.01	2
3	.10		.03		.05	.13	.34	.49	.04			.04	3
4	.14		.52		.20	.45	.04	.03					4
5		.08	.43		.04	.17		.22	.01			.02	5
6	.10	.10			.01	.26		.21	.09			.06	6
7	.35	.12			.04	.19		.03	.01		.01		7
8	.30	.27	.22			.25		.07	.14				8
9		.03	.05	.21		.18	.05	.05				.29	9
10						.21		.32	.01		.47		10
11	.12	.08				.15					.22	.56	11
12	.03	.24	.14		.13		.04				.04		12
13		.04				.01	.03			.01			13
14	.10		.34		.07	.13		.05					14
15	.20	.04	.14		.36	.30		.02				.10	15
16	.52		.12		.03	.07		.10		.09	.04		16
17	.88		.13			.15		.43			.07	.43	17
18	.22		.12					.09			.01		18
19	.29		.02				.27	.78		.05			19
20	.16		.19				.14	.09		.28		.03	20
21		.07	.13		1.12		.01	.43		.25			21
22	.30	.10			.86	.41	.47	.37				.06	22
23	.09		.24			.17	.38	.36			.15		23
24	.18					.21	.04	.07			.01	.61	24
25						.69		.29			.23	.33	25
26		.04	.04				.38	.88		.62	.18	.36	26
27						.08	.10			.37		.18	27
28		.04				.13	.16	.48	.07	.42	.37	.47	28
29		.01					.30		.53	.35			29
30					.49	.14	.02		.03	.06			30
31			.14		.26		.75	.12				.16	31
~~Total~~	4.08	1.26	3.14	.37	3.68	4.73	3.55	6.00	.95	2.50	1.80	3.94	TOTAL for year 36.00
No. of Rain Days.	17	14	19	2	14	23	18	24	10	10	12	17	180

W. 8,000, X. '11.

DL ✓ 399

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

28 JAN 1914

Kept at Bedworth Cemetery

in the County of Warwickshire

by G. O. Bosworth

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.15	.05	.16				.71		.06		1
2	.03	.10	.01								.04		2
3	.03		.21		.80		.01		.06	.06		.06	3
4	.69	.01			.41	.07	.02			.14	.07	.26	4
5	.07	.01			.02	.06	.13			.85			5
6	.01	.03	.06		.26	.19	.41			.05		.14	6
7		.16			.29	.03	.13			.33	.10	.03	7
8		.02			.12	.15				.53	.05		8
9			.05		.09	.32	.06	.07	.07		.11	.04	9
10	.05			.13	.10			.01			.30		10
11	.97			.41	.09					.27	.35		11
12					.05						.73		12
13	.08		.07	.04					.19		.23		13
14	.12		.57							.13			14
15	.06	.25	.35	.46							.04		15
16	.09	.05	.66						.01				16
17	.07			.23									17
18	.09		.17	.15			.09						18
19			.06		.06		.05		.20				19
20	.21		.09	.09					.17	.17			20
21			.19				.05	.05			.20		21
22	.62		.38		.14				.42				22
23	.02		.04			.11		.11	.05		.33		23
24	.07			.03				.06					24
25				.07									25
26		.12	.05	.27	.10			.06		.20		.30	26
27		.07		.04								.01	27
28	.48		.21	.53	.02					.07		.02	28
29			.33	1.18	.04			.25		.03		.05	29
30	.35							.01		.13	.15		30
31			.05		.06			.05					31
Total	4.12	.82	3.70	3.68	2.81 ✓	.93	.95	.67	1.88	2.96	2.76	.91	YEAR'S TOTAL 26.19
Rain Days.	20	10	19	14	17	7	9	9	9	13	14	9	150

W. 7,500, XI. 12

88/

383

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bedworth Cemetery

in the County of Warwickshire

by G. O. Bosworth

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02					2·35	·19		·01		·03	1
2				·28				·35			·76		2
3				·02	·18		·34	·28				·22	3
4	·26		·05	·18	·05			·05			·34	·33	4
5	·07		·10	·25	·06	·22	·14	·03			·12		5
6					·05							·07	6
7		·15	·39		·06	·05	·06	·11				·06	7
8	·06	·02	·07	·10	·07	·60		·19					8
9	·29		·17	·32		1·10		·05	·04				9
10		·15		·25	·12	·12			·11				10
11		·05	·30	·17	·09	·10					·33	·44	11
12	·12		·14		·01		·11		·24		·06	·27	12
13	·01	·22	·23							·36		·41	13
14		·02	·07				·13			·32	·14	·28	14
15	·03		·12				·15	·02		·02	·04	·02	15
16							·25		·15				16
17		·17	·08						·15			·33	17
18						·01	·12					·47	18
19							·03		·06		·03	·04	19
20		·14	·11			·04	·48					·25	20
21		·33	·07			·06	·20			·15		·33	21
22		·05			·35		·06	·14		·21			22
23		·10	·10		·12		·03			·05			23
24			·04	·02						·30	·09		24
25	·09						·08	·22		·35	·04	·18	25
26			·15				·05	·08		·05	·22	·28	26
27	·06										·02	·17	27
28	·01	·08	·12		·07						·07	·90	28
29			·08							·28	·17		29
30			·01							·03	·43	·35	30
31	·01						·28					·04	31
Total	1·01	1·50	2·40	1·59	1·23	2·30	4·86	1·71	·75	2·13	2·86	5·47	YEAR'S TOTAL 27·81
Rain Days.	11	13	19✓	9	12	9	17	12	6	12	15	21	156

W.7,000, XI. 13

8/2

2571
375

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Bedworth Cemetery
in the County of Warwickshire
by G. O. Bosworth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·17	·15		·26				·09	·06	·03	·04	1
2	·09	·18	·09	·20		·17		·56		·21		·04	2
3	·59			·09			1·19	·16				·20	3
4	·10				·05		·47					·77	4
5	·01	·25			·06			·04				·49	5
6	·12	·51		·25			·78					·07	6
7	·06	·37					·31	·20				·58	7
8	·07	·17					·01	·04			·06		8
9		·15		·06							·28	·37	9
10	·31		·06								·11		10
11	·04			·04	·17		·14				·64	·09	11
12	·04			·21	·37		·01	·28		·07	·94		12
13		·59			·66								13
14							·09	·20	·08			·30	14
15	·27				·09		·09	·03			·07	·16	15
16	·08	·21			·11		1·72					·02	16
17		·24					·06						17
18		·25	·21					·14					18
19					·23		·14						19
20	·34			·09			·01					·04	20
21				·05	·02		·19					·16	21
22	·33		·16									·12	22
23		·03	·03				·25			·43		·20	23
24			·03				·38		·50	·17		·15	24
25				·04		·25	·24		·08			·43	25
26		·18					·04					·28	26
27		·02	·02				·25			·47		·08	27
28		·06				·13	·06	·16	·10	·12		·07	28
29						·10	·01				·14		29
30	·08	X								·08	·07	·06	30
31	·11	X		X		X			X	·08	X	·17	31✓
Total	2·73	3·38	·75	1·03	2·02	·65	6·44	1·81	·85	1·69	2·34	4·89	YEAR'S TOTAL 28·58
Rain Days.	17	15	8	9	10	4	21	10	5	9	9	23	140

W. 8,000. X. 14.

81

2507
336

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Bedworth Cemetery
in the County of Warwickshire
by G. O. Bosworth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05		.09				.12				.16		1
2	.28		.09		.45				.10	.53		.04	2
3		.52					.19		.10	.24	.10		3
4	.26	.04			.52				.03	.04	.30		4
5	.04			.03	.11	.20				.06	.04		5
6	.05	.11	.22	.05	.26	.21	.09				.33		6
7	.07		.10			.06	.40			.07	.22	.02	7
8	.05		.06		.02	.16	.07			.08	.07	.34	8
9			.04		.23	.06			.03	.10		.11	9
10		.16	.05	.09	.01	.01			.05	.08			10
11	.06	.15	.06	.20	.05	.25			.03			.25	11
12	.11	.06	.17	.02	.37	.10	.18			.06			12
13		.04	.27		.02		.19	.23					13
14		.60	.01		.09			.55					14
15		.16	.57	.09			.10	.38		.12			15
16			.38	.25			.07	.08					16
17	.17	.08		.13					.25	.25			17
18			.04	.08				.18	.28	.04	.68		18
19	.06	.15	.19					.03	.11		.37	.20	19
20	.03		.41					.08			.10	.10	20
21			.17		.10		.09					.20	21
22		.04	.05							.10		.31	22
23		.71						.07		.08	.07	.56	23
24		.08				.11		.05		.04			24
25		.08	.07					.30			.25		25
26	.06	.12						.08		.06	.10		26
27	.04	.05	.79					.05		.12			27
28		.23	.16							.09		.33	28
29		.17				.32		.91		.25		.07	29
30					.12	.10				.25		.15	30
31					.10					.10			31
Total	1.33	3.55	3.99	.94	2.45	1.58	1.50	2.99	.98	2.76	2.79	2.68	YEAR'S TOTAL 27.54
Rain Days.	14	19	21	9	14	11	10	13	9	21	13	13	167

W. 8,000. X. 15

8L ✓ Ese J L 2386 322

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Bedworth Cemetery

in the County of Warwickshire

by G. C. Bosworth

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–											1
2													2
3													3
4	·05												4
5													5
6													6
7	·58												7
8	·49												8
9	·03												9
10													10
11	·52												11
12	·11												12
13													13
14													14
15	·06												15
16	·01												16
17													17
18	·02												18
19													19
20	·01												20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	1.88												YEAR'S TOTAL
Rain Days.	10												

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

22.1.18

Kept at Bedworth Cemetery
in the County of Warwickshire
by G. O. Bosworth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			–										1
2		·04											2
3		·03											3
4		·02											4
5		·05											5
6		·12											6
7		·08											7
8		·10											8
9		·28											9
10		·01											10
11		·01											11
12		·07											12
13													13
14													14
15													15
16													16
17													17
18													18
19		·05											19
20		·10											20
21													21
22													22
23													23
24		·10											24
25													25
26													26
27													27
28		·09											28
29													29
30		X											30
31		X		X		X			X		X		31
Total		1·15											YEAR'S TOTAL
Rain Days.		15											

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

Kept at Bedworth Cemetery
in the County of Warwickshire
by G. C. Bosworth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36	–	·07	–									1
2	·21	·05	·04										2
3		·02	·04										3
4	·80		·34										4
5	·07	·09											5
6	·05	·07	·09										6
7	·02		·20										7
8	·17		·10										8
9	·01		·08										9
10													10
11			·52										11
12	·02												12
13	·14												13
14	·42												14
15	·46	·08											15
16	·16	·92											16
17	·03	·03											17
18		·76	·40										18
19	·12	·14	1·06										19
20	·49	·03	·16										20
21	·03	·49	·05										21
22		·19											22
23													23
24													24
25	·12												25
26	·03	·03	·20										26
27	·15												27
28	·01		·04										28
29	·03												29
30	·03	✕	·05										30
31	·01	✕		✕		✕			✕		✕		31
Total	3·94	2·90	3·44										YEAR'S TOTAL
Rain Days.	24	13	16										

W, 6,500, VII. 18. w w c

~~BIDFORD~~

MOOR HALL

WARWICKSHIRE

1913 - 15, 17 - 1920

FORM A2.
BRITISH RAINFALL

6- JAN 1914

2445

REG

Kept at Moor H

in the County of War

by E. H. Cubb

wdon

in.

round 1 ft. 0 in.

Level 125 ft.

me Broom Junction

stance 4 m Direction SW

IMPORTANT NOTE. he result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing sh Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	·04	·07	·08	...	...	...	...	·78	...	·02	...	1
2	...	·18	...	·05	...	...	·01	...	·13	·84	·04	...	2
3	·07	...	·11	...	·66	...	...	...	...	...	...	·08	3
4	·81	...	...	...	·17	...	...	...	...	·17	·03	·50	4
5	...	...	...	...	...	·09	·08	...	·02	·32	·06	·02	5
6	·01	·02	·06	...	·26	·17	·79	...	...	·20	...	·24	6
7	...	·11	...	...	·32	·04	·07	...	...	·14	·14	...	7
8	...	·03	...	...	·07	·08	...	·01	...	·33	...	...	8
9	...	·31	·02	·01	...	·12	·01	·10	·18	...	·11	·02	9
10	·06	...	...	·09	·06	...	...	·12	...	...	·23	...	10
11	·62	·01	...	·34	·07	...	...	·06	...	·05	·39	...	11
12	...	·01	...	...	·55	·02	...	...	...	...	·64	...	12
13	·04	...	·06	...	...	...	...	·05	·26	...	·22	...	13
14	·02	...	·34	·03	...	...	·08	·17	...	·10	...	...	14
15	·02	·14	·48	·15	...	...	...	...	·08	...	·08	·01	15
16	...	...	·64	·09	...	...	...	...	·02	...	·01	...	16
17	·06	...	·07	·14	...	·04	·12	...	·01	...	...	...	17
18	·01	...	·14	·06	·04	...	·06	...	...	...	...	...	18
19	·09	...	·10	...	·02	·02	·04	...	·17	...	...	...	19
20	·20	...	·13	·08	...	...	...	...	·02	·06	·04	...	20
21	...	...	·21	·09	·24	...	·20	·01	...	...	·28	...	21
22	·40	...	·33	...	...	...	...	·05	·46	...	...	...	22
23	...	...	·01	...	...	·08	...	·06	·03	...	·01	·03	23
24	·02	...	...	·01	...	...	...	·01	...	...	...	·01	24
25	...	...	...	·06	...	...	...	...	·03	...	...	...	25
26	...	·04	...	·46	...	...	...	·24	·01	·09	...	·23	26
27	...	·01	·01	·26	·03	...	...	...	...	·02	...	...	27
28	·46	...	·15	·36	...	...	...	...	...	·17	...	·02	28
29	...	—	·61	·55	...	...	...	...	...	·11	...	·02	29
30	·24	—	...	...	...	...	...	...	...	·16	·14	...	30
31	·02	—	·09	—	·05	—	...	·06	—	·02	—	...	31
Total	3·15	·90	3·63	2·91	2·54	·66	1·46	·94	2·20	2·78	2·44	1·18	TOTAL for year 24·79
No. of Rain Days	17	11	19	18	13	9	10	12	14	15	16	11	165

9,000, IX. '10.

REGISTER OF RAINFALL IN

FORM A2.
BRITISH RAINFALL.

8 JAN 1914

2445

Kept at Moot Hall.

in the County of Warwick

by E. H. Cubberley.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 125 ft.

Time of Observation 9 am

Nearest Railway Station
Name Broom Junction
Distance ¼ m. Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	·04	·07	·08	...	...	...	...	·78	...	·02	...	1
2	...	·18	...	·05	...	...	·01	...	·13	·84	·04	...	2
3	·07	...	·11	...	·66	...	...	...	...	...	...	·08	3
4	·81	...	...	...	·17	...	...	...	...	·17	·03	·50	4
5	...	...	...	...	...	·09	·08	...	·02	·32	·06	·02	5
6	·01	·02	·06	...	·26	·17	·79	...	...	·20	...	·24	6
7	...	·11	...	...	·32	·04	·07	...	...	·14	·14	...	7
8	...	·03	...	...	·07	·08	...	·01	...	·33	...	...	8
9	...	·31	·02	·01	...	·12	·01	·10	·18	...	·11	·02	9
10	·06	...	...	·09	·06	...	...	·12	...	...	·23	...	10
11	·62	·01	...	·34	·07	...	...	·06	...	·05	·39	...	11
12	...	·01	...	...	·55	·02	...	...	...	...	·64	...	12
13	·04	...	·06	...	...	...	...	·05	·26	...	·22	...	13
14	·02	...	·34	·03	...	...	·08	·17	...	·10	...	...	14
15	·02	·14	·48	·15	...	...	...	...	·08	...	·08	·01	15
16	...	...	·64	·09	...	...	...	...	·02	...	·01	...	16
17	·06	...	·07	·14	...	·04	·12	...	·01	...	...	...	17
18	·01	...	·14	·06	·04	...	·06	...	...	...	...	...	18
19	·09	...	·10	...	·02	·02	·04	...	·17	...	...	...	19
20	·20	...	·13	·08	...	...	...	...	·02	·06	·04	...	20
21	...	...	·21	·09	·24	...	·20	·01	...	...	·28	...	21
22	·40	...	·33	...	...	...	...	·05	·46	...	...	...	22
23	...	...	·01	...	...	·08	...	·06	·03	...	·01	·03	23
24	·02	...	...	·01	...	...	...	·01	...	...	...	·01	24
25	...	...	...	·06	...	...	...	...	·03	...	...	...	25
26	...	·04	...	·46	...	...	...	·24	·01	·09	...	·23	26
27	...	·01	·01	·26	·03	...	...	...	...	·02	...	...	27
28	·46	...	·15	·36	...	...	...	...	...	·17	...	·02	28
29	...	—	·61	·55	...	...	...	...	...	·11	...	·02	29
30	·24	—	...	...	...	...	...	...	...	·16	·14	...	30
31	·02	—	·09	—	·05	—	...	·06	—	·02	—	...	31
Total	3·15	·90	3·63	2·91	2·54	·66	1·46	·94	2·20	2·78	2·44	1·18	TOTAL for year 24·79
No. of Rain Days	17	11	19	18	13	9	10	12	14	15	16	11.	165

E20 D.L.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915
2445

Kept at Moor Hall, Bidford-on-Avon
in the County of Warwick
by E. H. Cubberley

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Broom
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	...	·05	·09	...	·01	·51	·35	...	...	·02	·07	1
2	...	...	·01	...	·01	·02	·13	·21	...	...	·57	·37	2
3	...	...	·06	·03	·10	...	·20	·03	...	...	·08	...	3
4	·21	...	·03	·14	·03	...	·08	·03	...	...	·47	·33	4
5	·01	...	·08	·09	·21	·01	·39	...	...	...	·06	...	5
6	·02	·06	...	·04	·02	·09	...	...	...	...	·06	·03	6
7	...	·09	·31	·03	16	·01	·07	·11	...	...	·01	·10	7
8	·01	·01	·16	·04	·06	·85	...	·09	...	...	...	·01	8
9	·27	...	·23	·29	·04	1·13	...	·09	·04	...	...	...	9
10	·05	·15	·05	·17	·09	·03	...	...	·25	...	...	...	10
11	...	·04	·20	·05	·35	·25	...	...	·01	...	·11	·55	11
12	...	·06	·14	...	·01	...	·23	...	·35	...	·04	·22	12
13	...	·09	·21	...	...	...	...	...	·06	·10	·09	·36	13
14	...	·01	·09	...	...	...	·04	...	...	·29	·10	·07	14
15	·01	...	·07	...	...	...	...	·03	·11	·01	·05	·02	15
16	...	...	·04	...	...	...	...	...	·04	...	...	·02	16
17	...	·18	·08	...	...	...	·02	...	·10	...	...	·15	17
18	...	...	...	...	...	...	·10	...	...	...	...	·40	18
19	...	...	·08	...	...	...	·86	...	·02	...	·05	·03	19
20	...	·15	·05	...	...	11	...	...	...	...	...	·19	20
21	...	·30	·04	...	...	·09	...	·16	...	·19	·01	·23	21
22	...	·06	·07	...	31	·01	...	·04	...	·18	...	...	22
23	...	·05	·03	...	·05	·02	13	...	...	·08	...	...	23
24	...	·03	·12	...	·01	·01	·09	·01	...	·10	·04	...	24
25	·08	...	·07	...	...	...	·01	·23	...	·21	·04	·11	25
26	...	...	·29	...	...	...	·09	·03	...	·07	·14	·26	26
27	·05	...	...	...	...	...	...	...	...	·07	·03	·08	27
28	...	·07	·13	...	·04	...	...	...	...	·09	·11	1·09	28
29	...		·11	...	·08	...	...	...	...	·20	·06	...	29
30	...	X	...	...		·01	...	...	...	·06	·71	43	30
31	·02	X	...	X		X	·26	...	X	·01	X	·01	31
Total	·73	1·35	2·80	·97	1·57	2·65	3·21	1·41	·98	1·66	2·85	5·13	YEAR'S TOTAL 25·31
Rain Days.	10	15	26	10	16	15	16	13	9	14	21	23	188

W. 8,000. X. 14.

7541

FORM A.
BRITISH RAINFALL

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Moat Hall, Wixford

in the County of Warwick

by E. H. Cubberley

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Broom

Diameter of Funnel of Rain Gauge 5 in. 2445

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·09	·05	...	·20	...	...	·08	·01	·16	...	·03	1
2	·15	·09	·21	·12	...	·10	...	·26	...	·28	...	·06	2
3	1·00	·02	·02	·10	·02	...	1·00	·08	...	...	...	13	3
4	·01	...	...	...	·03	...	·35	·01	...	...	...	·60	4
5	...	·11	...	·01	...	...	·14	·07	...	...	...	·43	5
6	·20	·06	...	·18	...	...	·45	·01	...	...	...	·04	6
7	·06	·32	...	·03	...	·13	·19	·05	...	...	...	·20	7
8	·10	·10	...	·03	...	...	·17	·03	...	...	·03	...	8
9	·16	·02	...	·17	...	...	...	·02	...	...	·11	·37	9
10	·19	...	·03	...	...	...	...	...	...	...	...	...	10
11	...	...	...	·06	·09	...	...	...	...	...	·80	·03	11
12	·03	·01	...	16	·43	...	...	·13	...	·01	·73	...	12
13	...	·32	...	...	·87	...	...	·05	...	...	...	·03	13
14	...	·01	...	...	...	...	·08	·22	·09	...	...	·30	14
15	·26	...	...	...	·07	...	...	·01	...	·01	·08	·11	15
16	·02	·25	...	...	·32		·88	·05	...	...	...	·01	16
17	...	·14	...	...	·38	...	...	...	...	...	...	·01	17
18	...	·16	·06	...	...	...	...	...	...	...	·01	...	18
19	...	...	·01	...	·11	...	·17	...	...	...	...	...	19
20	·15	...	...	·01	...	...	...	·02	...	...	...	·09	20
21	·12	·15	...	...	...	...	·14	...	...	·05	...	·04	21
22	·08	...	·24	·05	...	...	·42	...	·01	...	...	·16	22
23	·02	·11	·08	...	...	...	·20	...	·03	·70	...	·29	23
24	...	...	·06	·05	...	...	·09	...	·24	·58	...	·11	24
25	...	...	·01	...	...	·67	·09	...	·10	·03	...	·43	25
26	...	·01	...	...	...	...	·08	...	·01	...	...	·38	26
27	...	·11	...	...	...	...	·23	...	...	·42	...	·01	27
28	...	·15	·01	...	...	·05	·02	·07	·10	·01		...	28
29	...		...	...	...	·03	·24	·08	...	...	·03	·03	29
30	·04	X	...	·01	...	·09	·09	·04	...	·07	·12	·07	30
31	·01	X	...	X	...	X	·14		X	·52	X	·15	31
Total	2·78	2·23	·78	·98	2·52	1·07	5·17	1·28	·59	2·84	1·91	4·11	YEAR'S TOTAL 26·26
Rain Days.	18	19	11	13	10	6	20	18	8	12	8	25	168

W. 8,000. X. 15.

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL
5 JAN 1915

RAINFALL IN 1914

At Moor Hall

In the County of Warwick

Rain Gauge — Diameter of Funnel 5 in.

Rain Gauge — Height of Top — *Above Ground* 1 ft. 0 in.

Rain Gauge — Height of Top — *Above Sea Level* 125 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	·73	·27	9th	10
FEB.	1·35	·30	21st	15
MAR.	2·80	·31	7th	26
APR.	·97	·29	9th	10
MAY	1·57	·35	11th	16
JUNE	2·65	1·13	9th	15
JULY	3·21	·86	19th	16
AUG.	1·41	·36	1st	13
SEPT.	·98	·35	12th	9
OCT.	1·66	·29	14th	14
NOV.	2·85	·71	30th	21
DEC.	5·13	1·09	28th	23
Total	25·31	643		188

Signed E. H. Cubberley.

[Please fill in the other side also.

W. 17,000. X.14.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

Snowdon (pattern)

F Darton & Co (maker)

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Stable	30ft	50ft	E
Trees	40 ft	90 ft	N.

In order that the position may be accurately entered on a map please mention

Latitude .... **N.**

Longitude ....

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Broom	¼ m	SSW
Church	Wixford	1 m	N

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

25.31

188

2474.

FORM B.
BRITISH RAINFALL

21 FEB 1917

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1916

[illegible]

At Moor Hall

In the County of Warwick

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. — in.
Height of Top: *Above Sea Level* 125 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·14	·55	2nd	15
FEB.	2·77	·43	3rd	20
MAR.	3·33	·97	27th	22
APR.	1·03	·24	19th	14
MAY	2·57	·53	12th	20
JUNE	2·32	·88	24th	16
JULY	2·94	1·60	27th	11
AUG.	2·34	1·06	29th	15
SEPT.	1·21	·44	17th	12
OCT.	3·05	·54	2nd	26
NOV.	2·26	·40	18th	13
DEC.	2·53	·76	22nd	13
Total	27·49	698	✓	197

Signed E. H. Cubberley

[*Please fill in the other side also.*

W. 16,000. x, 15.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

Snowdon
F. Darton & Co

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude ________ **N.**

Longitude ________

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Broom	¼ m	S.W.
Church	Wixford	1 m	N.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

2360

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Moor Hall, Bidford-on-Avon

in the County of Warwick

by E. H. Cubberley

Lat. Long. —

Time of Observation 9 am (true time)

Nearest Railway Station Broom Jc.

Diameter of Funnel of Rain Gauge 5 in. 2445

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	...	·04	·03	...	·04	...	·63	·10	...	·05	·04	1
2	...	...	...	·02	...	·19	...	·01	...	·02	·01	·01	2
3	·03	...	...	·11	...	...	...	·08	...	·24	...	...	3
4	...	...	·14	...	...	...	...	·12	...	·20	...	...	4
5	·22	...	·02	·19	...	...	...	...	·06	·13	·07	...	5
6	...	...	·32	...	...	·31	...	...	...	·05	·14	...	6
7	·29	...	...	...	...	...	·05	·22	...	·13	·02	...	7
8	·50	...	...	·14	...	...	·24	·47	·01	·32	·08	·20	8
9	...	...	·07	·05	·32	...	...	·49	...	·05	·25	...	9
10	·29	...	·26	·08	·03	...	...	·19	·02	...	...	...	10
11	·07	...	·07	·22	...	...	...	·11	·05	·14	·01	...	11
12	·05	·02	...	·03	·11	...	...	·01	...	·21	·01	...	12
13	...	...	·03	·04	·02	...	...	·09	·04	...	...	...	13
14	...	...	·21	·02	...	...	...	·02	...	·01	...	...	14
15	...	...	...	...	...	...	...	...	...	·02	...	·04	15
16	·03	·15	...	·13	...	...	·09	...	...	·02	...	·58	16
17	...	·01	...	·07	·79	·04	·31	·02	·05	·07	...	...	17
18	·01	·02	...	·01	·01	·01	·10	·01	1·27	·01	...	...	18
19	·01	·27	·17	...	...	·04	...	...	·03	...	...	...	19
20	...	·23	·07	...	·51	·06	·05	...	...	...	·01	...	20
21	...	·01	·08	...	·01	·10	...	·03	...	...	·01	...	21
22	...	...	·05	...	...	...	...	·18	...	·12	...	...	22
23	...	·16	...	...	·04	...	...	·26	...	·02	...	·01	23
24	...	·03	...	...	...	·17	...	·03	...	·09	·06	·01	24
25	...	·06	·06	...	...	...	...	...	...	·01	·01	...	25
26	...	...	...	...	...	·10	...	·30	·12	...	·29	...	26
27	...	...	...	...	1·57	·14	·05	·83	...	...	...	...	27
28	...	...	·22	...	...	·79	...	·15	...	...	...	·02	28
29	...	X	·02	...	...	·27	·05	·05	...	·44	...	·26	29
30	...	X	...	...	...	...	·09	·27	...	·04	...	...	30
31	...	X	·01	X	...	X	...	·05	X	...	X	·01	31
Total	1·51	·96	1·84	1·14	3·41	2·26	1·03	4·62	1·75	2·34	1·02	1·18	YEAR'S TOTAL 23·06
Rain Days.	11	10	17	14	10	13	9	24	10	21	14	10	163

W. 8,000, IX. 17.

86

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8. 1. 19
2445

Kept at Moor Hall, Bidford-on-Avon

in the County of Warwick

by E. H. Cubberley

Lat. Long.

Time of Observation 9am G.M.T.

Nearest Railway Station Broom Jc

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	·01	...	·20	·07	...	...	...	...	·02	·16	...	1
2	...	·04	...	·05	...	...	...	·28	·02	·02	·01	·13	2
3	...	...	·01	·01	·10	...	...	·03	·48	...	·06	...	3
4	...	·04	...	...	...	...	...	·01	·11	...	·47	·08	4
5	...	...	...	·02	·44	...	...	·02	·16	·04	...	...	5
6	·02	·16	...	·04	...	·06	...	...	·02	·03	...	·02	6
7	...	·10	...	·01	·13	...	...	...	·12	·07	·17	...	7
8	...	·03	...	·01	...	...	...	...	·13	·10	...	·02	8
9	·01	·07	...	·14	...	·25	·07	...	·26	·26	...	·01	9
10	·04	...	...	·04	...	...	·37	...	·07	·05	...	·11	10
11	·01	...	...	·05	·07	...	·01	...	·12	·04	·01	·06	11
12	·01	·01	·11	...	·18	...	·26	...	·04	...	...	...	12
13	...	·02	...	...	·01	...	·10	...	·07	·04	...	·05	13
14	·19	...	·01	...	...	...	·13	...	·52	·14	...	·04	14
15	·96	...	...	·38	·01	...	·18	...	·01	...	...	·18	15
16	·12	...	...	·66	...	·08	...	...	·18	...	...	·05	16
17	·10	...	...	·03	·16	...	·14	·01	·07	·04	...	·07	17
18	·32	...	...	...	...	·20	·18	...	·49	...	...	·49	18
19	·04	·05	·12	·02	...	...	·08	...	...	·07	...	·03	19
20	·04	·10	...	·63	...	·04	·77	...	·09	·01	...	·09	20
21	·03	...	...	·37	...	...	·07	...	·18	·01	...	·04	21
22	·10	...	...	...	·07	...	·16	...	·26	...	...	·29	22
23	·04	...	...	...	·49	01	·13	...	·10	...	...	·01	23
24	...	·13	...	...	...	...	...	·01	·03	·01	·11	·02	24
25	...	...	...	...	...	·02	·09	·25	...	·02	·03	...	25
26	...	...	...	...	...	...	·28	...	·04	·02	·11	·08	26
27	...	·02	...	...	...	·02	·14	·17	·29	...	·14	·04	27
28	...	·11	·16	...	...	...	...	...	...	...	·14	·06	28
29	...		·06	...	...	...	...	...	1·15	...	...	·04	29
30	...	X	·24	...	...	...	...	...	·04	...	·06	·06	30
31	...	X	·23	X	...	X	...	·03	X	·01	X	...	31
Total	2·03	·89	·94	2·66	1·73	·68	3·16	·81	5·05	1·00	1·47	2·07	YEAR'S TOTAL 22·49
Rain Days.	15	14*	8	16	11	8	17	9	26	19	12	24	179

W. 6,500, VII. 18. w w c

B mode

Ex. Hob

2218

8 JAN 20

2445

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Moor Hall Bidford-on-Avon

in the County of Warwick

by E. H. Cubberley

Lat. .... Long. ....

Time of Observation 9 AM G.M.T.

Nearest Railway Station Broom J^c^

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	...	·04	...	·18	·01	·22	...	·02	·21	...	·40	1
2	·22	·02	...	...	·01	...	·16	...	·26	·06	·07	·03	2
3	·83	...	·08	...	·10	·08	·13	...	·16	...	·14	·14	3
4	·11	·01	·47	...	...	·10	·14	·12	·26	...	·02	·13	4
5	...	·36	·15	...	...	...	...	...	·20	...	...	·13	5
6	·03	·01	·05	...	·51	...	...	...	...	...	...	·13	6
7	·17	...	·26	·06	·04	...	...	...	...	...	·02	...	7
8	·05	...	·06	·16	...	...	...	...	...	...	...	...	8
9	·02	...	·02	·11	...	...	...	...	...	...	...	...	9
10	...	...	·44	·01	...	...	...	...	...	·03	·01	·23	10
11	·01	...	·35	...	·02	...	·34	...	...	·01	...	...	11
12	...	...	·04	·10	...	·07	...	...	...	·17	·02	...	12
13	·11	...	...	·09	...	...	...	...	·07	·11	...	·03	13
14	·33	...	...	·36	...	...	·07	...	·05	·05	...	·03	14
15	·46	·03	·01	·14	...	...	...	...	...	·02	...	·15	15
16	·31	·69	...	...	...	...	...	·14	...	...	·10	...	16
17	·02	·29	...	...	...	·01	·11	...	...	...	·10	...	17
18	...	...	·37	...	...	...	...	·19	...	...	...	·08	18
19	·13	·41	·96	...	...	·10	1·41	·39	·06	...	·06	...	19
20	·37	·05	·30	...	...	...	·10	·11	·07	...	·11	·03	20
21	·02	·51	·04	...	...	·06	·33	·01	...	...	·01	·11	21
22	...	·06	...	...	...	...	...	...	·52	...	...	·29	22
23	...	...	...	...	...	·08	...	·03	...	·74	·01	·06	23
24	...	...	...	·02	...	...	·03	...	...	·39	·08	·10	24
25	·10	...	...	·04	·08	·05	...	·17	...	...	...	·05	25
26	·04	·01	·15	·13	...	·03	·02	·05	·11	...	...	·26	26
27	·28		·10	·40	...	...	...	·47	...	...	·02	·04	27
28	·06		·06	·01	...	...	...	·43	...	...	·15	·27	28
29	...		...	·03	...	...	...	...	...	·21	·04	·17	29
30	...	✕	...	·22	...	·18	...	·06	...	·03	·03	·19	30
31	·03	✕	·02	✕	...	✕	·04	...	✕	·01	✕	·03	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	3·85	2·45	3·97	1·88	·94	·77	3·10	2·17	1·78	2·04	·99	3·08	27·02
Days with ·01 in. or more	22.	12.	20	15	7	11	13	12	11	13	17	23	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 1921 2445

REGISTER OF RAINFALL IN 1920.

Kept at Moor Hall

in the County of Warwick

by E. H. Cubberley

Lat. Long.

Time of Observation 9 A.M. G.M.T.

Nearest Railway Station Broom Jc.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	...	·19	·31	...	·22	...	·04	·08	...	·08	1
2	...	...	·01	·09	...	...	·13	·04	·05	·04	...	·08	2
3	·01	·01	...	·08	·05	...	·74	...	·11	·08	...	...	3
4	...	...	·01	·11	...	...	·05	·29	·08	·15	...	...	4
5	...	...	·14	·01	·20	...	·43	·09	·05	1·37	...	...	5
6	...	...	·22	·01	·07	...	·07	·04	...	·11	...	...	6
7	...	...	·02	·16	...	...	·08	...	...	...	...	...	7
8	·11	·05	...	·49	·06	...	·79	...	...	...	...	...	8
9	·22	...	...	·33	...	...	·03	·03	...	...	...	...	9
10	·30	·07	·06	·19	...	·06	·16	...	...	...	·04	...	10
11	·16	...	·03	·32	·46	·03	·06	...	...	...	...	...	11
12	·06	...	...	·13	...	·54	·04	·41	...	...	·01	...	12
13	·02	...	·24	·11	...	...	...	...	·03	...	...	·03	13
14	...	...	·78	·27	...	·48	...	...	·40	·01	·13	...	14
15	...	·12	·11	·15	...	·13	...	...	·08	·06	·03	...	15
16	...	...	·01	·17	·01	·08	·06	...	·09	·38	·04	...	16
17	...	...	·01	...	·10	...	...	...	·70	·10	...	·02	17
18	·16	...	...	·06	·05	...	·10	·21	·55	...	...	...	18
19	·03	·23	...	·11	...	·11	·04	·01	...	...	...	...	19
20	·02	·06	...	·28	...	·26	...	...	...	...	...	·01	20
21	...	...	...	·02	...	...	...	·02	·01	...	...	·02	21
22	...	...	...	·14	...	·01	·01	·12	·03	...	...	·15	22
23	...	·01	...	...	...	...	·42	·06	...	...	...	·34	23
24	...	...	·11	·02	...	...	...	·01	...	...	...	·11	24
25	...	·02	·13	...	...	...	·76	...	...	...	...	...	25
26	·17	...	·17	·02	...	...	·04	...	...	...	...	·04	26
27	·09	·02	·05	·14	·02	·31	·04	...	...	...	·02	·16	27
28	·72	...	·05	·01	·18	...	...	...	...	...	...	·01	28
29	·06	...	·27	...	·12	·01	·13	...	...	...	·08	·59	29
30	...		·06	·11	·03	·09	·12	...	·26	...	·16	·11	30
31	·03		·06		...		·01	...		·37		·01	31
TOTAL	2·16	·59	2·54	3·72	1·66	2·11	4·53	1·33	2·48	2·75	·51	1·76	YEAR'S TOTAL 26·14
Days with ·01 in. or more	15	9	20	26	13	12	23	12	14	11	8	15	178
Days with ·04 in. or more	10	5	14	20	10	9	20	8	11	10	5	9	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BIRMINGHAM

EDGBASTON

WARWICKSHIRE

1911 - 1920

FORM A2. BRITISH RAINFALL.

2478

1 JAN 1912

RE

Kept at Edgbaston

in the County of Warw

by Alfred Cresswell

rdon M O.

in.

Ground 1 ft. 6 in.

Sea Level 515 ft.

m

Name Monument Lane L&NW

Distance 1 Direction NE

IMPORTANT NOTI … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the read … r in the space provided for it at the end of this … ent of rain, the selection and placin … tish Rainfall Organization are given in … pplication to Dr. H. R. MILL, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·5 0·020	-	0·3 0·010	-		-	-	1·7 0·065	-	-	0·3 0·010		1
2	-	-	-	0·4 0·015	4·7 0·185	-	2·0 0·080	1·0 0·040	-	3·0 0·120	1·9 0·075	1·1 0·045	2
3	-	-	-	-	7·9 0·310	-	-	0·9 0·035	-	0·6 0·025	1·0 0·040	1·8 0·070	3
4	-	-	3·5 0·140	0·5 0·020	0·3 0·010	1·1 0·045	-	0·5 0·020	2·1 0·085	3·2 0·125	3·3 0·130	4·1 0·160	4
5	1·5 0·060	-	0·9 0·035	-	-	-	-	0·8 0·030	-		0·3 0·010		5
6	10·2 0·400	-	0·9 0·035	0·5 0·020	-	-	-	0·5 0·020	-	0·3 0·010	1·0 0·040	6·3 0·250	6
7	-	-	-	-	-	-	-	-	-	-	6·6 0·260	0·5 0·020	7
8	3·8 0·150	-	3·9 0·155	-	-	-	-	-	-	-	1·0 0·040	9·5 0·375	8
9	1·8 0·070	-	2·0 0·080	-	-	-	-	-	-	-	11·8 0·465	1·4 0·055	9
10	-	2·2 0·085	7·1 0·280	-	-	-	-	-	-	-	0·3 0·010	13·7 0·540	10
11	4·2 0·165	-	-	-	-	-	-	-		-	7·2 0·285	0·3 0·010	11
12	-	-	10·7 0·420	-	-	-	-	-	1·8 0·070	-	6·7 0·265		12
13	-	-	3·0 0·120	-	-	-	-	0·8 0·030	1·4 0·055	-	0·6 0·025	7·9 0·310	13
14	-	1·5 0·060	-	-	-	-	0·3 0·010	-	-	-		22·1 0·870	14
15	-	0·8 0·030	0·6 0·025	-	-	-	-	-	-	0·5 0·020	1·7 0·065	2·3 0·090	15
16	-	-	-	-	-	2·1 0·085	-	-	-	-	2·8 0·110	2·3 0·090	16
17	-	-	3·4 0·135	-	-	5·7 0·225	-	-	-		4·3 0·170	6·7 0·265	17
18	-	5·3 0·210	-	0·3 0·010	-	8·6 0·340				0·8 0·030	0·3 0·010	7·9 0·310	18
19	-	0·8 0·030	-	-	-	8·9 0·350	1·1 0·045	0·3 0·010	6·0 0·235	4·8 0·190	3·2 0·125	1·7 0·065	19
20	-	1·3 0·050	-	0·5 0·020	-	0·3 0·010	-	2·9 0·115	1·5 0·060	2·4 0·095	-	8·9 0·350	20
21	-	5·6 0·220	0·8 0·030	0·4 0·015	-		-	8·5 0·335	-	8·8 0·345	-	2·4 0·095	21
22	-	0·8 0·030	0·5 0·020	0·3 0·010	-	1·8 0·070	-	0·3 0·010		3·9 0·155	-	9·4 0·370	22
23	-	2·5 0·100	4·3 0·170		-	0·8 0·030	-	-	6·9 0·270	1·5 0·060		4·1 0·160	23
24	-	2·0 0·080	-	1·1 0·045	-	9·9 0·390	-	1·0 0·040	-	7·6 0·300	-	2·5 0·100	24
25	-	1·3 0·050	-	2·8 0·110	3·8 0·150	1·3 0·050	-	1·3 0·050	-	-		1·5 0·060	25
26	-	1·0 0·040		7·7 0·305	-	0·4 0·015	-		-	5·3 0·210	5·8 0·230	2·8 0·110	26
27	-	5·3 0·210	2·4 0·095	1·5 0·060	0·9 0·035		-	15·4 0·605	8·3 0·325	-	1·5 0·070	3·0 0·120	27
28	-	5·8 0·230	-	5·1 0·200	-						4·7 0·185	1·0 0·040	28
29	-		-	1·0 0·040	-	3·8 0·150	3·5 0·140	0·1 0·005	8·7 0·345	3·2 0·125	-		29
30	-			0·4 0·015		3·2 0·125	-	0·8 0·030	0·4 0·015	2·3 0·090		0·4 0·015	30
31	-		2·7 0·105		0·5 0·020		-	-		0·5 0·020		0·1 0·005	31
99 Total	22·0 0·865	36·9 1·455	47·0 1·855	22·5 0·885	18·1 0·710	47·9 1·885	6·9 0·275	36·8 1·440	37·3 1·460	48·7 1·920	66·3 2·620	125·8 4·950	TOTAL for year 515·8 20·320
No. of Rain Days	6	14	16	14	6	13	4	16 ~~15~~	9	16	21	26	16

Nov. as snow

7,000. X. '09.

~~made~~ ✓

RE

FORM A2
BRITISH RAINFALL
2478
1 - JAN 1912

Kept at Edgbaston Birmingham

in the County of Warwick

4
52° 28 24 N Lat
1 55 40 W Lon

by Alfred Cresswell

RAIN GAUGE
Pattern Snowdon M O
Diameter of top ______ in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 515 ft.

Time of Observation 9 am

Nearest Railway Station
Name Monument Lane LNW
Distance 1 Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	0·5 0·020	–	0·3 ~~0·010~~	–	–	–	–	1·7 ~~0·065~~	–	–	0·3 ~~0·010~~	–	1
2	–	–	–	0·4 ~~0·015~~	4·7 ~~0·185~~	–	2·0 ~~0·080~~	1·0 ~~0·040~~	–	3·0 ~~0·120~~	1·9 ~~0·075~~	1·1 ~~0·045~~	2
3	–	–	–	–	7·9 ~~0·310~~	–	–	0·9 ~~0·035~~	–	0·6 ~~0·025~~	1·0 ~~0·040~~	1·8 ~~0·070~~	3
4	–	–	3·5 ~~0·140~~	0·5 ~~0·020~~	0·3 0·010	1·1 ~~0·045~~	–	0·5 ~~0·020~~	2·1 0·085	3·2 ~~0·125~~	3·3 ~~0·130~~	4·1 ~~0·160~~	4
5	1·5 ~~0·060~~	–	0·9 ~~0·035~~	–	–	–	–	0·8 ~~0·030~~	–	–	0·3 ~~0·010~~		5
6	10·2 ~~0·400~~	–	0·9 ~~0·035~~	0·5 0·020	–	–	–	0·5 ~~0·020~~	–	0·3 ~~0·010~~	1·0 ~~0·040~~	6·3 ~~0·250~~	6
7	–	–	–	–	–	–	–	–	–	–	6·6 ~~0·260~~	0·5 ~~0·020~~	7
8	3·8 ~~0·150~~	–	3·9 ~~0·155~~	–	–	–	–	–	–	–	1·0 ~~0·040~~	9·5 ~~0·375~~	8
9	1·8 ~~0·070~~	–	2·0 ~~0·080~~	–	–	–	–	–	–	–	11·8 ~~0·465~~	1·4 ~~0·055~~	9
10	–	2·2 ~~0·085~~	7·1 0·280	–	–	–	–	–	–	–	0·3 ~~0·010~~	13·7 ~~0·540~~	10
11	4·2 ~~0·165~~	–	–	–	–	–	–	–	–	–	7·2 ~~0·285~~	0·3 0·010	11
12	–	–	10·7 0·420	–	–	–	–	–	1·8 ~~0·070~~	–	6·7 ~~0·265~~		12
13	–	–	3·0 0·120	–	–	–	–	0·8 ~~0·030~~	1·4 ~~0·055~~	–	0·6 ~~0·025~~	7·9 ~~0·310~~	13
14	–	1·5 ~~0·060~~	–	–	–	–	0·3 ~~0·010~~	–	–	–	–	22·1 ~~0·870~~	14
15	–	0·8 ~~0·030~~	0·6 ~~0·025~~	–	–	–	–	–	–	0·5 ~~0·020~~	1·7 ~~0·065~~	2·3 ~~0·090~~	15
16	–	–	–	–	–	2·1 ~~0·085~~	–	–	–	–	2·8 ~~0·110~~	2·3 ~~0·090~~	16
17	–	–	3·4 ~~0·135~~	–	–	5·7 ~~0·225~~	–	–	–	–	4·3 0·170	6·7 ~~0·265~~	17
18	–	5·3 ~~0·210~~	–	0·3 0·010	–	8·6 0·340	–	–	–	0·8 ~~0·030~~	0·3 ~~0·010~~	7·9 0·310	18
19	–	0·8 ~~0·030~~	–	–	–	8·9 ~~0·350~~	1·1 ~~0·045~~	0·3 ~~0·010~~	6·0 ~~0·235~~	4·8 ~~0·190~~	3·2 0·125	1·7 ~~0·065~~	19
20	–	1·3 ~~0·050~~	–	0·5 ~~0·020~~	–	0·3 ~~0·010~~	–	2·9 0·115	1·5 ~~0·060~~	2·4 ~~0·095~~	–	8·9 0·350	20
21	–	5·6 ~~0·220~~	0·8 ~~0·030~~	0·4 ~~0·015~~	–	–	–	8·5 0·335	–	8·8 ~~0·345~~	–	2·4 ~~0·095~~	21
22	–	0·8 ~~0·030~~	0·5 ~~0·020~~	0·3 ~~0·010~~	–	1·8 ~~0·070~~	–	0·3 ~~0·010~~		3·9 ~~0·155~~	–	9·4 ~~0·370~~	22
23		2·5 ~~0·100~~	4·3 0·170		–	0·8 ~~0·030~~	–	–	6·9 0·270	1·5 ~~0·060~~	–	4·1 ~~0·160~~	23
24	–	2·0 0·080	–	1·1 ~~0·045~~	–	9·9 0·390	–	1·0 ~~0·040~~	–	7·6 0·300	–	2·5 ~~0·100~~	24
25	–	1·3 0·050	–	2·8 ~~0·110~~	3·8 ~~0·150~~	1·3 0·050	–	1·3 0·050	–	–		1·5 ~~0·060~~	25
26	–	1·0 0·040		7·7 0·305	–	0·4 ~~0·015~~	–		–	5·3 ~~0·210~~	5·8 ~~0·230~~	2·8 ~~0·110~~	26
27	–	5·3 0·210	2·4 0·095	~~1·5~~ 0·060	0·9 ~~0·035~~	–	–	15·4 0·605	8·3 ~~0·325~~	–	~~1·5~~ ~~0·070~~	3·1 ×0·120	27
28	–	5·8 ~~0·230~~	–	5·1 ~~0·200~~	–	–	–	–	–	–	4·7 0·185	1·0 0·040	28
29	–		–	1·0 ~~0·040~~	–	3·8 ~~0·150~~	3·5 ~~0·140~~	0·1 0·005	8·7 0·345	3·2 ~~0·125~~	–	–	29
30	–		–	0·4 ~~0·015~~	–	3·2 ~~0·125~~	–	0·8 0·030	0·4 ~~0·015~~	2·3 0·090	–	0·4 ~~0·015~~	30
31	–		2·7 ~~0·105~~		0·5 ~~0·020~~		–	–		0·5 0·020		0·1 0·005	31
99 Total	22·0 0·865	36·2 1·455	47·0 1·855	22·5 0·885	18·1 0·710	47·9 1·885	6·9 0·275	36·8 1·440	37·3 1·460	48·7 1·920	66·3 2·620	125·8 4·950	TOTAL for year 515·7 20·310
No. of Rain Days	6	14	16	14	6	13	4	16 ~~15~~	9	16	21	26	~~16~~

7,000. X. '09.

Nov. × as now

made

REGISTER OF RAINFALL IN 1912

4 BR

BRITISH RAINFALL
1 JAN 1913
FORM 4
2478

Kept at Edgbaston Birmingham

in the County of Warwick 52° 28′ 24″ N
1 55 40 W

by Alfred Cresswell.

RAIN GAUGE
Pattern Snowdon MO
Diameter of top ______ in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 515 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Monument Lane L&NW
Distance 1 Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

12

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	4.1 0.160	-	-	5.8 ~~0.230~~	3.3 ~~0.130~~	0.3 ~~0.010~~	-	-	-	3.4 ~~0.135~~	1
2	-	0.6 ~~0.025~~	3.2 ~~0.125~~	0.4 ~~0.015~~	0.8 ~~0.030~~	3.9 ~~0.155~~	12.1 0.475	-	-	-	-	0.8 0.030	2
3	1.5 ~~0.060~~	-	1.0 ~~0.040~~	-	0.9 ~~0.035~~	2.9 ~~0.115~~	7.0 ~~0.275~~	20.6 ~~0.810~~	0.4 ~~0.015~~	-	-	1.4 0.055	3
4	4.6 ~~0.180~~	-	16.8 ~~0.660~~	-	5.8 0.230	24.9 ~~0.980~~	-	15.0 ~~0.590~~	-	-	5.3 ~~0.210~~	-	4
5	2.0 ~~0.080~~	1.3 ~~0.050~~	9.9 ~~0.390~~	-	0.6 ~~0.025~~	4.9 ~~0.195~~	-	4.4 ~~0.175~~	2.2 ~~0.085~~	-	0.3 ~~0.010~~		5
6 ×	8.1 ~~0.320~~	3.8 ~~0.150~~	0.3 ~~0.010~~	-	-	4.6 ~~0.180~~	0.3 ~~0.010~~	6.6 ~~0.260~~	1.0 ~~0.040~~	-	-	1.5 ~~0.060~~	6
7		5.1 ~~0.200~~		-	1.5 ~~0.060~~	4.8 ~~0.190~~	-	2.3 ~~0.090~~		-	-	0.3 ~~0.010~~	7
8 ×	8.1 ~~0.320~~	5.6 ~~0.220~~	6.6 ~~0.260~~	1.1 ~~0.045~~	-	1.0 ~~0.040~~	2.0 ~~0.080~~	2.2 ~~0.085~~	4.2 ~~0.165~~	-	-	0.4 ~~0.015~~	8
9	0.8 ~~0.030~~	1.0 ~~0.040~~	9.4 ~~0.370~~	4.1 ~~0.160~~	-	7.1 ~~0.280~~	-	3.4 0.135		-	-	8.3 ~~0.325~~	9
10	-		-	0.3 ~~0.010~~	-	3.8 ~~0.150~~	-	5.1 ~~0.200~~	0.4 ~~0.015~~	-	9.5 ~~0.375~~	-	10
11	2.2 ~~0.085~~	1.3 ~~0.050~~ ~~0.040~~	-	-	-	1.9 ~~0.075~~	-	0.3 ~~0.010~~	-	-	1.0 ~~0.040~~	12.3 ~~0.485~~	11
12	1.3 ~~0.050~~	10.0 ~~0.395~~	3.9 ~~0.155~~	-	1.5 ~~0.060~~	2.3 ~~0.090~~	-	-	-	-	0.6 ~~0.025~~	-	12
13	0.4 ~~0.015~~	0.5 ~~0.020~~	-	-	-	-	0.5 ~~0.020~~	-	-	0.4 ~~0.015~~	0.4 ~~0.015~~	-	13
14	2.7 ~~0.105~~	-	9.9 ~~0.390~~	-	-	2.3 ~~0.090~~	-	2.8 ~~0.110~~	-	0.3 ~~0.010~~	-	-	14
15	4.2 ~~0.165~~	1.0 ~~0.040~~	4.7 ~~0.185~~	-	8.4 ~~0.330~~	7.6 ~~0.300~~	-	0.5 ~~0.020~~	-		-	2.2 ~~0.085~~	15
16	14.0 ~~0.550~~	0.3 ~~0.010~~	4.5 ~~0.175~~		4.8 ~~0.190~~	1.0 ~~0.040~~	-	2.5 ~~0.100~~	-	1.8 ~~0.070~~			16
17	25.1 ~~0.990~~	-	5.6 ~~0.220~~	-	-	2.8 ~~0.110~~	-	13.1 ~~0.515~~	-	-	2.0 ~~0.080~~	15.2 ~~0.600~~	17
18	5.6 ~~0.220~~		0.6 ~~0.025~~	-	-	-	-	0.8 0.030	-	0.8 ~~0.030~~	0.3 ~~0.010~~	-	18
19	3.8 ~~0.150~~	1.5 ~~0.060~~	0.5 ~~0.020~~	-	0.9 ~~0.035~~	0.3 ~~0.010~~	6.2 ~~0.245~~	14.6 ~~0.575~~	-	1.5 ~~0.060~~	0.4 ~~0.015~~	0.4 ~~0.015~~	19
20	1.0 ~~0.040~~	0.4 ~~0.015~~	3.3 ~~0.130~~	-	0.4 ~~0.015~~	-	0.8 ~~0.030~~	1.8 ~~0.070~~	-	4.3 ~~0.170~~		-	20
21	0.3 ~~0.010~~	-	4.7 ~~0.185~~	-	17.7 0.695	-	-	10.5 ~~0.415~~	-	9.7 ~~0.380~~	0.3 ~~0.010~~	-	21
22 ×	5.1 ~~0.200~~	2.5 ~~0.100~~		-	15.2 ~~0.600~~	6.3 ~~0.250~~	7.6 ~~0.300~~	7.1 ~~0.280~~	-	0.3 ~~0.010~~	-	3.0 ~~0.120~~	22
23	5.7 ~~0.225~~	0.5 ~~0.020~~	6.7 ~~0.265~~	-	-	0.4 0.015	7.5 0.295	10.3 ~~0.405~~	-	-	2.0 ~~0.080~~	0.5 ~~0.020~~	23
24	4.8 ~~0.190~~	-	0.5 ~~0.020~~	-	0.3 ~~0.010~~	8.5 0.335	0.5 ~~0.020~~	1.4 ~~0.055~~	-	-	0.3 ~~0.010~~	3.9 ~~0.155~~	24
25	-			-	-	10.0 ~~0.395~~	-	9.7 ~~0.380~~	-		4.4 ~~0.175~~	7.9 ~~0.310~~	25
26	-	2.3 ~~0.090~~	1.0 ~~0.040~~	-	-		8.5 0.335	20.6 ~~0.810~~	-	15.9 ~~0.600~~	6.0 ~~0.235~~	7.1 0.280	26
27	-	-	-	-	-	6.2 ~~0.245~~	9.9 ~~0.390~~	-	-	16.4 0.645	0.5 0.020	4.4 ~~0.175~~	27
28	-	2.0 ~~0.080~~	0.3 ~~0.010~~	-	-	2.2 ~~0.085~~	3.8 ~~0.150~~	14.6 ~~0.575~~	2.4 ~~0.095~~	4.1 ~~0.160~~	16.3 ~~0.640~~	8.8 ~~0.345~~	28
29	-	0.9 ~~0.035~~	0.3 ~~0.010~~	-	-	9.1 ~~0.360~~	5.1 ~~0.200~~	0.5 ~~0.020~~	9.9 ~~0.390~~	5.1 ~~0.200~~	1.3 ~~0.050~~	0.5 ~~0.020~~	29
30	-		0.3 ~~0.010~~	-	3.9 ~~0.155~~	-		0.6 ~~0.025~~	-	1.9 ~~0.075~~	-		30
31			1.4 0.055		2.8 ~~0.110~~		11.4 0.450	1.5 0.060		0.1 0.005		1.7 0.065	31
Total	~~101.3~~ 99 3.985	40.6 ~~1.590~~ 1.6100	99.3 3.918 99.5	5.9 0.230	65.5 2.580	124.6 4.915	86.5 3.405	173.1 6.810	20.5 0.805	62.0 2.430	50.9 2.000	84.0 3.305	TOTAL for year ~~9142~~
No. of Rain Days.	20	18	24	4	15	25 24	16	27	7	13	17	20	9144

W. 8,000, X. '11.

× as snow when underlined.

27.435 30 32.070

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL 7 JAN 1914 78

Z4 M

Kept at Edgbaston Birmingham

in the County of Warwick ~~50~~ 52 - 28 . 24 N 1 . 55 . 40 W

by Alfred Cresswell

4

RAIN GAUGE
Pattern Snowdon M.O.
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 515 ft.

Time of Observation 9 am

Nearest Railway Station
Name Monument Lane. L.N.W.
Distance 1 Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date ~~1913~~ 13	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	3.7 ~~0.145~~	1.0 ~~0.040~~	0.4 ~~0.015~~	-	-	-	9.5 ~~0.375~~	-	1.8 ~~0.070~~	-	1
2	0.4 ~~0.015~~	1.9 ~~0.075~~	0.4 ~~0.015~~	2.7 ~~0.105~~	-	-	0.8 ~~0.030~~	-		0.5 ~~0.020~~	1.0 ~~0.040~~	-	2
3	1.0 ~~0.040~~	-	3.7 ~~0.145~~	-	21.9 ~~0.860~~	-	-	-	0.4 ~~0.015~~	3.0 ~~0.120~~	-	1.5 ~~0.060~~	3
4	22.1 ~~0.870~~	0.1 ~~0.005~~	-	-	6.9 0.270	-	1.1 ~~0.045~~	-	0.1 ~~0.005~~	2.8 0.110	0.8 0.030	12.8 ~~0.505~~	4
5	2.8 ~~0.110~~	0.8 ~~0.030~~	-	-	-	5.7 ~~0.225~~	2.1 ~~0.085~~	-	0.9 ~~0.035~~	21.8 ~~0.860~~	0.6 ~~0.025~~	~~1.1~~ ~~0.045~~	5
6	0.8 ~~0.030~~	0.3 ~~0.010~~	2.8 0.110	-	6.1 ~~0.240~~	6.5 ~~0.255~~	22.0 ~~0.865~~	-	-	-	0.3 ~~0.010~~	3.5 ~~0.140~~	6
7	0.3 ~~0.010~~	3.3 ~~0.130~~	-	-	4.1 ~~0.160~~	0.8 ~~0.030~~	2.1 ~~0.085~~	-	-	8.8 ~~0.345~~	1.4 ~~0.055~~	0.3 ~~0.010~~	7
8	-	0.8 ~~0.030~~	-	-	3.3 ~~0.130~~	8.1 ~~0.320~~	-	-	-	15.2 ~~0.600~~	1.5 ~~0.060~~	-	8
9	-	7.6 ~~0.300~~	1.1 0.045	0.3 ~~0.010~~	1.7 ~~0.065~~	9.3 ~~0.365~~	6.9 ~~0.270~~	2.8 ~~0.110~~	3.0 ~~0.120~~	-	2.5 ~~0.100~~	2.0 ~~0.080~~	9
10	0.8 ~~0.030~~	-	-	4.3 ~~0.170~~	0.9 ~~0.035~~	~~0.050~~	-	1.9 ~~0.075~~	-	-	3.4 ~~0.135~~	-	10
a 11	17.8 ~~0.700~~	-	- a	10.3 ~~0.405~~	-	1.3 ~~0.050~~	-	2.9 ~~0.115~~	-	1.9 ~~0.075~~	13.6 0.535	-	11
12	-	-	-	-	1.4 ~~0.055~~	-	-	-	0.5 ~~0.020~~	0.3 ~~0.010~~	~~12.1~~ ~~0.475~~	-	12
a 13	1.0 ~~0.040~~	0.3 0.010	2.0 ~~0.080~~	-	-	-	-	0.3 ~~0.010~~	6.7 ~~0.265~~	-	5.8 ~~0.230~~	-	13
14	2.8 ~~0.110~~	-	17.8 ~~0.700~~	1.5 ~~0.060~~	-	-	-	2.7 0.105	0.3 ~~0.010~~	3.3 ~~0.130~~	1.5 ~~0.060~~	-	14
15	1.3 ~~0.050~~	1.8 ~~0.070~~	16.8 ~~0.660~~	9.8 ~~0.385~~	-	-	-	-	1.3 ~~0.050~~	-	1.5 ~~0.060~~	-	15
16	0.9 ~~0.035~~	-	14.5 a ~~0.570~~	4.7 ~~0.185~~	-	-	-	-	3.7 ~~0.145~~	-	0.1 ~~0.005~~	-	16
17	0.5 ~~0.020~~	0.6 ~~0.025~~	1.7 a ~~0.065~~	1.9 ~~0.075~~	-	1.4 ~~0.055~~	0.5 ~~0.020~~	-	3.3 ~~0.130~~	-	-	-	17
18	0.4 ~~0.015~~	-	3.5 0.140	1.5 ~~0.060~~	0.6 ~~0.025~~	-	0.5 ~~0.020~~	-	-	-	0.1 ~~0.005~~	-	18
19	4.6 ~~0.180~~	-	2.5 ~~0.100~~	0.8 0.030	0.6 ~~0.025~~	-	1.5 ~~0.060~~	-	5.7 ~~0.225~~	-	-	-	19
20	3.5 ~~0.140~~	-	3.9 0.155	2.0 ~~0.080~~	-	0.1 ~~0.005~~	-	-	0.8 ~~0.030~~	0.4 ~~0.015~~	2.8 ~~0.110~~	-	20
21	0.4 ~~0.015~~	-	4.1 ~~0.160~~	-	1.3 0.050	-	1.5 ~~0.060~~	1.0 ~~0.040~~	-	-	5.8 ~~0.230~~	-	21
a 22	11.4 ~~0.450~~	-	15.4 ~~0.605~~	-	-	-	-	7.0 ~~0.275~~	10.8 ~~0.425~~	-		-	22
23	0.3 ~~0.010~~	-	0.5 ~~0.020~~	-	-	2.8 ~~0.110~~	-	1.8 ~~0.070~~	1.4 ~~0.055~~	-	0.8 ~~0.030~~	-	23
24	2.4 ~~0.095~~	-	-	1.5 ~~0.060~~	-	-	-	-	-	-	-	-	24
25	0.3 ~~0.010~~	-	-	1.1 ~~0.045~~	-	-	-	-	0.4 ~~0.015~~	0.3 ~~0.010~~	-	0.1 ~~0.005~~	25
26	-	1.9 ~~0.075~~	-	15.4 0.605	6.3 0.~~250~~	-	-	4.1 ~~0.160~~	0.3 ~~0.010~~	0.9 ~~0.035~~	-	6.1 ~~0.240~~	26
27	-	1.1 ~~0.045~~	-	7.4 ~~0.290~~	-	-	-	-	-	0.6 ~~0.025~~	-	-	27
28	7.0 ~~0.275~~	-	3.8 ~~0.150~~	7.4 ~~0.290~~	0.5 ~~0.020~~	-	-	-	-	3.5 ~~0.140~~	-	1.9 ~~0.075~~ a	28
29	0.8 ~~0.030~~		11.2 ~~0.440~~	14.2 ~~0.560~~	1.1 0.045	-	-	1.8 ~~0.070~~	-	0.4 ~~0.015~~	-	1.0 ~~0.040~~ a	29
30	8.8 ~~0.345~~		-	-	-	-	-	-	-	11.9 ~~0.470~~	2.7 ~~0.105~~	-	30
31	92.4		2.5 ~~0.100~~		0.3 ~~0.010~~		-	0.4 ~~0.015~~		0.3 0.010		-	31
99 Total	~~3.625~~	20.5 ~~0.805~~	111.9 ~~4.405~~	87.8 ~~3.435~~	57.4 ~~2.255~~	36.0 ~~1.415~~	39.0 ~~1.540~~	26.7 ~~1.045~~	49.1 ~~1.930~~	75.9 ~~2.990~~	60.1 ~~2.370~~	30.3 ~~1.200~~	TOTAL for year 687.1
No. of Rain Days.	24	12 4.430	19 8.835	18 12.290	16 14.545	9 15.960	10 17.500	11 18.545	17 20.475	17 23.465	17 25.835	9 10	27.035

W. 8,000, X. '11. a underlined as snow

182

REGISTER OF RAINFALL IN 19 14

BRITISH RAINFALL FORM
1 - JAN 1915
4478

Kept at Edgbaston Birmingham.

in the County of Warwick 4 52° 28′ 24″ N
1 55 40 W

by Alfred Cresswell

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Monument Lane.

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date. ~~1914~~ 14	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date. 1914
1	-	-	0·1 ~~0·005~~	-	-	0·5 ~~0·020~~	25·1 ~~0·990~~	30 ~~0·120~~				0·1 ~~0·005~~	1
2	-	-	-	0·3 ~~0·010~~	-	-	0·9 ~~0·035~~	6·5 ~~0·255~~	-	0·6 ~~0·025~~	12·4 ~~0·490~~	9·1 ~~0·360~~	2
3	-	-	0·5 ~~0·020~~	0·8 ~~0·030~~	3·2 ~~0·125~~	-	6·6 ~~0·260~~	11·3 ~~0·445~~	-	-	2·0 ~~0·080~~	-	3
4	3·8 ~~0·150~~	-	1·9 ~~0·065~~	4·4 ~~0·175~~	1·7 ~~0·065~~	-	-	5·2 ~~0·205~~	-	-	18·5 ~~0·730~~	12·8 ~~0·505~~	4
5	a 1·5 ~~0·060~~	-	3·7 ~~0·145~~	3·9 ~~0·155~~	0·6 ~~0·025~~	1·4 ~~0·055~~	7·0 ~~0·275~~	0·4 ~~0·015~~	-	-	3·4 ~~0·135~~	-	5
6	0·3 ~~0·010~~	0·9 ~~0·035~~			1·8 ~~0·070~~	0·8 ~~0·030~~	1·4 ~~0·055~~	-	-	-	1·5 ~~0·060~~	2·0 ~~0·080~~	6
7	-	4·2 ~~0·165~~	7·6 ~~0·300~~	0·6 ~~0·025~~	1·3 ~~0·050~~	5·5 ~~0·215~~	6·2 ~~0·245~~		-	-	0·3 ~~0·010~~	3·8 ~~0·150~~	7
8	0·1 ~~0·005~~	-	0·9 ~~0·035~~	2·9 ~~0·115~~	5·3 ~~0·210~~	19·9 ~~0·785~~	3·2 ~~0·125~~	5·6 ~~0·205~~	0·3 ~~0·010~~	-	-	2·8 ~~0·110~~	8
9	9·7 ~~0·350~~		1·8 ~~0·070~~	7·1 ~~0·280~~	0·5 ~~0·020~~	31·7 ~~1·250~~	-	1·5 ~~0·060~~	0·1 ~~0·005~~	-	-	SE	9
10	2·3 ~~0·090~~	2·8 ~~0·110~~	a 0·5 ~~0·020~~	4·1 ~~0·160~~	2·8 ~~0·110~~	1·5 ~~0·060~~	-	-	3·4 ~~0·135~~	-	-		10
11	-	2·8 ~~0·110~~	6·7 ~~0·265~~	2·7 ~~0·105~~	0·8 ~~0·030~~	1·5 ~~0·060~~	-	-	-	-	5·6 ~~0·220~~	17·0 ~~0·670~~	11
12	-	3·0 ~~0·120~~	2·8 ~~0·110~~	-	-	-	8·4 ~~0·330~~	-	7·7 ~~0·305~~	-	0·3 ~~0·010~~	6·6 ~~0·260~~	12
13	-	4·8 ~~0·190~~	5·5 ~~0·215~~	-	-	-	0·9 ~~0·035~~	-	1·3 ~~0·050~~	2·8 ~~0·110~~	5·3 ~~0·210~~	9·9 ~~0·390~~	13
14	-	3·0 ~~0·120~~	3·3 ~~0·130~~	-	-	-	0·6 ~~0·025~~	-	0·1 ~~0·005~~	8·4 ~~0·330~~	2·9 ~~0·115~~	2·5 ~~0·100~~	14
15	0·6 ~~0·025~~	-	1·3 ~~0·050~~	-	-	-	1·0 ~~0·040~~	1·8 ~~0·070~~	1·0 ~~0·040~~	0·8 ~~0·030~~	0·3 ~~0·010~~	0·3 ~~0·010~~	15
16	-		1·8 ~~0·070~~	-	-	-	1·4 ~~0·055~~	-	1·4 ~~0·055~~	-	-		16
17	-	4·9 ~~0·195~~	2·5 ~~0·100~~	-	-	-	0·3 ~~0·010~~	-	2·2 ~~0·085~~	-	-	5·1 ~~0·200~~	17
18	-	-	-	-	-	-	6·6 ~~0·260~~	-	0·6 ~~0·025~~	-		10·4 ~~0·410~~	18
19	-	-	-	-	-	-	7·7 ~~0·305~~	-	5·3 ~~0·210~~	-	1·5 ~~0·060~~	1·5 ~~0·060~~	19
20	-	13·1 ~~0·515~~	0·6 ~~0·025~~	-	-	1·5 ~~0·060~~	3·2 ~~0·125~~	-	0·3 ~~0·010~~		-	6·1 ~~0·240~~ a	20
21	-	~~8·1~~ ~~0·320~~	1·7 ~~0·065~~	-		0·3 ~~0·010~~	5·1 ~~0·200~~		-	2·5 ~~0·100~~		6·3 ~~0·250~~ a	21
22	-	1·0 ~~0·040~~	0·8 ~~0·030~~	-	7·1 ~~0·280~~	2·4 ~~0·095~~	0·4 ~~0·015~~	3·6 ~~0·140~~	-	4·1 ~~0·160~~	-	0·1 ~~0·005~~	22
23	-	0·6 ~~0·025~~	3·2 ~~0·125~~		9·0 ~~0·355~~	0·1 ~~0·005~~	0·4 ~~0·015~~		-	0·8 ~~0·030~~		-	23
24	-	0·3 ~~0·010~~	0·3 ~~0·010~~	0·5 ~~0·020~~	0·4 ~~0·015~~	-	1·8 ~~0·070~~	2·5 ~~0·100~~	-	2·0 ~~0·080~~	1·5 ~~0·060~~		24
25	2·0 ~~0·080~~	-	2·0 ~~0·080~~	-	-	-	0·9 ~~0·035~~	4·3 ~~0·170~~	-	11·3 ~~0·445~~	1·0 ~~0·040~~	4·1 ~~0·160~~	25
26		-	1·3 ~~0·050~~	-	-	-	2·3 ~~0·090~~	8·4 ~~0·330~~	-	2·0 ~~0·080~~	7·6 ~~0·300~~	8·9 ~~0·350~~	26
27	1·3 ~~0·050~~	-	0·3 ~~0·010~~	-		-	-	-	-	0·4 ~~0·015~~		7·4 ~~0·290~~	27
28	-	2·0 0·080	2·5 ~~0·100~~	-	0·8 ~~0·030~~	-	-	-	-	0·5 ~~0·020~~	12·7 ~~0·500~~	23·6 ~~0·930~~ a	28
29	-		2·0 ~~0·080~~	-	2·0 ~~0·080~~	-	-	-	-	4·7 ~~0·185~~	3·6 ~~0·140~~		29
30	-		0·5 ~~0·020~~	-	1·0 ~~0·040~~	3·4 ~~0·135~~	-	-	-	0·4 ~~0·015~~	12·8 ~~0·505~~	14·9 ~~0·585~~	30
31	1·0 ~~0·040~~		0·5 ~~0·020~~		0·3 ~~0·010~~		5·7 ~~0·225~~	-		0·1 ~~0·005~~		-	31
99 Total	22·6 ~~0·890~~	51·5 ~~2·035~~	56·6 ~~2·215~~	27·3 ~~1·075~~	38·6 ~~1·515~~	70·5 ~~2·780~~	97·1 ~~3·820~~	54·1 ~~2·115~~	23·7 ~~0·935~~	41·4 ~~1·630~~	93·2 ~~3·675~~	155·3 ~~6·120~~	YEAR'S TOTAL ~~28·805~~ 731·9
Rain Days.	9 10	14	26	10	16	12 13	23	12	10	13 14	16	20	183 186

W.7,000, XI. 13 (a) as snow

2585.

2478

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Edgbaston Birmingham

in the County of Warwick 4

by Alfred Cresswell

Lat. 52° 28' 24" N Long. 1° 55' 40" W

Time of Observation 9 am

Nearest Railway Station Monument Lane

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	~~*Date.*~~
15 1	3.3 ~~0.130~~	3.0 ~~0.120~~	c 2.5 c ~~0.100~~	-	6.5 ~~0.255~~	-	-	2.4 ~~0.095~~	2.3 ~~0.090~~	1.8 ~~0.070~~	0.3 ~~0.010~~	0.8 ~~0.030~~	1
2	1.3 ~~0.050~~	2.8 ~~0.110~~	5.8 ~~0.230~~	1.5 ~~0.060~~	-	2.0 ~~0.080~~	-	7.7 ~~0.305~~	0.1 ~~0.005~~	8.9 ~~0.350~~	-	-	2
3	24.1 ~~0.950~~	0.5 ~~0.020~~	1.8 ~~0.070~~	2.8 ~~0.110~~	-	-	8.9 ~~0.350~~	2.7 ~~0.105~~	-	-	-	5.9 ~~0.230~~	3
4	-	-	-	-	0.5 ~~0.020~~	-	34.7 ~~1.365~~	0.1 ~~0.005~~	-	-	-	21.9 ~~0.860~~	4
5	0.3 ~~0.010~~	14.7 ~~0.580~~	-	-	-	0.4 ~~0.015~~	0.8 ~~0.030~~	1.1 ~~0.045~~	-	-	-	7.6 ~~0.300~~	5
6	1.8 ~~0.070~~	3.7 ~~0.145~~	-	8.0 ~~0.315~~	-	-	17.8 ~~0.700~~	3.3 ~~0.130~~	-	0.3 ~~0.010~~	-	2.5 ~~0.100~~	6
7	2.2 ~~0.085~~	11.9 ~~0.470~~	-	0.3 ~~0.010~~	1.8 ~~0.070~~	16.3 ~~0.640~~	3.0 ~~0.120~~	2.7 ~~0.105~~	-	-	-	10.1 ~~0.400~~	7
8	1.3 ~~0.050~~	6.3 ~~0.250~~	-	0.5 ~~0.020~~	-	-	-	0.4 ~~0.015~~	-	-	0.4 ~~0.015~~	-	8
9	0.8 ~~0.030~~	4.3 ~~0.170~~	-	4.3 ~~0.170~~	-	-	-	-	-	-	4.7 ~~0.185~~	10.5 ~~0.415~~	9
10	6.0 ~~0.235~~	-	1.1 ~~0.045~~	0.8 ~~0.030~~	-	-	0.3 ~~0.010~~	-	-	-	3.2 ~~0.125~~	0.9 ~~0.035~~	10
11	-	-	-	1.8 ~~0.070~~	4.4 ~~0.175~~	-	3.8 ~~0.150~~	1.8 ~~0.070~~	-	-	18.7 ~~0.735~~	0.3 ~~0.010~~	11
12	1.4 ~~0.055~~	-	-	3.1 ~~0.120~~	7.2 ~~0.285~~	-	-	2.3 ~~0.090~~	-	1.8 ~~0.070~~	30.5 ~~1.200~~	1.5 ~~0.060~~	12
13	-	a 10.0 a ~~0.395~~	-	-	21.0 ~~0.825~~	-	-			-	1.5 ~~0.060~~	-	13
14	-	-	-	-		-	3.2 ~~0.125~~	2.3 ~~0.090~~	1.1 ~~0.045~~	0.1 ~~0.005~~		3.3 ~~0.130~~	14
15	8.5 ~~0.335~~	-	-	-	1.8 ~~0.070~~	-	0.5 ~~0.020~~	2.0 ~~0.080~~	-		2.4 ~~0.095~~	11.8 ~~0.465~~	15
16	1.9 ~~0.075~~	11.4 ~~0.450~~	-	-	4.3 ~~0.170~~	-	46.9 ~~1.845~~	-	-	-	-	10.6 ~~0.425~~	16
17	-	7.9 ~~0.310~~	0.3 ~~0.010~~	-	5.6 ~~0.220~~	-	0.6 ~~0.025~~	-	-	-	-	0.3 ~~0.010~~	17
18	-	5.7 ~~0.225~~	d 2.3 d ~~0.090~~	-		-		-	-	0.1 ~~0.005~~	-	-	18
19	-	d 0.4 ~~0.015~~	-	-	1.1 ~~0.045~~	-	2.8 ~~0.110~~	-	-	-	-		19
20	8.9 ~~0.350~~	-	-	2.9 ~~0.115~~	-	-		-	-		-	1.1 ~~0.045~~	20
21	5.3 ~~0.210~~	-	-	-	-	-	3.0 ~~0.120~~	-	-	0.6 ~~0.025~~	-	0.9 0.030 ~~0.060~~	21
22	0.6 ~~0.025~~		5.6 ~~0.220~~	0.4 ~~0.015~~	-	-	1.5 ~~0.060~~	-	0.8 ~~0.030~~	-	-	0.9 0.035 ~~0.090~~	22
23	0.9 ~~0.035~~	b 2.4 b ~~0.095~~	0.8 ~~0.030~~	-	-	3.4 ~~0.135~~	10.7 ~~0.420~~	-	4.2 ~~0.165~~	12.7 ~~0.500~~	0.1 ~~0.005~~	5.6 ~~0.220~~	23
24	-	-	0.5 ~~0.020~~	0.9 ~~0.035~~	-	-	1.8 ~~0.070~~	-	0.5 ~~0.020~~	6.9 ~~0.270~~	-	2.5 ~~0.100~~	24
25	-	-	0.5 ~~0.020~~	-	-	11.3 ~~0.445~~	3.0 ~~0.120~~	-			-	8.0 ~~0.315~~	× 25
26	-	2.5 ~~0.100~~	-	-	-	-	5.3 ~~0.210~~	-	5.7 ~~0.225~~	-	-	9.5 ~~0.375~~	26
27	-	2.3 ~~0.090~~	-	-	-	-	5.8 ~~0.230~~			10.2 ~~0.400~~	-	2.7 ~~0.105~~	27
28	-	3.6 ~~0.140~~	-	-	-	-	0.5 ~~0.020~~	6.3 ~~0.250~~	0.6 ~~0.025~~	0.5 ~~0.020~~	-	0.1 ~~0.005~~	28
29	-	×	-	-	-	-	0.4 ~~0.015~~	2.3 ~~0.090~~	-	0.1 ~~0.005~~	2.0 ~~0.080~~	1.4 ~~0.055~~	29
30	1.1 ~~0.045~~	×	-	-	-	1.3 0.050	1.5 ~~0.060~~	0.1 ~~0.005~~	-	3.6 ~~0.140~~	0.5 ~~0.020~~	0.5 0.020	30
31	1.4 ~~0.055~~	×	-	×	-	×	1.3 ~~0.050~~	0.9 ~~0.035~~	×	2.4 ~~0.095~~	×	7.7 0.305	31
99 Total	71.1 2.795	93.4 3.685	21.2 0.835	27.3 1.070	54.2 2.135	34.7 1.365	158.1 6.225	38.4 1.515	15.3 0.605	50.0 1.965	64.3 2.530	118.8 4.745 4.68	YEAR'S TOTAL 29.470 746.8
Rain Days.	18	17	10	12	10	6	23	15	7	11	10	26	16

W. 8,000. X. 14. a partly snow b as snow c as snow d as snow

25

Section **A** for the entry of Daily Observations

Station No.............................

19 cms
2478

AIR MINISTRY—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION

FORM ...90

REGISTER OF RAINFALL IN 19~~5~~16

Kept at Birmingham, Edgbaston
in the County of Warwickshire
Diameter of funnel of gauge..................in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

Converted to mm.

HOLLERITH CARD
PUNCHED BY gf
gb 20/4/50

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
16	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	3.2	–	1.7	–	0.2	1.9	4.1	–	–	0.4	5.1	–		1
2	6.1	0.6	4.5	–	5.2	0.2	11.2	–	3.1	16.8	1.5	–		2
3	–	13.9	–	0.2	–	–	0.2	–	5.5	3.7	2.3	–		3
4	7.4	1.4	–	0.8	13.6	3.8	–	–	0.6	3.8	9.4	–		4
5	0.1	–	–	–	4.8	7.8	1.0	–	–	1.8	7.5	–		5
6	0.4	4.1	1.0	0.2	6.7	–	9.4	–	–	2.8	13.7	–		6
7	1.6	–	2.0	–	2.9	0.2	65	–	–	2.7	5.1	3.6		7
8	0.5	0.3	1.0	–	2.2	0.1	–	–	–	–	1.0	5.8		8
9	–	–	1.3	–	9.2	1.0	–	–	0.2	2.6	–	0.4		9
10	–	4.3	0.5	2.2	–	8.0	–	–	0.2	0.1	–	–		10
11	1.1	5.9	1.5	3.8	0.6	8.3	–	–	2.6	–	–	3.8		11
12	0.6	1.0	1.0	1.2	4.6	–	1.5	–	–	0.8	–	–		12
13	0.8	3.7	4.4	2.8	–	–	2.1	5.3	–	–	–	0.5		13
14	–	11.6	–	1.6	–	–		11.4	–	0.9	–	–		14
15	–	3.5	14.9	0.2	0.8	–	2.5	4.8	0.1	0.9	–	–		15
16	–	0.1	4.4	5.1	2.0	–	0.4	0.2	0.1	0.3	–	–		16
17	1.3	3.5	–	3.8	–	–	–	2.8	7.6	4.3	–	–		17
18	0.1	2.0	0.8	2.9	–	–	–	0.4	5.6	1.0	17.5	2.6		18
19	1.8	0.5	2.7	2.8	–	0.2	–	–	0.1	0.1	8.9	1.4		19
20	0.6	–	9.0	0.2	–	–	–	1.2	–	–	1.8	1.9		20
21	–	–	3.4	–	1.9	–	3.0	–	–	–	–	5.8		21
22	–	–	–	0.1	0.6	0.2	–	–	–	2.1	–	11.0		22
23	0.5	6.1	–	–	–	–	–	2.3	–	1.5	1.3	5.8		23
24	–	5.9	0.2	–	–		–	2.3	–	3.5	–	4.6		24
25	–	0.2	3.7	–	3.0		–	3.6	6.8	2.4	8.0	–		25
26	0.5	2.0	0.1	–	–	1.7	–	1.1	4.1	2.8	1.0	–		26
27	0.2	3.8	8.1	–	–	5.8	–	6.4	2.3	7.1	–	–		27
28	0.1	6.9	2.8	–	–	–	–	–	–	2.5	–	3.3		28
29	–	4.1	–	–	–	3.7	–	14.5	–	7.9	–	2.8		29
30	–	×	–	–	–	1.6	–	–	–	5.1	–	–		30
31	–	×	–	×	–	×	–	0.2	×	4.4	×	14.2		31
99 TOTAL	26.9	85.4	68.7	27.9	58.4	44.5	41.9	56.5	38.9	81.8	84.1	67.5	Year's Total ~~672.6~~ 682.5	
*Days with .01 in. or more.	060						41.9			3220	33			
*Days with .04 in. or more.														

*See Instruction 3(g) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

5 made

ai 4 RL

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL. FORM A.
3 JAN 1917
2478
2521

Kept at Edgbaston Birmingham.
in the County of Warwick.
by Alfred Cresswell

Lat. 52·28·24 N Long. 1·55 40 W
Time of Observation 9 am
Nearest Railway Station Monument Lane.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.025
* Entered to Jan 1 1917 also.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.120	-	0.065	-	0.010	0.075	0.160	-	-	0.015	0.200	-	1
2	0.240	0.025	0.175	-	0.205	0.010	0.440	-	0.120	0.640	0.060	-	2
3	-	0.545	-	0.010	-	-	0.010	-	0.215	0.145	0.090	-	3
4	0.290	0.055	-	0.030	0.535	0.150	-	-	0.025	0.150	0.370	-	4
5	0.005	-	-	-	0.190	0.305	0.040	-	-	0.070	0.295	-	5
6	0.015	0.160	0.040	0.010	0.265	-	0.370	-	-	0.110	0.540	-	6
7	0.065	-	0.080	-	0.115	0.010	0.255	-	-	0.105	0.200	0.140	7
8	0.020	0.010	0.040	-	0.085	0.005	-	-	-	-	0.040	0.230	8
9	-	-	0.050	-	0.360	0.040	-	-	0.010	0.100	-	0.015	9
10	-	0.170	0.020	0.085	-	0.315	-	-	0.010	0.005	-	-	10
11	0.045	0.230	0.060	0.150	0.025	0.325	-	-	0.100	-	-	0.150	11
12	0.025	0.040	0.040	0.045	0.180	-	0.060	-	-	0.030	-	-	12
13	0.030	0.145	0.175	0.110	-	-	0.085	0.210	-	~~[illegible]~~	-	0.020	13
14	-	0.455	-	0.060	-	-	-	0.450	-	0.035	-	-	14
15	-	0.140	0.585	0.010	0.030	-	0.100	0.190	0.005	0.035	-	-	15
16	-	0.005	0.160	0.200	0.080	-	0.015	0.010	0.005	0.010	-	-	16
17	0.050	0.140	-	0.150	-	-	-	0.110	0.300	0.170	-	-	17
18	0.005	0.080	0.030	0.115	-	-	-	0.015	0.220	0.040	0.690	0.100	18
19	0.070	0.020	0.105	0.110	-	0.010	-	-	0.005	0.005	0.350	0.055	19
20	0.025	-	0.355	0.010	-	-	-	0.045	-	-	0.070	0.075	20
21	-	-	0.135	-	0.075	-	0.120	-	-	-	-	0.230	21
22	-	-	-	0.005	0.025	0.010	-	-	-	0.085	-	0.435	22
23	0.020	0.240	-	-	-	-	-	0.090	-	0.060	0.050	0.230	23
24	-	0.230	0.010	-	-	-	-	0.090	-	0.140	-	0.180	24 •
25	-	0.010	0.145	-	0.120	-	-	0.140	0.265	0.095	0.315	-	25
26	0.020	0.080	0.005	-	-	0.065	-	0.045	0.160	0.110	0.040	-	26
27	0.010	0.150	0.320	-	-	0.225	-	0.250	0.090	0.280	-	-	27
28	0.005	0.270	0.110	-	-	-	-	-	-	0.100	-	0.130	28
29	-	0.160	-	-	-	0.145	-	0.570	-	0.310	-	0.110	29
30	-	X	-	-	-	0.060	-	-	-	0.200	-	-	30
31	-	X	-	X	[illegible]	X	-	0.010	X	0.175	X	0.165	31
Total	1.060	3.360	2.705	1.100	2.30[illegible]	[illegible] 750	1.655	2.225	1.530	3.220	3.310	2.265	YEAR'S TOTAL 26.480
Rain Days.	~~15~~ 17	21	21	14	15	14 15	11	14	11 12	24 25	14	15	194
	7	17	17	9	11	10	9	11	8	19	14	13	145

W. 8,000. X. 15. dotted under indicates as snow

Section **A** for the entry of Daily Observations

Station No.

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

2478

FORM 990

REGISTER OF RAINFALL IN 1917

HOLLERITH CARD
PUNCHED BY 15/4/59
VERIFIED BY 20/4/59

Kept at Birmingham. Edgbaston.

in the County of Warwickshire

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
17	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.6	-	0.2	0.7	-	0.7	-	21.6	7.1	-	0.4	5.9		1
2	-	-	-	0.9	-	1.5	-	0.2	-	-	0.9	0.5		2
3	-	1.2	-	5.1	-	-	-	1.9	-	7.7	1.2	-		3
4	1.0	0.1	3.9	0.2	-	-	-	2.3	-	13.9	-	-		4
5	5.9	-	1.7	4.9	-	-	-	0.5	1.2	2.1	1.7	-		5
6	0.5	-	2.2	-	-	20.0	-	-	-	2.4	4.3	-		6
7	8.1	-	-	-	-	-	-	1.3	-	1.8	0.1	2.3		7
8	9.4	-	-	3.3	-	-	3.0	13.3	-	10.0	6.0	4.9		8
9	1.4	-	2.7	2.7	6.1	-	-	10.0	0.2	0.5	7.2	-		9
10	7.6	-	8.0	1.5	28.7	-	-	3.0	0.9	0.2	-	-		10
11	4.2	-	0.6	5.1	0.3	-	-	0.2	0.2	3.5	0.2	-		11
12	-	-	-	-	10.7	-	-	-	-	4.1	0.2	-		12
13	-	0.2	0.2	3.9	-	-	-	1.5	2.3	0.2	-	-		13
14	-	-	2.6	6.1	-	-	-	8.6	-	-	-	0.2		14
15	1.3	-	-	-	2.0	-	11.2	1.8	-	0.8	-	2.3		15
16	0.8	2.4	-	3.1	-	2.9	0.5	-	-	-	-	10.3		16
17	-	-	0.7	2.2	13.3	11.2	10.8	7.4	5.5	1.3	-	-		17
18	0.2	0.5	-	0.6	1.5	-	8.4	1.8	21.8	1.4	-	-		18
19	-	5.8	5.9	-	4.4	5.1	-	-	0.5	-	-	-		19
20	1.3	4.8	0.5	-	11.7	3.0	1.1	6.3	6.1	-	2.4	0.2		20
21	-	0.4	3.6	0.4	1.5	0.8	-	1.3	-	0.2	1.3	-		21
22	-	-	0.5	-	-	1.4	-	5.1	0.6	3.9	-	-		22
23	-	4.5	-	-	2.7	-	-	1.2	-	2.2	-	-		23
24	-	-	0.1	-	-	19.7	1.3	1.8	-	6.3	0.8	0.4		24
25	-	1.5	2.0	-	-	-	0.8	-	-	-	2.2	-		25
26	-	-	-	-	-	-	-	8.7	5.2	0.4	7.6	-		26
27	-	-	-	-	14.2	1.9	11.0	26.3	-	-	0.1	-		27
28	-	0.1	0.9	-	-	3.8	-	4.8	-	0.2	-	0.6		28
29	-	X	0.5	-	-	3.4	2.5	2.5	-	7.2	-	6.6		29
30	0.6	X	0.2	-	-	-	1.4	6.2	0.3	0.2	0.2	-		30
31	-	X	0.5	X	-	X	-	4.1	X	-	X	0.6		31
TOTAL 49	42.9	21.5	36.6	40.7	97.1	75.4	52.0	143.7	51.9	70.5	36.8	34.8	Year's Total 703.9	709
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	(27)		✓		
*Days with .04 in. or more.									56	14				

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

701 709

(*Signed*).......... (P.T.O.)

S. made

2399

FORM A. BRITISH RAINFALL. 2478

REGISTER OF RAINFALL IN 1917

Kept at Edgbaston, Birmingham

in the County of Warwick

by Alfred Cresswell to 28th Feby (Died)
Arthur Lois Kelley April 1st onwards.

Lat. 52° 28' 24" Long. 1° 55' 40" W

Time of Observation 9 AM

Nearest Railway Station Monument Lane

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·025	-	0·010	0·026 Snow	—	0·030	—	0·85	0·280	Trace	0·015	0·230 Snow	1
2	-	-	-	0·035 Snow	-	0·060	—	0·01	—	—	0·035	0·020	2
3	-	0·045 SNOW	-	0·200 Snow	-	Trace	-	0·075	-	0·305	0·044	—	3
4	0·040	0·005 SNOW	0·155 SNOW	0·010 Snow	-	-	-	0·09	-	0·544	-	-	4
5	0·230	-	0·065 SNOW	0·192 Snow	-	-	-	0·02	0·047	0·082	0·067	-	5
6	0·020	-	0·085 SNOW	-	-	0·787	-	—	-	0·095	0·170	—	6
7	0·320	-		-	-	-	-	0·05	-	0·070	0·005	0·088	7
8	0·370	-	-	0·130 Snow + ra	-	-	·118	0·525	-	0·395	0·237	0·195 Rain + Snow	8
9	0·055	-	0·105 SNOW	0·105 Snow	0·240	-	-	0·392	0·010	0·020	0·283	-	9
10	0·300	-	0·315	0·060 Snow	1·130	-	-	0·12	0·033	0·008	-	-	10
11	0·165	-	0·025	0·200 Snow	0·010	-	-	0·01	0·010	0·135	0·008	-	11
12	-	-	-		0·420	-	-	—	-	0·158	0·007	—	12
13	-	0·010 SNOW	0·010	0·152	Trace	-	-	0·06	0·090	0·010	0·002	Trace	13
14	-	-	0·100	0·240	-	-	-	0·34	—	-	Trace	0·008	14
15	0·050 SNOW	-	-	-	0·080	-	·440	0·07	—	0·031	"	0·090 rain + snow	15
16	0·030 SNOW	0·095	-	0·122	-	0·115	·020	Trace	—	-	-	0·405 Rain + Snow	16
17	-	-	0·025	0·088	0·525	0·440	·425	0·29	0·217	0·048	-	-	17
18	0·010	0·020	°	0·023	0·059	-	·330	0·07	0·860	0·055	-	-	18
19	-	0·225	0·195 RAIN + SNOW	-	0·174	0·200	—	—	0·020	-	-	-	19
20	0·050	0·190	0·020	a trace	0·460	0·120	·045	0·25	0·238	-	0·095	0·010	20
21	-	0·015	0·140 as snow	0·078	0·060	0·030	-	0·05	-	0·010	0·050	-	21
22	-	-	0·020 SNOW	-	-	0·054	-	0·20	0·025	0·155	-	-	22
23	-	0·175	-	-	0·107	-	-	0·047	-	0·085	-	-	23
24	-	-	0·005	-	-	0·770	·050	0·07	-	0·246	0·030	0·016	24
25	-	0·060	0·080 RAIN + SNOW		-	-	·030	—	-	-	0·087 Snow	-	25
26	-	-	-	-	-	-	-	0·342	0·205	0·018	0·298 Rain + snow.	-	26
27	-	-	-	-	0·560	0·075	·435	1·033	-	-	0·006	-	27
28	-	0·005	0·035	-	-	·152 0·222		0·190	-	0·010	-	0·025	28
29	-	X	0·020 RAIN + SNOW	-	-	·135 0·200	·097	0·100	-	0·285	—	0·258	29
30	0·025 SNOW	X	0·010	-	-	—	·057	0·245	0·010	0·010	0·010	-	30
31	—	X	0·020 Snow.	X	-	X	—	0·160	X	-	X	0·025	31
Total	1·690	0·845	1·440	1·601	3·825	2·968	2·047	·65 5·499	2·045	2·775	1·449	1·370	YEAR'S TOTAL 27·714
Rain Days.	14 ~~14~~	10 ~~17~~	20 ~~2x~~	15 ✓	12 ~~13~~	13 ~~14~~	11 ✓	26 ~~24~~	13 ~~14~~	22 ~~24~~	16 ~~17~~	12 ~~13~~	~~197~~
Days	9	6	9	10	11	11	9	23	7	14	9	6	184

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations — Station No. 2478

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM No.

REGISTER OF RAINFALL IN 19~~5~~18

Kept at Birmingham, Edgbaston

in the County of Warwick

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

HOLLERITH CARDS	INITIALS	DATE
PUNCHED BY		15/4/59
		20/4/59

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
18	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·3	0·3	—	3·3	3·5	—	—	—	0·5	0·3	8·8	—		1
2	—	1·3	—	1·5	—	—	—	1·3	—	0·3	—	2·8		2
3	—	0·7	0·9	—	6·2	—	—	4·8	14·6	—	1·2	—		3
4	0·3	0·6	—	—	—	—	—	1·8	16·8	1·1	15·4	8·1		4
5	—	—	—	0·7	7·6	—	—	1·5	10·6	1·5	—	—		5
6	—	3·3	0·2	4·5	—	3·5	—	—	0·6	3·5	—	0·5		6
7	0·4	2·3	—	2·1	2·0	0·3	—	—	11·2	0·2	4·3	0·3		7
X8	1·0	5·2	—	0·1	—	—	—	—	5·3	3·0	—	0·3		8
9	—	8·4	—	7·1	—	7·1	0·4	—	10·8	5·9	—	0·3		9
10	1·8	0·3	—	1·3	—	—	5·3	—	3·0	0·9	0·4	1·5		10
11	—	—	—	0·3	2·0	—	6·1	—	9·4	0·7	—	1·3		11
12	0·8	1·2	2·5	—	2·1	—	3·3	—	0·3	—	—	—		12
13	—	—	—	0·1	5·0	1·0	0·3	—	3·8	1·3	—	1·5		13
14	7·9	—	—	—	—	1·0	4·5	—	4·9	1·8	—	5·1		14
15	21·8	—	—	5·6	—	2·1	7·0	—	0·8	—	—	5·6		15
16	2·5	—	—	10·6	—	0·3	—	1·2	6·0	—	—	0·7		16
17	7·4	—	—	—	7·1	1·9	2·3	—	11·3	1·3	—	3·0		17
18	8·8	—	—	—	—	4·1	5·3	—	10·6	—	—	7·2		18
19	0·8	0·7	3·3	2·4	—	—	1·3	—	0·4	3·8	0·3	6·3		19
20	4·8	2·2	—	17·1	—	1·0	3·3	—	6·9	—	0·1	2·7		20
21	2·5	—	—	7·0	—	0·4	1·7	—	6·3	—	—	2·3		21
22	—	—	—	—	7·9	0·3	1·3	—	0·3	4·2	—	11·3		22
23	—	—	—	—	18·9	—	1·3	—	1·5	—	0·5	—		23
24	—	2·0	—	—	—	—	0·8	0·2	0·5	—	3·5	—		24
25	—	—	—	—	—	0·4	3·4	8·5	—	—	0·9	—		25
26	—	—	—	—	—	—	3·8	0·9	0·5	0·3	1·5	2·4		26
27	—	2·6	—	—	—	—	—	10·4	8·5	—	3·6	3·5		27 X
28	—	2·4	8·1	—	—	0·3	—	—	—	—	2·0	3·1		28
29	—	X	2·8	—	—	—	—	—	19·0	—	—	0·3		29
30	0·3	X	7·1	—	—	—	—	2·3	0·9	—	4·8	5·7		30
31	0·3	X	8·9	X	—	X	—	—	X	—	X	—		31
99 TOTAL	61·7	33·5	33·8	63·7	62·3	23·7	51·4	32·9	165·3	30·1	47·3	75·8	Year's Total 681·5	X
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

REGISTER OF RAINFALL IN 1918

FORM 2478 BRITISH RAINFALL

6. 1. 19

Kept at Edgbaston, Birmingham

in the County of Warwick

by Arthur Jos. Kelley

Lat. 52° 28′ 24″ Long. 1° 55′ 40″ W.

Time of Observation 9 A.M.

Nearest Railway Station Monument Lane

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·010	·010	–	·130	·138	–	–	–	·020	·014	·345	Trace	1
2	–	·050	–	·060	–	–	–	·050	–	·014	–	·112	2
3	–	·030	·034	–	·243	–	–	·190	·575	–	·045	Trace	3
4	·010	·025	Trace	–	–	–	Trace	·070	·660	·045	·605	·320	4
5	–	–	–	·030	·301	–	–	·060	·416	·060	Trace	Trace	5
6	–	·130	·008	·175	–	~~·014~~ ·140	–	–	·024	·138	"	·020	6
7	·016 Snow	·090	–	·083	·080	·010	–	–	·440	·008	·170	·010	7
8	·040 Snow	·205	–	·005	–	–	Trace	–	·210	·116	Trace	·010	8
9	Trace	·330	–	·280	–	·280	·015	–	·425	·232	–	·010	9
10	·070	·010	–	·050	–	–	·210	–	·120	·035	·015	·057	10
11	Trace	–	Trace	·010	·080	–	·240	–	·370	·027	–	·052	11
12	·030	·045	·100	Trace	·082	–	·130	–	·010	Trace	Trace	Trace	12
13	Trace	Trace	–	·005	·196	·040	·014	–	·150	·050	–	·060	13
14	·310	–	Trace	–	–	·040	·175	–	·194	·070	Trace	·200	14
15	·860	–	–	·220	–	·085	·275	–	·030	–	–	·220	15
16	·100	–	–	·418	–	·010	–	·046	·235	–	–	·027	16
17	·290	–	–	–	·280	·075	·091	–	·445	·050	–	·120	17
18	·345	–	–	–	–	·160	·210	–	·416	Trace	–	·285	18
19	·033	·030	·130	·095	–	–	·050	–	·017	·150	·010	·250	19
20	·190	·087	–	·670 Snow	–	·040	·128	–	·272	–	·006	·105	20
21	·100	–	–	·275 Snow	Trace	·016	·067	–	·250	–	Trace	·090	21
22	Trace	–	–	–	·310	·010	·050	Trace	·010	·165	"	·445	22
23	"	–	–	–	·745	Trace	·053	–	·058	Trace	·020	Trace	23
24	"	·080	–	–	–	–	·032	·010	·022	–	·139	–	24
25	–	–	–	–	–	·015	·135	·336	–	Trace	·035	–	25
26	–	Trace	–	–	–	–	·150	·034	·020	·010	·060	·096	26
27	–	·103 Snow	Trace	–	–	Trace	Trace	·410	·335	–	·141	·140	27
28	–	·095	·320	–	–	·010	–	Trace	–	–	·080	·120	28
29	Trace	–	·110	–	–	–	–	–	·750	Trace	Trace	·010	29
30	·013	X	·280	–	–	–	–	·090	·035	Trace	·190	·224	30
31	·013	X	·350	X	–	X	–	Trace	X	Trace	X	—	31
Total	2·430	1·320	1·332	2·506	2·455	0·931	2·025	1·296	6·509	1·184	1·861	2·983	YEAR'S TOTAL 26.832
Rain Days.	16	15	8	~~15~~ 14	10	14	17	10	27	~~15~~ 16	~~13~~ 14	23	184
W. Days	9	10	6	11	10	8	14	8	18	10	9	17	130

W. 8,000, IX. 17.

Ex. Cal. 4/2/20

22553

7 FEB 20

2478

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Edgbaston, Birmingham [M.O.]
in the County of Warwick.
by Arthur J. Kelly

Lat. 52° 28′ N Long. 1° 54′ W
Time of Observation 9h & 21h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.4	-	1.0	0.6	4.6	-	8.8	-	1.1	5.1	0.8	7.6	1
2	3.0	-	1.1	-	-	-	4.3	-	4.5	-	1.5	-	2
3	16.0	-	0.7	-	1.2	3.3	4.5	-	3.6	-	4.6	3.1	3
4	1.7	0.3	8.2	-	-	0.5	2.6	2.2	7.2	-	0.8	6.8	4
5	-	7.0	-	-	0.9	-	-	-	7.7	-	-	2.7	5
6	0.5	-	2.7	-	12.5	-	-	-	-	-	2.0	2.8	6
7	4.8	-	4.2	1.9	0.2	-	-	-	-	-	-	-	7
8	4.3	-	0.7	1.8	-	0.9	-	-	-	-	0.2	-	8
9	1.7	-	-	1.9	-	-	-	-	0.2	-	-	-	9
10	-	-	13.1	-	-	-	-	-	-	0.3	0.5	5.2	10
11	0.3		13.0	-	1.0	-	6.6	-	-	-	-	-	11
12	0.2	-	5.1	0.8	-	7.5	-	-	0.5	3.1	0.8	0.5	12
13	4.8	-	-	8.5	-	0.3	2.5	-	4.0	5.0	-	0.6	13
14	9.8	0.3	-	2.2	-	-	1.1	-	8.9	0.3	-	1.0	14
15	6.7	4.5	0.3	6.3	-	-	-	-	-	1.5	-	6.5	15
16	2.0	24.2	-	-	-	-	0.1	2.9	-	-	2.3	0.4	16
17	0.5	10.0	-	-	-	0.8	1.7	-	-	-	2.8	-	17
18	-	0.3	12.1	-	-	-	0.3	5.9	0.3	-	0.3	3.7	18
19	3.8	6.1	25.4	-	-	4.7	35.9	10.3	3.9	-	1.0	-	19
20	6.1	0.8	5.4	-	-	-	3.0	2.8	2.5	-	15.1	2.9	20
21	0.3	9.1	0.5	-	-	-	7.2	-	0.7	-	0.3	5.6	21
22	-	11.3	-	-	-	-	-	1.2	7.5	-	-	16.7	22
23	-	-	-	-	-	4.0	-	-	-	24.1	-	1.9	23
24	-	-	-	1.0	1.8	-	-	-	-	21.2	2.8	2.5	24
25	4.1	-	-	2.6	1.6	3.3	-	11.0	-	-	1.1	1.0	25
26	-	-	4.3	3.4	-	0.7	-	1.4	2.8	-	0.3	8.4	26
27	4.0	-	0.3	8.7	-	-	-	6.2	-	-	-	-	27
28	0.8	-	-	0.3	-	-	-	16.9	-	0.3	1.8	5.5	28
29	1.0	X	1.0	1.8	-	2.0	-	-	-	11.2	3.6	3.3	29
30	-	X	1.7	3.2	-	5.1	-	0.5	-	1.0	2.6	9.1	30
31	0.2	X	0.6	X	-	X	-	-	X	-	X	1.3	31
99 TOTAL	86.0	73.9	101.4	45.0	23.8	33.1	78.6	61.3	55.4	73.1	45.2	99.1	YEAR'S TOTAL 775.9 ~~776.4~~
Days with 0·2 mm. or more	23	11	20	15	8	12	12	11	15	11	20	23	181

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from MM 3202

776

252

FORM BRITISH RAINFALL 2478

9 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Edgbaston, Birmingham

in the County of Warwick

by Arthur Jos. Kelley

Lat. 52° 28′ 24″ Long. 1° 55′ 40″ W.

Time of Observation 9 AM.

Nearest Railway Station Monument Lane

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·375	Trace	·040	·025	·185	—	·342	—	·050	·200	·030	·300	1
2	·150	"	·043	—	—	—	·170	trace	·180	trace	·060	—	2
3	·630	—	·023	—	·044	·130	·180	—	·146	—	·180	·120	3
4	Snow ·068	·010	·320	—	—	·020	·105	·085	·278	—	·030	·270	4
5	Snow —	·280	—	Trace	·035	—	—	—	·300	trace w.	—	·110	5
6	·023	Snow —	·110	—	·489	—	—	—	—	—	·080	·110	6
7	·190	—	·170	·073	·010	—	—	—	trace w.	trace w.	—	—	7
8	·170	—	·025	·070	—	·035	—	—	—	—	·010	—	8
9	·070	—	Trace	·077	—	—	—	—	·010 w	—	Cond. mont. —	—	9
10	Trace	—	·515	Trace	—	—	—	—	trace w.	·010	·020 sn	·210	10
11	·010	—	·510	"	·040	—	·260	—	—	—	—	trace	11
12	·008	—	·200	·030	—	·300	—	—	·020	·125	Snow & hail ·030	·020	12
13	·190	Trace	Trace	·335	—	·010	·100	—	·160	·200	—	·020	13
14	·390	·010	—	·087	—	—	·045	trace	·350	·010	trace*	·040	14
15	·270	·180	·010	·250	—	—	—	—	—	·060	trac.*	·250	15
16	·080	·950	—	Trace	—	—	·005	·115	—	—	·090*r	·015	16
17	·020	Snow ·400	—	"	—	·030	·070	—	—	—	·110*	trace	17
18	—	Sleet ·010	·480	—	—	—	·010	·235	·070	—	·010	·170	18
19	·153	Sleet ·240	1·000	—	—	·188	1·415	·403	·150	trace w.	·040	—	19
20	·240	Sleet ·030	·213	—	—	—	·120	·110	·100	—	·600*	·120	20
21	·070	·360	·020	—	—	—	·285	—	·030	trace w.	·010 r	·220	21
22	—	·440	Trace	—	—	trace	—	·045	·300	—	—	·660	22
23	—	—	—	—	—	·160	—	trace	—	·950	—	·080	23
24	—	—	—	·040	·070	—	—	—	—	·830	·110	·100	24
25	·164	—	—	·105	·062	·130	—	·438	—	—	·045	·040	25
26	—	—	·170	·133	—	·028	—	·055	·110	—	·010	·335	26
27	·160	—	·010	·337	—	trace	—	·244	trace	—	trace	—	27
28	Snow ·030	—	Trace	·010	—	—	—	·666	—	·010	·070	·220	28
29	Snow ·040	—	·040	·060	—	·080	—	—	—	·440	·140*	·130	29
30	Trace		·065	·127	—	·200	—	·020	—	·040	·100	·355	30
31	·010		·025		—		Trace	—		Trace		·050	31
Total	Snow. 3·451	2·910	3·989	1·759	0·935	1·311	3·107	2·416	2·194	2·875	1·775	3·945	YEAR'S TOTAL 30·667
Rain Days.	23	11	20	15	8	12	13	11	15	11	20	23	182
	16✓	7✓	14✓	12✓	6	9✓	11	10✓	11✓	8	12✓	20✓	154✓

W. 8,000, IX. 17.

2164

2478

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Birmingham (Edgbaston)
in the County of Warwickshire
by The Curator, Midland Institute

Lat. 52° 28' N Long. 1° 53' W
Time of Observation 9h & 21h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	3.6	6.6	-	5.2	-	2.8	3.9	-	6.0	1
2	-	-	-	2.6	-	-	10.2	-	0.8	7.1	-	2.5	2
3	1.8	2.5	-	3.3	-	0.8	11.4	0.8	2.3	13.1	-	-	3
4	0.3	-	0.2	2.4	-	-	0.2	8.8	0.3	7.4	-	-	4
5	-	-	0.5	1.0	4.4	-	8.8	2.5	3.8	16.2	0.2	-	5
6	-	0.2	8.1	0.8	1.8	-	1.6	-	-	0.9	-	0.7	6
7	-	-	0.6	1.3	1.2	-	4.0	-	-	-	-	-	7
8	11.7	1.3	0.3	17.2	4.6	-	11.4	0.5	-	0.2	-	-	8
9	7.6	0.4	0.2	7.3	-	-	0.3	3.5	0.6	-	-	-	9
10	9.4	1.3	2.0	0.4	-	3.8	1.8	-	-	-	1.0	-	10
11	1.3	-	1.3	6.3	12.0	7.7	0.4	1.4	-	-	-	0.2	11
12	2.5	0.6	1.8	5.6	0.2	26.9	0.4	23.2	-	0.5	2.0	4.3	12
13	1.7	1.0	5.0	9.7	-	0.8	-	-	0.3	-	0.3	0.2	13
14	0.4	-	22.5	5.6		6.0	1.0	-	6.9	0.3	3.2	-	14
15	-	2.2	1.0	6.6	-	10.7	-	-	0.9	0.3	0.7	-	15
16	-	-	0.3	1.8	1.6	6.3	5.9	-	0.6	14.6	-	-	16
17	0.4	-	-	-	2.8	-	-	0.4	15.1	0.7	-	0.4	17
18	5.4	-	-	2.4	1.8	1.3	2.0	1.5	8.6	-	-	-	18
19	0.4	18.2	-	10.7	-	1.9	-	-	0.3	-	-	-	19
20	0.4	-	-	10.6	-	4.3	0.3	-	-	-	-	0.5	20
21	-	-	-	1.9	-	-	4.7	1.0	-	0.2	-	1.3	21
22	0.9	-	-	2.5	-	-	0.5	4.0	0.3	0.2	-	-	22
23	-	-	0.2	0.4	-	-	7.5	0.6	-	-	-	8.6	23
24	0.7	-	5.9	0.6	-	-	-	0.5	-	-	0.2	2.8	24
25	0.5	0.6	4.2	1.2	0.7	-	11.0	1.4	-	-	-	-	25
26	5.5	-	4.9	0.5	-	-	0.9	-	-	0.2	0.2	0.5	26
27	3.3	0.4	1.3	6.1	9.4	6.2	-	-	-	-	0.6	13.2	27
28	20.3	-	1.4	1.4	3.3	1.0	0.5	-	-	0.2	-	2.5	28
29	2.2	-	7.2	-	13.6	2.7	1.3	-	-	-	3.6	13.0	29
30	0.5	X	-	3.1	1.7	4.0	0.3	-	6.3	-	5.4	4.8	30
31	1.3	X	1.1	X	0.2	X	-	-	X	11.1	X	0.8	31
39 TOTAL	78.5 ✓	28.7 ~~29.0~~ ✓	70.0 ✓	116.9 ~~117.5~~ ✓	67.9 ✓	84.4 ✓	91.6 ✓	50.1 ✓	49.9 ✓	77.1	17.4 ✓	62.3 ✓	YEAR'S TOTAL 794.6 ~~795.4~~
Days with 0·2 mm. or more	22 ✓	11 ✓	21 ✓	28 ✓	16 ✓	15 ✓	24 ✓	14 ✓	15 ✓	17 ✓	11 ✓	17 ✓	211
	13	6	14	23	13	13	15	9	7	7	5	10	135

79

(44,284). Wt. 21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3202.

~~BIRMINGHAM.~~
EDGBASTON
HIGH FIELD RD.
WARWICK
1915 - 1919

FORM A.
BRITISH RAINFALL.
9 - MAR 1916

cnd REGISTE

18

Kept at 23 Highfield Rd &
urch Rd.

in the County of Warwic

auge 5 in.

by Ralph Priestman

Ground — ft. 2 in.

Sea Level 450 ft.

IMPORTANT NOTE.—Ra he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·07	·24	–	·05	–	–	·10	·05	·04	·06	·07	1
2	·055	·15	·04	–	·22	–	–	·13	·07	·17	=	·015	2
3	·17	·16	·32	·20	–	·09	·03	·24	–	·26	–	·17	3
4	·90	·04	–	–	·03	–	1·07	·18	–	–	–	·38	4
5	–	–	–	–	–	–	·50	–	–	–	–	·57	5
6	–	·71	–	·10	–	–	·01	·06	–	·01	–	·43	6
7	·10	·08	–	·24	–	·01	·77	·16	–	–	–	·05	7
8	·10	·64	–	·03	·33	·50	·16	·06	–	–	–	·45	8
9	·06	·23	–	–	–	–	–	·02	–	–	·24	·03	9
10	·08	·15	–	·30	–	–	–	·01	–	–	·10	·42	10
11	·24	–	·06	·06	–	–	–	–	–	–	–	–	11
12	–	–	–	–	·18	–	·13	·10	–	–	1·35	·09	12
13	·08	·14	–	·13	·46	–	–	·07	–	·07	·56	–	13
14	–	·32	–	–	·58	–	–	–	·08	–	·28	·09	14
15	–	–	–	–	–	–	–	–	–	–	–	·53	15
16	·57	–	–	–	·08	–	·27	–	–	–	·09	–	16
17	·02	·76	–	–	·17	–	2·00	·01	–	–	–	·08	17
18	–	·17	–	–	·25	–	–	–	–	–	–	–	18
19	–	·23	–	–	–	–	–	–	–	–	–	–	19
20	·01	–	·21	–	·07	–	·12	–	–	–	–	–	20
21	·45	–	–	–	–	–	–	–	–	–	–	·08	21
22	·12	–	–	·17	–	–	·16	–	–	·03	–	·05	22
23	·13	–	·22	·01	–	–	·23	–	·03	–	–	·17	23
24	–	·23	·03	·02	–	·14	·27	–	·02	–	–	·18	24
25	–	–	·03	·04	–	–	·16	–	·23	·23	–	·15	25
26	–	–	–	–	–	·44	·13	–	·04	–	–	·35	26
27	–	·13	–	–	–	–	·22	–	·20	–	–	·43	27
28	–	·14	–	–	–	–	·25	–	–	–	–	–	28
29	–	×	–	–	–	–	·02	·31	–	–	–	·16	29
30	–	×	–	–	–	·04	·09	·05	–	–	·09	–	30
31	·05	×	–	×	–	×	–	–	×	·67	×	·24	31
	·07	·24	–	·05	–	–	·10	·05	·04	·06			YEAR'S TOTAL
Total	~~3·235~~	~~4·35~~	~~1·15~~	~~1·30~~	~~2·42~~	~~1·22~~	~~6·59~~	~~1·50~~	~~·72~~	~~1·48~~	~~2·77~~	5·185	31·82
	3·205	4·52	·91	1·35	2·37	1·22	6·69	1·45	·71	1·50	2·71		31·82
Rain Days.	17	17	~~8~~ 7	12	10	6	20	14	8	8	~~8~~ 7	23	~~150~~ 149

end

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
9 - MAR 1916

Kept at 23 Highfield Rd Edgbaston B'ham.
in the County of Warwickshire.
by Ralph Priestman.

Lat. 52°59 Long. 1°18
Time of Observation 1 P.M.
Nearest Railway Station Church Rd.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 2 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	110	·07	·24	—	·06	—	—	·10	·05	·04	·06	·07	1
2	·055	·15	·04	—	·22	—	—	·13	·07	·17	=	·015	2
3	·17	·16	·32	·20	—	·09	·03	·24	—	·26	—	·17	3
4	·90	·04	—	—	·03	—	1·07	·18	—	—	—	·38	4
5	—	—	—	—	—	—	·50	—	—	—	—	·57	5
6	—	·71	—	·10	—	—	·01	·06	—	·01	—	·43	6
7	·10	·08	—	·24	—	·01	·77	·16	—	—	—	·05	7
8	·10	·64	—	·03	·33	·50	·16	·06	—	—	—	·45	8
9	·06	·23	—	—	—	—	—	·02	—	—	·24	03	9
10	·08	·15	—	·30	—	—	—	·01	—	—	·10	·42	10
11	·24	—	·06	·06	—	—	—	—	—	—	—	—	11
12	—	—	—	—	·18	—	·13	·10	—	—	1·35	·09	12
13	·08	·14	—	·13	·46	—	—	·07	—	·07	·56	—	13
14	—	·32	—	—	·58	—	—	—	·08	—	·28	·09	14
15	—	—	—	—	—	—	—	—	—	—	—	·53	15
16	·57	—	—	—	·08	—	·27	—	—	—	·09	—	16
17	·02	·76	—	—	·17	—	2·00	·01	—	—	—	·08	17
18	—	·17	—	—	·25	—	—	—	—	—	—	—	18
19	—	·23	—	—	—	—	—	—	—	—	—	—	19
20	·01	—	·21	—	·07	—	·12	—	—	—	—	—	20
21	·45	—	—	—	—	—	—	—	—	—	—	·08	21
22	·12	—	—	·17	—	—	·16	—	—	·03	—	·05	22
23	·13	—	·22	·01	—	—	·23	—	·03	—	—	·17	23
24	—	·23	·03	·02	—	·14	·27	—	·02	—	—	·18	24
25	—	—	·03	·04	—	—	·16	—	·23	·23	—	·15	25
26	—	—	—	—	—	·44	·13	—	·04	—	—	·35	26
27	—	·13	—	—	—	—	·22	—	·20	—	—	·43	27
28	—	·14	—	—	—	—	·25	—	—	—	—	—	28
29	—		—	—	—	—	·02	·31	—	—	—	·16	29
30	—		—	—	—	·04	·09	·05	—	—	·09	—	30
31	·05		—		—		—	—		·67		·24	31
	·07	·24	—	·05	—	—	·10	·05	·04	·06			YEAR'S TOTAL
Total	~~3·235~~	~~4·35~~	~~1·15~~	~~1·30~~	~~2·42~~	~~1·22~~	~~6·59~~	~~1·50~~	~~·72~~	~~1·48~~	~~2·77~~	5·185	31·82
	3·205	4·52	·91	1·35	2·37	1·22	6·69	1·45	·71	1·50	2·71		31·82
Rain Days.	17	17	~~8~~ 7	12	10	6	20	14	8	8	~~8~~ 7	23	~~150~~ 149

W. 8,000. X. 15.

exp

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
2 JAN 1917

Kept at 23 Highfield Rd Edgbaston
in the County of Warwickshire
by Ralph Priestman.

Lat. 52·5 N Long. 1·8
Time of Observation 8 A.M.
Nearest Railway Station Church Rd
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 4 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	–	–	–	–	·08	·155	–	–	·06	·195	–	1
2	·11	·05	·28	–	·19	·01	·42	–	·10	·645	·045	–	2
3	·32	·61	–	–	–	·02	–	–	·17	·30	·095	–	3
4	·31	·065	–	–	·58	·27	–	–	·035	·03	·40	–	4
5	·01	–	–	·04	·16	·36	·05	–	–	·07	·33	–	5
6	·02	·20	–	·02	·33	–	·40	–	–	·12	·56	–	6
7	–	–	·24	–	·14	·02	·18	–	–	·125	·25	·155	7
8	·09	·02	·08	–	·12	·015	–	–	–	–	·06	·255	8
9	–	–	·07	–	·32	·05	–	–	–	·10	–	·05	9
10	–	·22	·06	·10	·02	·34	–	–	·06	·02	–	–	10
11	·08	·20	·08	·18	·01	·365	–	–	·10	–	–	·175	11
12	·035	·05	·07	·03	·20	–	·085	–	–	·055	–	–	12
13	·03	·16	·19	·12	–	–	·095	·28	–	–	–	–	13
14	–	·42	–	·05	–	–	–	·20	–	·065	–	·23	14
15	–	·12	·65	·02	·10	–	·11	·22	–	·055	–	–	15
16	–	·01	·16	·21	·01	–	·03	·09	·32	·015	–	–	16
17	·12	·16	–	·20	–	–	–	–	·20	·18	–	–	17
18	–	·08	·03	·13	–	–	–	–	·08	·05	·21	·17	18
19	·08	·02	·185	·10	–	·03	–	–	–	–	·36	–	19
20	·05	–	·35	–	–	–	–	·05	–	–	·07	·09	20
21	–	–	·16	–	·10	–	·15	–	–	–	·015	·26	21
22	–	·16	–	–	·01	·03	–	–	–	·08	–	·35	22
23	·04	·30	–	–	–	–	–	·11	–	·05	·07	·30	23
24	–	·10	–	–	–	–	–	·10	–	·24	–	·185	24
25	–	·10	·16	–	·12	–	–	·16	·315	·04	·35	–	25
26	·04	·08	·01	–	–	·13	–	·09	·18	·14	·05	–	26
27	·02	–	·56	–	–	·21	–	·15	·07	·31	–	–	27
28	–	–	–	–	–	–	–	–	–	·06	–	·17	28
29	–	·52	·31	–	–	·15	–	·61	–	·38	–	·125	29
30	–	×	–	–	–	·085	–	–	–	·235	–	–	30
31	–	×	–	×	–	×	–	–	×	·215	×	·19	31
Total	1·555	3·645	3·645	1·20	2·41	2·165	1·675	2·06	1·63	3·64	3·56	2·705	YEAR'S TOTAL 29·89
Rain Days.	16	21	18	12	15	16	10	11	11	25	15	14	181

W. 8,000. X. 15.

-2400

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 23 Highfield Rd Edgbaston B'ham

in the County of Warwickshire

by Ralph Priestman

Lat. 52·5 N Long. 1·8

Time of Observation 8 AM

Nearest Railway Station Church Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·02	·095	-	·045	-	·83	·40	-	·02	·22	1
2	-	-	-	·035	-	·08	-	·02	-	-	·04	·02	2
3	·05	-	-	·24	-	·01	-	·10	-	·24	·05	·03	3
4	·07	-	·20	·03	-	-	-	·14	-	·62	-	·01	4
5	·26	-	-	·215	-	-	-	·02	·05	·12	·09	-	5
6	-	-	·28	-	-	·87	-	-	-	·06	·20	-	6
7	·38	-	-	-	-	·02	-	-	-	·145	·01	·06	7
8	·55	-	-	·15	-	·01	·145	·63	-	·42	·26	·20	8
9	-	-	·20	·14	-	-	-	·55	-	·03	·31	-	9
10	·28	-	·32	·08	·16	-	-	·13	-	·01	-	-	10
11	·18	-	·03	·23	1·13	-	-	·03	·03	·17	·015	-	11
12	·03	-	-	-	-	-	-	-	-	·18	-	-	12
13	·03	-	·02	·03	·485	-	-	·07	·11	·02	-	-	13
14	-	-	·09	·42	·02	-	-	·48	-	-	-	·015	14
15	·04	-	-	-	-	-	·465	·16	-	·035	-	·09	15
16	-	·17	-	·13	·10	·09	·015	·19	-	·01	-	·47	16
17	-	·05	·035	·065	-	·455	·185	·33	·24	·07	-	-	17
18	-	·03	-	·07	·55	-	·57	·07	·86	·07	-	-	18
19	-	·27	·165	-	·065	·165	-	-	-	-	-	-	19
20	·04	·22	·095	·02	·115	·105	·075	·20	·27	-	·09	-	20
21	-	·03	·17	-	·415	·035	-	·05	-	·02	·085	-	21
22	·09	·10	·04	-	·185	·055	-	·23	·035	·16	-	-	22
23	-	·19	-	-	-	-	-	·08	-	·10	-	-	23
24	-	-	·01	-	·115	·82	·095	·10	-	·26	·04	·02	24
25	-	-	·11	-	-	-	·025	-	-	·01	·09	-	25
26	-	·07	-	-	-	-	-	·35	·26	·02	·33	-	26
27	·02	-	·01	-	·56	·09	·405	·99	-	-	-	-	27
28	-	-	·04	-	-	·11	-	·14	-	·01	·01	·03	28
29	-	X	·045	-	-	·22	·10	·16	-	·36	-	·28	29
30	-	X	-	-	-	-	·065	·26	-	·02	·025	-	30
31	-	X	·03	X	-	X		·08	X	-	X	·02	31
Total	2·05	1·13	1·91	1·95	3·90	3·18	2·145	6·39	2·255	3·16	1·665	1·465	YEAR'S TOTAL 31·20
Rain Days.	14	9	19	15	12	16	11	26	9	24	16	13	184

W. 8,000, VIII. 16

39

FORM A.
BRITISH RAINFALL.
1. 1. 18

REGISTER OF RAINFALL IN 1918

Kept at 23 Highfield Rd. Edgbaston B'ham

in the County of Warwickshire

by Ralph Priestman

Lat. 52·5 N Long. 1·8

Time of Observation 8 AM

Nearest Railway Station Church Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03	-	·18	·16	-	-	-	-	·015	·36	·02	1
2	-	·07	-	·07	-	-	-	·05	·28	·03	-	·155	2
3	-	·03	·035	-	·23	-	-	·24	-	·03	·035	·01	3
4	·01	·05	-	-	-	-	-	·07	·985	·03	·78	·325	4
5	-	-	-	·02	-	-	-	·07	·46	·11	-	·015	5
6	-	·16	·02	·24	-	·02	-	-	·02	·35	-	·035	6
7	·01	·08	-	·09	·30	·12	-	-	·47	·125	·02	-	7
8	·03	·19	-	·02	-	-	-	-	·32	·085	-	·03	8
9	·03	·29	-	·09	-	·32	·04	-	·43	·31	-	·04	9
10	·10	·09	-	·23	-	-	·17	-	·09	·06	·01	·07	10
11	-	-	-	·02	-	-	·21	-	·25	·03	·01	·07	11
12	·03	·055	·11	-	·085	-	·255	-	·04	-	-	-	12
13	-	-	-	-	·14	·045	-	-	·16	·03	-	·055	13
14	·33	-	-	-	·18	·08	·18	-	·09	·115	-	·17	14
15	·59	-	-	·19	-	·045	·28	-	·28	-	-	·275	15
16	·115	-	-	·46	-	·075	-	·03	·17	-	-	·04	16
17	·30	-	-	-	·215	·09	·07	·02	·42	·055	-	·15	17
18	·36	-	-	-	-	·19	·32	-	·28	-	-	·32	18
19	·06	·04	·16	·10	-	-	·06	-	·14	·145	-	25	19
20	·25	·105	-	·51	-	·05	·20	-	·24	-	·02	·135	20
21	·08	-	-	·39	-	·025	·07	-	·24	-	-	·06	21
22	·10	-	-	-	·325	·02	·055	-	·02	·22	-	·44	22
23	·025	-	-	-	·90	-	·04	-	·045	-	·03	·04	23
24	-	·095	-	-	-	-	·02	·46	·04	-	·16	·01	24
25	-	-	-	-	-	·04	·195	·05	-	-	·03	-	25
26	-	·01	-	-	-	-	·17	-	·03	-	·09	·09	26
27	-	·06	-	-	-	-	·04	·42	·415	·01	·145	·18	27
28	-	·145	·38	-	-	·02	-	·01	-	-	·12	·12	28
29	-	X	-	-	-	-	-	-	·74	-	-	·02	29
30	-	X	·36	-	-	-	-	·125	·04	-	·21	·25	30
31	-	X	·42	X	-	X	-	·03	X	-	X	-	31
Total	2·44	1·50	1·485	2·61	2·535	1·14	2·375	1·575	6·695	1·75	2·02	3·375	YEAR'S TOTAL 29·50
Rain Days.	17	16	7	14	9	14	17	12	26	17	14	27	190

W. 8,000, IX. 17.

2254

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at 23 Highfield Road Edgbaston B'ham
in the County of Warwickshire
by Ralph Priestman

Lat. 52·5 N Long. 1·8 W
Time of Observation 9 AM.
Nearest Railway Station Church Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	-	·04	·01	·13	·03	·37	.	·03	·21	·02	·32	1
2	-	·015	·05	-	·04	.	·17	.	·17	-	·06	-	2
3	·75	-	·04	-	·06	-	·25	.	·16	-	·21	·13	3
4	-	-	·33	-	-	·16	·10	·08	·27	.	·03	·28	4
5	·09	·37	-	.	·02	-	·01	-	·32	.	·01	·13	5
6	·03	·365	·11	.	·58	-	.	.	-	.	·05	·11	6
7	·19	-	·19	·085	.	-	-	.	-	.	-	-	7
8	·18	-	·03	·11	.	·045	-	.	-	.	-	-	8
9	·12	-	·01	·04	.	.	.	.	-	.	.	·24	9
10	·08	-	·53	·04	.	-	-	.	-	·015	·035	.	10
11	·01	-	·50	.	·065	·31	·265	-	-	-	.	·03	11
12	·01	-	·26	·08	.	·02	.	-	-	·165	·035	·02	12
13	·13	-	-	·33	.	-	·095	.	·245	·215	-	-	13
14	·50	-	-	·17	-	-	·06	.	·36	·03	-	·05	14
15	·16	·175	·02	·30	.	.	-	.	-	·055	-	·25	15
16	·25	·97	.	-	.	·04	·01	·12	.	.	·095	-	16
17	·03	·47	-	-	·025	-	·18	.	-	.	·135	·02	17
18	·14	·05	·495	-	.	·17	·03	·31	·01	.	·02	·16	18
19	-	·255	1·115	.	.	·04	1·41	·26	·18	.	·04	-	19
20	·30	·06	·265	.	-	.	·25	·21	·08	.	·59	·09	20
21	·02	·395	·10	.	.	.	·26	·06	·03	.	·04	·25	21
22	-	·445	-	.	.	·20	-	-	·305	.	-	·66	22
23	-	·01	-	.	.	.	.	.	-	·92	-	·105	23
24	-	-	-	-	.	·12	.	.	-	·88	·135	·10	24
25	·16	-	-	-	·13	·03	.	·44	-	.	·045	·05	25
26	·03	-	·18	.	-	·01	-	·025	·135	.	·04	·35	26
27	·195	-	·02	·30	.	·08	-	·12	·015	.	-	·03	27
28	·05	-	·01	·37	.	·20	-	·79	-	.	-	·22	28
29	·065	X	·015	-	-	.	-	·02	-	·45	·26	·17	29
30	-	X	·09	·205	-	.	.	·03	.	·04	·11	·37	30
31	·025	X	·05	X	.	X	·02	-	X	-	X	·06	31
Total	3·925	3·58	4·45	2·04	1·05	1·455	3·48	2·465	2·31	2·98	1·96	4·195	YEAR'S TOTAL 33·89
Rain Days.	24	12	22	12	8	14	15	12	14	10	19	24	186

W. 8,000, IX. 17.

BIRMINGHAM - ERDINGTON

1912 - 1920

REGIST

FORM A.
BRITISH RAINFALL

7 MAY 1913

2486

Kept at Erdington

in the County of Wa

by J. Smith

arelly Hall

in.

ound 1 ft. 2½ in.

Level 472 ft.

IMPORTANT NOTE.—

result entered to the previous day. If an Observ

l rule, he is earnestly requested to add the reading

the space provided for it at the end of this pa

of rain, the selection and placing of

Rainfall Organization are given in "

lication to Dr. H. R. Mill, 62, Camde

Jan. 1, following.

Date.	Jan.	Feb.	March.	Ap						Nov.	Dec.	Date.
1			·12			·16	·15		·01			·13	1
2		·01	·07	·04	·02	·11	·51					·02	2
3	·06		02		·02	·12	·29	·83	·03		·01	·06	3
4	·15		·53		·17	·96		·23			·24		4
5	·09	·06	·22		·05	·19		·19	·08		·02	·01	5
6	·31	·16				·12		·33	·09			·04	6
7		·14			·04	·10		·12				·01	7
8	·29	·20	·25	·03		·22	·12	·07	·17			·02	8
9	·02	·03	·28	·18		·27		·13				·35	9
10	·02					·31		·28	·02		·24		10
11	·08	·10				·14		·01			·04	·46	11
12	·06	·25	·22		·05	·02					·02	·01	12
13	·01	·01				·04	·04			·02	·02		13
14	·13		·44		·01	·07		·10					14
15	·16	·05	·12		·31	·22		·01				·11	15
16	·42		·14		·03	·03		·10		·10			16
17	·42		·24			·11		·52			·11	·63	17
18	·02		·03					·03		·04	·02		18
19	·18	·06	·01		·02	·01	32	·48		·03	·02	·02	19
20	·04		·14		·01		·01	·02		·16			20
21		·01	·16		·82			·45		·32			21
22	·17	·07			·30	·08	30	·36				·13	22
23	·15	·05	·23				·33	·30			·07	·02	23
24	·14		·02			·14	·05	·04				·17	24
25	·01					·31		·38			·18	·32	25
26		·10	·04				·88	·59		·57	·28	·18	26
27					·02	19	·14			·73	·01	·21	27
28		·06	·01			·01	·16	·50	·07	·15	·59	·35	28
29		·02				·29	·15	·02	·34	·12	·03	·05	29
30	·01		·02		·21		·02		·01	·06			30
31			·19		·09		·41	·07				·03	31
Total	2·94	1·38	3·50	·25	2·17	4·22	3·88	6·15	·82	2·30	1·90	3·33	YEAR'S TOTAL 32·84
Rain Days.	22	17	22	3	16	24	16	25	9	11	16	22	203

W. 7,500, XI. ·12

✓

REGIST

FORM A.
BRITISH RAINFALL

7 - JAN 1913

2486

Kept at Erdington

in the County of Warwick 4

by J. Smith

Lat.

Time of Observation 9 am

Nearest Railway Station Gravelly Hill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12			·16	.15		·01			·13	1
2		·01	·07	·04	·02	·11	.51					·02	2
3	·06		·02		·02	·12	·29	·83	·03		·01	·06	3
4	·15		·53		·17	.96		·23			·24		4
5	·09	·06	·22		·05	·19		·19	·08		·02	·01	5
6	·31	·16				·12		·33	·09			·04	6
7		·14			·04	·10		·12				·01	7
8	·29	·20	·25	·03		·22	.12	·07	·17			·02	8
9	·02	·03	·28	·18		·27		·13				·35	9
10	·02					·31		·28	·02		·24		10
11	·08	·10				·14		·01			·04	·46	11
12	·06	·25	·22		·05	·02					·02	·01	12
13	·01	·01				·04	·04			·02	·02		13
14	·13		·44		·01	·07		·10					14
15	·16	·05	·12		·31	·22		·01				·11	15
16	·42		·14		·03	·03		·10		·10			16
17	·42		·24			·11		·52			·11	·63	17
18	·02		·03					·03		·04	·02		18
19	·18	·06	·01		·02	·01	.32	·48		·03	·02	·02	19
20	·04		·14		·01		·01	·02		·16			20
21		·01	·16		·82			·45		·32			21
22	·17	·07			·30	·08	·30	·36				·13	22
23	·15	·05	·23				·33	·30			·07	·02	23
24	·14		·02			·14	·05	·04				·17	24
25	·01					·31		·38			·18	·32	25
26		·10	·04				·88	·59		·57	·28	·18	26
27					·02	·19	·14			·73	·01	·21	27
28		·06	·01			·01	·16	·50	·07	·15	·59	·35	28
29		·02				·29	·15	·02	·34	·12	·03	·05	29
30	·01		·02		·21		·02		·01	·06			30
31			·19		·09		·41	·07				·03	31
Total	2·94	1·38	3·50	·25	2·17	4·22	3·88	6·15	·82	2·30	1·90	3·33	YEAR'S TOTAL 32·84
Rain Days.	22	17	22	3	16	24	16	25	9	11	16	22	203

W. 7,500, XI. 12

Ex D L

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL
13 JAN 1914
2486

Kept at Erdington
in the County of Warwick 4
by J. Smith

Lat. 52° 31′ Long. 1° 51′
Time of Observation 9 am
Nearest Railway Station Gravelly Hill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·03					·42		·07		1
2	·01	·07	·02	·09						·01	·05		2
3	·03		·13		·83				·01	·01			3
4	·82		·01		·17		·02			·02	·02	·45	4
5	·08	·01	·01			·15	·03		·03	·82		·01	5
6	·02	·01	·11		·20	·14	1·15			·03		·12	6
7	·02	·14			·13	·02	·03			·42	·08	·02	7
8		·03			·13	·22		·06		·39			8
9		·25	·07	·02	·05	·56	·09	·02	·08		·08	·04	9
10	·01			·15				·03			·20		10
11	·62			·33		·01		·04		·17	·52		11
12					·10				·02		·58		12
13	·11		·11	·02				·03	·20		·29		13
14	·11	·01	·65	·03				·03	·01	·11	·01		14
15	·02	·10	·64	·38					·06		·02		15
16	·03	·02	·52	·03					·05				16
17	·02	·02	·05	·13		·02	·02		·16		·02		17
18			·15	·07	·01		·03					·01	18
19	·15		·04			·02	·02		·20				19
20	·09		·11	·07						·01	·14		20
21	·01		·20	·01	·02		·12	·03			·18		21
22	·46		·83		·01	·06		·20					22
23						·08		·08	·04		·03		23
24	·10			·03				·04			·01		24
25	·01			·02					·03				25
26		·12	·03	·59	·10			·12		·07		·26	26
27		·02	·02	·38						·02		·01	27
28	·37		·14	39	·05					·20		·06	28
29	·01	•	·31	·65				·12		·02		·08	29
30	·36	•			·03					·36	·08		30
31		•	·09	•		•			•		•		31
													YEAR'S TOTAL
Total	3·46	·80	4·34	3·42	1·83	1·28	1·51	·80	1·31	2·66	2·38	1·06	24·85
Rain Days.	22	12	22	19	13	10	9	12	13	15	17	10	144

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
15 JAN 1915
2486

Kept at Erdington

in the County of Warwick 4

by J Smith

Lat. 52° 31′ Long. 1° 51′
Time of Observation 9 am
Nearest Railway Station Gravelly Hill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.02		.01		.02	.81	.16			.02	.04	1
2						.01	.02	.24		.03	.59	.32	2
3			.03	.03	.11		.20	18			.11		3
4	.17		.05	.14	.05			.07			.62	.39	4
5	.08		.14	.13	.04	.04	.37	.01			.34		5
6		.04			.05	.01					.11	.07	6
7		.14	.34	.04	.06	.16	.17	.11				.13	7
8	.03			.05	.15	.70	.05	.10				.07	8
9	.31		08	20	.02	1.08		.06	.25				9
10	.05	.13	01	.21	.12	.03			.12				10
11		.08	21	.03	.03	.08					.19	.48	11
12		.13	.12				.64		.29		.06	.24	12
13	.01	.14	.18				.02		.05	.12	.14	.36	13
14	.01	.10	.11				.03		.02	.36	.13	.15	14
15	.02		07				.02	.06	.06	.04	.01	.01	15
16			.04				.19		.05				16
17		.13	.12				.01		.03			20	17
18							.20		.01			.37	18
19							.16		.14		.03	.06	19
20		.46				.05	.29					.24	20
21		.42	.05				.03	.06		.10	.02	.31	21
22		.01			.46	01		.13		.11			22
23		.02	11		24	.02	06			.04			23
24		02	.02	.03	.04		.04	07		.07	.07		24
25	.04		.02				.10	.17		.32	.04		25
26			.05				.02	43		.09	18	.12	26
27	.03										.10	.24	27
28		.05	11							.06	.35	.50	28
29			.06		.10					.20	.15	.03	29
30		X	.05			.16				.03	.40	.55	30
31		X		X	.02	X	.21		X		X		31
Total	.76	1.89	1.97	.87	1.49	2.37	3.64	1.85	1.02	1.57	3.66	4.88	YEAR'S TOTAL 25.97
Rain Days.	11	15	21	10	14	13	21	14	10	13	20	21	183

Exet 5 2590

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

8 - JAN 1916

2486

Kept at Erdington

in the County of Warwick

by J. Smith

Lat, 52° 32½ Long. 1·50

Time of Observation 9 am

Nearest Railway Station Gravelly Hill

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

" " " " Sea Level ·472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·19	·08		·35			·09	·03	·08	·01	·04	1
2	·05	·09	·22	·07		·10		·28	·01	·35		·06	2
3	·87	·02	·01	·10			·86	·18				·19	3
4	·02				·02		·63	·05				·89	4
5		·44						·03		·01		·30	5
6	·09	·15		·19			·57	·11				·06	6
7	·08	·42		·01	·05	·10	·14	·13				·29	7
8	·10	·20						·02			·07		8
9	·03	·11		·21							·19	·43	9
10	·30		·03	·03						·01	·15		10
11				·04	·17		·12	·02			·71	·08	11
12	·07			·11	·30			·23		·11	1·19		12
13		·49			·70						·05	·05	13
14	·03						·02	·16	·03			·30	14
15	·26				·08		·14	·19			·05	·18	15
16	·02	·49			·17		1·78					·02	16
17		·27			·23							·01	17
18		·17	·05										18
19					·03		·15						19
20	·22			·07				·01				·06	20
21	·12						·13			·05		·05	21
22	·04		·24	·12			·26		·02			·08	22
23	·03	·06	·03			·05	·12		·02	·44		·22	23
24			·03	·06		·01	·04		·28	·12		·10	24
25						·34	·11			·01		·31	25
26		·08					·18		·05			·32	26
27		·02					·15			·37		·11	27
28		·10				·04	·02	·27	·02	·06			28
29							·04	·03			·08	·08	29
30	·04	✕		·01		·06		·01		·12	·02	·05	30
31	·05	✕		✕		✕	·08	·03	✕	·05	✕	·33	31
Total	2·58	3·30	·69	1·02	2·10	·70	5·54	1·84	·46	1·78	2·52	4·61	YEAR'S TOTAL 27·14
Rain Days.	19	16	8	12	10	7	19	17	8	13	10	25	164

W. 8,000. X. 15.

Edi p 2527

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
11 JAN 1917

2486

Kept at Erdington

in the County of Warwick

by J Smith

Lat. 52° 32½ Long. 1 50'
Time of Observation 9 am
Nearest Railway Station Gravelly Hill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.09			.07	.10				.16		1
2	.19	.04	.13		.22		.30		.08	.62	.07		2
3		.48		.01	.01	.02	.06		.07	.27	.09		3
4	.27	.03			.52	.09			.01	.04	.27		4
5	.01				.20	.16	.07			.08	.21		5
6	.04	.16	.05	.01	.34	.03	.42			.07	.48		6
7	.04		.10		.10	.01	.20			.12	.22	.19	7
8	.02		.05		.07					.03	.02	.20	8
9			.03		.29	.05			.02			.04	9
10		.23	.04	.08	.01	.05	.05		.03	.02		.04	10
11	.07	.17	.08	.15	.01	.22			.05			x .15	11
12	.02	.05	.08		.23		.09			.04			12
13		.13	.36	.04			.04	.19	.01				13
14		.42		.07	.02			.69		.02		.02	14
15		.25	.64	.02	.08		.08	.30	.03	.08			15
16			.19	.18	.02		.07	.02					16
17	.07	.11	.01	.13			.01	.06	.28	.20			17
18		.15	.04	.10				.02	.23	.05	x .61	x .13	18
19		.05	.19	.08				.03	.09		.35	.03	19
20	.05		.42								.09	.10	20
21			.11	.18	.11		.06				.01	x .24	21
22						.01				.07		x .35	22
23	.02	.31						.08		.03	.06	.30	23
24		x .50			.09	.04		.11		.25		.17	24
25		x .06	.16		.02	.02		.10	.13	.01	.22		25
26	.03	x .11	.02			.06		.25	.05	.13	.04		26
27	.01	x .15	.22			.47		.06	.03	.18		.02	27
28		.23	.12						.03	.07		.17	28
29		.17				.13		.54		.31		.13	29
30		✕			.02	.25				.15			30
31		✕		✕		✕			✕	.15	✕	.21	31
Total	.94	3.80	3.13	1.05	2.36	1.68	1.55	2.45	1.14	2.99	2.90	2.49	YEAR'S TOTAL 26.48
Rain Days.	14	20	21	12	15	16	13	13	15	23	15	17	197

W. 8,000, VIII. 16

x Snow

2404

FORM A.
BRITISH RAINFALL.

9 JAN

REGISTER OF RAINFALL IN 1917

Kept at Erdington

in the County of Warwick

by J. Smith

Lat. 52° 32½ Long. 1·50

Time of Observation 9. am

Nearest Railway Station Gravelly Hill

Diameter of Funnel of Rain Gauge 5 in. 2486

Height of top of Gauge above Ground 1 ft. 2½ in.

" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05		·10		·69	·21		·02	·14	1
2	·02					09		·03			·02	·03	2
3	·04	·07		·19				·07		·26	·05		3
4	·08	·04	·11					·06		·41			4
5	·13		·09	·12						·05	·05		5
6	·02		·02			·37				·07	·15	·01	6
7	·40							·02		·04		·01	7
8	·41			·13			·12	·69		·37	·12	·06	8
9			·15	·06	·15			·29	·04	·03	·24		9
10	·36		·26	·06	1·01			·08	·07	·01			10
11	·16		·04	·20				·01		·13	·01		11
12	·11	·01			·44				·01	·17	·01		12
13				·07	·01			·10	·07	·02			13
14	·04		·15	·15				·17				·02	14
15	·04				·02		·38			·02		·08	15
16	·04	·12		·09		·25	·01	·04				·36	16
17	·01	·02	·02	·08	·43	·15	·40	·21	·16	·04			17
18	·01	·01		·03	·13		·30	·04	·82	·04			18
19	·03	·29	·18		·15	·20			·04				19
20		·19	·03	·02	·44	·05	·06	·13	·06		·06		20
21		·03	·10		·13	·07		·05		·01	·06		21
22			·02			·07		·13	·06	·14			22
23	·03	·15			·10			·07		·08			23
24			·01			·50	·07	·13		·32	·03	·03	24
25		·05	·09				·12			·01	·06		25
26						·02		·24	·16	·02	·23		26
27			·01		·49	·25	·34	·97					27
28			·04			·20		·09				·04	28
29			·03			·20	·11	·03		·27		·28	29
30	·01	X					·09	·29			·02	·01	30
31		X	·04	X		X	·01	·13	X	·04	X	·04	31
Total	1·94	·98	1·39	1·25	3·50	2·52	2·01	4·76	1·70	2·55	1·13	1·11	YEAR'S TOTAL 24·84
Rain Days.	18	11	18	13	12	14	12	25	11	22	15	13	184

W. 8,000, IX. 17.

1·00

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2486

Kept at Erdington
in the County of Warwickshire
by J. Smith

Lat. 52° 32½ Long. 1° 50
Time of Observation 9 am
Nearest Railway Station Gravelly Hill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·02		·08	·13				·01	·01	·32		1
2		·04		·20				·06		·04		·12	2
3		·03	x ·02		·13			·78	·49	·01	·03		3
4	·02	·02	·01					·06	·66	·05	·49	·25	4
5		·01		·02	·14			·06	·17	·05			5
6		·13		·20		·13			·02	·13		·03	6
7		·06		·09	·03	·03			·15	·04	·14		7
8	·02	·15							·12	·07		·03	8
9	·01	·34		·30		·16	·02		·37	·27		·01	9
10	·09	·01		·03			·14		·02	·04		·04	10
11			·01	·03	·04		·18		·29	·01	·01	·05	11
12	·02	·02	·06	·01	·09		·25		·03				12
13	·01				·10	·04			·14	·03		·04	13
14	x ·40					·02	·14		·18	·08		·13	14
15	x ·60			·17	·01		·27		·04			·23	15
16	x ·12			·41		·07			·33			·03	16
17	·31				·09	·05	·05		·30	·05		·13	17
18	·37					·06	·19		·51			·28	18
19	·03	·05	·14	x ·11			·06			·11		·26	19
20	·26	·08		x ·60		·05	·15		·20			·08	20
21	·11			x ·41			·05		·32			·08	21
22	·02				·33		·07		·05	·04		·33	22
23	·02				·58		·08		·02		·02	·01	23
24		·06					·07	·01	·03		·14		24
25							·16	·29			·03	·02	25
26							·07	·10	·09		·06	·08	26
27		x ·07	·01					·32	·22		·10	·15	27
28		x ·11	·26						·02		·16	·14	28
29			·05						·71			·04	29
30		X	·33					·01	·04		·18	·11	30
31	·01	X	·21	X		X			X		X		31
Total	2·44	1·20	1·10	2·66	1·67	·61	1·95	1·69	5·53	1·03	1·68	2·67	YEAR'S TOTAL 24·23
Rain Days	18	16	10	14	11	9	16	9	27	16	12	24	182

W, 6,500, VII. 18. w w & x Snow

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2486

REGISTER OF RAINFALL IN 1919.

Kept at Erdington

in the County of Warwickshire

by J. Smith

Lat. 52° 32½′ Long. 1° 50′

Time of Observation 9 am

Nearest Railway Station Gravelly Hill

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1st following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·01	·03		·15		·44		·02	·23	·04	·26	1
2	·10	·01	·03				·06		·08	·02	·06	·01	2
3	·53		·03		·01	·15	·20		·19		·20	·09	3
4	·08	·01	·34			·01	·03	·11	·22		·02	·20	4
5	·03	·26			·01				·27			·09	5
6	·01	·01	·15		·42						·07	·04	6
7	·13		·16	·05									7
8	·15		·03	·09		·03							8
9	·05			·04							·01		9
10			·42	·01							·02	·16	10
11	·03		·42		·02		·20			·01	·01	·01	11
12			·20			·30			·02	·06	·03	·02	12
13	·12			·22			·02		·15	·26		·01	13
14	·35			·07			·04		·24	·01		·02	14
15	·21	·10	·02	·30						·04		·23	15
16	·06	·84					·01	·05			·10		16
17	·06	·43				·02	·01				·13		17
18		·05	·37				·03	·22	·01			·16	18
19	·10	·22	·96			·17	1·12	·37	·05		·03		19
20	·21	·04	·16				·10	·10	·08		·27	·05	20
21	·02	·33	·06				·29	·02	·01		·06	·17	21
22		·27							·26			·59	22
23						·12		·02		·87	·01	·08	23
24				·07	·06					·76	·08	·06	24
25	·12			·06	·07	·16		·40			·02	·02	25
26	·01		·21	·09		·03		·10	·08			·27	26
27	·17		·03	·30				·22			·04	·03	27
28	·02	·01	·01	·01		·01		·58			·04	·23	28
29	·05		·04	·04		·13		·01		·50	·11	·13	29
30	·01	✕	·23	·10		·20		·03		·04	·10	·28	30
31	·02	✕	·02	✕		✕			✕	·01	✕	·02	31
Total	3·01	2·59	3·92	1·45	·74	1·33	2·55	2·23	1·68	2·81	1·45	3·23	Year's Total 26·99
Days with ·01 in. or more	25	14	21	14	7	12	13	13	14	12	21	25	191

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

2168

2486

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Erdington

in the County of Warwick

by F. & W. Macaulay M. Inst. C.E.

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14	·23		·16	·01	·07	·09		·25	1
2				·13			·15		·05	·34		·10	2
3	·03	08		·14	·01	·03	·53	·01	·11	·36			3
4	·01		·01	·12			·01	·29		·30			4
5			·03	·02	·19		·32	·03	·22	·45			5
6		·01	·31	·02	·01		·08			·03			6
7			·05	·07	·04		·20						7
8	·40	·06		·61	·19		·48						8
9	·29			·29			·01	·34					9
10	·27	·07	·08	·03		·09	·08				·06	·02	10
11	·06		·03	·12	·55	·18	·02	·01				·01	11
12	·08	·01		·20		1·11	·01	·93		·04	·05	·16	12
13	·05	·02	·18	·30				·11			·01	·03	13
14	·02	·01	·74	·18		·10	·02		·25	·02	·11		14
15		·07	·16	·22		·06			·04	·07	·02		15
16			·01	·13	·06	·67	·17		·03	·48			16
17					·10				·55	·04		·01	17
18	·18			·05	·03		·01	·05	·40				18
19	·01	·65		·35		·08		·01					19
20	·02	·11		·46		·17	·01		·01			·02	20
21				·05			·22	·05				·06	21
22	·02			·11			·02	·10	·02			·02	22
23			·01	·02			·14	·08				·34	23
24	01		·20	·04				·02				·08	24
25	·01	·03	·09	·05			·41	·03		·01			25
26	·19		·16	·01	·04		·09				·01	·03	26
27	·10	·02	·03	·11	·31	·27	·01				·08	·45	27
28	·67		·05		·30	·02	·01					08	28
29	·10		·45		·37	·07	·04				·12	·34	29
30	·01			·12	·14	·08	·03		·26		·19	·10	30
31	·06		·04		·02		·02			·41		·04	31
TOTAL	2·59	1·14	2·63	4·09	2·59	2·93	3·25	2·07	2·00	2·64	·65	2·14	YEAR'S TOTAL 28·72
Days with ·01 in. or more	21	12	18	27	16	13	26	15	12	13	9	18	200
Days with ·04 in. or more	12	6	12	22	12	11	14	8	9	10	6	11	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

ALCESTER
RAGLEY HALL
1911-1920
WARWICKSHIRE

19 12

FORM A2.
BRITISH RAINFALL.
14 MAY 1912

Kept at Ragl

in the County of

by Chas

Snowdon

top 5 in.

above Ground 1 ft. in.

,, Sea Level 270 ft.

9. am

ion Name Alcester

Distance 2 m Direction

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	–	18	04	10	–	06	–	–	–	08	–	1
2	–	–	–	–	–	–	–	03	–	–	–	–	2
3	–	–	05	07	12	–	05	25	–	08	06	04	3
4	–	–	–	–	26	–	–	–	03	02	04	–	4
5	–	–	14	03	–	–	–	–	05	05	20	25	5
6	10	–	05	07	–	–	–	07	–	04	06	–	6
7	17	–	04	03	–	–	–	–	–	–	05	32	7
8	03	–	–	–	–	–	–	–	–	–	28	07	8
9	15	–	14	–	–	–	–	–	–	–	–	06	9
10	10	–	03	–	–	–	–	–	–	–	28	07	10
11	01	19	31	–	–	–	–	52	–	–	–	27	11
12	15	–	03	–	–	–	–	–	–	–	53	07	12
13	–	–	46	–	–	–	–	–	12	–	22	–	13
14	–	–	02	–	–	–	–	–	37	–	04	24	14
15	–	–	02	–	–	–	–	–	–	–	05	36	15
16	–	03	03	–	–	–	–	–	–	–	07	07	16
17	–	–	–	–	–	19	–	–	–	–	17	17	17
18	–	–	03	01	–	10	–	–	–	–	15	18	18
19	–	31	03	–	–	11	–	–	–	06	06	23	19
20	–	–	–	–	–	64	10	01	16	16	05	12	20
21	02	09	02	03	–	–	–	41	06	06	–	–	21
22		14	01	–	–	–	–	35	–	47	–	39	22
23		12	05	02	–	07	–	–	–	13	–	34	23
24		08	28	–	–	50	–	–	33	08	–	10	24
25		09	02	02	10	47	–	09	–	28	–	16	25
26		08	–	04	–	05	–	04	–	02	–	10	26
27		15	–	20	–	01	–	03	–	27	16	12	27
28		12	12	16	–	–	–	29	29	–	08	20	28
29		18	06	18	–	–	–	–	–	–	06	–	29
30			–	04	05	18	09	03	21	14	–	–	30
31			–		03		–	37		16		–	31
	–	·18	·04	·10	–	·06	–	–	–	·08	~~2.69~~	–	
Total	~~76~~	~~1.48~~	2.12	94	66	2·35	30	2·49	1·62	2·02	~~2.44~~	3·93	TOTAL for year ~~21.36~~
	·73	1.66	1.98	1.00	·56	2·41	·24	2·49	1·62	2·10	2·61	3·93	~~21.44~~
No. of Rain Days.	~~9~~ 8	~~12~~ 13	22	14	~~6~~ 5	~~10~~ 11	~~4~~ 3	13	9	~~15~~ 16	~~20~~ 19	22	155

21·33

W. 8,000, X. '11.

1912

FORM A2.
BRITISH RAINFALL.
14 MAY 1912

✓

Kept at Ragley. Hall. Gardens

in the County of Warwickshire

by Chas Harding

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 270 ft.

Time of Observation 9. am

Nearest Railway Station
Name Alcester
Distance 2 Mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03	–	18	04	10	–	06	–	–	–	08	–	1
2	–	–	–	–	–	–	–	03	–	–	–	–	2
3	–	–	05	07	12	–	05	25	–	08	06	04	3
4	–	–	–	–	26	–	–	–	03	02	04	–	4
5	–	–	14	03	–	–	–	–	05	05	20	25	5
6	10	–	05	07	–	–	–	07	–	04	06	–	6
7	17	–	04	03	–	–	–	–	–	–	05	32	7
8	03	–	–	–	–	–	–	–	–	–	28	07	8
9	15	–	14	–	–	–	–	–	–	–	–	06	9
10	10	–	03	–	–	–	–	–	–	–	28	07	10
11	01	19	31	–	–	–	–	52	–	–	–	27	11
12	15	–	03	–	–	–	–	–	–	–	53	07	12
13	–	–	46	–	–	–	–	–	12	–	22	–	13
14	–	–	02	–	–	–	–	–	37	–	04	24	14
15	–	–	02	–	–	–	–	–	–	–	05	36	15
16	–	03	03	–	–	–	–	–	–	–	07	07	16
17	–	–	–	–	–	19	–	–	–	–	17	17	17
18	–	–	03	01	–	10	–	–	–	–	15	18	18
19	–	31	03	–	–	11	–	–	–	06	06	23	19
20	–	–	–	–	–	64	10	01	16	16	05	12	20
21	02	09	02	03	–	–	–	41	06	06	–	–	21
22		14	01	–	–	–	–	35	–	47	–	39	22
23		12	05	02	–	07	–	–	–	13	–	34	23
24		08	28	–	–	50	–	–	33	08	–	10	24
25		09	02	02	10	47	–	09	–	28	–	16	25
26		06	–	04	–	05	–	04	–	02	–	10	26
27		15	–	20	–	01	–	03	–	27	16	12	27
28		12	12	16	–	–	–	29	29	–	08	20	28
29		18	06	18	–	–	–	–	–	–	06	–	29
30			–	04	05	18	09	03	21	14	–	–	30
31			–		03		–	37		16		–	31
Total	– ~~76~~ ·73	·18 ~~1·48~~ 1·66	·04 ~~2·12~~ 1·98	·10 ~~94~~ 1·00	– ~~66~~ ·56	·06 ~~2·05~~ 2·41	– ~~30~~ ·24	– 2·49 2·49	– 1·62 1·62	·08 ~~2·02~~ 2·10	~~2·69~~ ~~2·44~~ 2·61	– 3·93 3·93	TOTAL for year ~~21·36~~ ~~21·44~~
No. of Rain Days.	~~7~~ 8	~~12~~ 13	22	14	~~6~~ 5	~~10~~ 11	~~4~~ 3	13	9	~~15~~ 16	~~20~~ 19	22	155

21·33

W. 8,000, X. '11.

✓ cor'd by ann stats } 7/11/13
– for pt WD

W FL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

Kept at Ragley Gardens

in the County of Warwickshire

by Charles Harding

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 270 ft.

Time of Observation 9 A.M

Nearest Railway Station { Name Alcester
Distance 2 Miles Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	17	—	—	—	15	—	05	1
2	—	—	05	—	—	44	—	—	—	—	—	04	2
3	—	—	07	—	—	10	36	88	—	—	—	15	3
4	05	—	—	—	—	07	—	25	—	—	36	—	4
5	20	—	35	—	18	05	—	—	—	—	—	—	5
6	(.18) 18	—	24	—	10	30	16	56	—	—	—	—	6
7	11	32	03	—	—	64	—	—	—	—	—	—	7
8	—	20	04	—	—	04	—	57	—	—	—	05	8
9	25	08	13	—	—	09	—	—	—	—	—	20	9
10	07	—	28	—	—	17	—	27	—	—	20	—	10
11	10	—	—	—	—	—	07	—	—	—	20	53	11
12	07	08	—	—	10	40	—	—	—	—	—	—	12
13	04	39	16	—	—	—	—	07	—	—	—	—	13
14	15	05	—	—	—	04	—	10	—	—	—	—	14
15	—	—	47	—	40	34	—	—	—	—	—	23	15
16	05	08	10	—	06	19	—	07	—	10	—	—	16
17	77	05	11	—	—	09	—	40	—	—	12	33	17
18	98	—	24	—	—	—	—	33	—	—	—	—	18
19	—	—	08	—	—	—	26	—	—	—	—	—	19
20	23	07	07	—	—	04	08	—	—	36	8	—	20
21	05	—	17	—	1.00	—	—	1.15	—	26	—	—	21
22	—	05	12	—	51	35	32	24	—	—	—	—	22
23	25	12	03	—	—	12	17	30	—	—	—	32	23
24	37	22	32	—	—	—	—	03	—	—	—	15	24
25	07	—	—	—	—	71	—	—	—	—	40	30	25
26	05	—	—	—	—	—	09	1.36	—	57	19	9	26
27	—	05	03	—	—	20	23	—	—	64	—	22	27
28	—	—	—	—	—	—	45	54	—	35	15	44	28
29	—	05	—	—	—	21	49	44	30	17	—	03	29
30	—		—	—	—	16	—	—	6	—	—	—	30
31	—	(—)	21		13		63	40		—		06	31
Total	4.04 ✓	1.81	3.30	None	2.48	4.82	3.31	4.96	36	2.60	1.70	3.19	TOTAL for year 35.54
No. of Rain Days.	19	14	21	00	8	22	12	18	2	8	8	16	148

W. 8,000, X. /11.

Ex 31

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
6- JAN 1914

Kept at Ragley Gardens
in the County of Warwickshire
by Chas. Harding

Lat. 53.12 N Long. 1.53½ W
Time of Observation 9-A M
Nearest Railway Station Alcester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ „ „ „ Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			07	15					75				1
2		29		05					16	85	06		2
3	12		11		74								3
4	84				38					36		51	4
5						10	10			38	09		5
6					32	17	91			35	02		6
7		8			15					28	14		7
8		10				10			20	22	16		8
9		32	11			14		15					9
10	14			12	04			18			33		10
11	70			31						06	47		11
12					70						64		12
13	06		05				21		25				13
14			35					21		12			14
15		18	56	26					12		10		15
16			68	12							—		16
17				07			10		28				17
18			25		11								18
19	22		09	05									19
20			11	10			05			05			20
21			20	07	15		18	03	54		33		21
22	64		28					07	14		—		22
23						10		05					23
24		05											24
25				08				30					25
26				49						10		24	26
27				30	10					03			27
28	46		12	32						13		04	28
29			62	57	—					08			29
30										21			30
31			05		15			05		09			31
Total	3·18	1·02	3·65	3·06	2·84	·61	1·55	1·04	2·36	3·31	2·34	·79	YEAR'S TOTAL 25·75
Rain Days.	8	6	15	15	10	5	6	8	8	15	10	3	109

W.7,000, XI. 13

Exe DJ

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at *Ragley Gardens*
in the County of *Warwickshire*
by *Chas Harding*

Lat. *52.12 N* Long. *1.53½ W*
Time of Observation *9 - a.m*
Nearest Railway Station *Alcester*
Diameter of Rain Gauge *five* in.
Height of top of Gauge above Ground *one* ft. in.
" " " " Sea Level *270* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				09			53	44				11	1
2			07				15	11			56	30	2
3					11		14	10			12		3
4			04	19			06				55	41	4
5			08	16	18		50				08		5
6	06	07		06		14						07	6
7		08	30	06	25		10						7
8			37	16	11	91		21				10	8
9	30		23	54	06	1·30		05	05				9
10	04	11	09	18	10								10
11		05	22	10	37	29			25		13	65	11
12		08	15				22		36			30	12
13		09	37						05		12	38	13
14		05	06							14	09	04	14
15			11						21	28			15
16			06						10		18	20	16
17		20	17						07				17
18							15					39	18
19			08			12	71					04	19
20		18				07					08	22	20
21			09									27	21
22		06	13		30		07	24		23			22
23		07	07		06		25			13			23
24		03					05			12			24
25	10		10					26		30	08	26	25
26			30				16	22		07	15	26	26
27	06				15							12	27
28			17							17	12	1 38	28
29			10							19	05		29
30		X								04	65	52	30
31	03	X		X		X	31		X	03	X	12	31
Total	59	1·07	3.36	1·54	1.69	2·83	3·40	1 63	1·09	1.72	2.86	6·14	YEAR'S TOTAL 27.92
Rain Days.	6	12	22	9	10	6	14	8	7	11	14	20	~~139~~

W. 8,000. X. 14.

2 MC

2 547

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Kept at Ragley Gardens

in the County of Warwickshire

by Chas Harding

Lat. 52.12 Long. 1.53½ W

Time of Observation 9 am

Nearest Railway Station Alcester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		13	08		23			11				05	1
2	24		25	04				36		35			2
3	68	15	03	20			1.05	11				11	3
4							27	04				72	4
5		19					23	07				62	5
6	20	08					52					26	6
7	02	38		04		19	20	07					7
8	14	10	02				15	05					8
9								03			19	33	9
10	38							05				06	10
11		05		04	14			08			82		11
12	05			14	35						1·32	06	12
13		34			81								13
14		02						21	06		16	30	14
15	29							07		10			15
16		25			34		1.09	04					16
17		23			40								17
18		25	05		13								18
19							20						19
20	19								03	08		16	20
21		07					18						21
22	14		23	05			30					22	22
23	14	12					16		20	60		29	23
24				10			08			57		16	24
25		05				67	33		23			45	25
26		02					08					42	26
27		12			10		24			41			27
28		22					19			17			28
29						10		13	10		08		29
30		✕				12	08			07	11	07	30
31	05	✕		✕		✕	04		✕	58	✕	20	31
Total	2.45	2.74	·66	·61	2·50	1·08	5·39	1·42	·62	2·93	2·68	4·48	YEAR'S TOTAL 27·89
Rain Days.	12	18	6	7	8	4	18	14	5	9	6	17	124

W. 8,000. X. 15.

2480

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Ragley Gardens
in the County of Warwickshire
by Chas Harding

Lat. 52.12 N. Long. 1.53½ W.
Time of Observation 9. a. m
Nearest Railway Station Alcester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	14						12				20		1
2	57		10		23		12		05	64	03		2
3		53									04		3
4	26				53	45				28	16		4
5	04				21	10	30			06	15		5
6		31		11	15	18	35			24	32		6
7			10				41			20	30	14	7
8			15		20							25	8
9					23								9
10	10	40		10		13							10
11			13	05	08	20				10		34	11
12		07			43		23		11				12
13		22	22				05	20					13
14		43	53		03								14
15		35			15		16	16		10			15
16			14	30	08			12					16
17		26		05				05	58	30			17
18	08			08					14			08	18
19			19	13							44		19
20			36								23	29	20
21			45				07				17	20	21
22					10					09		58	22
23		50						13			14		23
24		10				80		10					24
25			16		09			20		29			25
26	08	20				10		25	39	18			26
27	05		55			08	1.15	03	05	08	07	33	27
28		21	60										28
29								1.05		26			29
30		X								28		08	30
31		X		X		X			X	19	X	08	31
Total	1.32	3.58	3.68	·82	2.51	2.04	2.96	2.29	1.32	3.32	2.25	2.40	YEAR'S TOTAL 28.49
Rain Days.	8	12	13	7	13	8	10	10	6	15	12	10	124

W. 8,000, VIII. 16

[illegible] W 4/5 2364

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Ragley Gardens

in the County of Warwick

by Charles Harding

Lat. 52 12.4 Long. 1.53½ W

Time of Observation 9. A.M.

Nearest Railway Station Alcester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

3. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				08		14		45	20		08		1
2	08											07	2
3				18				14					3
4								06		21			4
5	24		20	22					07		10		5
6			34			32				24			6
7	36									16			7
8	52			16			22	64		32	12	30	8
9			10	04	43			47	04				9
10	54		30	08	06			22					10
11			09	23				13		12			11
12					11			12		20			12
13					06			22					13
14			29										14
15								04					15
16		25		23			06			05		70	16
17				05	79		14		10				17
18			14			16	33	12	1·24				18
19			03			17			04				19
20		50	14		51		08	04					20
21			12			20							21
22			11					11		20			22
23		25			06			40					23
24						18				13			24
25		06					07						25
26			14					24	11		74		26
27					(·81) ~~1·41~~	12		89				02	27
28			34			30		20				01	28
29						74	02	09		49		40	29
30		X					09	34					30
31		X		X		X			X		X		31
Total	1·44 ✓	1·06 ✓	2·40 ✓	1·27 ✓	2·83 ✓	2·36 ✓	1·01 ✓	4·95 ✓	1·80 ✓	2·12 ✓	1·04 ✓	1·50 ✓	YEAR'S TOTAL 24·08
Rain Days.	5 ✓	4 ✓	13 ✓	9 ✓	8 ✓	9 ✓	8 ✓	19 ✓	7 ✓	10 ✓	4 ✓	6 ✓	102 ✓

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6 · 1 · 19

Kept at Ragley Gardens
in the County of Warwickshire
by Chas. Harding

Lat. 52.12 N Long. 1.53 W
Time of Observation 9 a.m.
Nearest Railway Station Alcester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				14							27		1
2		05			08			28		07		07	2
3					12				45		09		3
4		04						06	25		40		4
5	05			10	50			04	13	08			5
6		24		4		07				06			6
7		10			11				18	09			7
8		08		11					22		17		8
9		15				28	11		30	42			9
10	07			07			47		10	10		16	10
11				06					11				11
12			11		12				05				12
13					04								13
14	23						28		52	35		08	14
15	1.20			37			20		04			20	15
16	10			74		10			18				16
17	10			07		05	10		18			12	17
18	35					20			50			45	18
19			15	02		05	12		08				19
20	19	20		54			14						20
21	04			75	11				40			17	21
22	08						22		25			28	22
23	02				50				14				23
24		13					04		05		16		24
25							02	31					25
26							30	19	14		16	10	26
27		03					14				14		27
28		10	20								21	10	28
29									1.00			4	29
30		X	40						08		07		30
31		X	24	X		X			X		X		31
Total	2.43	1.12	1.10	3·01	1.58	75	2.14	88	5.35	1.17	1.67	1.77	YEAR'S TOTAL 22.97
Rain Days.	11	10	5	12	8	6	12	5	22	7	9	11	~~118~~

W. 8,000, IX. 17.

2223

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ragley Gardens
in the County of Warwickshire
by Chas. Harding

Lat. 52 12 N. Long. 1 53½ W
Time of Observation 9 a m
Nearest Railway Station Alcester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25						22			30		38	1
2	25				17		24		20	30			2
3	60				10		09		19			22	3
4	40		71			21	18	05	33		30	12	4
5		23	15				20		23			19	5
6					47				07		05	21	6
7	19		17		32					07			7
8			07	35									8
9													9
10			57	06								20	10
11			54	05			43						11
12			04	09		09				10		05	12
13				10						17	05	04	13
14	53			32			09		09	06			14
15	60			19						08		17	15
16	30	80						36			05		16
17		67					04				10		17
18			53		06			18			33		18
19		37	1·00				1·57	31	07			10	19
20	69	06				18	15	21	08		05		20
21		47					45					10	21
22									31			31	22
23										73		08	23
24										57	10	10	24
25			15	06	05	14		32					25
26	42			10								37	26
27				50							05		27
28			06					65				36	28
29				05						36	33	14	29
30				21				08		05		20	30
31					06		06					04	31
TOTAL	4.23	2.60	3.93	2.08	1.23	·57	3.72	2.16	1.57	2.73	1.41	3.38	YEAR'S TOTAL 29.61
Days with ·01 in. or more	10	6	11	12	7	4	12	8	9	11	10	19	~~119~~

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Exd 970

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ragley Gardens

in the County of Warwickshire

by Chas. Harding

Lat. 52. 12 N. Long 1. 53½ W

Time of Observation 9 A M

Nearest Railway Station Alcester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				22	05		36			09			1
2				15	12		17	08		10		10	2
3				22	06		1.20		24	15		07	3
4								35		25			4
5			19		21		50	08	15	1.58			5
6			27		07		15			12			6
7				17	03		10						7
8				52	05		35						8
9	40			28			16						9
10	39	18	07	10		04					07		10
11	10		06	49	47	06							11
12	07			11		54	12	34					12
13			32	15							04	04	13
14			93	25		39			35	06	11		14
15		16	06	24	10	29			31		10		15
16				15			16	24	17	46	05		16
17					11				95	16			17
18	25								64				18
19		40		25									19
20				27		26							20
21				03			05						21
22				13			50					21	22
23								18				36	23
24			21	03					05				24
25		05	24	04			83						25
26	20		20	16			05					30	26
27	11		05	04	05	35						04	27
28	77			03	15							10	28
29			40		20		04				15	78	29
30		╳	08	12			07		29		23	16	30
31		╳		╳		╳			╳	42	╳		31
TOTAL	229	79	3.08	4.15	1.64	1.93	4.81	1.27	3.15	3.39	75	2.16	YEAR'S TOTAL 29.44
Days with ·01 in. or more	~~126~~ 8	4	13	23	13	7	16	6	9	10	7	10	~~126~~
Days with ·04 in. or more	~~+21~~ 8	4	13	20	12	7	16	6	9	10	7	10	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BIRMINGHAM —
EDGBASTON
HAGLEY RD.
WARWICK
1911 -1919

REG 911

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

n-recording.

Kept at 411 Hagley
Edgbas
in the County of — W
by Henry E. S

5 in.
bove Ground – ft. 9 in.
" ~~Sea Level~~ O.D. 612·33 ft.
8·30 a.m.
Name Hagley Road
Distance 650 yards Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	–	–	–	–	·07	–	–	·03	–	1
2	·02	–	·02	–	·22	–	·06	·10	–	·13	·09	·05	2
3	–	–	–	–	·34	–	–	–	·08	·03	·06	·08	3
4	·02	–	·15	·05	·02	·01	–	·04	·03	·12	·15	·21	4
5	·09	–	–	–	–	–	–	·05	–	–	·02	–	5
6	·42	–	·04	–	–	–	–	·03	–	–	·05	·35	6
7	–	–	–	–	–	–	–	–	–	–	·25	–	7
8	·19	–	·16	–	–	–	–	–	–	·01	·04	·47	8
9	·06	–	·04	–	–	–	–	–	–	–	·58	·10	9
10	·01	·08	·33	–	–	–	–	·02	–	–	–	·64	10
11	·17	–	–	–	–	–	–	–	–	–	·28	·02	11
12	–	–	·48	–	–	–	–	–	·08	–	·31	·01	12
13	–	–	·07	–	–	–	–	·04	·06	–	·04	·45	13
14	–	·04	·01	–	–	–	·01	–	–	–	·01	·92	14
15	–	·04	·01	–	–	–	–	–	–	·02	·08	·10	15
16	–	–	·01	–	–	·08	–	–	–	·01	·11	·15	16
17	–	–	·08	–	–	·35	–	–	–	–	·17	·35	17
18	–	·24	–	·02	–	·44	–	–	–	·07	·02	·37	18
19	–	·02	–	–	–	·48	·04	–	·26	·03	·15	·13	19
20	·02	·10	–	·03	–	·02	–	·21	·08	·20	–	·43	20
21	–	·26	·03	–	–	–	–	·33	–	·35	–	·06	21
22	–	–	·03	·02	–	·08	–	–	–	·17	–	·39	22
23	–	·13	·18	–	–	·06	–	–	·28	·09	–	·22	23
24	·01	·07	–	·06	–	·43	–	·07	–	·39	–	·08	24
25	–	·05	–	·12	·12	·05	–	·04	·01	–	–	·02	25
26	–	·07	–	·36	·10	·02	–	–	–	·21	·32	·21	26
27	–	·21	·12	·08	·04	–	–	·56	·35	–	·09	·15	27
28	–	·25	–	·21	–	–	–	–	–	–	·21	·05	28
29	–	×	–	·03	–	·15	·14	–	·43	·15	·02	·01	29
30	–	×	–	·04	–	·12	–	·04	–	·11	·01	–	30
31	–	×	·11	×	·01	×	–	–	×	·04	×	·01	31
Total	1·01	1·56	1·89	1·02	·85	2·29	·25	1·60	1·66	2·13	3·09	6·03	TOTAL for year
No. of Rain Days.	10	13	18	11	7	13	4	13	10	17	23	27	23·38.

W. 8,000, X. '11.

166

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at 411 Hagley Road,
Edgbaston, Birmingham.
in the County of Warwick 4
by Henry E. Stilgoe, M. Inst. C.E.

Rain Gauge
Pattern Non-recording.
Diameter of top 5 in.
Height of top above Ground – ft. 9 in.
" " " ~~Sea Level~~ O.D. 612·33 ft.

Time of Observation 8·30 a.m.

Nearest Railway Station
Name Hagley Road
Distance 650 yards Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	–	–	–	–	·07	–	–	·03	–	1
2	·02	–	·02	–	·22	–	·06	·10	–	·13	·09	·05	2
3	–	–	–	–	·34	–	–	–	·08	·03	·06	·08	3
4	·02	–	·15	·05	·02	·01	–	·04	·03	·12	·15	·21	4
5	·09	–	–	–	–	–	–	·05	–	–	·02	–	5
6	·42	–	·04	–	–	–	–	·03	–	–	·05	·35	6
7	–	–	–	–	–	–	–	–	–	–	·25	–	7
8	·19	–	·16	–	–	–	–	–	–	·01	·04	·47	8
9	·06	–	·04	–	–	–	–	–	–	–	·58	·10	9
10	·01	·08	·33	–	–	–	–	·02	–	–	–	·64	10
11	·17	–	–	–	–	–	–	–	–	–	·28	·02	11
12	–	–	·48	–	–	–	–	–	·08	–	·31	·01	12
13	–	–	·07	–	–	–	–	·04	·06	–	·04	·45	13
14	–	·04	·01	–	–	–	·01	–	–	–	·01	·92	14
15	–	·04	·01	–	–	–	–	–	–	·02	·08	·10	15
16	–	–	·01	–	–	·08	–	–	–	·01	·11	·15	16
17	–	–	·08	–	–	·35	–	–	–	–	·17	·35	17
18	–	·24	–	·02	–	·44	–	–	–	·07	·02	·37	18
19	–	·02	–	–	–	·48	·04	–	·26	·03	·15	·13	19
20	·02	·10	–	·03	–	·02	–	·21	·08	·20	–	·43	20
21	–	·26	·03	–	–	–	–	·33	–	·35	–	·06	21
22	–	–	·03	·02	–	·08	–	–	–	·17	–	·39	22
23	–	·13	·18	–	–	·06	–	–	·28	·09	–	·22	23
24	·01	·07	–	·06	–	·43	–	·07	–	·39	–	·08	24
25	–	·05	–	·12	·12	·05	–	·04	·01	–	–	·02	25
26	–	·07	–	·36	·10	·02	–	–	–	·21	·32	·21	26
27	–	·21	·12	·08	·04	–	–	·56	·35	–	·09	·15	27
28	–	·25	–	·21	–	–	–	–	–	–	·21	·05	28
29	–	×	–	·03	–	·15	·14	–	·43	·15	·02	·01	29
30	–	×	–	·04	–	·12	–	·04	–	·11	·01	–	30
31	–	×	·11	×	·01	×	–	–	×	·04	×	·01	31
Total	1·01	1·56	1·89	1·02	·85	2·29	·25	1·60	1·66	2·13	3·09	6·03	TOTAL for year
No. of Rain Days.	10	13	18	11	7	13	4	13	10	17	23	27	23·38.

W. 8,000, X. '11.

Time of observation 8-30 a.m.

FORM A. BRITISH RAINFALL.

16 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at 411 Hagley Rd. Edgbaston Birmingham

in the County of Warwick 4

by Henry E. Stilgoe, M. Inst. C.E.,

Lat. 52° 28' 24" N Long. 1° 57' 34" W.

Time of Observation 8-30 A.M.

Nearest Railway Station Hagley Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " ~~Sea Level~~ O.D. 612.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·02	·18	-	·01	·22	·18	·01	·03	-	-	·13	1
2	-	·02	·15	·01	·03	·13	·50	-	-	-	-	·04	2
3	·09	-	·08	-	·03	·12	·30	·90	·02	-	-	·08	3
4	·17	-	·73	-	·22	1·17	-	·67	-	-	·23	-	4
5	·17	·08	·42	-	·04	·18	-	·19	·08	-	·03	-	5
6	·35	·16	·02	-	-	·14	-	·17	·02	-	-	·10	6
7	-	·23	-	-	·06	·22	-	·14	-	-	-	·02	7
8	·35	·22	·33	·06	-	·05	·05	·06	·16	-	-	·02	8
9	·05	·11	·53	·20	-	·29	-	·14	-	-	-	·35	9
10	·03	-	·01	·01	-	·18	-	·15	·01	-	·45	·01	10
11	·09	-	·01	-	-	·12	-	-	-	-	·08	·58	11
12	·06	·41	·17	-	·07	·02	-	-	-	-	·03	-	12
13	·03	·02	-	-	-	-	-	-	-	·02	·01	·01	13
14	·12	-	·47	-	-	·08	-	·13	·01	·01	-	-	14
15	·21	·05	·17	-	·36	·33	-	·02	-	-	-	·09	15
16	·74	·01	·20	-	·09	·03	-	·15	-	·08	·01	-	16
17	1·24	-	·30	-	-	·12	-	·50	-	-	·10	·66	17
18	·27	-	·03	-	-	-	-	·03	-	·04	·03	-	18
19	·16	·06	·02	-	·03	·01	·26	·52	·01	·07	·01	·03	19
20	·04	-	·15	-	-	-	·02	·10	-	·20	·01	-	20
21	-	·02	·18	-	·73	-	-	·43	-	·42	-	-	21
22	·23	·12	-	-	·53	·21	·29	·41	-	-	-	·14	22
23	·23	·03	·28	-	·01	·04	-	·40	-	-	·09	·02	23
24	·16	·01	·02	-	-	·31	·01	·08	-	-	·02	·22	24
25	-	-	-	-	-	·62	-	·53	-	·01	·21	·33	25
26	-	·09	·04	-	-	-	·29	·72	-	·62	·32	·23	26
27	-	·01	-	-	-	·32	·40	-	-	·74	·03	·24	27
28	-	·08	-	-	-	·18	·22	·65	·12	·15	·69	·34	28
29	-	·02	·01	-	-	·32	·21	·02	·39	·22	·06	·03	29
30	·01	/	·02	-	·09	·01	·02	-	-	·08	·02	-	30
31	·01	/	·06	/	·16	/	·44	·08	/	-	/	·08	31
Total	4·81	1·77	4·58	·28	2·46	5·42	3·19	7·20	·85	2·66	2·43	3·75	YEAR'S TOTAL 39·40
Rain Days.	22	20	25	4	15	25	14	25	10	13	19	22	214

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
24 JAN 1914

Kept at 411 Hagley Road, Edgbaston Birmingham
in the County of Warwick
by Henry E. Stilgoe

Lat. 52° 28' 24" Long. 1° 54' 34"
Time of Observation 8-30 am.
Nearest Railway Station Hagley Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " ~~Sea Level~~ O.D. 612·33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.18	.04	.02	—	—	—	.41	—	.07	—	1
2	.02	.07	.03	.10	—	—	.02	—	—	.03	.06	—	2
3	.05	—	.16	—	.98	—	—	—	.05	.12	—	.13	3
4	.96	.02	—	—	.16	—	.04	—	—	.13	.06	.50	4
5	.14	.03	.07	—	—	.33	.09	—	.05	.86	.04	.05	5
6	.04	.02	.13	—	.30	.31	1.10	—	—	.02	—	.12	6
7	.07	.15	—	—	.22	.06	.03	—	—	.40	.11	.02	7
8	—	.05	—	—	.14	.31	—	—	—	.57	.03	.07	8
9	—	.33	.06	.02	.07	.38	.21	.15	.15	—	.12	.08	9
10	.04	—	—	.17	—	—	—	.12	—	—	.16	—	10
11	.83	—	—	.39	—	.06	—	.09	—	.06	.59	—	11
12	—	—	—	—	.06	—	—	—	.02	—	.48	—	12
13	.07	—	.13	—	—	—	—	.04	.24	—	.27	—	13
14	.12	—	.69	.07	—	—	—	.10	.07	.16	—	—	14
15	.08	.09	.47	.64	—	—	—	.07	.09	—	—	—	15
16	—	.02	.69	.12	—	—	—	—	.16	—	.07	—	16
17	.03	.07	.06	.08	—	.04	.02	—	.12	—	.07	—	17
18	.03	—	.17	.06	.03	—	.05	—	.02	—	.07	—	18
19	.16	—	.12	.04	.02	.07	.03	—	.19	—	—	—	19
20	.14	—	.16	.09	—	—	.07	—	.02	.07	.17	—	20
21	.02	—	.26	.03	.07	—	.06	—	—	—	.25	—	21
22	.54	—	.60	—	—	.06	—	.07	.46	—	.02	—	22
23	.03	—	.02	—	—	.05	—	.27	.03	—	.03	—	23
24	.12	—	—	.08	—	—	—	.06	—	—	.01	—	24
25	—	.07	—	.09	—	—	—	.07	.02	.07	—	—	25
26	—	—	—	.42	.27	—	—	.19	—	.04	—	.27	26
27	—	.11	.06	.38	—	—	—	—	—	.04	—	—	27
28	.35	—	.66	.30	.06	—	—	—	—	.26	—	.06	28
29	.07	—	.48	.56	—	—	—	.09	—	.04	.02	.06	29
30	.42	—	—	—	—	—	—	—	—	.55	.11	—	30
31	—	—	.13	—	.09	—	—	—	—	.02	—	—	31
Total	4·21	.85	5.57	3·98	2·49	1·61	1.66	1·20	2·04	3·32	2·63	1·30	YEAR'S TOTAL 30·86
Rain Days.	22	12	21	19	14	10	11	12	16	17	21	10	185

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
6 FEB 1915

Kept at 411 Hagley Rd., Edgbaston,
in the County of Birmingham. Warwick
by Henry E. Stilgoe. E4 RL

Lat. 52° 28' 24" Long. 1° 57' 34" W.
Time of Observation 8·30 a.m.
Nearest Railway Station Hagley Rd 4
Diameter of Rain Gauge 5 inches.
Height of top of Gauge above Ground — ft. 9 in.
" " " " ~~Sea Level~~ O.D. 612·33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·01	—	·01	1·25	·31	—	—	—	·02	1
2	—	—	—	—	—	·01	·06	·10	—	·03	·52	·38	2
3	—	—	·03	·04	·16	—	·23	·27	—	—	·06	—	3
4	·18	—	·08	·20	—	—	·01	·39	—	—	·74	·59	4
5	·08	—	·16	·16	·05	·08	·21	·03	—	—	·13	—	5
6	—	·05	—	—	·08	·03	·08	—	—	—	·05	·12	6
7	·01	·20	·32	·06	·08	·19	·22	·23	—	—	—	·17	7
8	·01	—	·04	·15	—	·89	·11	—	·10	—	—	·13	8
9	·28	·01	·06	·30	·06	1·32	—	·10	·03	—	—	—	9
10	·20	·15	·02	·20	·10	·06	—	—	·16	—	—	—	10
11	—	·12	·29	·05	·03	·08	—	—	—	—	·27	·71	11
12	—	·22	·14	—	—	—	·23	—	·33	—	·05	·29	12
13	·01	·22	·20	—	—	—	·05	—	·06	·14	·23	·43	13
14	·01	·13	·13	—	—	—	·05	—	·02	·38	·16	·08	14
15	·03	—	·08	—	—	—	·05	·06	·05	·04	—	·02	15
16	—	—	·06	—	—	—	·03	—	·11	—	—	—	16
17	—	—	·12	—	—	—	·03	—	·06	—	—	·28	17
18	—	—	—	—	—	—	·34	—	·02	—	—	·43	18
19	—	·21	—	—	—	—	·35	—	·20	—	·07	·08	19
20	—	·46	·07	—	—	·08	·26	—	—	—	—	·33	20
21	—	·38	·04	—	—	·01	·27	—	—	·12	—	·27	21
22	—	·05	·05	—	·28	·07	·03	—	—	·18	—	—	22
23	—	·04	·15	—	·32	—	·02	—	—	·05	—	—	23
24	—	—	·03	·04	·02	—	·06	·08	—	·14	·08	—	24
25	·11	—	·07	—	—	—	·03	·30	—	·45	·05	·20	25
26	—	—	·08	—	—	—	·05	·25	—	·12	·26	·40	26
27	·06	—	—	—	—	—	—	—	—	·03	·08	·31	27
28	—	·10	·15	—	·07	—	—	—	—	·04	·60	1·09	28
29	—	X	·08	—	·13	—	—	—	—	·21	·19	—	29
30	—	X	·04	—	·01	·14	—	—	—	·05	·57	·61	30
31	·05	X	—	X	·01	X	·26	—	X	·03	X	·11	31
Total	1·03 ✓	2·34 ✓	2·49 ✓	1·21 ✓	1·40 ✓	2·97 ✓	4·28 ✓	2·12 ✓	1·14 ✓	2·01 ✓	4·11 ✓	7·05 ✓	YEAR'S TOTAL 32·15 ✓
Rain Days.	12	14	24	10	14	13	24	11	11	15	17	22	187 ✓

W. 8,000. X. 14.

7586

FORM A. BRITISH RAINFALL.

20 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at 411, Hagley Road, Edgbaston.
in the ~~County~~ City of Birmingham. Warwick
by Henry E. Stilgoe.

Lat. 52° 28' 24" Long. 1° 57' 34" W.
Time of Observation 8.30 a.m.
Nearest Railway Station Hagley Road.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground -- ft. nine in.
" " " " ~~Sea Level~~ O.D. 612.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.14	.09	--	.28	--	--	.09	.13	.07	.01	.04	1
2	.09	.14	.29	.13	--	.09	--	.41	--	.35	--	--	2
3	.99	.05	.06	.09	--	--	.62	.04	--	--	--	.26	3
4	.01	.01	--	--	.02	--	.80	.01	--	--	--	.91	4
5	--	.69	--	--	--	.03	.06	.11	--	.02	--	.39	5
6	.09	.16	--	.35	--	--	.70	.06	--	--	--	.37	6
7	.10	.55	--	.01	--	.86	.27	.14	--	--	--	.39	7
8	.08	.32	--	.02	--	--	--	.03	--	--	.05	--	8
9	.04	.14	--	.16	--	--	--	--	--	--	.20	.47	9
10	.26	--	.05	.03	--	--	--	--	--	--	.09	.01	10
11	--	--	--	.09	.15	--	.16	.04	--	--	.85	.10	11
12	.07	--	--	.16	.39	--	--	.10	--	.09	1.16	--	12
13	--	.51	--	--	.73	--	--	.05	--	--	.03	.05	13
14	--	--	--	--	--	--	.11	.22	.06	.01	--	.41	14
15	.35	--	--	--	.08	--	.08	.06	--	--	.12	.26	15
16	.10	.63	--	--	.20	--	1.82	--	--	--	--	.04	16
17	--	.32	--	--	.24	--	--	--	--	--	--	.01	17
18	--	.28	.20	--	--	--	--	--	--	--	--	--	18
19	--	.01	.01	--	.05	--	.14	--	--	--	--	--	19
20	.33	--	--	.12	--	--	--	--	--	--	--	.08	20
21	.24	--	--	--	--	--	.14	--	--	.03	--	.05	21
22	.03	--	.27	.06	--	--	.25	--	.04	.02	--	.12	22
23	.03	.14	.02	--	--	.08	.21	--	.01	.55	--	.25	23
24	.--	--	.04	.04	--	--	.05	--	.20	.35	--	.14	24
25	--	--	--	--	--	.51	.08	--	.02	.01	--	.09	25
26	--	.11	--	--	--	--	.26	--	.29	--	--	.39	26
27	--	.13	--	--	--	--	.19	--	--	.45	--	.17	27
28	--	.15	--	--	--	--	.04	.28	.02	.02	--	--	28
29	--		--	--	--	--	.05	.05	--	--	.12	.06	29
30	.06	X	--	--	--	.18	.10	--	--	.17	.03	.07	30
31	.05	X	--	X	--	X	.09	.04	X	.11	X	.36	31
Total	3.00 ✓	4.48	1.03	1.26	2.14	1.75	6.22	1.73	.77	2.25	2.66	5.49	YEAR'S TOTAL 32.78 ✓
Rain Days.	18	18 ✓	9 ✓	12 ✓	9 ✓	6 ✓	21 ✓	16 ✓	8 ✓	14 ✓	10 ✓	25 ✓	166 ✓

W. 8,000. X. 15.

2523

FORM A. BRITISH RAINFALL.

1917

REGISTER OF RAINFALL IN 1916

Kept at H11, Hagley Rd, Edgbaston
in the ~~County~~ City *of* Birmingham
by Henry E Stilgoe

Lat. 52° 28' 24" Long. 1° 57' 34" W.
Time of Observation 8.30 am
Nearest Railway Station Hagley Rd
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " ~~Sea Level~~ (O.D.) 612.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13	---	.09	---	.01	.09	.19	---	---	.08	.20	---	1
2	.28	.05	.22	---	.01	.04	.52	---	.14	.65	.12	---	2
3	---	.63	---	.02	.20	.01	.01	---	.11	.28	.19	---	3
4	.31	.06	---	.01	.60	.16	---	---	.04	.02	.39	---	4
5	.01	.02	---	---	.18	.39	.04	---	---	.10	.36	---	5
6	.04	.18	.09	---	.22	.02	.50	---	---	.14	.60	---	6
7	.08	---	.16	---	.14	.01	.17	---	---	.14	.24	.18	7
8	.03	.03	.07	---	.13	---	---	---	---	.01	.08	.21	8
9	---	---	.07	---	.37	---	---	----	.02	.12	.01	.02	9
10	---	.29	.08	.10	.03	.20	---	---	.02	.02	.01	---	10
11	.09	.17	.08	.21	---	.15	---	---	.06	---	---	.18	11
12	.05	.05	.06	.04	.22	---	.08	---	---	.06	---	---	12
13	.03	.17	.18	.09	---	---	.24	.60	---	---	---	.04	13
14	---	.55	---	.06	.01	---	---	.57	---	.05	---	---	14
15	---	.20	.65	.02	.10	---	.11	.06	.01	.06	---	---	15
16	---	.18	.13	.24	.04	---	.02	.02	.01	.02	---	---	16
17	.07	.05	---	.22	---	---	.01	.11	.39	.21	---	---	17
18	.01	.10	.05	.14	---	---	---	.05	.27	.11	.81	.20	18
19	.08	.01	.12	.10	---	.02	---	.09	.01	.03	.37	---	19
20	.05	---	.37	---	---	---	---	---	---	---	.09	.10	20
21	---	---	.14	---	.09	---	.05	---	---	---	.02	.25	21
22	---	.01	---	.03	---	.02	---	---	---	.09	---	.75	22
23	.03	.56	---	---	---	---	---	.10	---	.10	.08	.06	23
24	---	.58	.01	---	.02	---	---	.11	---	.22	---	.19	24
25	---	.06	.19	---	.12	---	---	.16	.14	.03	.33	.01	25
26	.04	.17	.01	---	---	.07	---	.06	.26	.17	.01	---	26
27	.02	.17	.90	----	---	.11	---	.25	.08	.38	---	---	27
28	---	.48	.48	---	---	---	---	---	---	.10	---	.19	28
29	---	.20	---	---	---	.17	---	.62	---	.37	---	.13	29
30	---		---	---	---	.07	---	---	---	.22	---	---	30
31	---		---		---		---	---		.22		.15	31
Total	1.35	4.97	4.15	1.28	2.49	1.53	1.94	2.80	1.56	4.00	3.91	2.66	YEAR'S TOTAL 32.64
Rain Days.	17	24	21	13	17	15	12	13	14	27	17	15	205

W. 8,000, VIII. 16

2401

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at 41, Hagley Road, Edgbaston,

in the County of Warwick.

by Henry, E. Stilgoe.

Lat. 52° 28' 24" Long. 1° 57' 34" W.
Time of Observation 8.30 a.m.
Nearest Railway Station Hagley Road.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground -- ft. Nine in.
" " " " ~~Sea Level~~ O. D. 612.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	---	.02	.15	---	.05	---	.81	.41	---	.03	.35	1
2	---	---	---	.02	---	.08	---	---	---	---	.04	.03	2
3	.07	.07	---	.26	---	.01	---	.17	---	.27	.05	---	3
4	.04	---	.28	.01	---	---	---	---	---	.68	---	---	4
5	.26	---	.10	.20	---	---	---	---	.04	.12	.08	---	5
6	.02	---	.21	---	---	1.15	---	---	---	.09	.22	---	6
7	.40	---	---	---	---	---	---	---	---	.15	.02	.12	7
8	.63	---	---	.14	---	---	.12	.39	---	.44	.29	.19	8
9	---	---	.24	.15	.18	---	---	.10	.01	.04	.32	---	9
10	.29	---	.36	.10	1.23	---	---	.01	.02	.01	---	---	10
11	---	---	.04	.25	---	---	---	---	.02	.19	.02	---	11
12	.03	.03	---	---	.38	---	---	.06	---	.19	---	.01	12
13	.01	---	.01	.06	---	---	---	.35	.10	.01	---	.02	13
14	.03	---	.11	.38	---	---	---	.03	---	---	---	.01	14
15	.04	---	---	---	.12	---	.51	---	---	.04	---	.16	15
16	.03	.14	---	.13	---	.08	.01	.34	---	---	---	.45	16
17	.01	---	.03	.09	.56	.34	.24	.08	.25	.07	---	---	17
18	---	.03	---	.07	.08	---	.57	---	.86	.07	---	---	18
19	.05	.30	.31	---	.08	.18	---	---	.09	---	---	---	19
20	---	.19	---	---	.45	.20	.03	.23	.28	---	.14	---	20
21	---	.03	.18	.02	.18	.08	---	.08	.04	.02	.10	---	21
22	---	---	.03	---	---	.05	---	.09	.03	.16	.01	---	22
23	---	.21	---	---	.15	---	---	.19	---	.12	---	.01	23
24	---	---	.01	---	---	.72	.05	.08	---	.29	.03	.03	24
25	---	.10	.08	---	---	---	---	---	---	---	.10	---	25
26	---	---	---	---	---	.02	---	.40	.23	.03	.40	---	26
27	---	---	.02	---	.73	.08	.51	1.10	---	---	---	---	27
28	---	.01	.03	---	---	.08	---	.17	---	---	.01	.04	28
29	---	X	.05	---	---	.15	.12	.25	---	.36	---	.31	29
30	.01	X	---	---	---	---	.07	.27	---	.02	.03	.01	30
31	---	X	.03	X	---	X	---	.12	X	.01	X	.03	31
Total	1.94	1.11	2.14	2.03	4.14	3.28	2.23	5.32	2.38	3.38	1.89	1.77	YEAR'S TOTAL 31,61
Rain Days.	16	10	19	15	11	15	10	21	13	22	17	15	184.

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at 411, Hagley Road, Edgbaston,
in the County of WARWICK.
by Henry E. Stilgoe,

Lat. 52°28'24" Long. 1° 57' 34" W.
Time of Observation 8-30 a.m.
Nearest Railway Station Hagley Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " ~~Sea level~~ O.D. 612.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.03	--	.22	.17	--	--	--	.03	.01	.45	.01	1
2	--	.07	--	.09	--	--	--	.07	--	.03	--	.15	2
3	--	.03	.04	--	.23	--	--	.57	.41	.02	.05	--	3
4	.02	--	.01	--	--	--	--	.08	.87	.05	.68	.39	4
5	--	--	--	.03	.33	--	--	.09	.31	.09	--	.01	5
6	--	.18	.01	.23	--	.12	--	--	.03	.13	--	.03	6
7	.02	.11	--	.09	.10	.08	--	--	.55	.05	.20	.02	7
8	.05	.23	--	--	--	--	--	--	.28	.11	--	.03	8
9	.02	.38	--	.11	--	.35	.03	--	.46	.31	--	.03	9
10	.10	.02	--	.17	--	--	.27	--	.12	.05	.04	.07	10
11	--	--	--	.04	.02	--	.26	--	.40	.04	--	.08	11
12	.02	.07	.13	--	.15	--	.17	--	.02	.02	--	--	12
13	--	--	--	.02	.16	.05	.03	--	.17	.05	--	.06	13
14	.32	--	--	--	--	.09	.25	--	.11	.11	--	.20	14
15	.82	--	--	.26	--	.05	.23	--	.14	--	--	.25	15
16	.15	--	--	.45	--	.08	--	.06	.28	--	--	.03	16
17	.32	--	--	--	.25	.06	.07	.01	.70	.08	--	.15	17
18	.41	--	--	--	--	.19	.40	--	.52	--	--	.36	18
19	.05	.05	.15	.09	--	--	.05	--	.03	.17	--	.29	19
20	.21	.11	--	.70	--	.05	.32	--	.32	--	.04	.16	20
21	.14	--	--	.39	.03	.03	.08	--	.28	--	--	.15	21
22	.01	--	--	--	.35	--	.06	--	--	.07	--	.46	22
23	--	--	--	--	.84	--	.11	--	.06	--	.02	--	23
24	.01	.11	--	--	--	--	.04	.01	.04	--	.16	.01	24
25	--	--	--	--	--	.08	.09	.37	--	--	--	--	25
26	--	--	--	--	--	--	.26	.04	.03	.02	.10	.10	26
27	--	.10	--	--	--	--	--	.56	.36	--	.14	.16	27
28	--	.14	.41	--	--	.03	--	.04	--	--	.15	.14	28
29	--		.06	--	--	--	--	--	.82	--	.01	.02	29
30	--		.38	--	--	--	--	.13	.03	--	.21	.25	30
31	--		.36		--		--	.01		--		--	31
Total	2.69	1.63	1.55.	2.89.	2.63	1.26	2.72	2.04	7.37	1.41	2.25	3.61	YEAR'S TOTAL 32.05
Rain Days.	17	14	9	14	11	13	17	13	26	18	13	26	191

W. 6,500, VII. 18. w w c

2255

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19 19

Kept at 411, Hagley Road, Edgbaston.
in the County of Warwick.
by Henry E. Stilgoe.

Lat. 52°28'24" Long. 1°57'34" W.
Time of Observation 8.30 a.m.
Nearest Railway Station Hagley Road.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground -- ft. Nine in.
" " " " ~~Sea Level~~ O.D. 612·33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·46	·01	·05	·02	·17	--							1
2	·13	·02	·04	·02	--	--							2
3	·55	--	·03	--	·06	·12							3
4	·08	·01	·43	--	--	·06							4
5	·02	·38	--	--	·01	--							5
6	·03	--	·10	·01	·50	--							6
7	·28	--	·19	·08	·02	--							7
8	·24	--	·04	·10	--	·04							8
9	·08	--	--	·06	--	--							9
10	·01	--	·18	·02	--	--							10
11	·02	--	·63	--	·04	--							11
12	·02	--	·24	·03	--	·32							12
13	·16	--	--	·32	--	--							13
14	·53	--	--	·11	--	--							14
15	·28	·19	·04	·34	--	--							15
16	·12	1·01	--	--	--	--							16
17	·02	·60	--	--	--	·03							17
18	--	--	·56	--	--	--							18
19	·15	·27	1·06	--	--	·10							19
20	·32	·07	·25	--	--	·12							20
21	·04	·40	·12	--	--	--							21
22	--	·41	--	--	--	--							22
23	--	·42	--	--	--	·16							23
24	--	--	--	·04	·05	--							24
25	·19	--	--	·07	·07	·16							25
26	--	--	·18	·09	--	·04							26
27	·21	--	·04	·44	--	--							27
28	·05	--	·02	·01	--	--							28
29	·06		·05	·08	--	·07							29
30	·01	X	·05	·12	--	·11							30
31	·01	X	--	X	--	X			X		X		31
Total	4·07	3·79	4·30	1·96	·92	1·33							YEAR'S TOTAL
Rain Days.	26	12	20	18	8	12							

Gauge removed

W. 6,500. VII. 18. W W C

BIRMINGHAM

HANDSWOR~~TH~~ WOOD

WARWICKSHIRE

1917–1918

REGI

FORM A.
BRITISH RAINFALL.

31

Kept at Handsworth … 30°

… m (Summer Time when prevailing)

… ndsworth Wood (Low. W.)

in the County of Staff … Gauge 5 in.

by C. N. MILNE … Ground 8 ft. – in.

… Sea Level 434 ft.

IMPORTANT NOT … the result entered to the previous day. If an Obs … ersal rule, he is earnestly requested to add the readi … in the space provided for it at the end of this … ent of rain, the selection and placing … tish Rainfall Organization are given in … pplication to Dr. H. R. Mill, 62, Cam…

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·170		·030	~~·750~~	·750	·280		·010	·220	1
2	·010					·080	~~·020~~	,020			·030	·010	2
3		·070		·140·			~~·060~~	·060		·300	·050		3
4		~~·290~~	·290							·460			4
5	·270	~~·080~~	·080	·140·					·030	·060	·050		5
6		~~·100~~	·100·			·790				·100	·170	·020	6
7							·080			·020	·010	·050	7
8	·930					·030		1·320		·380	·160	·240	8
9		~~·210~~	·210	·180	·150				·020	·040	·270		9
10	·330	~~·310~~	·310	·070	1·560			HOLIDAY.	·040	·010			10
11	·140	~~·060~~	·060·	·170					·030	·140	·010		11
12	·050				·610					·170			12
13				·080				·110	·100	·020		·010	13
14	·050	~~·100~~	·100·	·140				·310		·			14
15	·010				·080		·220	·020		·020		·190	15
16	·010			·080		·040	·010	·040·		·010		·320.	16
17		·110		·070	·360	·250	·480	·330	·180	·060			17
18				·040	·110		·330		·830	·020			18
19		·340 ~~·260~~	·260·		·190	·190		·080	·010				19
20	·030	·180			·370	·100	·100	·220	·090		·050		20
21		·050 ~~·170~~	·170·	·020·	·250	·030		·080		·020	·050		21
22		·100 ~~·030~~	,030			·230		·180 ~~·220~~	·040	·130			22
23					·110			·100 ~~·080~~		·060			23
24		·080				·450	·030	·200		·350		·020	24
25		~~·060~~	·060				·030			·030	·120		25
26						·110		·340	·150	·030	·260		26
27						·160	·460	1·010					27
28		~~·060~~	·060		·460	·050	·	·130				·030	28
29			·040			·140	·110	·050		·300		·240	29
30		X				·	·080	·290		·050	·020		30
31	·020	X	·020	X		X	·010	·100	X	·010	X	·030	31
Total	1·850 ✓	·930 ✓	1·790 ✓	1·300 ✓	4·250 ✓	2·680 ✓	1·940 ✓	5·740 ✓	1·800 ✓	2·790 ✓	1·260 ✓	1·380 ✓	YEAR'S TOTAL 27·71· ✓
Rain Days.	11 ✓	7 ✓	14 ✓	12 ✓	11 ✓	15 ✓	12 ✓	?	12 ✓	24 ✓	14 ✓	12 ✓	(171 (?)).

W. 8,000, IX. 17.

Estimated.
27,

✓

REGI

FORM A.
BRITISH RAINFALL.

31

Kept at Handsworth

in the County of Stafford.

by C. N. MILNER.

30

m (Summer time when prevailing)

ndsworth Wood (Lon. Rd)

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 8 ft. — in.

" " " " Sea Level 434 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·170		·030	~~·750~~	·750	·280		·010	·220	1
2	·010					·080	~~·020~~	,020			·030	·010	2
3		·070		·140·			~~·060~~	·060		·300	·050		3
4		~~·290~~	·290							·460			4
5	·270	~~·080~~	·080	·140·					·030	·060	·050		5
6		~~·100~~	·100·			·790				·100	·170	·020	6
7							·080			·020	·010	·050	7
8	·930					·030		1·320		·380	·160	·240	8
9		~~·210~~	·210	·180	·150				·020	·040	·270		9
10	·330	~~·310~~	·310	·070	1·560			HOLIDAY.	·040	·010			10
11	·140	~~·060~~	·060·	·170					·030	·140	·010		11
12	·050				·610					·170			12
13				·080				·110	·100	·020		·010	13
14	·050	~~·100~~	·100·	·140				·310		·			14
15	·010				·080		·220	·020		·020		·190	15
16	·010			·080		·040	·010	·040·		·010		·320·	16
17		·110		·070	·360	·250	·480	·330	·180	·060			17
18				·040	·110		·330		·830	·020			18
19		·340 ~~·260~~	·260·		·190	·190		·080	·010				19
20	·030	·180			·370	·100	·100	·220	·090		·050		20
21		·050 ~~·170~~	·170·	·020·	·250	·030		·080		·020	·050		21
22		·100 ~~·030~~	,030			·230		·180 ~~·220~~	·040	·130			22
23					·110			·100 ~~·080~~		·060			23
24		·080				·450	·030	·200		·350		·020	24
25		~~·060~~	·060				·030			·030	·120		25
26						·110		·340	·150	·030	·260		26
27						·160	·460	1·010					27
28		~~·060~~	·060		·460	·050	·	·130				·030	28
29			·040			·140	·110	·050		·300		·240	29
30		X				·	·080	·290		·050	·020		30
31	·020	X	·020	X		X	·010	·100	X	·010	X	·030	31
Total	1·850 ✓	·930 ✓	1·790 ✓	1·300 ✓	4·250 ✓	2·680 ✓	1·940 ✓	5·740 ✓	1·800 ✓	2·790 ✓	1·260 ✓	1·380 ✓	YEAR'S TOTAL 27·71. ✓
Rain Days.	11 ✓	7 ✓	14 ✓	12 ✓	11 ✓	15 ✓	12 ✓	?	12 ✓	24 ✓	14 ✓	12 ✓	(171 (?)).

Estimated.
27.

W. 8,000, IX. 17.

BIRMINGHAM —
HANDSWORTH WOOD
WARWICK
1918

42

FORM A.
BRITISH RAINFALL

2. 1. 19

REGI 18

Kept at Handsworth
in the County of Staf
by C.N. Milw

ong. 52°30
9.0Am.
ion Handsworth Wood (comm)
Rain Gauge 5" in.
e above Ground 9 ft. - in.
" Sea Level 435. ft.

IMPORTANT NOT and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·130	·170				·010	·020	·400		1
2		·030		·120				·100		·010		·110	2
3		·020	·020		·180			·240	·450	·010	·030	·010	3
4		·010						·060	·760	·060	·500	·340	4
5				·030	·190			·040	·260	·060			5
6	~~·130~~	·120	·020	·140		·130			·020	·130		·010	6
7	~~·020~~	·090		·140	·040	·020			·640	·040	·150		7
8	·040	·120		·020					·120	·150		·010	8
9	·020	·390		·290		·200.			·430	·250	·010	·030	9
10	·070	·010		·090			·010		·080	·040	·030	·050	10
11				·030	·100		·250		·380	·020		·030	11
12	·040·	·030	·090	·020	·220		·220		·010				12
13	~~·040~~					·040	·180		·150	·060		·040	13
14	·390 ~~·020~~					·020	·110		·170	·080		·190	14
15	·630			·200		·020	·250		·040			·250	15
16	·070			·370		·070			·270			·030	16
17	·300 ~~·080~~				·150	·080	·080		·880	·060		·130	17
18	·390 ~~·110~~					·110.	·340		·800	·010		·310	18
19		·040	·110	·090			·050			·080		·270	19
20	·220 ~~·040~~	·060		·590		·040.	·220		·210		·030	·110	20
21	·160			·380	·040		·010		·430			·120	21
22	~~·010~~				·250	·010	·100			·110		·330	22
23	·010				·660		·050		·020		·010		23
24		·070					·210		·050		·040		24
25							·140						25
26							·110	·320	·090		·050	·120	26
27		·110					·040	·020	·260		·120	·130	27
28		·130	·300					·340			·120	·150	28
29								·030	·690	·010		·080	29
30		X	·410						·040		·170	·120	30
31		X	·260	X		X		·040	X		X		31
Total	2·340 ~~·740~~	1·230	1·210	2·640.	2·000	·740	2·370	1·19[illegible]	7·26[illegible]	1·200	1·660	2·970	YEAR'S TOTAL 26·810
Rain Days.	12.	14.	7	15	10	11.	17	9	25	18	13	23	174

1.190.

W. 8,000, IX. 17.

42

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

9. 1. 19

Kept at Handsworth Wood.

in the County of ~~Stafford.~~ Warwick

by C. N. Milner.

Lat. 1·55 Long. 52°30

Time of Observation 9.0 Am.

Nearest Railway Station Handsworth Wood (Comm)

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 9 ft. - in.

" " " " Sea Level 435. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·130	·170				·010	·020	·400		1
2		·030		·120				·100		·010		·110	2
3		·020	·020		·180			·240	·450	·010	·030	·010	3
4		·010						·060	·760	·060	·500	·340	4
5				·030	·190			·040	·260	·060			5
6	~~·130~~	·120	·020	·140		·130			·020	·130		·010	6
7	~~·020~~	·090		·140	·040	·020			·640	·040	·150		7
8	·040	·120		·020					·120	·150		·010	8
9	·020	·390		·290		·200.			·430	·250	·010	·030	9
10	·070	·010		·090			·010		·080	·040	·030	·050	10
11				·030	·100		·250		·380	·020		·030	11
12	·040·	·030	·090	·020	·220		·220		·010				12
13	~~·040~~					·040	·180		·150	·060		·040	13
14	·390 ~~·020~~					·020	·110		·170	·080		·190	14
15	·630			·200		·020	·250		·040			·250	15
16	·070			·370		·070			·270			·030	16
17	·300 ~~·080~~				·150	·080	·080		·880	·060		·130	17
18	·390 ~~·410~~					·110·	·340		·800	·010		·310	18
19		·040	·110	·090			·050			·080		·270	19
20	·220 ~~·070~~	·060		·590		·040.	·220		·210		·030	·110	20
21	·160			·380	·040		·010		·430			·120	21
22	~~·010~~				·250	·010	·100			·110		·330	22
23	·010				·660		·050		·020		·010		23
24		·070					·210		·050		·040		24
25							·140						25
26							·110	·320	·090		·050	·120	26
27		·110					·040	·020	·260		·120	·130	27
28		·130	·300					·340			·120	·150	28
29								·030	·690	·010		·080	29
30			·410						·040		·170	·120	30
31			·260					·040					31
Total	2·340 ~~·740~~	1·230	1·210	2·640.	2·000	·740	2·370	1·[illegible]	7·260	1·200	1·660	2·970	YEAR'S TOTAL 26·810
Rain Days.	12.	14.	7	15	10	11.	17	9	25	18	13	23	174

W. 8,000, IX. 17.

1·190.

/

REGI 12

FORM A.
BRITISH RAINFALL.

19 FEB 1913

—

BIRMINGHAM
HOCKLEY BROOK VALLEY
WARWICK
1912 - 1913

Kept at Biringha
ong.
11 a.m.
in the County of
on
by City Engineer's Dep
ge 6" in.
e above Ground 2 ft. 5½ in.
" Sea Level 471 O.D. ft.

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·168	-	-	·143	·132	0	·005	-	-	·115	1
2	·	·	·087	·014	·01	·151	·445	0	—	-	-	·01	2
3	·048	·	·038	-	·025	·097	·24	·782	-	-	-	·06	3
4	·152	·	·625	-	·218	1·049	-	·48	-	-	·265	-	4
5	·154	?	·386	-	·015	-	-	·185	·093	-	·005	·01	5
6	·29	?	-	-	-	?	-	·37	·028	-	·005	·07	6
7	-	?	-	-	·05	?	-	·05	-	-	-	-	7
8	·3	?	·267	?	-	?	-	·072	·134	-	-	·02	8
9	·01	·035	·340	·157	-	?	-	·11	-	-	-	?	9
10	·028	-	-	-	-	·085	-	·28	·010	-	·303	-	10
11	·057	·128	-	-	-	·15	-	-	-	-	·020	·5	11
12	·045	·316	·160	-	·045	-	-	-	-	-	·020	-	12
13	-	·01	-	-	-	-	?	-	-	-	·015	-	13
14	·12	-	·430	-	-	·148	-	·115	-	-	-	-	14
15	·165	-	·145	-	·286	·305	-	·01	-	-	-	·08	15
16	·539	-	·141	-	·142	·195	-	·025	-	·090	-	-	16
17	↑	-	·230	-	-	·10	-	·507	-	-	·077	·682	17
18	Frozen	-	·020	-	-	-	-	·03	-	·040	·020	-	18
19		·065	-	-	·035	-	·247	·536	-	·063	-	-	19
20		-	·170	-	-	-	-	·039	-	·182	-	-	20
21		-	·137	-	·774	-	-	·398	-	·385	-	-	21
22	↓	·090	-	-	?	·19	·25	·402	-	-	-	·032	22
23	·28	·025	·273	-	-	·032	·317	·298	-	-	·095	-	23
24	·1	-	·010	-	-	·322	·01	·552	-	·330	·007	·2	24
25	-	-	-	-	-	·4	-	-	-	-	·135	·32	25
26	-	·055	·042	-	-	-	·305	?	-	·560	·300	·26	26
27	·01	-	-	-	-	·26	·287	-	-	·160	·015	·227	27
28	·015	·083	·010	-	-	·124	·217	·525	·060	·112	·170	·3	28
29	·02	·014	·010	-	-	·35	·106	·012	·140	·217	·010	·025	29
30	-		·007	-	·18	-	-	-	-	·050	·025	-	30
31	-		·059		·10			·085		-		·052	31
Total	~~2·333~~	~~·921~~	3·755	~~·171~~	~~1·880~~	~~4·101~~	~~2·55~~6	~~5·863~~	·470	2·189	1·487	~~2·962~~	YEAR'S TOTAL ~~23·589~~
Rain Days.	23	14	22	3	13	21	12	23	6 ~~7~~	11	15 ~~17~~	18	~~184~~ 181

W. 7,500, XI. 12

C.S.H.M.W. 17.3.13.

FORM A.
BRITISH RAINFALL.
19 FEB 1913

REGI 12

Kept at Birmingham (Hockley Brook Valley)

in the County of

by City Engineer's Depmt. (Special Works office)

Lat. Long.

Time of Observation 11 a.m.

Nearest Railway Station

Diameter of Rain Gauge 6" in.

Height of top of Gauge above Ground 2 ft. 5½ in.

" " " " Sea Level 471 O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·168	-	-	·143	·132	0	·005	-	-	·115	1
2	-	-	·087	·014	·01	·151	·445	0	-	-	-	·01	2
3	·048	-	·038	-	·025	·097	·24	·782	-	-	-	·06	3
4	·152	-	·625	-	·218	1·049	-	·48	-	-	·265	-	4
5	·154	?	·386	-	·015	-	-	·185	·093	-	·005	·01	5
6	·29	?	-	-	-	?	-	·37	·028	-	·005	·07	6
7	-	?	-	-	·05	?	-	·05	-	-	-	-	7
8	·3	?	·267	?	-	?	-	·072	·134	-	-	·02	8
9	·01	·035	·340	·157	-	?	-	·11	-	-	-	?	9
10	·028	-	-	-	-	·085	-	·28	·010	-	·303	-	10
11	·057	·128	-	-	-	·15	-	-	-	-	·020	·5	11
12	·045	·316	·160	-	·045	-	-	-	-	-	·020	-	12
13	-	·01	-	-	-	-	?	-	-	-	·015	-	13
14	·12	-	·430	-	-	·148	-	·115	-	-	-	-	14
15	·165	-	·145	-	·286	·305	-	·01	-	-	-	·08	15
16	·539	-	·141	-	·142	·195	-	·025	-	·090	-	-	16
17	↑	-	·230	-	-	·10	-	·507	-	-	·077	·682	17
18		-	·020	-	-	-	-	·03	-	·040	·020	-	18
19	Frozen	·065	-	-	·035	-	·247	·536	-	·063	-	-	19
20		-	·170	-	-	-	-	·039	-	·182	-	-	20
21		-	·137	-	·774	-	-	·398	-	·385	-	-	21
22	↓	·090	-	-	?	·19	·25	·402	-	-	-	·032	22
23	·28	·025	·273	-	-	·032	·317	·298	-	-	·095	-	23
24	·1	-	·010	-	-	·322	·01	·552	-	·330	·007	·2	24
25	-	-	-	-	-	·4	-	-	-	-	·135	·32	25
26	-	·055	·042	-	-	-	·305	?	-	·560	·300	·26	26
27	·01	-	-	-	-	·26	·287	-	-	·160	·015	·227	27
28	·015	·083	·010	-	-	·124	·217	·525	·060	·112	·170	·3	28
29	·02	·014	·010	-	-	·35	·106	·012	·140	·217	·010	·025	29
30	-		·007	-	·18	-	-	-	-	·050	·025	-	30
31	-		·059		·10			·085		-		·052	31
Total	~~2.333~~	~~·821~~	3.755	~~·171~~	~~1·880~~	4·101	2·556	5·863	·470	2.189	1.487	~~2.963~~	YEAR'S TOTAL ~~25.589~~
Rain Days.	23	14	22	3	13	21	12	23	6 ~~7~~	11	15 ~~17~~	18	~~184~~

181?

W. 7,500, XI. ·12

17.3.13.

FORM A.
BRITISH RAINFALL.

11 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Birmingham, Hockley Brook Valley

in the County of Warwick 4

by City Engineer's Dept (Special Works Office).

H. E. Stilgoe Esq. C.E.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Rain Gauge 6" in.

Height of top of Gauge above Ground 2 ft. 5½ in.

" " " " Sea Level 471 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.125	0.025	0.010	—	0.020	—	0.380	—	—	—	1
2	—	0.035	0.020	0.085	—	—	—	—	0.005	—	0.060	—	2
3	0.050	—	0.160	—	0.880	—	—	—	—	—	0.045	0.160	3
4	0.375	0.040	—	—	0.235	—	0.010	—	—	0.220	—	0.500	4
5	0.625	—	—	—	Out of order	0.195	0.080	—	0.040	Out of order	—	0.010	5
6	—	0.025	0.110	—		0.380	0.570	—	—	0.040	0.030	0.120	6
7	0.020	0.140	—	—		0.010	—	0.070	—	—	0.050	0.050	7
8	—	0.020	—	—		0.075	—	—	—	0.265	0.100	—	8
9	—	0.305	0.045	0.010		0.340	—	0.020	0.110	0.085	—	—	9
10	0.010	—	—	0.125		—	—	0.050	0.020	—	Out of Order	0.060	10
11	0.680	—	—	0.360		0.030	—	0.070	—	—		—	11
12	Frozen.	—	—	—		—	—	—	—	—	0.505	—	12
13	0.080	—	0.100	—		—	—	Out of Order	0.235	0.030	—	Out of Order	13
14	Out of order	—	0.640	0.070		—	—		—	—	0.150		14
15		0.055	0.535	0.535	—	—	—		0.050	—	—		15
16		—	—	0.040	Out of order	—	—		—	—	—		16
17	—	—	Frozen	0.075		0.110	0.050		0.120	—	—		17
18	Out of order	—	0.160	0.045		—	0.025	—	—	—	—		18
19		—	0.085	0.100		—	Out of Order	—	0.225	—	—		19
20		—	0.105	—	—	—		—	0.040	—	—		20
21		—	0.140	—	Out of Order	—	0.020	0.050	—	—	—		21
22		—	0.345	—		0.060	—	0.370	0.455	—	—		22
23	—	—	0.030	—	0.030	—	—	0.065	0.020	—	—		23
24	0.090	—	—	0.040	—	—	—	—	—	—	—		24
25	—	0.025	—	0.045	—	—	—	—	0.015	—	—		25
26	—	0.050	—	0.640	0.345	—	—	0.160	—	0.040	—		26
27	—	0.025	—	0.300	Out of Order	—	—	—	—	Out of Order	Out of order		27
28	0.290	—	0.125	0.300		—	—	—	—				28
29	—		0.435	0.535		—	—	0.060	—				29
30	0.440		—	—		—	—	—	—			0.050	30
31	—		0.100				—	—		—		0.050	31
Total	~~2.660~~	0.720	~~3.260~~	3.330	~~1.500~~	1.200	~~.775~~	~~.915~~	1.715	~~.68~~	~~.94~~	~~1.00~~	YEAR'S TOTAL ~~[illegible]~~
Rain Days.		10		17		8			13				~~[illegible]~~

W.7,000, XI. 13

NUNEATON —

CHILVERS COTON
VICARAGE
WARWICK

1914 – 1919

RI 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Long.

Kept at Chilvers Cot ation Gam

in the County of Wa y Station Chilvers Coton

in Gauge five in.

by Rev. Matthew Ar f Gauge above Ground — ft. 10 in.

„ „ Sea Level 283 ft.

IMPORTANT a.m. and the result entered to the previous day. If a lmost universal rule, he is earnestly requested to add the lowing year in the space provided for it at the end of this paragraph. e measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03			2·45	·22		·01	·01		1
2				·02				·32			·73	·22	2
3			·02	·01	·14		·31	·14			·01		3
4	·26		·01	·16	·01			·05				·35	4
5	·08		·09	·22	·05	·15	·17				·49		5
6		·06		·01	·03						·08	·08	6
7		·11	·38		·05	·01	·07	·18				·07	7
8	·08		·06	·01		·56		·08					8
9	·27		·09	·26	·17	1·07		·08	·12				9
10	·10	·14	·04	·25	·06	·12							10
11		·03	·25	·15		·17					·21	·48	11
12		·03	·12		·01		·14		·25		·11	·27	12
13		·22	·23						·02		·29	·37	13
14	·01	·01	·07				·10				·16	·21	14
15	·01		·10				·05			·55			15
16			·03				·23		·19				16
17		·12	·03				·05					·47	17
18							·09					·22	18
19			·04				·02		·12			·03	19
20		·14	·05				·24					·20	20
21		·42	·03			·08	·19			·14		·41	21
22		·01			·41		·06	·10		·16			22
23		·06	·08		·10					·06			23
24	·04		·09	·02	·02						·11		24
25							·02	·18		·50	·03	·18	25
26			·20				·02	·20		·11	·17	·27	26
27	·05										·01	·15	27
28		·05	·08		·05					·02	·01	1·00	28
29			·05		·02					·27	·39		29
30						·03					·33	·44	30
31	·01				·01		·22			·02		·01	31
Total	·91	1·40	2·14	1·14	1·13	2·19	4·43	1·55	·70	1·84	3·14	5·43	YEAR'S TOTAL 26·00
Rain Days.	10	13	22	11	14	8	17	10	5	10	16	19	155

W. 8,000. X. 14.

R 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Chilvers Coton Vicarage Nuneaton
in the County of Warwick 4
by Rev. Matthew Archbold Dodds

Lat. 52 31 Long.
Time of Observation 9 a.m.
Nearest Railway Station Chilvers Coton
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 283 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			2·45	·22		·01	·01		1
2				·02				·32			·73	·22	2
3			·02	·01	·14		·31	·14			·01		3
4	·26		·01	·16	·01			·05				·35	4
5	·08		·09	·22	·05	·15	·17				·49		5
6		·06		·01	·03						·08	·08	6
7		·11	·38		·05	·01	·07	·18				·07	7
8	·08		·06	·01		·56		·08					8
9	·27		·09	·26	·17	1·07		·08	·12				9
10	·10	·14	·04	·25	·06	·12							10
11		·03	·25	·15		·17					·21	·48	11
12		·03	·12		·01		·14		·25		·11	·27	12
13		·22	·23						·02		·29	·37	13
14	·01	·01	·07				·10				·16	·21	14
15	·01		·10				·05			·55			15
16			·03				·23		·19				16
17		·12	·03				·05					·47	17
18							·09					·22	18
19			·04				·02		·12			·03	19
20		·14	·05				·24					·20	20
21		·42	·03			·08	·19			·14		·41	21
22		·01			·41		·06	·10		·16			22
23		·06	·08		·10					·06			23
24	·04		·09	·02	·02						·11		24
25							·02	·18		·50	·03	·18	25
26			·20				·02	·20		·11	·17	·27	26
27	·05										·01	·15	27
28		·05	·08		·05					·02	·01	1·00	28
29			·05		·02					·27	·39		29
30		X				·03					·33	·44	30
31	·01	X		X	·01	X	·22		X	·02	X	·01	31
Total	·91	1·40	2·14	1·14	1·13	2·19	4·43	1·55	·70	1·84	3·14	5·43	YEAR'S TOTAL 26·00
Rain Days.	10	13	22	11	14	8	17	10	5	10	16	19	155

W. 8,000. X. 14.

2593

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Nuneaton, Chilvers Coton Vicarage
in the County of Warwick
by Rev. M. A. Dodds

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Chilvers Coton
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 283 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·13	·70		·18				·26	·05		·09	1
2	·07	·17	·12			·18	1·50	·41	·05	·23			2
3	·70		·02	·10			·45	·07	·03			·16	3
4	·08			·14			·16	·03				·76	4
5		·31			·06		·75					·49	5
6		·20		·30			·10					·06	6
7	·10	·50		·03	·09	·02		·13				·51	7
8	·14	·19						·03			·07		8
9	·11	·18	·03								·26	·39	9
10	·20		·01	·04							·09		10
11	·01			·02	·25		·18				·59	·13	11
12	·01			·20	·25			·59		·03	·95		12
13		·40			·50								13
14					·07		·03	·18	·03			·33	14
15	·29						·09	·03			·08	·14	15
16	·02	·55			·09		1·99						16
17		·17			·08								17
18		·24	·15					·11				·02	18
19	·05				·07		·10						19
20	·33						·15					·09	20
21	·20	·03		·10			·15						21
22	·03		·15	·03			·21		·05			·02	22
23							·13			·59		·30	23
24			·01				·23		·51				24
25		·14				·22	·31					·37	25
26							·03					·30	26
27		·02					·16			·46		·06	27
28		·15				·20	·03	·17	·05	·14			28
29						·09	·24			[illegible]	·11	·09	29
30	·09	X		·02	·01	·38	·02			·06	·06	·11	30
31	·14	X		X		X		·02	X	·07	X	·07	31
Total	2·57	3·38	1·19	·98	1·65	1·09	7·01	1·77	·98	1·63	2·21	4·49	YEAR'S TOTAL 28·95
Rain Days.	17	15	8	10	11	6	21	11	7	8	8	20	142

W. 8,000. X. 15.

WD

2529

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Nuneaton (Chilvers Coton Vicarage

in the County of Warwick

by Rev. M. A. Dodds

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chilvers Coton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 283 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·12							·02	·04		1
2	·30	·01	·08			·08	·11		·04				2
3		·51			·32		·18		·12	·73	·10		3
4	·25	·03					·01		·02	·03	·08		4
5	·04	·05			·49	·17				·05	·17		5
6	·08	·06	·18		·09	·13	·11				·36		6
7	·05		·11		·29		·34			·40	·18	·15	7
8			·04			·02	·26				·04	·24	8
9	·01		·02		·21	·20				·07		·08	9
10		·22	·03	·08		·08			·04			·02	10
11		·11		·18	·03	·02	·03			·06		·24	11
12	·75	·03			·35	·20							12
13		·09	·46		·02	·04	·09	·19					13
14		·59		·09	·02		·01	·15		·08			14
15		·11	·59	·03	·04			·46	·01	·05			15
16			·36	·21	·02		·07	·10					16
17	·09	·02		·15			·04	·09	·18	·20			17
18	·09	·10	·05	·02			·02	·03	·14	[illegible]	1·04	·11	18
19	·08		·19						·18				19
20			·35	·10				·05				·35	20
21			·15		·10		·10				·11	·13	21
22		·02	·02			·01				·02			22
23	·04	·52		·02				·05		·04	·06	·56	23
24		·38	·03			·01		·05		·12			24
25		·01	·10		·04			·23		·01	·32		25
26	·02	·10						·23		·08			26
27		·12	·54					·04		·14			27
28	·02	·27	·23							·08	·01	·21	28
29		·09				·19				·29			29
30		×				·09		·84		·09		·10	30
31		×		×		×		·02	×	·16	×	·10	31
Total	1·28	3·44	3·68	·88	2·02	1·24	1·37	2·53	·73	2·72	2·51	2·29	YEAR'S TOTAL 24·69
Rain Days.	14	21	21	9	13	13	13	14	8	2[illegible]	13	14	174

W. 8,000, VIII. 16

2406

FORM A.
BRITISH RAINFALL.
JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Nuneaton (Chilvers Coton Vicarage
in the County of Warwick
by Rev. M. A. Dodds

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Chilvers Coton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01			·05		·03		·43	·24	~~·02~~	·48	·08	1
2	·02					·04		·11		·03			2
3		·08		·24		·02		·04		[illegible]	·06	·02	3
4	·05	·16	·14	·01				·04		·64			4
5	·16		·03	·19				·04		·04	·04		5
6						·33				·12	·06	·02	6
7	·43							·15	·02	~~·24~~ ·13		·06	7
8	·44			·15			·19	·44		·24	·14	·14	8
9	·04		·18	·09	·19			·40			·12		9
10	·34		·32	·04	·80			·10		[illegible]		·02	10
11	·13			·02				·10	·04	·14	·02		11
12	·09		·01					·03		·23	·01		12
13	·02	·01		·18	·14					·01			13
14	·04		·14	·10				·37					14
15	·02						·13			·04		·09	15
16	·04	·18				·04							16
17		·02	·20		·36	3·00	·21	·08	·10	·06			17
18	·02	[illegible]			·14	·04	·33	·01	·84	·04			18
19	·09	·15	·13	·02	·99				·02				19
20		·30	·01		·36	·18	·02	·07	·04		·08		20
21			·14		·26	·59		·04					21
22		·01	·14					·05	·05	·12			22
23		·09			·10			·12		·06			23
24						·41		·09		·26		·17	24
25		·06	·09				·14				·14		25
26								·45	·25		·10		26
27					·49	·33	·06	·65			·01		27
28			·04			·29		·11				·02	28
29			·03			·11	·28	·01				·26	29
30		✕						·14					30
31		✕	·13	✕		✕	·01	·04	✕		✕		31
Total	1·94	1·06	1·59	1·35	3·86	5·44	1·37	4·44	1·69	2·21	1·32	·88	YEAR'S TOTAL 27·24
Rain Days.	16	10	15	14	10	13	9	25	9	16	13	10	160

W. 8,000, IX. 17.

120

[illegible]

46

Register of Rainfall in 1918

13. 1. 19

CHILVERS COTON VICARAGE.
NUNEATON.

Warwickshire 4

by Rev. Matthew Archbold Dodds

Raily Stn Chilvers Coton
Diam. funnel 5 in
Ht 10 in
Sea level 283 ft

Date	Jan	Feb	Mch	Apl	May	June	July	Aug	Septr	Octr	Novr	Decr	Date
1		·03		·09						·03	·19	·02	1
2		·07		·11				·05				·15	2
3		·04	·02		·28			·18	·36	·02			3
4		·02						·05	·42	·06	·40		4
5		·02		·06	·10			·07	·09			·10	5
6		·04		·18		·02				·08		·02	6
7	·02	·07		·06		·10			·11	·11	·12	·02	7
8		·13							·42			·02	8
9	·04	·23		·14		·22	·23		~~·42~~	·25		·07	9
10	·13	·02					·60		·03	·08		·09	10
11	·03	[illegible]			·07		·07		·14		·02		11
12	·04	·07	·06		·20		·13		·18				12
13					·17	·05				·02		·05	13
14	1.00					·05	·11		·13	·09		·08	14
15				·49		·02	·24		·23			·32	15
16	·10					·12							16
17	·31					·03	·26		·22	·02		·15	17
18	·35			·02		·06	·06		·33			·21	18
19		·07	·04	·08			·03			·06		·46	19
20	·06	·08		·80		·09	·13		·07				20
21	·06			·19			·06		·30	·03		·06	21
22	·10				·33		·05		·09			·32	22
23	·06				·46		·06		·04	·11			23
24		·09					·02		·05		·22		24
25							·12	·14	·03				25
26							·07	·03			·05	·10	26
27		·02	·02				·02	·34	·29		·13	·12	27
28		·11	·26					·11				·11	28
29			~~·29~~					·05	·41			·03	29
30			·39						·03		·42	·12	30
31			·22										31 ✓
Total	2·30	1·11	1·01	2·22	1·61	·76	2·26	1·02	4·57	·96	1·55	2·62	Year total 21·99
Rain Days	14 ✓	16 ✓	7 ✓	13 ✓	7 ✓	10 ✓	18 ✓	9	24	17	9 ✓	22	1·66

FORM A.
BRITISH RAINFALL.

3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Chilvers Coton Vicarage, Nuneaton

in the County of Warwick

by the Rev. M A Dodds

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Chilvers Coton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 283 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·57	·22	·06										1
2		·02											2
3	·98												3
4	·03												4
5	·04	·22											5
6	—												6
7	—												7
8	·23												8
9	—												9
10	—												10
11	·01												11
12	·02												12
13	·14												13
14	·26												14
15	·48	·05											15
16	·13	1·18											16
17	·05												17
18	·												18
19	·20	·27											19
20	·33	·03											20
21		·42											21
22		·21											22
23													23
24													24
25	·16												25
26	·11	·04											26
27													27
28	·04												28
29	·02												29
30	·02	X											30
31	·01	X		X		X			X		X		31
Total	3.83	2.66											YEAR'S TOTAL
Rain Days.	22	11											

My rain-guage was damaged in March: and as records were kept at the High School and at the water-works I did not think it worth while to get another

Matthew Archbold Dodds

W, 6,500, VII. 18. W W C

BIRMINGHAM

GRAVELLY HILL

WARWICKSHIRE

1911 – 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

9 11

Kept at 22. Hill a
in the County of W
by W. Llewell

circular
op 5. in.
above Ground 3 ft. – in.
„ Sea Level 470. ft.
about 9.
on { Name Gravelly Hill
Distance 200 yd. Direction N.W.

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … g year in the space provided for it at the end of … surement of rain, the selection and pl … British Rainfall Organization are given … on application to Dr. H. R. Mill, 62, … Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	·01	·28	–	–	·04	–	–	·01	–	1
2	·02	–	–	·01	·29	–	·10	·08	–	·16	·07	·06	2
3	–	–	–	–	–	–	–	–	·02	·05	·08	·09	3
4	·01	–	·09	–	–	·47	–	·02	·07	·15	·21	·20	4
5	·11	–	–	·04	–	–	–	·01	–	–	–	–	5
6	·32	–	·03	–	–	–	–	·05	–	·02	·03	·38	6
7	–	–	–	–	–	–	–	–	–	–	·22	·01	7
8	–	–	·16	–	–	–	–	–	–	–	·04	·41	8
9	·02	–	·03	–	–	–	–	–	–	–	·41	·62	9
10	–	·07	·27	–	–	–	–	·01	–	–	·02	·29	10
11	·13	–	–	–	–	–	–	–	–	–	·27	–	11
12	–	–	·44	–	–	–	–	–	–	–	·35	·05	12
13	–	–	·06	–	–	–	–	–	·10	–	·04	·29	13
14	–	·05	–	–	–	–	–	–	–	–	–	·90	14
15	–	·04	·02	–	–	–	–	–	–	·02	·06	·05	15
16	–	–	–	–	–	·11	–	–	–	·01	·15	·20	16
17	–	–	·06	–	·01	·21	–	–	–	–	·25	·18	17
18	–	·26	–	–	–	·16	–	–	–	·17	·22	·30	18
19	–	·02	–	–	–	·68	–	–	·29	·22	·05	·20	19
20	–	·09	–	·03	–	–	–	·25	·04	–	–	·23	20
21	–	·22	–	–	–	–	–	·19	–	·32	–	·03	21
22	–	–	·02	–	–	·06	–	–	–	·20	–	·36	22
23	–	·06	·15	–	–	·05		·04	·31	·11	–	·18	23
24	–	·06	–	·05	–	·36	–	–	–	·29	–	·06	24
25	–	·05	–	·09	·13	·07	·13	–	·01	·01	~~·40~~ –	·04	25
26	–	·25	–	·26	–	·01	–	·23	–	·23	·40	·13	26
27	–	·12	·09	·10	–	–	–	·32	–	–	·15	·12	27
28	–	·20	–	·19	–	–	–	–	·37	–	·06	·02	28
29	–	–	–	–	–	·19	·19	–	–	·15	·03	–	29
30	–	–	–	·01	–	·10	~~·10~~	–	·30	·10	–	–	30
31	–		·02	–	·36		–	–		–		–	31
Total	·61	1·49	1·46	·79	1·07	2·47	·42	1·24	1·51	2·21	3·12 ~~4·11~~	5·40	TOTAL for year 21·79 ~~21·78~~
No. of Rain Days.	6	13	14	10	5	12	3	11	9	16	21	25	145

W. 8,000, X. '11.

✓

911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at 22. Hillaries Rd. Gravelly Hill

in the County of Warwickshire. 4

by W. Llewellyn Mold

RAIN GAUGE
Pattern Circular
Diameter of top 5" in.
Height of top above Ground 3 ft. – in.
" " " Sea Level 470. ft.

Time of Observation about 9.

Nearest Railway Station
Name Gravelly Hill
Distance 250 yds. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·02	·01	·28	-	-	·04	-	-	·01	-	1
2	·02	-	-	·01	·29	-	·10	·08	-	·16	·07	·06	2
3	-	-	-	-	-	-	-	-	·02	·05	·08	·09	3
4	·01	-	·09	-	-	·47	-	·02	·07	·15	·21	·20	4
5	·11	-	-	·04	-	-	-	·01	-	-	-	-	5
6	·32	-	·03	-	-	-	-	·05	-	·02	·03	·38	6
7	-	-	-	-	-	-	-	-	-	-	·22	·01	7
8	-	-	·16	-	-	-	-	-	-	-	·04	·41	8
9	·02	-	·03	-	-	-	-	-	-	-	·41	·62	9
10	-	·07	·27	-	-	-	-	·01	-	-	·02	·29	10
11	·13	-	-	-	-	-	-	-	-	-	·27	-	11
12	-	-	·44	-	-	-	-	-	-	-	·35	·05	12
13	-	-	·06	-	-	-	-	-	·10	-	·04	·29	13
14	-	·05	-	-	-	-	-	-	-	-	-	·90	14
15	-	·04	·02	-	-	-	-	-	-	·02	·06	·05	15
16	-	-	-	-	-	·11	-	-	-	·01	·15	·20	16
17	-	-	·06	-	·01	·21	-	-	-	-	·25	·18	17
18	-	·26	-	-	-	·16	-	-	-	·17	·22	·30	18
19	-	·02	-	-	-	·68	-	-	·29	·22	·05	·20	19
20	-	·09	-	·03	-	-	-	·25	·04	-	-	·23	20
21	-	·22	-	-	-	-	-	·19	-	·32	-	·03	21
22	-	-	·02	-	-	·06	-	-	-	·20	-	·36	22
23	-	·06	·15	-	-	·05	-	·04	·31	·11	-	·18	23
24	-	·06	-	·05	-	·36	-	-	-	·29	-	·06	24
25	-	·05	-	·09	·13	·07	·13	-	·01	·01	~~·40~~	·04	25
26	-	·25	-	·26	-	·01	-	·23	-	·23	·40	·13	26
27	-	·12	·09	·10	-	-	-	·32	-	-	·15	·12	27
28	-	·20	-	·19	-	-	-	-	·37	-	·06	·02	28
29	-	-	-	-	-	·19	·19	-	-	·15	·03	-	29
30	-	-	-	·01	-	·10	[illegible]	-	·30	·10	-	-	30
31	-	-	·02	-	·36		-	-		-		-	31
Total	·61	1·49	1·46	·79	1·07	2·47	·42	1·24	1·51	2·21	3·12 ~~4·11~~	5·40	Total for year 21·79 ~~27·79~~
No. of Rain Days.	6	13	14	10	5	12	3	11	9	16	21	25	~~22·46~~ 145

W. 8,000, X. '11.

cnd. 7·iii·13 ~~W~~ J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at 22 Hillaries Road Gravelly Hill Birmingham

in the County of Warwickshire 4

by W. Ll. Mold. Esq.

print.

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. – in.
" " " Sea Level 470 ft.

Time of Observation 10. a. m.

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·12	–	–	·15	·15	–	·03	–	–	·23	1
2	–	–	·05	–	·02	·09	·63	–	–	–	–	–	2
3	·05	–	·04	–	·04	·11	·27	·95	–	–	–	·09	3
4	·16	–	·61	–	·17	1·25	–	·18	–	–	·27	–	4
5	·15	·10	·31	–	–	·09	–	·23	·13	–	·03	·03	5
6	·37	·17	–	·07	·04	·01	·03	·44	–	–	–	–	6
7	–	·16	·04	–	·02	·11	–	·13	·03	–	–	–	7
8	·35	·22	·17	·10	–	·18	·05	·07	·20	–	·	·03	8
9	·02	·03	·33	·03	–	·28	–	·14	–	–	–	·37	9
10	·05	–	–	–	–	·29	–	–	·03	–	·20	–	10
11	–	·14	–	–	–	·18	–	·13	–	–	·06	·69	11
12	·06	·13	·24	–	·05	·27	–	·	–	–	·	–	12
13	·01	·17	–	–	–	·01	–	–	–	·01	·03	–	13
14	·14	–	·49	–	–	·05	–	·09	–	–	–	–	14
15	·20	–	·09	–	·41	·25	–	–	–	–	–	·11	15
16	·12	–	·20	–	·11	·05	–	·13	–	·09	·04	–	16
17	1·22	–	·24	–	–	·15	–	·56	–	–	·11	·73	17
18	·61	–	·03	–	–		–	·05	–	·05	·05	–	18
19	·20	·05	·01	–	–	–	·32	·55	–	·03	–	–	19
20	·06	–	·17	–	·04	–	–	·03	–	·19	–	·03	20
21	–	·01	·16	–	1·08	–	·01	·43	–	·35	·01	–	21
22	·15	·11	–	–	·15	·10	·37	·40	–	–	–	–	22
23	·21	·02	·25	–	·01	–	·24	·30	–	–	–	·15	23
24	·12	–	·01	–	–	·28	·27	·03	–	–	·12	·23	24
25	·06	–	–	–	–	·27	·	·50	–	·	·25	·42	25
26	–	–	·04	–	–	·21	1·01	·79	–	·65	–	–	26
27	–	·06	–	–	–	–	·20	–	–	·71	–	·23	27
28	–	–	–	–	–	·07	·32	·59	–	·19	–	·63	28
29	–	·08	·03	–	–	·23	·05	·03	·45	·14	·69	–	29
30	·02		·17	–	·19	·01 ·08	·03	–	–	·19	–	–	30
31	·03		–		·11		·25	·09					31
Total	4·36	1·45	3·80	·20	2·44	4·69	4·20	6·84	·87	2·60	1·86	4·04	TOTAL for year 37·35
No. of Rain Days.	22	14	22	3	14	24	16	23	6	11	12	15	=182

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 - JAN 1914

Kept at 22 Hillaries Rd. Gravelly Hill

in the County of Warwickshire 4

by W. Llewellyn Mold.

Lat. Long.

Time of Observation abut. 9. A.M.

Nearest Railway Station Gravelly Hill

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 470. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			9	3					43		9		1
2		10								3	19		2
3					1·08				5		5		3
4	·92	1	19		7					5	4	74	4
5	10					12	11		5	80			5
6	3	2			21		1·07			35		9	6
7	3	32			23	29				15	11		7
8					13	7	3			27			8
9				3		63	10	9	11		10	6	9
10				25				2			25		10
11	Snow 49					3		5		25	67		11
12				3				5			55		12
13		35	5						25		33		13
14	83		40	3				5					14
15	12	15	79	50					9	15	1	4	15
16	5	1		4					5				16
17	3	2	50	27			3						17
18	9		49	7			7				2		18
19	12		6										19
20	1		60	9					20	3	37		20
21			19	4			11	3					21
22	Snow 70		92					23	47				22
23			3			15			7				23
24	13										3		24
25	12			20				11	3				25
26		11		51	37			15		9	1	4	26
27			15	41						3			27
28	43	3	34	47	7					19			28
29				68				15		5			29
30											7		30
31	40		13					4					31
Total	4·60	1·12	4·93	3·65	2·16	1·29	1·52	·97	1·80	2·44	2·89	·97	YEAR'S TOTAL 28·34
Rain Days.	17	10	15	16	7	6	7	11	11	13	16	5	134

W. 7,500, XI. 12

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at 22 Hillaries Rd. Gravelly Hill
in the County of Warwickshire 4
by W. Llewellyn Mold.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Gravelly Hill
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 470. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·20

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	45			2		2	95	29		3	3	2	1
2							5	9			5	37	2
3			7	6	12		22				75		3
4	25				7			26			55	46	4
5			17	15	3	3	37	11				3	5
6					5	3						6	6
7		2	34	2	7	23	27	3				5	7
8	·2	·21			19	78	31	19	3			20	8
9	22	16		32		115		5	13				9
10	12		11	25	13				11				10
11		4	21		3	13			31		7	64	11
12		21	20				65		7		30	30	12
13	02	13	19				3			12	15	47	13
14			11							41.		15	14
15	02	16	18				3	6	5				15
16		11	2				21		9			1	16
17		16	15				3		3			23	17
18							26					37	18
19			6				14		15		4	6	19
20		50					29					8 snow	20
21		48				5	9			13		41 snow	21
22					48	3	3	17		10			22
23			13		25					5			23
24			3	2	5		9	9		10	3		24
25		3					12	26		42	10	16	25
26			11				5	19		6	25	36	26
27	9	05	17							1	3	25	27
28										8	50	·94 snow	28
29					11					22	36		29
30			7			18				3	17	·92	30
31					3		24			1		3	31
Total	1·19	2·26	2·32	·84	1·61	2·63	4·43	1·79	·97	1·77	3·38.	6·57	YEAR'S TOTAL 29·76.
Rain Days.	8	13	17	7	13	10	20	12	9	14	15.	23	161.

W. 8,000. X. 14.

ExMcC

3589

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
8 JAN 1916

Kept at 22 Hillaries Rd Gravelly Hill

in the County of Warwickshire

by W. Llewellyn Mold.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Gravelly Hill

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·20	·02	·	·32	·	·	·05	·08	·10	·03	·02	1
2	·20	·11	29	·10	-	·10	·	·35	·	·33	·	·09	2
3	·83	·02	01	·08	·02	·	1·80	·18	·	-	·	·28	3
4	·	-	·	·	·	·	·38	·	·	-	·	·90	4
5	·	·58	·	·	·	·	·	·04	·	·01	·	·45	5
6	·	10	·	·27	·	·	·60	·12	·	-	·02	·06	6
7	·09	53	·	·01	·09	·09	·13	·13	·	-	-	·31	7
8	·15	26	·	·	·	·	·	·03	·	-	·08	·	8
9	·	·	·	·22	·	·	·	·	·	·	·18	48	9
10	·32	·	03	·02	·	·	·	·03	·	·01	·20	·	10
11	·	·	·	·	18	·	20	·03	·	·	·91	snow ·09	11
12	·08	·	·	·15	22	·	-	·35	·	·	gale 1·23	·	12
13	·	65	·	·	90	·	·	·	·	·	·06	·10	13
14	·04	·	·	·	·	·	·03	·17	·03	·	·	·34	14
15	·29	·	·	·	·09	·	·13	·16	·	·	snow ·06	·09	15
16	·02	70	·	·	·19	·	2·05	·	·	fog ·02	·	·05	16
17	-	21	·	·	·25	·	·	·	·	-	·	·06	17
18	-	19	snow 12	·	·	·	·	·	·	fog ·03	·02	·	18
19	-	06	·	·	·03	·	·14	·	·	-	·	·	19
20	·29	·	·	09	·	·	-	·02	·	03	·	·06	20
21	·	·	·	·	·	·	·13	·	·	-	·	·05	21
22	·16	·	·05	·07	·	·	·30	·	·01	·55	·	·13	22
23	·03	09	·23	·	·	05	·15	·	·03	·06	·	·19	23
24	·	·	·	·05	·	·	·02	·	·20	·	·	·14	24
25	·	·	·	·	·	·33	·14	·	-	·	·	·28	25
26	·	·10	·	·	·	·	·19	·	·07	·15	·	·42	26
27	·	·	·	·	·	·	·17	·	·	·07	·	·09	27
28	·	·	·	·	·	·05	·03	·30	·02	·	·	-	28
29	·	·	·	·	·	·	·05	·03	·	·23	·09	·08	29
30	·05	×	·	·	·	·04	·01	·	·	03	·06	·20	30
31	·05	×	·	×	·	×	·11	·	×	-	×	·20	31
Total	2·80	3·80	·75	1·06	2·29	·66	6·76	1·99	·44	1·62	2·94	5·16	YEAR'S TOTAL 30·27 ✓
Rain Days.	15	14	7	10	10	6	20	15	7	13	12	25	154 ✓

W. 8,000. X. 15.

2526

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at 22 Hillaries Road Gravelly Hill Birmingham
in the County of Warwickshire
by William Llewellyn Mold

Lat. Long.
Time of Observation daily 9 a.m.
Nearest Railway Station Gravelly Hill
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·19		·11			·9	·27				·17		1
2	·11	·3	·16		·21		·32		·8	·80	·13		2
3		·60			·40	·1	·4		·10	·30	·11		3
4	·32				·15	·7				·3	·46		4
5	·1	·10			·25	·19				·9	·17		5
6	·3		·17		·36		·45			·10	·50		6
7	·2		·17		·11	·2	·11			·14	·25	·24	7
8	·1				·20							·29	8
9			·7		·16	·9			·2	·5	·1	·2	9
10		·39	·5	·9	·3	·5			·3	·3		·1	10
11	·6	·10	·21	·15		·19			·6			·15	11
12	·3		·3		·23		·9	·1	·3				12
13		·24	·47	·8			·4	·19		·2			13
14		·44	·36	·9	·3			·60		·4		·2	14
15	·5		·40	·4	·10		·8	·29		·6			15
16		·22	·11	·14			·7	·3		·1			16
17	·6	·19		·20				·8	·31	·20			17
18		·4	·6	·6				·3	·27	·6	·80	·25	18
19	·8	·2	·41					·8	·10		·31	·2	19
20			·48					·3	·11		·9	·27	20
21			·8	·6	·13		·4					·3	21
22			·1							·8		·63	22
23	·3	·85						·9			·8	·37	23
24					·12	·8		·11		·31		·20	24
25		·15	·19					·14	·15		·23		25
26	·3	·19				·9		·21		·16			26
27	·2	·13				·45		·10		·24	·1		27
28		·45	·79							·47		·37	28
29		·15				·16		·61	·3	·24			29
30		X				·27				·14			30
31		X		X		X			X	·15	X	·20	31
Total	1·05	4·29	4·33	·91	2·48	1·76	1·51	2·60	1·29	3·72	3·32	3·07	YEAR'S TOTAL 30·33
Rain Days.	15	17	19	9	14	13	10	15	12	22	14	~~17~~ 15	175

W. 8,000, VIII. 16

2403

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 22 Hillaries Road Gravelly Hill Birmingham

in the County of Warwickshire

by W. Llewellyn Mold

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Gravelly Hill

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·12	–	·12	–	·78	·25	–	·3	·24	1
2	–	–	–	–	–	·12	–	·3	–	–	·3	–	2
3	·7	·12	–	·26	–	–	–	·5	–	·40	·5	·2	3
4	–	–	·28	–	–	–	–	·6	–	·39	–	–	4
5	·27	–	·10	·15	–	–	–	–	·1	·4	·5	–	5
6	–	–	–	–	–	·42	–	–	–	·12	·10	–	6
7	·11	–	–	–	–	–	–	·26	–	·2	–	–	7
8	1·00	–	–	·14	–	–	·9	·57	–	·38	·14	·32	8
9	–	–	·28	–	·27	–	–	·35	·2	·5	·24	–	9
10	·39	–	·32	·2	1·02	–	–	·11	–	–	–	–	10
11	·25	–	·4	·32	–	–	–	–	·3	·15	–	–	11
12	·12	–	–	–	·44	–	–	–	–	·19	·1	–	12
13	–	·2	–	·14	–	–	–	·11	·8	·3	–	–	13
14	·10	–	·15	·15	·1	–	–	·20	–	–	–	–	14
15	·2	–	–	–	·2	–	·37	–	–	–	–	·76	15
16	·3	·13	–	·14	·1	–	–	·1	–	·3	–	–	16
17	–	–	·22	–	·42	·77	·44	·25	·9	·5	–	–	17
18	·3	–	·2	·10	·12	–	·33	·5	–	·6	–	–	18
19	·2	·40	·28	–	·32	·19	–	–	·94	–	–	–	19
20	–	·12	–	·2	·50	·6	·5	–	·2	–	·12	–	20
21	–	–	·21	–	·23	·7	–	·5	–	·2	·3	–	21
22	–	–	–	–	–	·6	–	·15	·4	·14	–	–	22
23	–	·18	–	–	·11	–	–	·6	–	–	–	–	23
24	–	–	–	–	–	·66	–	·16	–	·43	·10	–	24
25	–	·6	·11	–	–	–	·4	·29	–	·2	–	·2	25
26	–	–	–	–	–	·2	–	·11	·19	–	·27	–	26
27	–	–	–	–	·60	·22	·40	1·13	–	–	–	–	27
28	–		–	–	–	·20	–	·10	–	–	–	·6	28
29	–	–	·9	–	–	·22	12	–	–	·33	–	·38	29
30	–	×	–	–	–	–	·9	·6	–	·3	·1	–	30
31	–	×	·2	×	–	×	·1	·10	×	·1	×	–	31 28·84
Total	2·41 2·51	1·03	2·12	1·56	4·07	3·13	1·94	5·04	1·67	2·89	1·18	1·80	YEAR'S TOTAL 28·84
Rain Days.	12	7	13	11	13	13	10	23	10	20	13	7	152

W. 8,000, IX. 17.

[illegible] 28.IV.19

~~W. D L~~ [illegible]

43

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7. 1. 18

Kept at 22 Hillaries Rd. Gravelly Hill Birmingham
in the County of Warwickshire
by W. Llewellyn Mold

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Gravelly Hill
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·6	·4		·18	·15				·1	·5	·42		1
2	·1	·3		·13				·8			·3	·19	2
3	–	·4	·2		·17			·75	·86	·2	·4		3
4	·1	·1						·7	·50	·4	·83	·29	4
5	–	–	·1	·21	·17			·6	·19	·6			5
6	–	·9	·2			·12			·3	·15		·3	6
7	–	·9			·6	·2	·1		·18	·3		·2	7
8	·3	·23				·2			·11	·38		·1	8
9	·2	·42		·42		·16	·3		·41	·6	·1	·2	9
10	·10	·2		·4			·17		·4	·4	·1	·6	10
11	·2	–	·1	·3	·6		·22		·29	·3		·5	11
12	–	·3	·6	·1	·12		·23		·2				12
13	·2	–			·1	·5			·17	·6		·4	13
14	·45	–				·2	·14		·23	·9		·20	14
15	·84	·1		·21		·6	·32		·3			·24	15
16	·9	–		·42		·5			·28		·1	·3	16
17	·41			·1	·11	·5	·8		·32	·5	·1	·16	17
18	·39					·8	·21		·53	·1		·31	18
19	·7	·7		·12			·6			·12	·3	·29	19
20	·26	·8	·13	·62		·4	·43		·21			·10	20
21	·11		·11	·61			·8		·25			·20	21
22	·1				·53		·14			·3			22
23	·3				·62				·3	·1	·3	·31	23
24		·5					·8		·5			·3	24
25							·17	·35			·4		25
26							·12	·2				·12	26
27		·21						·35	·26		·4	·16	27
28		·8	·23								·20	·15	28
29			·16						·86		·1	·11	29
30		✕	·29					·4	·5		·20		30
31		✕	·24	✕		✕			✕		✕		31
Total	2·93	1·50 ~~2·44~~	1·28 ~~1·48~~	3·01	2·00	·67	2·49	1·72	5·91	1·23	1·91	3·12	YEAR'S TOTAL 27·77 ~~28·91~~
Rain Days.	18	16	11	13	10	11	16	8	24	17	15	28	182

✓

W. 8,000, IX. 17.

Ese D L

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at 22 Hillaries Rd. Gravelly Hill
in the County of Warwickshire
by William Llewellyn Mold

Lat. Long.
Time of Observation 9 a-m
Nearest Railway Station Gravelly Hill
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft — in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·02	·17	—	·52	—	·02	·25	·04	·32	1
2	—	·01	—	—	—	—	·05	—	·09	·02	·07	·03	2
3	·84	—	·18	—	·03	·19	—	—	·20	—	·25	·11	3
4	·07	—	·18	—	—	—	·04	·07	—	—	·03	·23	4
5	·04	·40	—	·02	·01	—	—	—	·32	—	—	·11	5
6	·06	—	·25	—	·43	—	—	—	—	—	·06	·05	6
7	·13	·03	·10	·05	—	—	—	—	·02	—	—	—	7
8	·18	—	·04	·08	—	·04	—	—	—	·01	·02	—	8
9	·07	—	—	·05	—	—	—	—	—	—	·01	—	9
10	·01	—	·60	—	·01	—	—	—	—	—	—	·14	10
11	·03	—	·51	—	·03	—	·24	—	—	·04	—	·02	11
12	—	—	·18	—	—	·34	—	—	·02	·01	·05	·03	12
13	·33	—	·01	·30	—	—	—	—	·15	·31	—	·03	13
14	·27	—	—	·20	—	—	·05	—	·30	·01	—	·03	14
15	·25	—	·02	·25	—	—	—	—	—	·03	·02	·28	15
16	·09	1·20	—	—	—	—	—	·12	—	—	·12	—	16
17	·07	·62	—	—	—	·03	·02	—	—	—	·17	—	17
18	·02	·01	·50	—	—	—	·04	·26	—	—	—	·21	18
19	·36	·27	·39	—	—	·20	1·00	·37	—	—	·04	—	19
20	·24	·03	1·04	—	—	—	·47	·21	·05	—	·32	·20	20
21	·01	·46	·05	—	—	—	·35	·03	·12	·01	·05	·09	21
22	—	·21	—	—	—	—	—	—	·30	—	—	·66	22
23	—	·01	—	—	—	·15	—	·02	—	1·03	—	—	23
24	—	—	—	·08	—	—	—	—	—	·93	·12	·08	24
25	·14	·01	—	·08	·11	—	—	·41	—	—	·01	—	25
26	·01	—	·24	·28	—	·03	—	·10	·11	—	·02	·40	26
27	·19	—	·02	·15	—	·01	—	·53	—	—	—	—	27
28	·04	·04	·02	·01	—	—	—	·42	—	·02	—	·28	28
29	—	—	·05	·04	—	·14	—	·01	—	·57	·25	·16	29
30	·01		·26	·09	—	·22	—	·01	—	·05	·11	·30	30
31	·02		·02		—		—	—		·01		·02	31
Total	3·48	3·30	4·69	1·70	·79	1·35	2·78	2·56	1·70	3·30	1·76	3·78	YEAR'S TOTAL 34·19
Days with ·01 in. or more	24	13	21	15	7	10	10	13	12	15	19	22	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 22 Hillaries Road Gravelly Hill Birmingham
in the County of Warwickshire
by W. H. Mold

Lat. Long.
Time of Observation 9.30 a.m.
Nearest Railway Station Gravelly Hill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	·31	–	·21	–	·07	·11	–	·29	1
2	–	–	–	·16	–	–	·17	·02	·05	·47	–	·10	2
3	·02	·11	–	·13	–	·04	·55	·01	·11	·46	–	–	3
4	–	–	·02	·14	–	–	·02	·22	·18	·36	–	–	4
5	·07	·01	·03	–	·24	–	·26	·03	–	·52	·01	–	5
6	–	·01	·41	·04	·03	–	·19	–	–	·03	–	·02	6
7	·01	–	·08	·07	·02	–	·24	–	–	–	–	·02	7
8	–	·07	–	·74	·18	–	·57	–	–	·02	–	·01	8
9	·48	–	–	·33	–	–	·03	–	·03	–	–	·01	9
10	·36	·06	·08	·05	–	·03	·07	–	–		·06	·01	10
11	·01	–	·05	·18	·62	·28	·03	–	–	–	–	·01	11
12	–	·03	·03	·23	·02	1·08	–	·02	–	·03	·09	·28	12
13	·09	·03	·08	·34	–	~~–~~	–	·86	–	–	·01	·02	13
14	–	–	1·08	·20	–	·07	·04	·04	·28	·02	·14	–	14
15	·01	·08	·02	·24	–	·08	–	–	·03	·03	·02	–	15
16	–	–	–	·16	·07	·66	·20	–	·04	·51	–	–	16
17	–	–	–	–	·11	–	–	–	·61	·04	–	–	17
18	·20	–	–	·05	·04	–	·01	·05	·48	–	–	·01	18
19	·01	·98	–	·46	–	·07	–	–	·02	–	–	–	19
20	·01	–	–	·57	–	·20	–	–	–	–	–	·06	20
21	~~0~~	·01	–	·04	–	–	·23	·04	–	–	·01	·02	21
22	·02	–	–	·11	–	–	·01	·10	·01	–	·01	–	22
23	–	–	·03	–	–	–	·22	·11	–	–	–	·43	23
24	·02	·01	·19	·05	–	–	·45	·02	–	–	–	·10	24
25	–	·02	·10	·04	–	–	–	·04	–	–	–	–	25
26	–	–	·18	·02	·15	–	·14	–	–	–	·03	·02	26
27	·37	·02	·02	·14	·34	·29	–	–	–	–	·07	·54	27
28	·92	–	·05	–	·32	·02	·01	–	–	–	–	·17	28
29	·10	–	·44	–	·40	·09	–	–	–	–	·14	·42	29
30	·02	✕	·04	·14	·18	·08	·05	–	·26	–	·25	·18	30
31	·06	✕	·16	✕	–	✕	·02	–	✕	·52	✕	·02	31
TOTAL	2·78	1·44	3·09	4·63	~~3·13~~ 3·03	2·99	3·72	1·56	2·17	3·12	·84	2·74	YEAR'S TOTAL ~~32·21~~ 32·11
Days with ·01 in. or more	18	13	19	24	15	13	22	13	13	13	12	21	196
Days with ·04 in. or more	9	5	13	23	12	11	15	8	9	8	6	10	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

BIRMINGHAM
PERRY BARR
WARWICKSHIRE
1917 - 1920

REGIS

"Southbourne", Pe 55.' W. (Approx.)

Kept at BIRMINGHA

y Barr.

in the County of STAFF

5 in. (Snowdon Gauge)

by Mr P. H. Budgen

Ground 1 ft. in.

JAN 1918

Sea Level 340 ft.

IMPORTANT NOTE he result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.	April	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	trace	trace	↑	↑	-	·03	-	·82	·17	-	·01	·31	1
2	·02	trace			-	·06	-	·02	-	-	·03	trace	2
3	·05	·03			-	trace	-	·07	-	·28	·04	trace	3
4	·06	·03			-	-	-	·07	-	·55	-	-	4
5	·19	-			-	-	-	·01	·02	·08	·06	-	5
6	trace	-			-		-	trace	trace	·10	·17	-	6
7	·49	trace			-		L	·01	-	·02	·01	·11	7
8	·47	trace			-		·11	·78	-	·40	·17	·20	8
9	trace	-			·17	·69	-	·32	·01	·04	·38	-	9
10	·37	-			1·14		-	·10	·05	·01	-	-	10
11	·15	-			trace		-	·01	trace	·15	·01	-	11
12	·08	·01			·54		-	·01	trace	·18	trace	trace	12
13	·01	·01			trace		-	·01	·11	·02	-	trace	13
14	·02	-			·02	-	-	·29	-	-	trace	·01	14
15	·06	-			·04	-	·24	trace	-	·02	-	·10	15
16	·02	·09			trace	·02	·02	·03	-	trace	-	·46	16
17	trace	-			·39	·17	·44	·32	·19	·06	-	trace	17
18	·01	↑			·12	-	·30	·01	·86	·03	-	trace	18
19	·01				·30	·16	-	-	·02	-	-	-	19
20	·01		Incomplete	Incomplete	·45	·07	·03	·16	·07	-	·04	-	20
21	·01				·28	·03	-	·07	trace	·01	·07	-	21
22	·01				-	·16	-	·22	·05	·14	trace	-	22
23	-				·14	trace	-	·07	-	·05	-	trace	23
24	-	Incomplete			-	·52	·14	·23	-	·38	·04	·01	24
25	-				-	-	·01	-	-	·01	·08	-	25
26	-				-	·07	-	·27	·18	·01	·27	-	26
27	-				·46	·15	·37	1·00	-	-	trace	trace	27
28	-	↓			-	·04	-	·14	-	trace	-	·04	28
29	-	X			-	·20	·09	·04	-	·31	-	·28	29
30	·01	X			trace	-	·06	·30	-	·02	·02	trace	30
31	·01	X	↓	↓	-	X	·01	·15	X	trace	X	·02	31
Total	2·06 ✓				4·05 ✓	2·37 ✓	1·82 ✓	5·53 ✓	1·73 ✓	2·87 ✓	1·40 ✓	1·54 ✓	YEAR'S TOTAL
Rain Days.	20 ✓				12. ✓	14. ✓	12 ✓	27 ✓	11. ✓	22 ✓	15 ✓	10 ✓	

W. 7,500, XI. ·12

REGI

FORM A.
BRITISH RAINFALL.

"Southbourne", Perry Barr, Handsworth,
Kept at BIRMINGHAM
in the County of STAFFORDSHIRE
by Mr P. H. Budgen

Lat. 52 30. N. Long. 1 55′ W. (Approx.)
Time of Observation 9 am.
Nearest Railway Station Perry Barr
Diameter of Rain Gauge 5 in. (Snowdon Gauge)
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

JAN

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	trace	trace			-	·03	-	·82	·17	-	·01	·31	1
2	·02	trace			-	·06	-	·02	-	-	·03	trace	2
3	·05	·03			-	trace	-	·07	-	·28	·04	trace	3
4	·06	·03			-	-	-	·07	-	·55	-	-	4
5	·19	-			-	-	-	·01	·02	·08	·06	-	5
6	trace	-			-		-	trace	trace	·10	·17	-	6
7	·49	trace			-		-	·01	-	·02	·01	·11	7
8	·47	trace			-		·11	·78	-	·40	·17	·20	8
9	trace	-			·17	·69	-	·32	·01	·04	·38	-	9
10	·37	-			1·14		-	·10	·05	·01	-	-	10
11	·15	-			trace		-	·01	trace	·15	·01	-	11
12	·08	·01			·54		-	·01	trace	·18	trace	trace	12
13	·01	·01			trace		-	·01	·11	·02	-	trace	13
14	·02	-			·02	-	-	·29	-	-	trace	·01	14
15	·06	-			·04	-	·24	trace	-	·02	-	·10	15
16	·02	·09			trace	·02	·02	·03	-	trace	-	·46	16
17	trace	-			·39	·17	·44	·32	·19	·06	-	trace	17
18	·01				·12	-	·30	·01	·86	·03	-	trace	18
19	·01				·30	·16	-	-	·02	-	-	-	19
20	·01		Incomplete	Incomplete	·45	·07	·03	·16	·07	-	·04	-	20
21	·01				·28	·03	-	·07	trace	·01	·07	-	21
22	·01				-	·16	-	·22	·05	·14	trace	-	22
23	-				·14	trace	-	·07	-	·05	-	trace	23
24	-	Incomplete			-	·52	·14	·23	-	·38	·04	·01	24
25	-				-	-	·01	-	-	·01	·08	-	25
26	-				-	·07	-	·27	·18	·01	·27	-	26
27	-				·46	·15	·37	1·00	-	-	trace	trace	27
28	-				-	·04	-	·14	-	trace	-	·04	28
29	-	X			-	·20	·09	·04	-	·31	-	·28	29
30	·01	X			trace	-	·06	·30	-	·02	·02	trace	30
31	·01	X			-	X	·01	·15	X	trace	X	·02	31
Total	2·06				4·05	2·37	1·82	5·53	1·73	2·87	1·40	1·54	YEAR'S TOTAL
Rain Days.	20				12.	14.	12	27	11.	22	15	10	

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at 304 Birchfield Rd, Perry Barr
in the County of Warwickshire
by P. H. Budgen

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·17	·16				·015	·02	·36	·005	1
2		·04	·01	·13				·19		·015	·005	·12	2
3		·03	·02		·15			·43	·49	·01	·02		3
4	·02	·02	·01				·01	·07	735	·06	·53	·29	4
5				·03	·19			·06	·28	·05			5
6		·13	·01	·18		·12			·01	·145		·02	6
7		·09		·10	·04	·02			·49	·05	·155		7
8	·02	·16		·01					·16	·10		·02	8
9	·03	·47		·32		·20	·02		·42	·30	·01	·02	9
10	·10	·01		·05			·16		·07	·04	·025	·05	10
11				·03	·10		·23		·35	·02		·04	11
12	·03	·02	·09		·09		·18		·01				12
13				·01	·10	·05	·01		·15	·055		·04	13
14	·39					·02	·26		·18	·08		·14	14
15	·75			·19		·03	·30		·05			·25	15
16	·07			·38		·09		·01	·30			·025	16
17	·33				·13	·07	·11		66	·05		·13	17
18	·39					·11	·30		·56			·29	18
19	·02	·04	·13	·10			·05			·09		·275	19
20	·20	·09		·67		·05	·35		·22			·08	20
21	·13			·40		·01	·09		·44			·105	21
22	·02				·38	·01	·06			·18		·34	22
23	·02				·74		·09		·03		·02		23
24		·07					·12	·01	·05		·13		24
25						·01	·13	·32			·03		25
26							·18	·03	·09		·05	·12	26
27		·16					·06	·34	·25		·115	·15	27
28		·12	·31			·01					·14	·16	28
29			·08					·01	·78			·04	29
30		X	·33					·05	·04		·165	·14	30
31		X	·26	X		X			X		X		31
Total	2·54	1·45	1·25	2·77	2·08	·80	2·71	1·52	6·83	1·265	1·755	2·85	YEAR'S TOTAL 27·810
Rain Days.	16	14	10	15	10	14	19	11	25	16	13	22	185

W. 8,000, IX. 17.

81

2257

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Southbourne, Perry Bar = Hand. wst

in the County of Warwickshire

by P. H. Budgen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42	.01	.03	.02	.21		.46						1
2	12		.05				.28						2
3	.66		.02		.02	.12	.17						3
4	.07		.33			.02	.05	.12					4
5	.02	.31			.02								5
6	.015		.18	.01	.54								6
7	.16		.20	.07									7
8	.17		.035	.09		.03							8
9	.06			.055									9
10			.50	.01									10
11	.01		.54		.04		.225						11
12			.19			33	.01						12
13	.20			.26			.07						13
14	.295			.09			.02						14
15	.275	.14	.01	.21									15
16	.08	94					.10	.07					16
17	.07	.47			.03	.02	.02						17
18			.46				.02	.24					18
19	12	26	1.11			17	1.22	.42					19
20	.22	.04	.14				.15	.10					20
21	.005	.37	.05			.02	.35	.02					21
22		.36											22
23						.13		.01					23
24					.08								24
25	.12				.04	.12		.37					25
26			.25			.03		.12					26
27	.155		.02	.74 }				.29					27
28	.03		.04			.01		.66					28
29	.01		.07		—	.08		.01					29
30		×	.18			.20		.01					30
31	.01	×	.03	×		×			×		×		31
Total	3.295	2.90	4.435	1.555	.98	1.28	3.145	2.44					YEAR'S TOTAL
Rain Days.	22	9	21	16	8	13	14	13					

W, 6,500, VII. 18. w w c

19 APL 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Birmingham, Handsworth, Perry Barr
in the County of Warwickshire
by P. H. Budgen

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				12	·29								1
2				13									2
3	·05	·13		14	02	·02							3
4			·01	10									4
5			·02	03	·21								5
6			·31	02	·03								6
7			·07	07	·02								7
8	·48	·06		66	·20								8
9	·32	·01		29									9
10	·34	·08	·08	04		·02							10
11	·04		·04	15	·50	·24							11
12	·10	·02	·04	24	·01	1·12							12
13	·06	·04	·18	39									13
14	·01		·83	18		·08							14
15		·07	·09	29		·13							15
16			·01	14	·05	·59							16
17	·01				·10								17
18	·21			07	·05								18
19	·01	·92		29		·11							19
20	·02			45		·10							20
21				03									21
22	·02			11									22
23			·01	01									23
24	·01		·20	03									24
25	·01	·02	·25	04	·01								25
26	·20		·18	02	·08								26
27	·15	·02	·06	15	·40	·21							27
28	·90		·04	02	·27	·03							28
29	·09		·38	01	·49	·06							29
30	·01	✕		82	·16	·13							30
31	·07	✕	·03	✕	·01	✕			✕		✕		31
TOTAL	3·11	1·37	2·83	4·34	2·90	2·84	(4·00)	(1·40)	1·90	2·80	·59	2·47	YEAR'S TOTAL (30·55)
Days with ·01 in. or more	21	10	19	29	18	13							

read monthly only
owing to ill health

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGIST Exd NECHELS

FORM A.
BRITISH RAINFALL.
1 FEB 1913

Kept at Sewage Works, 51m. west

each day

in the County of Warw etley. M.R.

ve in.

by Birmingham (Tame District) Draina round 1 ft. 5 in.

ea Level 293 ft.

IMPORTANT NOTE.- e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the reading n the space provided for it at the end of this p t of rain, the selection and placing of n Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

BIRMINGHAM.

SEWAGE WORKS. SALTLEY

WARWICKSHIRE

1912 - 1915

Date.	Jan.	Feb.	March.	Ap				ug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·07	–	–	·12	·14	–	·01	–	–	·11	1
2	–	–	·05	·04	·02	·09	·59	–	–	–	–	·01	2
3	·04	–	–	–	·03	·12	·13	·80	·02	–	·01	·05	3
4	·11	–	·53	–	·14	·97	–	·15	–	–	·21	–	4
5	·12	·05	·27	–	·07	·17	–	·17	·07	–	·02	–	5
6	·29	·16	·01	–	–	·38	–	·26	·05	–	–	·01	6
7	–	·15	–	–	·02	·09	–	·17	–	–	–	–	7
8	·26	·19	·25	·02	–	·06	·04	·05	·12	–	–	·02	8
9	·03	·03	·01	·15	–	·24	–	·11	–	–	–	·29	9
10	·01	–	·28	–	–	·28	–	·28	–	–	·16	–	10
11	·08	·10	–	–	–	·14	·01	–	–	–	·02	·45	11
12	·04	·20	·18	–	·04	·01	–	–	–	–	·02	–	12
13	·01	·01	·01	–	–	–	·03	–	–	·01	·02	–	13
14	·10	–	·37	–	–	·06	–	·07	–	–	–	–	14
15	·15	·03	·09	–	·30	·29	–	–	–	–	–	·08	15
16	·40	–	·12	–	·10	·05	–	·08	–	·07	–	–	16
17	·45	–	·26	–	–	·07	–	·47	–	–	·08	·65	17
18	·15	–	·02	–	–	–	–	·04	–	·04	·01	–	18
19	·16	·04	–	–	·02	–	·28	·47	–	·01	·01	·01	19
20	·03	–	·15	–	–	–	·02	·02	–	·17	–	–	20
21	–	–	·15	–	·78	–	–	·41	–	·32	–	–	21
22	·13	·05	–	–	·25	·08	·30	·34	–	·01	–	·10	22
23	·19	·01	·23	–	–	–	·33	·26	–	–	·06	·03	23
24	·15	–	·07	–	–	·26	·08	·05	–	–	–	·15	24
25	–	–	–	–	–	·29	–	·37	–	–	·16	·35	25
26	–	·06	·04	–	–	–	·86	·61	–	·53	·21	·20	26
27	–	–	–	–	·01	·16	·24	–	–	·67	·01	·19	27
28	–	·06	–	–	–	·02	·15	·51	·06	·24	·61	·34	28
29	–	·01	–	–	–	·28	·11	·01	·32	·10	·03	·03	29
30	·01		·01	–	·16	·01	·03	–	·01	·08	–	–	30
31	–		·11		·08		·41	·06		–		·05	31
Total	2·91	1·15	3·22	·21	2·02	4·24	3·75	5·76	·66	2·25	1·64	3·15	YEAR'S TOTAL 30·96"
Rain Days.	21	15	22	3	14	23	17	23	8	12	16	19	193

W. 7,500, XI. ·12

REGIS

NECHELLS

FORM A. BRITISH RAINFALL. 1 FEB 1913

Kept at Sewage Works, [illegible], Birm

in the County of Warwick 4 } J. D. Watson Chief Engineer

by Birmingham (Tame & Rea District) Drainage Board.

Long. 1° 51m. West

Time of Observation 9 am. each day

Nearest Railway Station Saltley. M.R.

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·07	–	–	·12	·14	–	·01	–	–	·11	1
2	–	–	·05	·04	·02	·09	·59	–	–	–	–	·01	2
3	·04	–	–	–	·03	·12	·13	·80	·02	–	·01	·05	3
4	·11	–	·53	–	·14	·97	–	·15	–	–	·21	–	4
5	·12	·05	·27	–	·07	·17	–	·17	·07	–	·02	–	5
6	·29	·16	·01	–	–	·38	–	·26	·05	–	–	·01	6
7	–	·15	–	–	·02	·09	–	·17	–	–	–	–	7
8	·26	·19	·25	·02	–	·06	·04	·05	·12	–	–	·02	8
9	·03	·03	·01	·15	–	·24	–	·11	–	–	–	·39	9
10	·01	–	·28	–	–	·28	–	·28	–	–	·16	–	10
11	·08	·10	–	–	–	·14	·01	–	–	–	·02	·45	11
12	·04	·20	·18	–	·04	·01	–	–	–	–	·02	–	12
13	·01	·01	·01	–	–	–	·03	–	–	·01	·02	–	13
14	·10	–	·37	–	–	·06	–	·07	–	–	–	–	14
15	·15	·03	·09	–	·30	·39	–	–	–	–	–	·08	15
16	·40	–	·12	–	·10	·05	–	·08	–	·07	–	–	16
17	·45	–	·26	–	–	·07	–	·47	–	–	·08	·65	17
18	·15	–	·02	–	–	–	–	·04	–	·04	·01	–	18
19	·16	·04	–	–	·02	–	·28	·47	–	·01	·01	·01	19
20	·03	–	·15	–	–	–	·02	·02	–	·17	–	–	20
21	–	–	·15	–	·78	–	–	·41	–	·32	–	–	21
22	·13	·05	–	–	·25	·08	·30	·34	–	·01	–	·10	22
23	·19	·01	·23	–	–	–	·33	·26	–	–	·06	·03	23
24	·15	–	·07	–	–	·26	·08	·05	–	–	–	·15	24
25	–	–	–	–	–	·79	–	·37	–	–	·16	·35	25
26	–	·06	·04	–	–	–	·86	·61	–	·53	·21	·20	26
27	–	–	–	–	·01	·16	·24	–	–	·67	·01	·19	27
28	–	·06	–	–	–	·02	·15	·51	·06	·24	·61	·34	28
29	–	·01	–	–	–	·28	·11	·01	·32	·10	·03	·03	29
30	·01		·01	–	·16	·01	·03	–	·01	·08	–	–	30
31	–		·11		·08		·41	·06		–		·05	31
Total	2·91	1·15	3·22	·21	2·02	4·24	3·75	5·76	·66	2·25	1·64	3·15	YEAR'S TOTAL 30·96"
Rain Days.	21	15	22	3	14	23	17	23	8	12	16	19	193

W. 7,500, XI. ·12

Ex Mo

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

6 MAY 1914

Kept at Sewage Works, Nechells, Birmingham
in the County of Warwick 4
by Birmingham Tame & Rea District Drainage Board.

Lat. 52'-30" N. Long. 1-51 west
Time of Observation 9 am. daily
Nearest Railway Station Saltley Stn: M. Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·09	·02	—	—	—	—	·34	·01	·06	—	1
2	·01	·06	·01	·07	—	—	—	—	—	·01	·03	—	2
3	·03	—	·14	—	·82	—	—	—	—	—	—	·06	3
4	·67	—	—	—	·09	—	—	—	—	·01	·02	·68	4
5	·10	·02	—	—	—	·11	·04	—	·03	·80	·01	—	5
6	·01	·01	·07	—	·18	·20	·78	—	—	·02	—	·07	6
7	·01	·12	—	—	·11	—	·03	—	—	·38	·09	·01	7
8	—	·02	—	—	·12	·27	—	·08	—	·26	—	—	8
9	—	·27	·04	·07	·06	·44	·07	·01	·07	—	·07	·02	9
10	—	·01	—	·11	·03	—	—	·05	—	—	·18	—	10
11	·57	·01	—	·32	—	—	—	·05	—	·19	·60	—	11
12	—	—	—	—	·03	—	—	—	·01	—	·58	—	12
13	·10	—	·07	·01	—	—	—	·02	·21	—	·28	—	13
14	·14	—	·62	·03	—	—	—	·02	—	·10	·01	—	14
15	·01	·10	·62	·35	—	—	—	—	·11	—	·01	—	15
16	·01	·01	·47	·09	—	—	—	—	·02	—	·01	—	16
17	·01	·01	·03	·08	—	·05	·02	—	·12	—	—	—	17
18	—	—	·12	·02	·01	—	·03	—	·01	—	—	·01	18
19	·14	—	·04	—	—	·01	·03	—	·15	—	—	—	19
20	·10	—	·14	·07	—	—	—	—	—	·01	·13	—	20
21	·01	—	·20	·01	·01	—	·09	·03	—	—	·18	—	21
22	·41	—	·70	—	—	·05	—	·19	·42	—	—	—	22
23	—	—	·02	—	—	·06	—	·05	·02	—	·02	—	23
24	·08	—	—	·02	—	—	—	·01	—	—	·01	—	24
25	—	—	—	·03	—	—	—	—	·01	—	—	—	25
26	—	·07	·02	·50	·51	—	—	·12	—	·05	—	·22	26
27	—	·02	·01	·30	—	—	—	—	—	·01	—	·01	27
28	·36	—	·12	·35	·03	—	—	—	—	·14	—	—	28
29	·01		·27	·62	—	—	—	·11	—	·01	—	·04	29
30	·39			—		—	—	—	—	·31	·06	—	30
31	—		·08		—		—	·01		·01		—	31
Total	3·17	·73	3·88	3·01	2·00	1·19	1·09	·75	1·52	2·32	2·35	1·12	YEAR'S TOTAL 23·13.
Rain Days.	20	13	21	19	12	8	8	13	13	16	18	9	170

W.7,000, XI. 13

64 942

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Sewage Works Nechells Bgham
in the County of Warwickshire 4
by Birmingham Tame and Rea District Drainage Board.

Lat. 52'·30" Long. 1·51 west
Time of Observation 9am. daily
Nearest Railway Station Saltley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·01	—	·01	·84	·15	—	—	·01	·01	1
2	—	—	—	—	—	—	·02	·11	—	·01	·58	·27	2
3	—	—	·02	·03	·11	—	·20	·29	—	—	·11	—	3
4	·21	—	·03	·14	·03	·03	—	·08	—	—	·48	·41	4
5	·06	—	·12	·13	·01	—	·34	·01	—	—	·27	—	5
6	—	·02	—	—	·03	·01	—	—	—	—	·15	·06	6
7	—	·04	·33	·03	·05	·14	·33	·11	—	—	—	·14	7
8	·02	—	—	·04	·13	·63	·02	·04	·03	—	—	·15	8
9	·29	—	·04	·24	—	1·05	—	·05	·04	—	—	—	9
10	·03	·10	·02	·20	·09	·05	—	—	·12	—	—	—	10
11	—	·06	·34	·01	·04	·05	—	—	—	—	·27	·48	11
12	—	·11	·13	—	—	—	·68	—	·27	—	·06	·22	12
13	—	·11	·15	—	—	—	·02	—	·04	·09	·14	·36	13
14	—	·08	·11	—	—	—	·02	—	·01	·29	·13	·13	14
15	·01	—	·04	—	—	—	·04	·03	·10	·03	·01	·01	15
16	—	—	·03	—	—	—	·15	—	·06	—	—	—	16
17	—	·11	·11	—	—	—	·03	—	·03	—	—	·19	17
18	—	—	—	—	—	—	·14	—	—	—	—	·41	18
19	—	—	—	—	—	—	·14	—	·11	—	·04	·04	19
20	—	·39	·02	—	—	·05	·26	—	—	—	—	·09	20
21	—	·47	·01	—	—	—	·08	·01	—	·10	—	·42	21
22	—	—	—	—	·47	·01	—	·12	—	·11	—	·01	22
23	—	—	·10	—	·24	—	·02	—	—	·04	—	—	23
24	—	·02	·01	·02	·03	—	—	·06	—	·06	—	·13	24
25	·05	—	·04	—	—	—	·05	·13	—	·35	·04	—	25
26	—	—	·03	—	—	—	·05	·24	—	·08	·30	·28	26
27	·02	—	—	—	—	—	—	—	—	—	·07	·25	27
28	—	·03	·10	—	—	—	—	—	—	·06	·46	·92	28
29	—	—	·04	—	·08	—	—	—	—	·14	·10	·01	29
30	—	×	·01	—	—	·13	—	—	—	·01	·31	·56	30
31	·01	×	—	×	—	×	·20	—	×	—	×	—	31
Total	·70	1·54	1·89	·85	1·31	2·19	3·69	1·46	·81	1·37	3·53	5·58	YEAR'S TOTAL 24·95
Rain Days.	9	12	22	10	12	11	20	14	10	13	18	23	174

W. 8,000. X. 14.

2588

FORM A.
BRITISH RAINFALL.

21 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Sewage Works, Nechells, Birmingham.

in the County of Warwick.

by Birmingham Tame and Rea District Drainage Board.

Lat. 52-30 Long. 1-51 west

Time of Observation 9 a.m.

Nearest Railway Station Saltley. M.R.

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. five in.

" " " " Sea Level 293 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·15	·07	—	·26	—	—	·06	·16	·06	—	·04	1
2	·06	·11	·20	·06	—	·08	—	·31	—	·27	—	·06	2
3	·90	·01	·01	·06	—	—	·94	·12	—	·01	—	·19	3
4	—	—	—	—	·01	—	·58	—	—	—	—	·80	4
5	—	·38	—	—	—	—	—	·03	—	—	—	·30	5
6	·07	·09	—	·22	—	—	·62	·19	—	—	—	·06	6
7	·07	·45	—	—	·08	·07	·09	·09	—	—	·09	·32	7
8	·06	·23	—	·01	—	—	—	·01	—	—	·16	·01	8
9	—	·12	—	·20	—	—	—	—	—	—	·10	·40	9
10	·27	—	·02	·01	—	—	—	—	—	—	·10	·01	10
11	·01	—	—	·04	·14	—	·16	·18	—	—	·42	—	11
12	·05	—	—	·11	·27	—	—	·10	—	·06	1·17	·04	12
13	—	·30	—	—	·66	—	—	—	—	—	·03	·05	13
14	·01	·01	—	—	—	—	·03	·04	·02	·01	—	·27	14
15	·32	—	—	—	·06	—	·08	·09	—	—	·05	·17	15
16	·02	·54	—	—	·17	—	1·85	—	—	—	—	·01	16
17	—	·22	—	—	·20	—	—	—	—	—	—	·01	17
18	—	·18	·01	—	—	—	—	—	—	—	—	—	18
19	—	·01	—	—	·02	—	·10	—	—	—	—	—	19
20	·33	—	—	·17	—	—	—	—	—	—	—	·05	20
21	·12	—	—	—	—	—	·11	—	—	·03	—	·03	21
22	·03	—	·20	·05	—	—	·29	—	·01	—	—	·07	22
23	·04	·04	·02	—	—	·05	·33	—	·01	·39	—	·18	23
24	·01	—	·02	·05	—	—	·10	—	·27	·09	—	·08	24
25	—	—	—	—	—	·26	·11	—	—	·01	—	·32	25
26	—	·09	—	—	—	—	·16	—	·10	—	—	·30	26
27	—	·02	—	—	—	—	·16	—	—	·35	—	·11	27
28	—	·12	—	—	—	·01	·01	·24	·02	·06	—	—	28
29	—	—	—	—	—	—	—	·03	·02	—	·05	·06	29
30	·04	✕	—	—	—	·02	·01	—	—	·13	·02	·02	30
31	·05	✕	—	✕	—	✕	·08	·04	✕	·03	✕	·24	31
Total	2·58	3·07	·55	·98	1·87	·49	5·81	1·53	·61	1·50	2·49	4·20	YEAR'S TOTAL 25·68
Rain Days.	19	18	8	11	10	6	19	14	8	13	10	27	163

W. 8,000. X. 15.

✓

REG 11

FORM A2.
BRITISH RAINFALL.
10 APR 1912

CASTLE BROMWICH
HALL
WARWICK
1911 - 1914

Kept at Castle Brom
in the County of Warw
by Viscount Ne

Cylinder, Symon's Snowdon
5 in.
ove Ground ft. 10 in.
„ Sea Level 364 ft.
9.a.m.
Name Castle Bromwich
Distance ¼ mile Direction N.N.W.

IMPORTANT NOTE.- nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·05										1
2				·03	·22		·09	·08		·12	·03	·09	2
3					·26				·03		·08	·05	3
4	·06		·08	·01					·02		·16	·18	4
5	·41		·04	·01						·22	·03		5
6			·02					·05			·05	·39	6
7	·03		·17								·15	·03	7
8	·04		·18								·03	·38	8
9	·13		·04	·02							·32	·18	9
10		·13	·21									·51	10
11	·14							·10			·28		11
12			·44								·33	·02	12
13			·05						·05		·04	·38	13
14		·06							·08		·01	·81	14
15			·03							·02	·02	·09	15
16		·05				·08					·14	·11	16
17			·05			·10					·22	·31	17
18		·28				·25				·10	·01	·29	18
19		·04			·01	·21			·20	·15	·21	·06	19
20		·10		·01				·51	·10			·28	20
21		·23	·03							·35		·09	21
22			·05			·05		·38		·15		·38	22
23		·11	·22			·06			·28	·11		·15	23
24		·08		·05		·38				·30		·09	24
25		·05	·02	·08		·10		·04	·02	·02		·04	25
26		·08		·23	·21	·03		·03			·22	·11	26
27		·22	·08	·10					·35	·22	·10	·08	27
28		·20		·20				·80			·09	·03	28
29				·02		·15	·22		·28	·25	·03		29
30				·10		·05				·12	·02		30
31			·02		·18								31
Total	·82	1·63	1·78 1·78	·86	·88	1·46	·31	1·99	1·41	2·13	2·57	5·13	TOTAL for year 20·97 20·97
No. of Rain Days	7	13	18	12	5	11	2	8	10	13	22	25	146

9,000, IX. '10.

✓

FORM A2.
BRITISH RAINFALL.
19 APR 1912

REGISTER OF RAINFALL IN 1911

Kept at Castle Bromwich Hall

in the County of Warwickshire

by Viscount Newport

RAIN GAUGE
Pattern Copper Cylinder, Symon's Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 364 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Castle Bromwich
Distance ¼ mile Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·05										1
2				·03	·22		·09	·08		·12	·03	·09	2
3					·26				·03		·08	·05	3
4	·06		·08	·01					·02		·16	·18	4
5	·41		·04	·01						·22	·03		5
6			·02					·05			·05	·39	6
7	·03		·17								·15	·03	7
8	·04		·18								·03	·38	8
9	·13		·04	·02							·32	·18	9
10		·13	·21									·51	10
11	·14							·10			·28		11
12			·44								·33	·02	12
13			·05						·05		·04	·38	13
14		·06							·08		·01	·81	14
15			·03							·02	·02	·09	15
16		·05				·08					·14	·11	16
17			·05			·10					·22	·31	17
18		·28				·25				·10	·01	·29	18
19		·04			·01	·21			·20	·15	·21	·06	19
20		·10		·01				·51	·10			·28	20
21		·23	·03							·35		·09	21
22			·05			·05		·38		·15		·38	22
23		·11	·22			·06			·28	·11		·15	23
24		·08		·05		·38				·30		·09	24
25		·05	·02	·08		·10		·04	·02	·02		·04	25
26		·08		·23	·21	·03		·03			·22	·11	26
27		·22	·08	·10					·35	·22	·10	·08	27
28		·20		·20				·80			·09	·03	28
29				·02		·15	·22		·28	·25	·03		29
30				·10		·05				·12	·02		30
31			·02		·18								31
Total	·82	1·63	1·78 1·78	·86	·88	1·46	·31	1·99	1·41	2·13	2·57	5·13	TOTAL for year 20·97 20·97
No. of Rain Days	7	13	18	12	5	11	2	8	10	13	22	25	148

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

19 JAN 1913

Kept at The Hall, Castle Bromwich
in the County of Warwick 4
by Viscount Newport

Lat. 52 dg. N. Long. 2 dg. W
Time of Observation 9 a.m.
Nearest Railway Station Castle Bromwich
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 364 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03			·21	·07					·18	1
2		·01	·12	·06	·08	·16	·28					·03	2
3	·08		·15		·05	·13	·47	·83				·06	3
4	·15		·04		·17	1·03		·24			·28		4
5	·13	·02	·50		·06	·22		·42	·06		·01	·04	5
6	·39	·21	·27		·03	·12		·14	·21			·05	6
7		·16			·05	·14		·10				·04	7
8	·33	·24	·25	·05		·16	·04	·09	·23			·06	8
9	·03	·03	·39	·21		·31		·12	·02		·24	·05	9
10	·01		·04			·18		·43			·08	·33	10
11	·14	·12				·17		·03			·10	·45	11
12	·05	·35	·15		·08	·01					·05	·03	12
13	·02	·03				·01	·06			·01	·03		13
14	·11		·42			·08		·12					14
15	·18	·04	·18		·38	·38						·15	15
16	·38		·16		·05	·08		·11		·09		·15	16
17	·41		·23			·12					·12	·61	17
18	·13		·08					·42		·05			18
19	·27	·09			·04	·04	·35	·18		·04	·05	·01	19
20	·09		·19				·08	·45		·21	·02		20
21			·24		·91			·05		·31			21
22	·08	·08			·37	·17	·41	·45				·14	22
23	·36	·05	·26			·05	·53	·38			·10	·21	23
24	·19		·03			·21	·11	·25			·08	·38	24
25						·68		·18			·15	·27	25
26		·12	·04				·82	·35		·55	·31	·19	26
27						·21	·21	·74		·82	·03		27
28		·03				·05	·13	·55	·06	·12	·61	·04	28
29		·06				·24	·18	·04	·41	·14	·08	·42	29
30			·05		·26	·02	·02			·08		·05	30
31			·10		·22		·55	·10				·02	31
Total	3·53	1·64	3·92	·32	2·75	5·18	4·31	6·77	·99	2·42	2·34	3·96	YEAR'S TOTAL 38·13
Rain Days.	~~19~~ 20	16	22	3	14	26	16	24	6	11	17	24	199

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at Castle Bromwich Hall
in the County of Warwick
by Viscount Newport

4

Lat. 52, North Long. 2. West
Time of Observation 9 a.m.
Nearest Railway Station Castle Bromwich ½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 364 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·06		·11	·05					·49		·06		1
2		·12		·08			·02			·06	·08		2
3	·08	·03	·03		1·02				·02	·11		·03	3
4	·75		·18		·23		·05			·05	·05	·72	4
5	·14					·22	·07		·06	·93	·04	·02	5
6	·05	·09	·11		·28	·16	1·15			·06		·16	6
7	·02	·16			·14	·05	·06			·48	·12	·03	7
8		·03			·16	·21				·31			8
9		·31	·09		·06	·49	·09	·03	·08		·08	·18	9
10				·21	·12			·05			·26		10
11	·43			·38		·02		·03		·21	·78		11
12				·02	·08			·12			·55		12
13	·12		·12						·21		·28		13
14	·16		·72	·08						·15	·02		14
15		·09	·68	·38				·03	·12		·04		15
16	·07	·15	·61	·12			·01		·06		·03		16
17	·04	·05	·02	·08		·04	·04		·28		·01		17
18			·15	·06	·01				·01			·01	18
19	·16		·09		·01	·02	·08		·18				19
20	·09		·32	·09							·09		20
21	·05		·21	·03	·05			·03			·26		21
22	·53		·62			·03	·12	·22	·42				22
23						·11		·07	·14		·03		23
24	·10			·02				·02	·11				24
25	·02			·06						·05		·02	25
26		·12	·05	·55	·68			·12	·04	·11		·38	26
27		·08	·04	·47						·05		·06	27
28	·44		·15	·33	·06					·22		·09	28
29	·01		·09	·74				·11		·04		·08	29
30	·41		·34		·08			·05		·32	·05		30
31			·11					·03		·05			31
Total	3·73	1·23	4·84	3·75	2·98	1·35	1·69	·91	2·22	3·20	2·83	1·78	YEAR'S TOTAL 30·51
Rain Days.	20	11	21	18	14	10	10	13	14	16	18	12	177

W. 7,500, XI. ·12

cond for arith 2.IV.15 W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

Kept at Castle Bromwich Hall
in the County of Warwickshire 4
by George Nelson for Viscount Newport

Lat. 52 dg. n Long. 2 dg. W
Time of Observation 9 a.m.
Nearest Railway Station Castle Bromwich
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. 2 in.
" " " " Sea Level 364·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08	·05				·91	·18			·02	·34	1
2	·02	·06						·21			·66	·04	2
3			·12	·06	·14		·31	·34			·11	·39	3
4	·23		·04	·15	·05			·09			·45	·61	4
5	·09		·15	·21	·03	·03	·33	·03			·39		5
6		·09		·03	·06						·14	·05	6
7	·02	·15	·38	·04	·10	·21	·45	·08				·18	7
8	·06		·02	·04	·15	·75	·03	·19	·04			·10	8
9	·35	·05	·15	·21	·08	1·08		·04	·15			·02	9
10	·09	·18	·01	·28	·14				·18		·02		10
11		·08	·38	·04	·04	·14			·03			·29	11
12		·21	·16				1·09		·28		·24	·26	12
13	·02	·18	·25				·03		·05	·18	·08	·36	13
14		·09	·11						·03	·34	·18	·14	14
15	·03	·03	·12				·08	·03	·04	·03	·15		15
16	·04	·18	·08				·24		·03			·02	16
17	·06		·14				·04		·05			·03	17
18			·02			·04	·18		·04			·18	18
19		·02	·04				·24		·15			·08	19
20		·38	·03				·21			·03	·06	·11	20
21		·45	·02			·06	·18		·16	·13		·40	21
22		·06			·51					·14			22
23		·03	·15		·29		·08	·15			·09	·36	23
24		·05	·18	·03	·03		·06	·13		·10			24
25	·02		·02				·15			·08	·05	·06	25
26			·11				·04	·28		·16	·28	·51	26
27	·05							·12		·08	·03	·25	27
28	·06	·04	·15				·01			·19	·39	·44	28
29	·03		·09		·11					·18	·13		29
30		✕	·04			·11			·08	·05	·34	·95	30
31	·05	✕		✕		✕	·26		✕	·09	✕		31
Total	1·22	2·41 2·41	3·04	1·15	1·46	2·42	4·95	1·84	1·31	1·48	3·90	6·23	YEAR'S TOTAL ~~31·94~~ 32·04
Rain Days.	16	19	26	10	13	8	20	13	14	14	19	24	196

W. 8,000. X. 14.

2153

Form A. 2. METEOROLO… ORGANIZATION.

REG… 1920.

COVENTRY
WARWICK
1920

Kept at Coventry … Long. 1°20′ W

… 9h L.M.T.

in the County of Wa… …ion

by Medical Offic… …f Rain Gauge … in.

…e above Ground 1 ft. – in.

„ Sea Level 271 ft.

IMPORTANT NOTE.—Rain should be measured daily at … …ult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	2.7	6.3	-	11.0	-	0.6	10.3	-	4.7	1
2	-	-	-	2.1	-	-	4.3	0.6	1.8	2.4	-	3.7	2
3	-	1.0	-	5.1	0.2	0.3	12.2	-	1.3	3.5	-	-	3
4	0.3	-	-	6.6	-	-	0.8	9.1	-	6.7	-	0.3	4
5	-	-	1.6	-	3.4	-	13.1	1.5	3.5	4.2	-	0.2	5
6	-	0.2	6.7	0.9	1.2	-	4.6	-	-	0.5	-	0.5	6
7	0.2	-	0.7	3.3	-	-	2.5	-	-	-	-	-	7
8	13.4	1.9	-	16.3	2.3	-	11.9	-	-	-	-	-	8
9	8.6	0.2	-	10.3	-	-	1.0	6.1	-	-	-	-	9
10	9.0	2.2	1.3	0.8	-	0.8	2.6	-	-	-	1.1	-	10
11	3.2	-	0.6	7.8	13.4	6.3	0.6	-	-	-	-	-	11
12	0.8	-	1.2	2.0	0.2	27.4	1.8	2.3	-	0.5	0.6	7.0	12
13	1.3	-	8.0	3.3	-	-	-	-	0.5	-	-	0.5	13
14	0.6	-	25.3	7.6	-	2.4	0.3	1.4	5.3	0.6	3.0	-	14
15	-	2.3	1.9	6.9	-	5.6	0.4	-	5.9	1.0	1.5	-	15
16	-	-	-	2.2	1.5	12.4	2.0	-	1.9	7.7	0.7	-	16
17	-	-	-	-	3.6	-	-	-	19.6	1.3	-	0.7	17
18	4.4	-	-	1.7	2.6	-	0.8	4.3	7.3	-	-	0.4	18
19	-	10.0	-	6.7	-	2.9	-	2.2	0.9	-	-	0.3	19
20	0.9	1.5	-	8.3	-	6.0	-	-	-	-	-	0.7	20
21	-	-	-	0.6	-	-	4.1	2.7	-	-	-	0.8	21
22	0.6	0.2	-	2.2	-	-	1.0	2.2	0.3	-	-	0.6	22
23	-	-	-	0.2	-	-	4.3	1.1	-	-	0.3	8.5	23
24	-	-	4.0	0.8	-	-	-	0.3	-	-	-	1.8	24
25	-	0.6	2.3	0.5	1.3	-	15.4	-	-	-	-	-	25
26	4.6	0.6	4.2	0.8	1.3	-	1.1	-	-	-	0.2	1.5	26
27	1.5	0.6	0.6	3.3	1.0	8.5	-	-	-	-	3.8	7.5	27
28	13.7	-	1.5	0.2	7.0	-	0.8	-	-	-	-	3.8	28
29	1.5	-	5.1	-	5.5	-	1.0	-	-	-	2.4	10.8	29
30	-		-	2.3	1.3	2.2	0.5	-	7.5	-	2.8	7.4	30
31	1.6		0.5		0.9		-	-		7.9		1.1	31
TOTAL	66.2	21.3	65.5	105.5	53.0	74.8	98.1	33.8	56.4	46.6	16.4	62.8	YEAR'S TOTAL 700.4
Days with 0·2 mm. or more	17	12	16	27	17	11	24	12	13	12	10	21	192
	11	6	12	20	14	9	17	10	9	9	6	11	134

(D,284). W. 1,958—218. 500. 10/12. Gp.122. A.&E.W.

Copied from M 3203.

2153

Form A. 2. METEOROLOGICAL ~~OFFICE. BRITISH RAINFALL~~ ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Coventry (MO)
in the County of Warwickshire
by Medical Officer of Health

Lat. 52° 24′ N Long. 1° 20′ W
Time of Observation 9h L.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 271 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	2·7	6·3	-	11·0	-	0·6	10·3	-	4·7	1
2	-	-	-	2·1	-	-	4·3	0·6	1·8	2·4	-	3·7	2
3	-	1·0	-	5·1	0·2	0·3	12·2	-	1·3	3·5	-	-	3
4	0·3	-	-	6·6	-	-	0·8	9·1	-	6·7	-	0·3	4
5	-	-	1·6	-	3·4	-	13·1	1·5	3·5	4·2	-	0·2	5
6	-	0·2	6·7	0·9	1·2	-	4·6	-	-	0·5	-	0·5	6
7	0·2	-	0·7	3·3	-	-	2·5	-	-	-	-	-	7
8	13·4	1·9	-	16·3	2·3	-	11·9	-	-	-	-	-	8
9	8·6	0·2	-	10·3	-	-	1·0	6·1	-	-	-	-	9
10	9·0	2·2	1·3	0·8	-	0·8	2·6	-	-	-	1·1	-	10
11	3·2	-	0·6	7·8	13·4	6·3	0·6	-	-	-	-	-	11
12	0·8	-	1·2	2·0	0·2	27·4	1·8	2·3	-	0·5	0·6	7·0	12
13	1·3	-	8·0	3·3	-	-	-	-	0·5	-	-	0·5	13
14	0·6	-	25·3	7·6	-	2·4	0·3	1·4	5·3	0·6	3·0	-	14
15	-	2·3	1·9	6·9	-	5·6	0·4	-	5·9	1·0	1·5	-	15
16	-	-	-	2·2	1·5	12·4	2·0	-	1·9	7·7	0·7	-	16
17	-	-	-	-	3·6	-	-	-	19·6	1·3	-	0·7	17
18	4·4	-	-	1·7	2·6	-	0·8	4·3	7·3	-	-	0·4	18
19	-	10·0	-	6·7	-	2·9	-	2·2	0·9	-	-	0·3	19
20	0·9	1·5	-	8·3	-	6·0	-	-	-	-	-	0·7	20
21	-	-	-	0·6	-	-	4·1	2·7	-	-	-	0·8	21
22	0·6	0·2	-	2·2	-	-	1·0	2·2	0·3	-	-	0·6	22
23	-	-	-	0·2	-	-	4·3	1·1	-	-	0·3	8·5	23
24	-	-	4·0	0·8	-	-	-	0·3	-	-	-	1·8	24
25	-	0·6	2·3	0·5	1·3	-	15·4	-	-	-	-	-	25
26	4·6	0·6	4·2	0·8	1·3	-	1·1	-	-	-	0·2	1·5	26
27	1·5	0·6	0·6	3·3	1·0	8·5	-	-	-	-	3·8	7·5	27
28	13·7	-	1·5	0·2	7·0	-	0·8	-	-	-	-	3·8	28
29	1·5	-	5·1	-	5·5	-	1·0	-	-	-	2·4	10·8	29
30	-	×	-	2·3	1·3	2·2	0·5	-	7·5	-	2·8	7·4	30
31	1·6	×	0·5	×	0·9	×	-	-	×	7·9	×	1·1	31
TOTAL	66·2 ✓	21·3 ✓	65·5 ✓	105·5 ✓	53·0 ✓	74·8 ✓	98·1 ✓	33·8 ✓	56·4 ✓	46·6 ✓	16·4 ✓	62·8 ✓	YEAR'S TOTAL 700·4 ✓
Days with 0·2 mm. or more	17 ✓	12 ✓	16 ✓	27 ✓	17 ✓	11 ✓	24 ✓	12 ✓	13 ✓	12 ✓	10 ✓	21 ✓	192 ✓
	11	6	12	20	14	9	17	10	9	9	6	11	134

(D1,284). W11,958—218 500. 10/12. Gp.122 A.&E.W.

Copied from 10 3203.

COVENTRY
CITY HOSPITAL
WARWICKSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

R 1.

Kept at Cov udon 8 in.

e Ground 1 ft. 0 in.

in the County of Wa Sea Level 271. ft. 246

by E. H. Sne a.m. daily

Name Coventry

Distance 3/4 mile Direction S.

IMPORTANT NOT d the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th ement of rain, the selection and placi British Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	–	–	–	–	·02	–	–	·02	·02	1
2	·02	–	–	·01	·15	–	·04	·31	–	·33	·05	·07	2
3	~~·2~~	·01	–	–	·19	–	–	·10	·04	·02	·01	·03	3
4	·02	–	·10	·03	–	–	–	·01	·15	·19	·16	·23	4
5	·06	–	·01	·02	–	–	–	·07	–	·02	·05	–	5
6	·39	–	·04	·07	–	–	–	–	–	–	·09	·50	6
7	–	–	–	–	–	–	–	–	–	–	·16	·07	7
8	·14	–	·14	–	–	–	–	–	–	–	·17	·13	8
9	·04	–	–	–	–	–	–	–	–	–	·19	·02	9
10	·03	·09	·37	–	–	–	–	·17	–	–	–	·37	10
11	·16	–	–	–	–	–	–	–	–	–	·42	–	11
12	·01	–	·48	–	–	–	–	–	·20	–	·27	–	12
13	–	–	·15	–	–	–	–	–	·16	–	·01	·43	13
14	–	·13	·02	–	–	–	–	–	–	–	–	·51	14
15	–	·05	·13	–	–	–	–	–	–	·01	·14	·03	15
16	–	·05	–	–	–	·07	–	–	–	–	·19	·12	16
17	–	·01	–	–	–	·02	–	–	–	–	·09	·25	17
18	–	·41	–	·01	–	·33	–	–	–	–	·03	·29	18
19	–	01 ~~·44~~	–	–	·01	·36	·02	·01	·12	·26	·28	·03	19
20	·01	·08	·01	·01	–	·01	–	·14	·16	–	–	·38	20
21	–	·04	·03	–	–	–	–	·36	·02	·21	–	·07	21
22	–	– ~~·44~~	·08	–	–	·01	–	–	–	·21	–	·37	22
23	–	13 ~~[illegible]~~	·26	–	–	·27	–	–	·33	·02	–	·16	23
24	–	·08	·02	–	–	·43	–	·09	·01	·74	–	·15	24
25	–	·04	·01	·04	·47	·05	–	–	–	–	–	·05	25
26	–	·10	+	·24	–	·02	–	·06	–	·30	·17	·19	26
27	–	·18	·13	·15	–	–	–	·26	·26	–	·03	·07	27
28	–	·20	–	·19	–	·01	–	–	–	–	·09	·04	28
29	–		–	·03	–	·15	·09	–	·23	·20	·01	·01	29
30	–		–	·04	–	·11	–	·02	–	·07	–	–	30
31	–		·01		–		–	–		·03		·01	31
Total	·88	1·69	2·01	·84	·82	1·84	·15	1·62	1·68	2·61	2·63	4·60	TOTAL of year 21·37
No. of Rain Days.	10.	15	18	12	14	13	3	13	11.	14	21.	27	161.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

R

Kept at Coventry.
in the County of Warwick
by E. H. Snell M.D. B.Sc. Lond

RAIN GAUGE
Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 271. ft. 246
Time of Observation 9 a.m. daily
Nearest Railway Station
Name Coventry.
Distance 3/4 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	–	–	–	–	·02	–	–	·02	·02	1
2	·02	–	–	·01	·15	–	·04	·31	–	·33	·05	·07	2
3	·[illegible]	·01	–	–	·19	–	–	·10	·04	·02	·01	·03	3
4	·02	–	·10	·03	–	–	–	·01	·15	·19	·16	·23	4
5	·06	–	·01	·02	–	–	–	·07	–	·02	·05	–	5
6	·39	–	·04	·07	–	–	–	–	–	–	·09	·50	6
7	–	–	–	–	–	–	–	–	–	–	·16	·07	7
8	·14	–	·14	–	–	–	–	–	–	–	·17	·13	8
9	·04	–	–	–	–	–	–	–	–	–	·19	·02	9
10	·03	·09	·37	–	–	–	–	·17	–	–	–	·37	10
11	·16	–	–	–	–	–	–	–	–	–	·42	–	11
12	·01	–	·48	–	–	–	–	–	·20	–	·27	–	12
13	–	–	·15	–	–	–	–	–	·16	–	·01	·43	13
14	–	·13	·02	–	–	–	–	–	–	–	–	·51	14
15	–	·05	·13	–	–	–	–	–	–	·01	·14	·03	15
16	–	·05	–	–	–	·07	–	–	–	–	·19	·12	16
17	–	·01	–	–	–	·02	–	–	–	–	·09	·25	17
18	–	·41	–	·01	–	·33	–	–	–	–	·03	·29	18
19	–	01 ~~·44~~	–	–	·01	·36	·02	·01	·12	·26	·28	·03	19
20	·01	·08	·01	·01	–	·01	–	·14	·16	–	–	·38	20
21	–	·04	·03	–	–	–	–	·36	·02	·21	–	·07	21
22	–	– ~~·44~~	·08	–	–	·01	–	–	–	·21	–	·37	22
23	–	13	·26	–	–	·27	–	–	·33	·02	–	·16	23
24	–	·08	·02	–	–	·43	–	·09	·01	·74	–	·15	24
25	–	·04	·01	·04	·47	·05	–	–	–	–	–	·05	25
26	–	·10	+	·24	–	·02	–	·06	–	·30	·17	·19	26
27	–	·18	·13	·15	–	–	–	·26	·26	–	·03	·07	27
28	–	·20	–	·19	–	·01	–	–	–	–	·09	·04	28
29	–		–	·03	–	·15	·09	–	·23	·20	·01	·01	29
30	–		–	·04	–	·11	–	·02	–	·07	–	–	30
31	–		·01		–		–	–		·03		·01	31
Total	·88	1·69	2·01	·84	·82	1·84	·15	1·62	1·68	2·61	2·63	4·60	TOTAL for year 21·37.
No. of Rain Days.	10.	15	18	12	14	13	3	13	11.	14	21.	27	161.

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

3 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Coventry

in the County of Warwick

by E. H. Snell. M.D. B.Sc. Lond.

Lat. 52° 24' 34" Long. 1° 30' 20"
Time of Observation 9 a.m.
Nearest Railway Station Coventry 1¾ miles
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 271 ft.

2467

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01	–	·05	–	–	·12	·03	·01	·02	–	–	·17	1
2	–	·01	·12	·11	·02	·18	·45	–	–	–	–	·01	2
3	·10	–	·03	–	·14	·12	·13	·45	·04	–	·01	·06	3
4	·13	–	·62	–	·14	·41	–	·02	–	–	·29	–	4
5	·16	·06	·39	–	·07	·11	–	·28	·08	–	·01	·01	5
6	·31	·10	–	–	·02	·20	–	·06	·05	–	–	·05	6
7	–	·16	–	–	·10	·18	–	·10	–	–	–	·01	7
8	35·~~[illegible]~~	·28	·22	·05	–	·12	·07	·10	·11	–	–	·02	8
9	·01	·03	·09	·17	–	·31	–	·05	–	–	–	·25	9
10	·01	–	·02	–	–	·06	–	·17	·01	–	·31	–	10
11	·12	·08	·01	–	–	·15	–	–	–	–	·15	·58	11
12	·02	·29	·11	–	·13	–	·01	–	–	–	·06	–	12
13	·01	·04	–	–	–	·05	·06	–	–	–	·03	–	13
14	·09	–	·37	–	·13	·16	–	·10	–	·02	–	–	14
15	·20	·05	·10	–	·37	·20	–	·01	–	–	–	·22	15
16	·75	–	·17	–	·04	·12	–	·08	–	·06	–	–	16
17	1·10	–	·11	–	–	·08	–	·40	–	–	·05	·36	17
18	·27	–	·11	–	–	–	–	·07	–	·03	–	·01	18
19	·25	·07	·02	–	·01	–	·23	·91	·02	·02	·01	–	19
20	·13	–	·18	–	·01	–	·10	·11	–	·21	·01	–	20
21	·01	·01	·23	–	1·08	–	–	·74	–	·21	–	·01	21
22	·38	·14	–	–	·74	·32	·22	·41	–	–	–	·05	22
23	·08	·20	·30	–	–	·14	·35	·20	–	–	·07	·40	23
24	·14	·01	·01	–	·01	·27	·03	·04	–	–	·01	·21	24
25	·01	–	–	–	–	·96	–	·30	–	–	·21	·34	25
26	–	·04	·03	–	–	–	·33	·90	–	·64	·21	·36	26
27	–	–	–	–	–	·09	·03	–	–	·70	–	·18	27
28	–	·05	·02	–	–	·19	·19	·58	·04	·32	·30	·42	28
29	–	·01	–	–	–	·07	·23	–	·60	·27	·02	05·~~[illegible]~~	29
30	·02		·03	–	·32	·16	·04	–	·02	·07	–	–	30
31	·01		·05		·30		·70	·13		·01		·11	31
Total	4·67	1·63	3·39	0·33	3·63	4·77	3·20	6·22	0·99	2·56	1·75	3·88	YEAR'S TOTAL 37·02
Rain Days.	25	18	24	3	17	24	17	24	10	12	16	22	212

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

28. JAN. 1914

REGISTER OF RAINFALL IN 1913.

Kept at Coventry.
in the County of Warwick.
by E. H. Snell. M.D. B.Sc. Lond.

Lat. 52° 25' Long. 1° 30' W.
Time of Observation 9 a.m.
Nearest Railway Station Coventry.
Diameter of Rain Gauge 8 in. 246
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 271 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	·13	·07	·10	–	–	–	·67	·01	·06	–	1
2	·01	·08	–	·02	–	–	·02	–	·05	·25	·13	–	2
3	·04	–	·16	–	·85	–	–	–	·05	·11	–	·05	3
4	·78	–	–	–	·06	·03	·02	–	–	·16	·04	·49	4
5	·06	·02	–	–	·01	·04	·19	–	·04	·44	·04	·03	5
6	–	·02	·06	–	·26	·17	·38	–	–	·19	–	·11	6
7	–	·15	–	–	·30	·04	·07	–	–	·23	·11	·03	7
8	–	·06	·01	–	·13	·15	–	·04	–	·40	·01	–	8
9	–	·29	·01	·01	·05	·25	·06	·03	·05	–	·11	·04	9
10	·07	–	–	·09	·14	–	–	·07	–	–	·31	–	10
11	·92	–	–	·43	·04	·01	–	·01	–	·61	·46	–	11
12	–	–	–	–	·10	–	·01	–	·01	–	·77	·01	12
13	·05	–	·07	·03	–	–	–	·02	·17	–	·29	–	13
14	·10	–	·50	·02	–	–	·04	·01	–	·10	–	–	14
15	·05	·07	·32	·50	–	–	·02	–	–	–	–	–	15
16	·05	–	·75	·04	–	–	–	–	·01	–	–	–	16
17	·05	·01	·03	·04	–	·01	·02	–	·01	–	·01	–	17
18	·01	–	·19	·18	·03	–	·04	–	–	–	·01	–	18
19	·09	–	·08	·01	·02	–	·04	–	·19	–	–	·01	19
20	·21	–	·15	·10	–	·01	–	–	–	·20	·20	–	20
21	·02	–	·23	·03	·14	–	·10	·01	–	–	·31	–	21
22	·58	–	·40	–	–	·04	–	·12	·37	–	–	–	22
23	–	–	·04	–	–	·03	–	·03	·03	–	·01	·01	23
24	·06	–	–	·03	–	–	–	–	–	–	–	–	24
25	–	–	–	·15	–	·03	–	–	·02	·01	–	–	25
26	–	·05	·05	·36	–	–	–	·09	·01	·17	–	·30	26
27	–	·11	–	·06	·03	–	–	–	–	–	–	–	27
28	·46	–	·19	·58	·01	–	–	–	–	·10	–	·01	28
29	–		·30	1·35	·01	–	–	·10	–	·02	–	·06	29
30	·33		–	·01	–	–	–	–	–	·14	·15	–	30
31	–		·06		·05		–	·03		·01		–	31
Total	3·94	·86	3·73	4·11	2·33	·81	1·01	·56	1·68	3·15	3·02	1·15	YEAR'S TOTAL [illegible]
Rain Days.	19	10	20	21	18	12	13	12	14	17	17	12	185.

26·35

W. 7,500, XI. ·12

cnd 2. IV. 15

W 82

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915
2467

Kept at Coventry.
in the County of Warwick. 1
by E. H. Snell, M.D., B.Sc., Lond.

Lat. 52° 24′ 34″ Long. 1° 30′ 20″
Time of Observation 9 a.m.
Nearest Railway Station Coventry
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 271 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✗

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	–	·07	–	–	·55	·25	–	–	·01	·02	1
2	–	–	–	·01	–	–	–	·48	–	·01	·80	·27	2
3	–	–	·05	·01	·21	–	·32	·01	–	–	–	·01	3
4	·26	–	·04	·27	·08	–	–	·06	–	–	·41	·34	4
5	·04	–	·10	·26	·04	·11	·16	·03	–	–	·04	·10	5
6	–	·05	–	·01	·04	–	–	–	–	–	·06	·07	6
7	–	·15	·37	–	·11	·15	·02	·09	–	–	–	·04	7
8	·04	·01	·14	·11	·10	·74	–	·19	–	–	–	·01	8
9	·32	–	·18	·36	·01	1·23	–	·04	·05	–	–	–	9
10	·06	·19	·01	·25	·12	·02	–	–	·13	–	–	–	10
11	–	·06	·33	·12	·08	·10	–	–	–	–	·17	·48	11
12	·02	·04	·09	–	·01	–	–	–	·17	–	·03	·33	12
13	·01	·21	·23	–	–	–	·15	–	·03	·28	·21	·36	13
14	·02	·03	·07	–	–	–	–	–	–	·24	·13	·24	14
15	·02	–	·09	–	–	–	·12	·01	·01	·07	·03	·01	15
16	–	–	·06	–	–	–	–	–	·12	–	–	·01	16
17	·01	·18	·04	–	–	–	·15	–	·17	–	–	·39	17
18	–	–	–	–	–	–	–	–	·01	–	–	·40	18
19	–	–	·06	–	–	–	·13	–	·03	–	·02	·02	19
20	–	·14	·14	–	–	–	·01	–	–	–	–	·25	20
21	–	·36	·07	–	–	·01	·09	–	–	·17	–	·20	21
22	–	·02	·01	–	·23	–	–	·16	–	·23	–	–	22
23	–	·05	·10	–	·06	–	·02	–	–	·06	–	·01	23
24	–	–	·02	·01	–	–	·01	–	–	·23	·07	–	24
25	·08	–	·03	–	–	–	·01	·24	–	·41	·03	·16	25
26	–	–	·03	–	–	–	·05	·04	–	·04	·20	·32	26
27	·07	–	–	–	–	–	·01	–	–	–	·01	·20	27
28	–	·08	·16	–	·06	–	–	–	–	·01	·05	·98	28
29	–		·09	–	·02	–	–	–	–	·25	·18	–	29
30	–		·01	–	–	·04	–	–	–	·02	·55	·33	30
31	·04		–		·01		·32	–		–		–	31
													YEAR'S TOTAL
Total	1·00	1·57	2·52	1·48	1·18	2·40	2·12	1·60	·72	2·02	3·00	5·55	~~25·15~~ 25·16
Rain Days.	14	14	25	11	15	8	16	12	9	13	18	25	180

W. 8,000. X. 14.

Ex MF

FORM A.
BRITISH RAINFALL.
14. JAN
246

REGISTER OF RAINFALL IN 1915

Kept at Coventry

in the County of Warwick

by C. H. Snell, M.D., B.Sc.

Lat. 52°24'34" Long. 1°30'20" W.

Time of Observation 9 a.m.

Nearest Railway Station Coventry

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·13	·06	-	·23	-	-	·01	·02	·04	·03	·11	1
2	·09	·12	·25	·11	-	·12	-	·68	·04	·29	-	·05	2
3	·40	-	·01	·08	-	-	1·20	·30	·02	-	-	·13	3
4	·03	-	-	-	·10	-	·24	-	-	-	-	·44	4
5	·02	·20	-	-	·04	-	·03	·03	-	-	·02	·44	5
6	·14	·33	-	·26	-	-	·42	·06	-	-	-	·08	6
7	·06	·36	-	·06	·04	·03	·50	·11	-	-	-	·42	7
8	·05	·15	·01	-	-	-	-	·02	-	-	·04	-	8
9	·02	·12	-	·08	-	-	-	-	-	-	·24	·40	9
10	·30	-	·06	-	-	-	-	-	-	-	·10	-	10
11	·06	-	-	·02	·11	-	·13	-	-	-	·68	·08	11
12	·05	-	-	·19	·44	-	-	·24	-	·02	·94	-	12
13	·01	·31	-	-	·66	-	-	-	-	-	·02	·04	13
14	-	-	-	-	-	-	·06	·24	·04	-	-	·36	14
15	·25	-	-	·01	·09	-	·10	·04	-	·03	·15	·12	15
16	·06	·56	-	-	·16	-	1·20	·03	-	-	-	·16	16
17	-	·24	·01	-	·22	-	·05	-	-	-	-	·01	17
18	-	·25	·22	-	-	-	-	·02	-	-	-	-	18
19	-	·01	·02	-	·11	-	·14	-	-	-	-	-	19
20	·24	-	-	·04	-	-	-	·02	-	-	-	·10	20
21	·20	·04	-	-	-	-	18.	-	-	·02	-	·08	21
22	·09	-	·14	·08	-	-	·31	-	·03	-	-	·14	22
23	-	·05	·03	-	-	·05	·54	-	·03	·55	-	·28	23
24	-	-	·04	·03	-	-	·13	-	·45	·19	-	·10	24
25	-	-	-	-	-	·25	·12	-	·02	·02	-	·42	25
26	-	·14	-	-	-	-	·04	-	·04		-	·40	26
27	-	·05	-	-	-	·01	·29	-	-	·48	-	·02	27
28	-	·13	-	-	-	-	·01	·18	·10	·01	-	-	28
29	-	X	-	-	-	·14	·02	·02	-	-	·16	·06	29
30	·04	X	-	-	-	·02	·04	·01	-	·09	·06	·04	30
31	·05	X	-	X	-	X	-	·03	X	·11	X	·22	31
Total	2·54	3·22	·88	·99	2·23	·65	6·11	2·10	·49	1·88	2·44	5·06	YEAR'S TOTAL 28·95
Rain Days.	20	14	11	11	11	4	21	14	10	12	11	25	143

W. 8,000. X. 15

2502

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
26. JAN. 1917
2467

Kept at Coventry.
in the County of Warwick.
by Corporation of Coventry

Lat. 52° 24' 34" Long. 1° 30' 20" W.
Time of Observation 9 A.M. G.M.T.
Nearest Railway Station Coventry L.N.W.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 241. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	-	·06	-	·02	·06	·09	-	-	·06	·24	-	1
2	·40	01	·09	-	·28	-	·13	-	·04	·49	·14	-	2
3	-	·53	-	-	·01	-	·02	-	·15	24	·09	-	3
4	·29	·04	-	-	·44	·29	-	-	·02	·02	28	-	4
5	·03	-	-	-	·11	·15	·11	-	-	·04	·09	-	5
6	·02	·14	·08	·10	·21	·05	·43	-	-	·08	·32	-	6
7	·04	-	·15	-	[illegible]	·03	·22	-	-	·13	·26	·20	7
8	·02	[illegible]	·05	-	·04	-	-	-	-	-	·09	·29	8
9	-	-	·03	-	28	·19	-	-	-	·04	-	·04	9
10	-	·19	·04	·08	·02	·02	·02	-	·04	·04	-	-	10
11	·06	·12	·04	·18	·08	·30	-	-	01	-	-	·31	11
12	·06	·06	·15	·01	·34	·03	·09	-	-	·04	-	-	12
13	-	·15	·28	·05	[illegible]	-	·06	·30	-	-	-	-	13
14	-	·45	-	·09	·02	-	-	·89	-	·08	-	-	14
15	-	·22	·59	·02	·08	-	·09	·30	·02	·03	-	-	15
16	-	-	·31	·24	·06	-	·06	·04	-	·02	-	-	16
17	·09	·11	-	·18	-	-	01	-	·21	20	-	-	17
18	-	·04	·05	·03	-	-	-	·32	·11	-	·69	-	18
19	·09	·04	·19	·04	-	-	-	·02	·10	-	·38	·10	19
20	·03	-	29	01	-	-	-	·04	-	-	·09	·19	20
21	01	-	·13	-	·09	-	·15	-	-	-	-	·42	21
22	-	·04	01	-	·02	-	-	-	-	·04	-	·40	22
23	·04	·48	-	·01	-	-	-	·09	-	·06	·04	·34	23
24	-	·35	-	[illegible]	·02	-	-	·11	-	·18	-	·14	24
25	-	·04	·14	-	·02	-	-	·26	-	-	21	-	25
26	·02	·13	·02	-	-	·09	-	·32	-	·09	·05	-	26
27	·04	·08	1·09	-	-	·02	01	·20	-	·16	-	-	27
28	-	·26	·18	·03	-	-	-	-	-	·06	-	·11	28
29	-	·09	-	-	·06	·32	-	·95	-	·22	-	·09	29
30	-	×	-	-	·02	·02	-	-	-	23	-	-	30
31	-	×	-	×	-	×	-	·02	×	·09	×	·13	31
Total	1·32	3·66	4·06	1·04	2·28	1·54	1·49	3·84	0·40	2·43	3·00	~~2·44~~ 2·76	YEAR'S TOTAL [illegible]
Rain Days.	16	22	21	15	22	13	14	14	9	23	14	13	196

28·48 28·46

W. 8,000, VIII. 16

23

FORM A.
BRITISH RAINFALL.

8 JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Coventry

in the County of Warwick

by Dr E. H. Snell

Lat. 52°24'34" Long. 1°30'20" W

Time of Observation 9h.

Nearest Railway Station Coventry

Diameter of Funnel of Rain Gauge 8 in. 2467

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	..	·05	..	..	-	·69	·21	..	·02	·14	1
2	·02	..	..	-	..	·13	-	·12	..	·02	·01	·02	2
3	..	·08	..	·24	..	·01	..	·16	..	·33	·04	..	3
4	..	·15	·14	·02	..	..	..	·14	..	·38	..	..	4
5	·15	..	·04	·14	..	..	..	·03	·01	·04	·09	..	5
6	..	..	·02	..	..	·30	..	-	-	·14	·05	·01	6
7	·48	..	·03	..	..	..	..	·06	..	·11	..	.	7
8	·54	..	-	·12	..	..	..	·32	-	·43	·19	·15	8
9	·04	..	·04	·08	·32	..	·21	·30	..	..	·14	..	9
10	·36	..	·30	·04	·84	..	..	·13	..	..	..	..	10
11	·10	..	·11	·28	..	..	.	·15	·02	·24	·01	.	11
12	·15	·02	..	·01	·19	·45	.	·01	·01	·28	·01	·01	12
13	..	..	·01	·04	..	..	..	·14	·06	·02	.	.	13
14	·02	·01	·15	·04	..	..	..	·10	..	.	..	..	14
15	..	..	..	..	..	..	·23	[illegible]	..	·05	..	·04	15
16	·04	·24	..	·06	..	·61	·02	..	..	·04	..	·26	16
17	·01	·01	·02	·10	·43	·50	·32	·03	·04	·05	..	..	17
18	[illegible]	·01	-	·02	·04	·01	·22	·13	·03	·04	..	..	18
19	·02	·24	·12	..	·03	·04	..	-	·03	..	·02	..	19
20	..	·14	-	..	·43	·20	·14	·04	·03	..	·01	..	20
21	..	·02	·08	..	·04	·14	·26	·03	..	·01	..	..	21
22	..	-	·14	..	..	..	..	·04	·02	·16	..	..	22
23	·01	·14	-	..	·12	..	..	·25	..	·06	·05	·03	23
24	..	·05	[illegible]	..	..	·50	..	·08	..	·20	·06	·01	24
25	..	·03	·04	..	..	-	·02	..	..	..	·11	..	25
26	..	..	..	..	..	..	..	·44	·11	..	..	..	26
27	..	..	·01	..	·15	·18	·05	·42	..	..	..	..	27
28	..	[illegible]	·05	..	..	·42	..	·11	.	·04	..	·02	28
29	..	X	·02	·02	..	·08	·12	·06	.	·39	..	·21	29
30	·01	X		..	..	-	·52	·24	.	·02	·01	..	30
31	..	X	·08	X	..	X	..	·06	X	..	X	·02	31
Total	1·98	1·23	1·52	1·32	2·65	3·60	2·14	4·58	1·44	3·05	·85	·98	YEAR'S TOTAL [illegible]
Rain Days.	15 14	14 13	10 8	15	10	14	11	24 26	11.	21	15	12.	~~180~~

25·37

161

W. 8,000, IX. 17.

23

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Coventry, City Hospital
in the County of Warwick
by E. H. Snell.

Lat. 52° 24' 34" Long. 1° 30' 30" W.
Time of Observation 9 h.
Nearest Railway Station Coventry L.N.W.R.
Diameter of Funnel of Rain Gauge 8. in. 2467
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 241. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·12				·13		·02	·15	·02	1
2		·14		·10				·18		·04	·02	·16	2
3		·06	·03		·24			·05	·39	·02	·14		3
4		·02	·02					·13.	·50		·54	·12	4
5		·02		·05	·13				·03	·03			5
6		·09	·02	·14		·05				·15		·02	6
7	·05	·04		·04	·02	·06			·04	·02	·15		7
8	·01	·04		·01					·08	·05		·06	8
9	·01	·36		·14		21.	·24		·34	·39		·04	9
10	·13	·01		·02			·55		·04	·10		·12	10
11				·01	·10		·28		·08	·04		·06	11
12	·04	·06	·06		·19		·13						12
13	·01			·03	·09	·06	·04		·13	·02		·04	13
14	·33			·01	·02	·04	·14		·14	·16		·08	14
15	·84			·36		·01	·23		·03			·24	15
16	·10			·46		·32	·02	·01	·16	·03		·02	16
17	·24			·01			·26		·05	·04		·14	17
18	·29					12.	·04		·33			·14	18
19	·05	·04	·08	·04			·16		·01	·04		·46	19
20	·01	·10		·64		·03	·50		·14	02	·01	02	20
21	·06			·31		·01	·04		·44	·01		·11	21
22	·15				·30	·03	·09		·04	·13		·43	22
23	·05				·54		·04		·05		·01		23
24		·13					·40		·03		·12		24
25					·02	·05	·09	·26		·02	·01		25
26							·41	·02	·09		·05	·10	26
27		·06	·02			·01	·04	·31	·16		·10	·11	27
28		·14	·31	·01							·20	·11	28
29		X	·04						·83			·02	29
30		X	·04					·26	·02		·11	·15	30
31		X	·34	X		X		·04	X		X		31
Total	2·40	1·42	·96	2·59	1·18	1·00	3·40	1·39	4·30	1·36	1·64	2·80.	YEAR'S TOTAL 25·24
Rain Days.	16.	16.	10.	18.	10	13.	19	10.	25 24	20 19	13.	23	193.

W, 6,500, VII. 18. W W C

Ex. C.S.B. 5/2/20

2240

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

7 FEB 20

Kept at Coventry [M.O.]

in the County of Warwick

by E. H. Snell M.D.

Lat. 52° 25′ N. Long. 1° 21′ W.

Time of Observation 9h GMT

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 271 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.0	0.5	2.2	0.4	3.6	-	2.7	-	0.5	7.0	0.8	11.1	1
2	5.8	0.5	0.6	-	-	-	3.7	-	13.8	2.9	1.7	-	2
3	26.3	.	1.3	-	0.7	5.4	4.8	.	6.4	-	4.2	2.8	3
4	1.2	0.2	8.1	-	-	0.5	1.0	2.0	6.1	-	0.9	5.2	4
5	-	6.9	-	-	-	-	-	-	4.8	-	-	2.3	5
6	.	-	1.0	0.7	11.9	-	-	-	-	-	0.3	0.8	6
7	0.7	-	3.9	0.5	-	-	-	-	-	-	0.5	-	7
8	4.0	-	1.1	6.8	-	-	-	-	-		-	-	8
9	-	-	-	3.3	-	-	-	-	-	..	-	.	9
10	0.2	-	12.5	0.6	-	-	-	-	-	-	0.6	6.0	10
11	0.7	-	8.1	-	0.2	-	7.8	-	-	0.4	-	-	11
12	0.7	-	2.3	1.1	-	3.1	-	-	-	2.7	1.6	0.2	12
13	4.0	.	-	5.7	-	-	3.4	-	2.4	3.0	-	1.6	13
14	14.3	0.3	0.2	4.2	-	.	1.1	.	5.5	-	-	0.6	14
15	16.2	2.1	1.9	4.8	-	-	-	-	-	0.2	-	8.2	15
16	4.0	22.0	-	-	-	-	0.4	7.5	-	-	4.0	-	16
17	0.7	11.0	-	0.6	0.9	0.4	-	-	-	-	4.0	0.3	17
18	-	-	7.8	-	-	-	-	3.5	-	-	0.7	5.4	18
19	3.0	9.1	31.3	-	-	2.9	36.5	6.8	0.6	-	0.5	-	19
20	15.4	1.3	3.0	-	-	0.4	4.1	4.0	1.5	-	6.8	1.5	20
21	0.3	13.6	1.1	-	-	-	7.9	-	0.2	-	1.4	4.0	21
22	-	6.1	-	-	-	-	-	-	6.3	-	-	13.3	22
23	-	-	-	-	-	3.8	-	-	-	15.6	-	1.6	23
24	0.2	0.2	-	2.5	0.6	-	-	0.6	-	14.6	0.9	1.9	24
25	3.5	-	0.1	1.0	2.5	1.0	-	8.6	-	-	0.2	0.5	25
26	-	0.3	4.7	2.7	-	0.3	-	1.8	2.8	-	0.6	9.8	26
27	3.9	-	0.7	8.8	-	-	-	8.6	-	-	0.4	-	27
28	1.9	-	0.2	0.4	-	-	-	16.7	-	-	3.7	5.5	28
29	0.6		-	0.3	-	2.3	-	0.8	-	8.6	2.0	3.5	29
30	0.3	X	4.5	4.3	-	7.1	-	-	-	0.6	3.3	6.8	30
31	0.4	X	-	X	-	X	2.5	-	X	0.5	X	0.3	31
TOTAL	117.3	74.1	96.6	48.7	20.4	27.2	75.9	60.9	50.9	56.1	39.1	93.2	YEAR'S TOTAL 760.4
Days with 0·2 mm. or more	24	14	20	18	7	11	12	11	12.	11	21	23	184

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from 1013203.

760

? read in inches or mms

To D.L.

2240

8 JAN 20

(2467)

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at City Hospital, Coventry
in the County of Warwickshire
by Dr. E. H. Snell.

Lat. 52° 24′ Long. 1° 30′ W.
Time of Observation 9h. (10h. in Summer Time)
Nearest Railway Station Coventry, L. N. W. Ry.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
„ „ „ „ Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·02	·09	·02	·14	·	·11	·	·02	·28	·03	·44	1
2	·23	·02	·02	·	·	·	·15	·	·54	·11	·04	·	2
3	1·04	·	·05	·	·03	·21	·19	·	·25	·	·14	·11	3
4	·05	·01	·32	·	·	·02	·04	·08	·24	·	·04	·20	4
5	·	·24	·	·	·	·	·	·	·19	·	·	·09	5
6	·	·	·04	·03	·44	·	·	·	·	·	·01	·03	6
7	·03	·	·15	·02	·	·	·	·	·	·	·02	·	7
8	·16	·	·04	·24	·	·	·	·	·	·	·	·	8
9	·	·	·	·13	·	·	·	·	·	·	·	·	9
10	·01	·	·49	·02	·	·	·	·	·	·	·02	·24	10
11	·03	·	·32	·	·01	·	·31	·	·	·02	·	·	11
12	·03	·	·09	·04	·	·12	·	·	·	·11	·06	·01	12
13	·16	·	·	·22	·	·	·13	·	·09	·12	·	·06	13
14	·56	·01	·01	·14	·	·	·04	·	·22	·	·	·02	14
15	·64	·08	·04	·19	·	·	·	·	·	·01	·	·32	15
16	·16	·84 ✓	·	·	·	·	·02	·30	·	·	·16	·	16
17	·03	·43 ✓	·	·02	·04	·02	·	·	·	·	·16	·01	17
18	·	· ✓	·31	·	·	·	·	·14	·	·	·03	·21	18
19	·12	·36 ✓	1·23	·	·	·11	1·44	·24	·02	·	·02	·	19
20	·61	·05 ✓	·12	·	·	·02	·16	·16	·06	·	·24	·06	20
21	·01	·54 ✓	·04	·	·	·	·31	·	·01	·	·06	·16	21
22	·	·24 ✓	·	·	·	·	·	·	·25	·	·	·52	22
23	·	·	·	·	·	·15	·	·	·	·61	·	·06	23
24	·01	·01	·	·10	·02	·	·	·02	·	·54	·04	·04	24
25	·14	·	·01	·04	·10	·04	·	·34	·	·	·01	·02	25
26	·	·01	·19	·11	·	·01	·	·04	·11	·	·02	·39	26
27	·15	·	·03	·35	·	·	·	·34	·	·	·02	·	27
28	·04	·	·01	·02	·	·	·	·66	·	·	·15	·22	28
29	·02	×	·	·01	·	·09	·	·03	·	·34	·08	·14	29
30	·01	×	·19	·14	·	·28	·	·	·	·02	·13	·24	30
31	·02	×	·	×	·	×	·10	·	×	·02	×	·01	31
TOTAL	4·64	2·92	3·82	1·93	·81	1·04	3·00	2·41	2·00	2·21	1·54	3·66	YEAR'S TOTAL 30·04
Days with ·01 in. or more	24	14	21	18	4	11	12	11	12	11	21	23	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2467
14 JAN 1921

Kept at City Hospital, Coventry
in the County of Warwickshire
by Dr. E. H. Snell

Lat. 52° 24' Long. 1° 30' W.
Time of Observation 9 a.
Nearest Railway Station Coventry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·11	·24	·	·43	·	·02	·41	·	·19	1
2	·	·	·	·08	·	·	·14	·02	·04	·09	·	·15	2
3	·	·04	·	·30	01	01	·48	·	·05	·14	·	·	3
4	·01	·	·	·26	·	·	·04	·36	·	·26	·	01	4
5	·	·	·06	·	·13	·	·52	·06	·14	·14	·	01	5
6	·	·01	·26	·04	·05	·	·18	·	·	·02	·	·02	6
7	·01	·	·03	·13	·	·	·10	·	·	·	·	·	7
8	·53	·04	·	·64	·09	·	·44	·	·	·	·	·	8
9	·34	·01	·	·41	·	·	·04	·24	·	·	·	·	9
10	·35	·09	·05	·03	·	·03	·10	·	·	·	·04	·	10
11	·13	·	·02	·31	·53	·24	·02	·	·	·	·	·	11
12	·03	·	·05	·08	01	1·08	07	·09	·	·02	·02	·28	12
13	·05	·	·31	·13	·	·	·	·	·02	·	·	·02	13
14	·02	·	1·00	·30	·	·09	01	·06	·21	·02	·12	·	14
15	·	·09	·04	·24	·	·22	·02	·	·23	·04	·06	·	15
16	·	·	·	·09	·06	·49	·08	·	·04	·30	·03	·	16
17	·	·	·	·	·14	·	·	·	·44	·05	·	·03.	17
18	·14	·	·	·04	·10	·	·03	·14	·29	·	·	·02	18
19	·	·39	·	·26	·	·11	·	·09	·04	·	·	·01	19
20	·04	·06	·	·33	·	·24	·	·	·	·	·	·03.	20
21	·	·	·	·02	·	·	·16	·11	·	·	·	·03.	21
22	·02	·01	·	·09	·	·	·04	·09	01	·	·	·02	22
23	·	·	·	01	·	·	·14	·04	·	·	01	·33.	23
24	·	·	·16	·02	·	·	·	01	·	·	·	·04	24
25	·	·02	·09	·03	·05	·	·61	·	·	·	·	·	25
26	·18	·02	·14	·03	·05	·	·04	·	·	·	01	·06.	26
27	·06	·02	·02	·13	·04	·33.	·	·	·	·	·15	·30	27
28	·54	·	·06	01	·28	·	·03	·	·	·	·	·15	28
29	·06	·	·20	·	·22	·	·04	·	·	·	·09	·43	29
30	·	✕	·	·09	·05	·09	·02	·	·30	·	·11	·29	30
31	·06.	✕	·	✕	·04	✕	·	·	✕	·31	✕	·04	31
TOTAL	2·60.	·83.	2·55	4·14	2·09	2·93	3·90	1·34	2·22	1·83	·64	2·49	YEAR'S TOTAL 24·59
Days with ·01 in. or more	14.	12.	15	24.	14	11	24	12	13.	12	10	21.	191
Days with ·04 in. or more	12.	6.	12	20.	13	9.	18	10	10.	9	6	11	136.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COVENTRY
KERESLEY GRANGE
WARWICKSHIRE
1911 - 1920

911.
Kept at Keresley
nowdon
p 5 in.
bove Ground ft. 10 in.
in the County of Wa
" Sea Level 413 ft.
9 a.m.
by Helen Rothe
n{ Name Coundon Rd.
Distance 2m. Direction South

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … urement of rain, the selection and pl… British Rainfall Organization are given … on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.—	.03	.—	.01	.—	.—	.—	.—	.—	.02	.02	1
2	.04	.—	.01	.01	.20	.—	.05	.25	.—	.24	.04	.07	2
3	.01	.—	.—	.—	.20	.—	.—	.17	.03	.02	.—	.02	3
4	.03	.—	.09	.04	.01	.—	.—	.—	.11	.19	.21	.24	4
5	.04	.—	.02	.01	.—	.—	.—	.07	.—	.01	.—	.01	5
6	.36	.—	.05	.01	.—	.—	.—	.04	.—	.—	.10	.48	6
7	.03	.—	.01	.02	.—	.—	.—	.—	.—	.—	.19	.12	7
8	.14	.—	.14	.01	.—	.—	.—	.—	.—	.—	.02	.19	8
9	.05	.—	.02	.—	.—	.—	.—	.—	.—	.—	.23	.04	9
10	.03	.09	.35	.—	.—	.—	.—	.08	.—	.—	.—	.41	10
11	.17	.02	.01	.—	.—	.—	.—	.01	.—	.—	.40	.—	11
12	.02	.—	.43	.—	.—	.—	.—	.—	.36	.—	.30	.—	12
13	.—	.—	.05	.—	.—	.—	.—	.—	.15	.—	.05	.41	13
14	.01	.11	.02	.—	.—	.—	.—	.—	.—	.—	.01	.52	14
15	.—	.05	.14	.—	.—	.—	.02	.—	.—	.02	.11	.08	15
16	.01	.01	.01	.—	.—	.06	.—	.—	.—	.—	.12	.11	16
17	.01	.—	.—	.—	.01	.08	.—	.—	.—	.01	.09	.30	17
18	.—	.36	.—	.07	.01	.16	.—	.—	.—	.02	.01	.27	18
19	.—	.01	.—	.—	.03	.31	.06	.—	.03	.27	.18	.07	19
20	.02	.10	.—	.03	.—	.02	.—	.09 x	.09	.02	.—	.33	20 x .09
21	.02	.12	.03	.—	.—	.—	.—	.44	.01	.26	.—	.10	21 .44
22	.—	.—	.07	.03	.—	.—	.—	.04	.—	.21	.02	.38	22 .04
23	.—	.12	.25	.—	.—	.31	.—	—	.38	.03	.—	.19	23 .—
24	.01	.09	.01	.03	.—	.67	.—	.39	.01	.61	.—	.13	24 .11
25	.—	.02	.04	.04	.45	.04	.—	.00	.01	.02	.—	.06	25
26	.—	.08	.—	.24	.03	.02	.01	.03	.—	.26	.13 S.	.20	26 .03
27	.—	.25	.10	.17	.—	.—	.—	.21	.24	.01	.07	.08	27 .21
28	.—	.17	.02	.02	.—	.04	.—	.00	.01	.—	.10	.05	28 .—
29	.—		.—	.17	.—	.15	.09	.04	.21	.16	.01	.02	29 .04
30	.—		.01	.08	.—	.12	.—	.00	.—	.07	.03	.02	30 .—
31	.—		.02		.—		.—			.02		(·01)	31
Total	1.02	1.60	1.93	.98	.95	1.82	.23	1.58	1.74	2.45	2.44	4.93	TOTAL for year 21.67
No. of Rain Days.	18	15	24	16	9	12	5	13	13	19	22	29	195

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

911.

nowdon

Kept at Keresley grange Nr Coventry

in the County of Warwick

by Helen Rotherham

RAIN GAUGE	Diameter of top 5 in.		
	Height of top above Ground ft. 10 in.		
	,, ,, ,, Sea Level 413 ft.		

Time of Observation 9 am

Nearest Railway Station
Name Coundon Rd.
Distance 2 m. Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·—	·03	·—	·01	·—	·—	·—	·—	—	·02	·02	1
2	·04	·—	·01	·01	·20	·—	·05	·25	·—	·24	·04	·07	2
3	·01	·—	·—	·—	·20	·—	·—	·17	·03	·02	·—	·02	3
4	·03	·—	·09	·04	·01	·—	·—	·—	·11	·19	·21	·24	4
5	·04	·—	·02	·01	·—	·—	·—	·07	·—	·01	·—	·01	5
6	·36	·—	·05	·01	·—	·—	·—	·04	·—	·—	·10	·48	6
7	·03	·—	·01	·02	·—	·—	·—	·—	·—	·—	·19	·12	7
8	·14	·—	·14	·01	·—	·—	·—	·—	·—	·—	·02	·19	8
9	·05	·—	·02	·—	·—	·—	·—	·—	·—	·—	·23	·04	9
10	·03	·09	·35	·—	·—	·—	·—	·08	·—	·—	·—	·41	10
11	·17	·02	·01	·—	·—	·—	·—	·01	·—	·—	·40	·—	11
12	·02	·—	·43	·—	·—	·—	·—	·—	·36	·—	·30	·—	12
13	·—	·—	·05	·—	·—	·—	·—	·—	·15	·—	·05	·41	13
14	·01	·11	·02	·—	·—	·—	—	·—	·—	·—	·01	·62	14
15	·—	·05	·14	·—	·—	·—	·02	·—	·—	·02	·11	·08	15
16	·01	·01	·01	·—	·—	·06	·—	·—	·—	·—	·12	·11	16
17	·01	·—	·—	·—	·01	·08	·—	·—	·—	·01	·09	·30	17
18	·—	·36	·—	·07	·01	·16	·—	·—	·—	·02	·01	·27	18
19	·—	·01	·—	·—	·03	·31	·06	·—	·13	·27	·18	·07	19
20	·02	·10	·—	·03	·—	·02	·—	·09 x	·09	·02	·—	·33	20 ·09 x
21	·02	·12	·03	·—	·—	·—	·—	·44	·01	·26	·—	·10	21 ·44
22	·—	·—	·07	·03	·—	·—	·—	·04	·—	·21	·02	·38	22 ·04
23	·—	·12	·25	·—	·—	·31	·—	·—	·38	·03	·—	·19	23 ·—
24	·01	·09	·01	·03	·—	·67	·—	·38	·01	·61	·—	·13	24 ·11
25	·—	·02	·04	·04	·45	·04	·—	·00	·01	·02	·—	·06	25 [illegible]
26	·—	·08	·—	·24	·03	·02	·01	·03	·—	·26	·13 S	·20	26 ·03
27	·—	·25	·10	·17	·—	·—	·—	·21	·24	·01	·07	·08	27 ·21
28	·—	·17	·02	·02	·—	·04	·—	·09	·01	·—	·10	·05	28 ·—
29	·—		·—	·17	·—	·15	·09	·04	·21	·16	·01	·02	29 ·04
30	·—		·01	·08	·—	·12	·—	·00	·—	·07	·03	·02	30 ·—
31	·—		·02		·—		·—			·02		(·01)	31
Total	1·02	1·60	1·93	·98	·95	1·82	·23	1·58	1·74	2·45	2·44	4·93	TOTAL for year 21·67
No. of Rain Days.	18	15	24	16	9	12	5	13	13	19	22	29	195

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
6 - JAN 1913

Kept at Keresley Grange · Nr Coventry
in the County of Warwick
by Miss Helen Rotherham.

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Coundon Rd. Coventry
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	.05	.01	—	.15	.03	.02	.02	—	—	.16	1
2	.01	—	.12	.12	.03	.08	.40	—	—	—	—	.02	2
3	.10	—	.03	.01	.09	.14	.17	.48	.03	—	.02	.06	3
4	.13	—	.56	.01	.14	.36	.01	.02	—	—	.30	.01	4
5	.13	—	.34	.01	.07	.15	—	.28	.05	—	.02	.03	5
6	.33	.06	.02	—	.03	.20	—	.04	.03	—	—	.06	6
7	.01	.15	—	—	.09	.17	—	.11	.10	—	—	—	7
8	.32	.26	.22	.02	—	.22	.05	.06	.01	—	.02	.03	8
9	.03	.06	.23	.13	—	.27	—	.05	—	—	—	.28	9
10	.01	.01	.03	.01	—	.11	—	.21	—	—	.33	.01	10
11	.14	.09	—	—	—	.15	—	.03	—	—	.12	.53	11
12	.03	.31	.13	—	.12	.01	—	—	.01	—	.06	.02	12
13	.02	.09	.01	—	—	—	.06	—	—	.01	.03	.01	13
14	.10	.01	.33	—	.07	.07	—	.11	—	.04	—	.01	14
15	.25	.05	.17	—	.34	.20	—	.01	—	—	—	.12	15
16	.68 s	.01	.68	—	.04	.07	—	.10	—	.08	.01	.01	16
17	.70 s	—	.19	—	—	—	—	.40	—	.01	.08	.42	17
18	.34 s	—	.10	—	—	—	—	.15	—	.03	.02	.02	18
19	.27	.09	.03	—	.02	—	.23	.68	.01	.04	.03	.01	19
20	.12	.01	.16	—	.04	—	.10	.08	—	.29	.01	.01	20
21	.02	.02	.14	—	1.12	—	.01	.50	—	.22	.01	—	21
22	.68 s	.14	—	—	.85	.17	.27	.40	—	.02	—	.07	22
23	.35	.27	.28	—	.01	.15	.36	.27	—	—	.10	.45	23
24	.15	—	.01	—	—	.26	.08	.09	—	—	.02	.17	24
25	.01	—	—	—	—	.80	.01	.28	—	—	.20	.31	25
26	—	.06	.03	—	—	—	.30	.93	—	.60	.23	.35	26
27	—	—	—	—	—	.08	.04	.02	—	.70	—	.26	27
28	—	.06	—	—	—	.17	.25	.57	.06	.25	.36	.44	28
29	—	.02	—	—	—	.15	.22	.01	.52	.29	.05	.04	29
30	.01 s		.04	—	.30	.18	.03	—	.08	.06	—	.01	30
31	.02 s		.11		.21		.65	.14		.01		.13	31
Total	4.37	1.77	3.51	.32	3.57	4.31	3.27	5.98	.92	2.65	2.02	4.08	YEAR'S TOTAL 36.77
Rain Days.	27	19	24	8	17	23	19	27	11	15	20	29	239

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4- JAN 1914

Kept at Keresley Grange. Coventry
in the County of Warwick
by Helen Rotherham

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Coundon Rd.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.02	.18	.07	.24	—	—	—	.57	.01	.05	.01	1
2	.04	.09	.02	.01	—	—	.02	—	.01	.19	.08	.01	2
3	.05	.01	.17	—	.80	—	—	—	.05	.10	.01	.04	3
4	.75	.02	.01	—	.15	.02	.05	—	.04	.15	.07	.33	4
5	.07	.02	—	—	.01	.09	.26	—	—	.61	.05	.03	5
6	.02	.05	.07	—	.25	.13	.40	—	—	.11	—	.15	6
7	.01	—	—	—	.27	.03	.07	—	—	.35	.12	.11	7
8	—	.20	—	—	.10	.15	—	.03	—	.31	.03	.01	8
9	—	.25	.03	—	.03	.26	.04	.05	.05	—	.12	.05	9
10	.06	—	.01	.08	.25	—	.01	.06	—	—	.29	.01	10
11	.74 s	—	—	.40	.15	.02	—	.01	—	.50	.32	—	11
12	—	—	—	—	.09	—	—	—	—	.01	.86	—	12
13	.07	—	.07	.04	—	—	—	.02	.20	—	.28	.02	13
14	.14	—	.56	.02	—	—	—	.02	—	—	—	—	14
15	.06	.08	.33	.45	—	—	.02	—	.01	.12	—	.01	15
16	.07	.01	$.22^{5}$	.04	—	—	—	—	.01	.01	.01	—	16
17	.07	.03	$.36^{5}$	.07	—	.01	—	—	.01	.07 fog	—	.01	17
18	—	—	.20	.17	.03	—	.04	—	—	—	.03	—	18
19	.07	—	.08	.01	.01	—	.03	—	.26	—	.01	.02	19
20	.14	—	.11	.09	.01	—	—	—	.01	.33	.22	—	20
21	.03	—	.18	.02	.15	—	.07	.03	—	.01	.28	—	21
22	.58	—	.39	—	.01	.03	—	.03	.41	—	.01 fog	—	22
23	.02	—	.02	—	—	.08	—	.05	.04	—	.01	.02	23
24	.07	—	—	.04	—	—	—	.01	—	—	.01	—	24
25	.01	.01	—	.07	—	.03	—	—	.03	.02 fog	.01	—	25
26	.01	.07	.05	.37	.09	—	—	.09	—	.16	—	.20	26
27	—	.13	.01	.14	.03	—	—	—	—	.01	—	—	27
28	.41	.01	.21	.78	.03	—	—	—	—	.10	—	—	28
29	.02		.36	1.24	.03	—	—	.10	—	.02	.01	.04	29
30	.10		.01	.01	—	—	—	—	—	.15	.09	.04	30
31	.02		.09		.03		—	.04		.01		—	31
Total	3.65	1.00	3.74	4.12	2.76	.85	1.01	.54	1.70	3.29	2.97	1.11	YEAR'S TOTAL 26.74
Rain Days.	26	15	24	20	21	11	11	13	14	22	23	18	218

W.7,000, XI. 13

cordly own dots 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Keresley Grange Nr Coventry
in the County of Warwick
by Helen Rotherham

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Coundon Rd. Coventry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	.06	—	.02	.90	.29	—	.02	.02	.02	1
2	—	—	—	.04	—	—	.03	.35	—	—	.70	.29	2
3	.01	—	.06	.03	.20	—	.33	.27	—	—	.02	.02	3
4	.19	—	.04	.23	.06	—	—	.06	—	—	.41	.34	4
5	.04	—	.07	.21	.15	.11	.12	.10	—	—	.06	.01	5
6	—	.03	.01	.02	.05	.01	.01	.01	—	—	.07	.11	6
7	.01	.14	.31	—	.08	.18	.05	.08	—	—	.01	.06	7
8	.05	—	.12	.05	.06	.58	.01	.19	—	—	—	.01	8
9	(32)	.02	.18	.33	.01	1.05	—	.06	.07	—	—	.03	9
10	.09	.17	—	.23	.13	.10	—	—	.13	—	.01	—	10
11	—	.07	.33	.14	.09	.07	—	—	.01	—	.13	.43	11
12	.02	.04	.11	.01	.01	—	.19	—	.17	—	.04	.35	12
13	.02	.22	.26	—	—	—	—	—	.05	.34	.21	.34	13
14	.02 .02	.03	.08	—	—	—	.12	.01	.01	.29	.18	.23	14
15	.04	—	.08	—	—	—	.05	—	.02	.06	.03	.03	15
16	.01	—	.04	—	—	—	.17	—	.15	.01	.01	—	16
17	.01 .01	.17	.06	—	—	—	.01	—	.15	—	—	.36	17
18	—	.01	.01	—	—	—	.10	—	.03	—	—	.42	18
19	~~.01~~ —	—	.08	—	—	—	.04	—	.04	—	.02	.05	19
20	.01 .01	.17	.09	—	—	—	.35	—	—	—	—	.14 3	20
21	—	.31	.03	—	—	.54	.01	—	—	.15	—	S.+R. .27	21
22	—	.02	—	—	.35	.01	.06	.14	—	.23	—	~~.01~~	22
23	—	.07	.11	—	.07	—	.02	—	—	.05	—	.02	23
24	~~.08~~ —	.03	.08	.02	.01	—	.03	.01	—	.19	.09	—	24
25	.08 .08	.01	.03	—	—	—	.04	.21	—	.36	.06	.23	25
26	~~.08~~ —	—	.04	—	—	—	.01	.07	—	.07	.23	.32	26
27	.08 .08	—	.01	—	—	—	—	—	—	—	.01	.17	27
28	.01 .01	.10	.11	—	.08	—	—	—	—	.03	.08	.46	28
29	—		.25	—	.04	—	—	—	—	.22	.22	.26	29
30	—		.03	—	.01	.04	—	—	—	.03	.46	.44	30
31	.05		—		.01		.25	—		.01		.03	31
Total	1.06 ✓	1.62	2.62	1.37	1.41	2.71	2.90	1.84	.83	2.06	3.07	5.44 ✓	YEAR'S TOTAL 26.93 ✓
Rain Days.	18	18	26	12	17	11	22	14	11	15	22	27 ✓	213 ✓

W. 8,000. X. 14.

2570

FORM A.
BRITISH RAINFALL.

4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Keresley Grange. Coventry

in the County of Warwick

by Helen Rotherham

Lat. Long.

Time of Observation 9. am.

Nearest Railway Station Coundon Rd. Cov.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·15	·05	—	·25	—	—	·01	·13	·07	·06	·10	1
2	·09	·15	·24	·15	—	·17	—	·64	·04	·28	—	·05	2
3	·58	—	·01	·07	—	—	1·90	·50	·03	·02	—	·15	3
4	·03	—	·01	—	·10	—	·21	·01	—	·01	—	·75	4
5	·02	·19	—	—	·02	—	·06	·03	—	—	—	·55	5
6	·15	·37	·02	·23	—	—	·72	·18	—	—	·02	·08	6
7	·07	·39	—	·06	·12	·04	·26	·13	—	—	—	·55	7
8	·07	·18	·01	·01	—	—	—	·03	—	—	·07	·01	8
9	·03	·15	—	·07	—	—	—	·01	—	—	·25	·35	9
10	·28	·01	·06	—	—	—	—	·02	—	—	·10	·02	10
11	·04	—	—	·03	·11	—	·14	—	—	—	·66	·04 s	11
12	·08	—	—	·20	·45	—	—	·51 ·57	—	·05	1·10	—	12
13	·01	·23	—	·01	·76	—	—	·02	—	—	—	—	13
14	·02	—	—	—	·01	—	·09	·24	·05	·01	—	·36	14
15	·24	—	—	·01	·10	—	·06	·04	—	—	·13	·21	15
16	—	·58	—	—	·16	—	1·45	·01	—	—	—	·02	16
17	—	·27	·01	—	·24	—	·03	—	—	—	·01	·01	17
18	—	·24	·19	—	·01	—	·01	·01	—	·02	—	·02	18
19	—	·02	—	—	·11	—	·15	—	—	—	·01	—	19
20	·28	—	—	·06	·01	—	—	·02	—	—	—	·10	20
21	·08	·03	—	—	—	—	·20	—	—	·01	—	·09	21
22	·15	—	·17	·08	—	·05	·39	—	·03	—	—	·12	22
23	·01	·04 s.	·04	—	—	·01	·68	—	·04	·50	—	·23	23
24	—	—	·06	—	—	—	·21	—	·34	·23	—	·16	24
25	—	—	—	—	—	·25	·26	—	·03	·02	—	·42	25
26	—	·16	—	—	—	·01	·05	—	·07	—	—	·28	26
27	—	·05	·02	—	—	—	·36	—	·01	·44	—	·12	27
28	—	·13	·01	—	—	—	·01	·18	·18	·06	—	·02	28
29	—	X	—	—	·01	·05	·05	·02	—	—	·15	·09	29
30	·08	X	—	—	—	·07	·07	·01	—	·07	·12	·09	30
31	·06	X	—	X		X	·02	·03	X	·10	X	·17	31
Total	2·45	3·34	·90	·98	2·46	·65	7·38	2·65	·95	1·89	2·68	5·16	YEAR'S TOTAL 31·49
Rain Days.	21	18	14	12	15	8	23	21	11	15	12	28	198

W. 8,000. X. 15.

[illegible] 25·06

REGISTER OF RAINFALL IN 19*16*

FORM A. BRITISH RAINFALL.

Kept at Keresley Grange N. Coventry

in the County of Warwick

by

Lat. Long.

Time of Observation 9 a.m. – Summer & winter time

Nearest Railway Station Coundon Rd. Coventry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	—	.09	—	.02	.16	.15	—	—	.01	.22	—	1
2	.33	.02	.09	.01	.30	—	.23	—	.05	.54	.06	—	2
3	.01	.53	.02	.01	.01	—	.12	—	.25	.27	.10	—	3
4	.28	.05	—	.02	.47	.27	—	—	.05	.02	.27	—	4
5	.04	—	—	—	.13	.27	.08	—	.01	.07	.11	—	5
6	.01	.13	.17 s	.13	.24	.02	.30	—	—	.03	.39	—	6
7	.07	.01	.08 s	.01	.01	.04	.25	—	—	.16	.14	.20	7
8	.03	.03	.10 s	—	.01	.01	—	—	—	—	.13	.29	8
9	.01	.02	.02 s	—	.24	.05	—	—	.01	.08	.01	.03	9
10	.06	.19	.04 s	.10	.04	.03	—	—	.05	.04	—	—	10
11	.05	.15	.10	.01	.08	.39	—	—	.02	—	—	.26	11
12	.04	.05	.16	.18	.40	.03	.09	—	.02	.05	—	.09	12
13	.03	.16	.28	.08	—	—	.05	.25	.05	.01	.01	—	13
14	—	.46 s	—	.10	.03	—	—	.52	—	.07	—	—	14
15	—	.17	.62	.02	.07	—	.09	.52	.01	.03	—	—	15
16	.01	.02	.36	.23	.09	—	.05	.05	—	.02	—	—	16
17	.10	.07	—	.18	—	—	.02	.07	.21	.25	—	—	17
18	—	.06	.05	.04	—	—	—	.68	.10	—	.67	.02 s	18
19	.09	.15	.18	.03	—	—	—	—	.14	.01	.37	.14 s	19
20	.03	—	.26	.02	Summer Time	—	—	.05	.01	—	.05	.13	20
21	.02	—	.12	.02	.07	—	.29	—	.01	—	—	.45 +	21
22	—	.02 s	—	—	.08	.01	—	—	—	.04	.03	.29 +	22
23	.05	s & .75 }	—	—	—	—	—	.08	—	.06	.07	.46 +	23
24	—		—	.01	—	.01	—	.10	—	.08	.01	.12	24
25	—	.04 s	.10	—	.06	—	—	.20	—	.26	.20	.02	25
26	.03	.19 s	.02	—	—	.06	—	.33	—	.06	.05	—	26
27	.04	.17 +	.96 }	—	—	.05	.18	.12	—	.15	—	—	27
28	.01	.27	snow blizzard	.01	—	—	—	—	—	.07	.01	.12	28
29	—	.12	—	—	.05	.30	—	.91	—	.24	—	.10	29
30	—	╳	—	—	.06	.05	—	.02	—	.26	—	.01	30
31	.01	╳	—	╳	.01	╳	—	.02	╳	.05	╳	.18	31
Total	1.44	3.83	3.82	1.21	2.47	~~1.46~~ 1·75	1·90	3.92	.99	2.93	2·90	2·91	YEAR'S TOTAL ~~29.78~~ 30·07
Rain Days.	23	25	26	19	21	~~17~~ 16	13	15	15	26	19	17	230

W. 8,000, VIII. 16

2385

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Goo M

REGISTER OF ~~RAINFALL~~ IN 1917

Kept at Kersley Grange
in the County of Warwick
by Miss Helen Rotherham

Lat. 52° 26° Long. 1° 32°
Time of Observation 9. am
Nearest Railway Station Coundon Rd
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	·03*	—	·04	—	·60	·31	—	·02	·05*	1
2	·03	—	—	—	—	·16	—	·17	—	·03	·03	·09*	2
3	·03	·03*	·01	·27*	—	·01	—	·15	—	·28	·02	—	3
4	·14	·17*	·09*	·01	—	—	—	·06	—	·53	·06	—	4
5	·04	—	·06	·17†	—	—	—	·04	·02	·05	·09	—	5
6	·02	—	—	—	—	·55	—	·01	—	·12	·05	·02	6
7	·30†	—	·03*	—	—	·02	—	·02	—	·08	·02	—	7
8	·67†	—	—	·17†	—	—	·14	·34	—	·40	·19	·12	8
9	·05†	—	·15	·07†	·06	—	—	·34	·04	—	·22	—	9
10	·32†	—	·28	·05†	·84	—	—	·12	—	·01	—	—	10
11	·12	—	·07	·24*	·01	—	—	·11	·03	·21	·02	—	11
12	·15†	—	·01	·01†	·13	·18	—	·01	·01	·29	—	·02	12
13	·03†	·05†	—	·04	—	—	—	·17	·07	·03	—	—	13
14	·02†	—	·20	·12	—	—	—	·35	—	—	—	·01	14
15	·03*	—	—	—	·01	·01	·24	·01	—	·05	·01	·07	15
16	·03*	·27	·01	·05	—	·13	·01	—	·01	·03	·01	·23†	16
17	·04*	·02	—	·10†	·39	1·70	·35	·09	·06	·06	—	·02	17
18	·01	·01	—	·01	·08	·01	·24	·06	·87	·03	—	—	18
19	—	·28	·12*	·01	·05	·10	—	—	·06	·05	—	—	19
20	·02	·19	·01	—	·38	·11	·06	·15	·06	—	·03	—	20
21	·01	·04	·08*	—	·17	·33	·06	·04	·01	·03	·02	·02	21
22	—	·01	·13*	—	—	·02	—	·09	·03	·11	—	—	22
23	·01	·16	—	—	·12	—	—	·25	·01	·05	—	·04	23
24	—	·06	—	—	—	·96	—	·11	—	·19	—	·02	24
25	—	·06	·08	—	·01	·01	·09	—	·01	·01	·11†	—	25
26	—	·01	—	—	—	—	—	·40	·12	—	·12	—	26
27	—	—	—	—	·20	·19	·07	·61	—	—	·01	—	27
28	—	·02	·05	—	—	·24	—	·13	—	·04	—	·05	28
29	—	X	·02	—	—	·31	·07	·05	—	·49	·01	·25	29
30	—	X	—	·08	—	—	·35	·23	—	·03	·02	·01	30
31	—	X	·12*	X	—	X	—	·06	X	—	X	·01	31
Total	2·09 ✓	1·38 ✓	1·52 ✓	1·43 ✓	2·45 ✓	5·05 8 ✓	1·68 ✓	4·77 ✓	1·72 ✓	3·20 ✓	1·06 ✓	1·03 ✓	YEAR'S TOTAL 27·~~38~~ 41 ✓
Rain Days.	21 ✓	15 ✓	18 ✓	16 ✓	13 ✓	19 ✓	11 ✓	28 ✓	16 ✓	24 ✓	19 ✓	16 ✓	216 ✓

W. 8,000, IX. 17.

27

FORM A.
BRITISH RAINFALL.

6 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Keresley Grange - nr Coventry
in the County of Warwick
by Miss Helen Rotherham

Lat. 52° 26' Long. 1° 32'
Time of Observation 9. a.m.
Nearest Railway Station Coundon Rd
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·04	·01	·13	·—	·—	·—	·—	·01	·04	·17	·09	1
2	·—	·11	·—	·15	·—	·—	·—	·17	·—	·02	·04	·20	2
3	·—	·05	·04	·—	·27	·—	·—	·17	·31	·—	·14	·—	3
4	·—	·06	·03	·01	·01	·—	·—	·06	·70	·01	·46	·12	4
5	·—	·03	·—	·04	·10	·—	·—	·16	·04	·05	·—	·01	5
6	·02	·09	·01	·25	·03	·02	·—	·01	·02	·13	·01	·05	6
7	·04	·10	·—	·05	·—	·13	·—	·—	·25	·05	·16	·02	7
8	·01	·07	·—	·01	·—	·01	·—	·—	·10	·10	·02	·05	8
9	·02	·32	·—	·20	·—	·20	·20	·—	·46	·33	·01	·08	9
10	·16	·01	·01	·02	·—	·01	·69	·—	·08	·08	·—	·16	10
11	·—	·—	·08	·01	·10	·—	·20	·—	·16	·01	·—	·02	11
12	·03†	·08	·—	·01	·19	·—	·15	·—	·02	·—	·—	·11	12
13	·03*	·—	·—	·02	·10	·07	·04	·—	·17	·04	·—	·07	13
14	·34	·—	·—	·02	·03	·11	·17	·—	·17	·20	·—	·08	14
15	·66*	·—	·01	·33	·—	·02	·18	·—	·03	·—	·—	·34	15
16	·08	·—	·—	·46	·—	·27	·01	·02	·19	·07	·02	·04	16
17	·34	·—	·—	·03	·01	·01	·26	·05	·08	·04	·—	·18	17
18	·34	·—	·—	·—	·—	·13	·21	·—	·39	·—	·—	·15	18
19	·05	·07	·07	·05†	·—	·—	·05	·—	·—	·10	·—	·46	19
20	·04	·14	·—	·32†	·—	·06	1·27	·—	·14	·02	·02 fog	·07	20
21	·10	·—	·—	·58†	·02	·01	·06	·—	·41	·02	·—	·07	21
22	·14	·01	·—	·01	·44	·04	·04	·—	·06	·21	·01	·42	22
23	·06	·—	·—	·—	·61	·—	·02	·—	·05	·—	·01	·02	23
24	·—	·14	·—	·—	·—	·—	·19	·—	·03	·02	·15	·01	24
25	·01	·—	·—	·—	·01	·07	·11	·26	·01	·03	·01	·—	25
26	·—	·01	·—	·—	·—	·—	·05	·03	·05	·01	·07	·10	26
27	·—	·04	·02	·—	·—	·—	·01	·38	·28	·—	·15	·13	27
28	·—	·11	·35	·—	·—	·—	·—	·—	·—	·—	·21	·12	28
29	·02 fog	·—	·08	·—	·—	·—	·—	·—	·83	·—	·01	·03	29
30	·—	X	·41	·—	·—	·—	·—	·14	·03	·—	·07	·11	30
31	·—	X	·35	X	·—	X	·—	·02	X	·18	X	·—	31
Total	2·51	1·48	1·47	2·70	1·92	1·16	3·91	1·47	5·07	1·76	1·74	3·31	YEAR'S TOTAL 28·50
Rain Days.	20	18	13	20	13	15	19	12	27	22	19	28	226

W. 8,000, IX. 17.

Ex DL

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Keresley Grange Coventry

in the County of Warwick

by Miss Helen Rotherham

Lat. 52° 26' Long. 1° 32' W

Time of Observation 9 am

Nearest Railway Station Coundon Rd

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 413. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.01	.11	.01	.16	.02	.08	.—	.—	.20	.02	.42	1
2	.22	.03	.04	.—	.03	.—	.18	.—	.98	.24	.07	.02	2
3	.83†	—	.05	.—	.04	.25	.29	.—	.25	.—	.17†	.09	3
4	.07†	—	.36	.—	.—	.05	.05	.11	.28	.—	.05	.30	4
5	.01	.24*	.01	.—	.—	.—	.03	.01	.20	.—	.01	.10	5
6	.02	.—	.07	.04	.44	.—	.01	.—	.01	.—	.02	.05	6
7	.06	.—	.18	.02	.01	.—	.—	.—	.—	.—	.03	.01	7
8	.17	.—	.05	.23	.—	.—	.—	.—	.—	.—	.01	.—	8
9	.01	.—	.01	.20	.—	.01	.—	.—	.—	.—	.01	.—	9
10	.—	.—	.58	.04	.—	.—	.—	.—	.—	.—	.01†	.16	10
11	.02	.—	.35	.—	.03	.—	.26	.—	.—	.—	.—	.—	11
12	.—	.—	.07	.10	.01	.17	.—	.—	.01	.09	.08*	.—	12
13	.16	.01 Sog	.01	.25	.—	.—	.11	.—	.04	.12	.—	.06	13
14	.54	.—	.—	.19	.—	.—	.10	.—	.27	.04	.01*	.04	14
15	.50	.07	.06	.20	.—	.—	.—	.—	.01	.01	.02*	.43	15
16	.13	1.03	.—	.—	.—	.—	.02	.24	.—	.—	.15†	.—	16
17	.04	.32*	.01	.03	.—	.02	.—	.—	.—	.—	.16	.03	17
18	.—	.03	.33*	.—	.—	.—	.—	.19	.—	.—	.03	.20	18
19	.10	.33	1.03*	.—	.—	.13	1.30	.17	.03	.—	.02	.01	19
20	.62	.07	.43*	.—	.—	.05	.16	.26	.07	.—	.27†	.06	20
21	.—	.48	.05	.—	.—	.—	.28	.01	.—	.—	.06	.15†	21
22	.—	.27	.01	.—	.—	.—	.02	.—	.30	.56	.01	.58	22
23	.01	.01	—	—	—	.14	.01	.01	.—	.76	.01	.08	23
24	.—	.—	.—	.13	.01	.—	.—	.—	.—	.01	.05	.07	24
25	.15	.02	.—	.03	.17	.03	.—	.38	.—	.—	.02	.03	25
26	.01	.03	.20	.05	.—	.02	.—	.09	.13	.—	.02	.37	26
27	.16*	.01	.02†	.31†	.—	.01	.—	.10	.—	.—	.01	.05	27
28	.—	.—	.01†	.01	.—	.—	.—	.81	.—	.—	.—	.35	28
29	.07		.—	.02	.—	.09	.—	.06	.—	.39	.21*	.13	29
30	.01*	✕	.17†	.17	.—	.29	.—	.02	.—	.04	.15	.28	30
31	.02*	✕	.01	✕	.—	✕	.06	.—	✕	.03	✕	.05	31
TOTAL	4.26	2.96	4.22	2.03	.90	1.28	2.96	2.46	2.58	2.49	1.68	4.12	YEAR'S TOTAL 31.94
Days with ·01 in. or more	24	16	25	18	9	14	16	14	13	12	27	2~~7~~6	21~~5~~4

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

C X M L

2184

4 JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ~~Miss Helen Rotherham~~ Keresley Grange Coventry
in the County of Warwick
by Miss Helen Rotherham

Lat. 52'26 Long. 1' 32
Time of Observation 9 a.m. – Greenwich & Summer
Nearest Railway Station Coundon Rd
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ... ft. 10 in.
" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·01	·13	·25	—	·25	—	·04	·30	·01	·23	1
2	—	—	·01	·05	·01	—	·10	·02	·08	·04	—	·17	2
3	·02†	·06	—	·25	·02	·03	·67	·01	·06	·11	—	·01	3
4	·01	—	—	·24	—	—	·03	·61	—	·30	—	·02	4
5	—	·01	·06	·09	·18	—	·34	·04	·15	·20	—	—	5
6	—	·01	·31	·03	·07	—	·32	·01	·01	·03	—	·03	6
7	—	—	·03†	·15	·03	—	·12	—	—	—	—	—	7
8	·46†	·09	·01†	·68	·12	—	·37	—	—	·01	—	—	8
9	·31	·02	—	·36	·01	—	·03	·22	·01	—	—	—	9
10	·35	·08	·07	·04	—	·03	·11	·01	—	—	·08	—	10
11	·08	·01	·05	·31	·49	·33	·03	—	—	·03	·01 fog	·01	11
12	·04	—	·09	·14	·03	1·08	·02	·08	—	—	·04	·18 *	12
13	·08	·01	·31	·13	—	·01	—	·09	·03	—	·01	—	13
14	·03	·01	·61†	·30	—	·14	·03	—	·21	·02	·22	·02	14
15	—	·11	·45†	·39	—	·05	—	—	·06	·05	·04	—	15
16	·01	·01	·04	·06	·08	·54	·11	—	·38	·34	·01	—	16
17	·02	—	·01	·01	·16	—	·01	—	·63	·07	—	·02	17
18	·20	—	—	·07	·10	—	·16	·18	·26	—	—	·03	18
19	·03	·18†	—	·24	—	·07	—	·11	·02	—	·01	·03	19
20	·04	·27†	—	·34	—	·24	·01	—	—	—	·~~0~~	·03	20
21	—	—	—	·04	—	—	·20	·13	·02	—	—	·06	21
22	·03	—	—	·09	—	—	·03	·09	·01	—	—	·04	22
23	·01	·01 fog	—	·01	—	—	·27	·06	—	—	—	·34	23
24	·01	—	·17	·04	—	—	—	·01	—	—	—	·09	24
25	·02	·05	·15	·03	·05	—	·61	·01	—	—	·01	·01	25
26	·18	·01	·14	·07	·51	—	·08	—	—	·02 fog	·02	·07	26
27	·10	·03	·03	·12	·04	·25	·01	—	—	—	·18	·33	27
28	·59	—	·06	·02	·16	·01	·04	—	—	·02 fog	·01	·09	28
29	·09	—	·18	·01	·29	·07	·03	—	—	—	·12	·40	29
30	·02	✕	·01	·07	·13	—	·07	—	·30	—	·15	·27	30
31	·05	✕	·04	✕	·05	✕	—	—	✕	·27	✕	·06	31
Total	2·78	·98	2·84	4·39	2·78	2·85	4·05	1·68	2·27	1·81	·92	2·54	Year's Total 29·89
Days with ·01 in. or more	24	18	22	30	20	13	26	16	16	15 ~~13~~	15	23	238 ~~236~~
Days with ·04 in. or more	13	7	15	24	15	9	16 ~~17~~	10 ~~9~~	10	9	6	13	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COVENTRY

KINGSWOOD

WARWICKSHIRE

1911 – 1918

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

911

Kept at Kings

in the County of W

by R B

p 8 in.

bove Ground 1 ft. in.

„ Sea Level 340 ft.

n { Name Coventry
Distance Direction

IMPORTANT N… and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and pl… British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							~~·03~~				·01	·01	1
2	.02		·01		·12		·03	·02		·31	·05	·05	2
3					·20			·25	·02	·01	·01	·08	3
4	.02		·09	·03 S				·13	·16	·16	·16	·23	4
5	.04		·01	·04 S				·09		·01	·02		5
6	.39		·02	·06 S							·11	·46	6
7											·11		7
8	.14		·15								·10	·19	8
9	.05										·15	·08	9
10		·09	·45					·18				·37	10
11	.17									~~·46~~	·46		11
12	.02 S		R+S ·48							~~·27~~	·27	·01	12
13		·09	R+S ·07							~~·02~~	·02	·46	13
14			·15									·50	14
15			·03								·14	·05	15
16						·09					·18	·12	16
17						·03					·10	·25	17
18		·38				·36					·01	·30	18
19					·01	·46	·02	·16		·25	·29	·02	19
20		·05		·01		·01		·34	Sept 9th to 22nd away from home	·01		·41	20
21		·18								·20		·08	21
22			·28			·01			·90	·20		·41	22
23			·08			·23				·01		23rd to 27th away from home	23
24	.07			·01		·47		·08		·25			24
25		·05		·03	·51	·06		~~·26~~		·01			25
26		·08		·25		·01		·06		·31	R+S ·12		26
27		·20	·12	·15				·23	·24		R+S ·06	·61	27
28		·26		·20		·02		·01			·08	·04	28
29				·04		·17	·14	·01	·31	·19	·01		29
30				·01		·09		·01		·06	·01		30
31										·05		·07	31
Total	·86	1·38	1·92	·83	·84	2·01	·19	1·57 ~~1·48~~	1·63	~~3·28~~ 2·53	2·47	4·69	TOTAL for year 20·92
No. of Rain Days	9	9	13	11	4	13	3	13	~~3~~ (9)	18	22	22	(146)

20·92

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Kingswood, Coventry

in the County of Warwick

by R B Caldicott

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 340 ft.

Time of Observation

Nearest Railway Station
Name Coventry
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							~~·03~~				·01	·01	1
2	·02		·01		·12		·03	·02		·31	·05	·05	2
3					·20			·25	·02	·01	·01	·08	3
4	·02		·09	·03 s				·13	·16	·16	·16	·23	4
5	·04		·01	·04 s				·09		·01	·02		5
6	·39		·02	·06 s							·11	·46	6
7											·11		7
8	·14		·15								·10	·19	8
9	·05										·15	·08	9
10		·09	·45					·18				·37	10
11	·17									~~·46~~	·46		11
12	·02 s		R+S ·48							~~·27~~	·27	·01	12
13		·09	R+S ·07							~~·02~~	·02	·46	13
14			·15									·50	14
15			·03								·14	·05	15
16						·09					·18	·12	16
17						·03					·10	·25	17
18		·38				·36					·01	·30	18
19					·01	·46	·02	·16	Left 9th to 22nd away from home	·25	·29	·02	19
20		·05		·01		·01		·34		·01		·41	20
21		·18								·20		·08	21
22			·28			·01			·90	·20		·41	22
23			·08			·23				·01		23rd to 27th away from home	23
24	·07			·01		·47		·08		·25			24
25		·05		·03	·51	·06		~~·26~~		·01			25
26		·08		·25		·01		·06		·31	R+S ·12		26
27		·20	·12	·15				·23	·24		R+S ·06	·61	27
28		·26		·20		·02		·01			·08	·04	28
29				·04		·17	·14	·01	·31	·19	·01		29
30				·01		·09		·01		·06	·01		30
31										·05		·07	31
Total	·86	1·38	1·92	·83	·84	2·01	·19	~~1·48~~ 1·57	1·63	~~3·28~~ 2·53	2·47	4·69	TOTAL for year 20·92
No. of Rain Days	9	9	13	11	4	13	3	13	~~3~~ (9)	18	22	22	(146)

20·92

9,000, IX. '10.

cod for auth 7-11-13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

2 JAN 1913

Kept at Kingswood, Coventry

in the County of Warwick

by R. B. Caldicott

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Coventry

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·11	·01	·01	·02			R+S ·17	1
2			·04	·08		·14	·52						2
3			·11		·18	·11	·06	·45	·03			·08	3
4			·01		·17	·38		·02			·26		4
5	R+S. ·42	B1 ·73	·64		·07	·09		·28	·08			·01	5
6	R+S. ·25	·10	·30		·01	·17		·06	·04			·06	6
7		·15			·09	·19		·10					7
8	·43	·25	·20	·09		·11		·10	·13			·28	8
9			·09			·31	·11	·05					9
10		·04	·02			·12		·17			·25		10
11	·15	·06	·01			·14					·17	·61	11
12	·02	·28	·11		·12						·06		12
13	·09	·03					·05			·02	·01		13
14	·20		·38		·03	·12		·10					14
15	·87	·05	·10		·36	·20		·01				·18	15
16	S 1·24		·18		·07	·06		·08		·08			16
17	·34		·11			·08		·40			·04	·42	17
18	·24		·11					·07		·04	·01	·01	18
19	·09	·06	·03				·23	·91		·02	·01		19
20			·17				·10	·09		·23	·01		20
21	·42		·23		1·01			·74		·20		·01	21
22	·05	·15			1·07	·31	·20	·40				·05	22
23	·13	·19	·31			·16	·40	·24			·05	·36	23
24	·01					·21	·06	·03			·01	·20	24
25						·96		·27			·24	·40	25
26		·04	·02				·34	1·04		·71	·23	·20	26
27						·09	·05			·67		·22	27
28		·04				·16	·20	·68	·04	·28	·26	·42	28
29						·08	·32	·01	·59	·33	·03	·05	29
30	·02		·05		·26	·18	·01		·04				30
31			·02		·25		·78	·16				·14	31
Total	4·97	2·17	3·24	·17	3·69	4·48	3·44	6·47	·97	~~2·58~~	1·64 1·64	3·87	YEAR'S TOTAL 37·69 37·69
Rain Days.	17	14	22	2	13	23	16	25	8	10	15	19	184

W. 7,500, XI. ·12

Ref. 9M.E. Cov. by ~~[illegible]~~ 17.III.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Kingswood. Coventry

in the County of Warwick

by R. S. Caldicott

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Coventry

Diameter of Rain Gauge ~~5~~ 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 340. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.11	.06	.11				.77		.06		1
2	.04	.08			.02				.12	.06	.02		2
3	.85		.18		.81				.06	.13		.04	3
4	.07				.06		.14			.14	.04	.53	4
5	.01					.09	.33		.05	.42	.08	.01	5
6		.15	.06		.25	.20				.12		.09	6
7		.17			.30	.03				.25	.12	.04	7
8		.05			.11	.11	.06			.38	.02		8
9	.07	.29		.07	.03	.24		.04	.06		.10	.06	9
10	.895			RB .44	.13			.08			.31		10
11					.04					.40	.44		11
12	.60			.02	.08	.02	.07				.89		12
13	.08								.21		.28		13
14	.04		RES .54	.50						.09			14
15	.04		.40	.06			.01				.01		15
16	.06		.81S	.03									16
17				.11			.02						17
18	.10		.25				.03				.01		18
19	.35		.13			.02			.16				19
20	.02		.16	.09						.18	.15		20
21	RB .55		.19	.02			.16	.01			.35		21
22			.40					.08	.24				22
23	.05					.05		.03	.03				23
24				.01				.04					24
25				.15		.07			.01	.03			25
26		.12	.04	.34				.09	.01	.17		.28	26
27	.49	.16		.06									27
28				.55	.12					.10			28
29			.49	1.20				.10		.02		.09	29
30	35									.13	.10		30
31			.06					.02					31
Total	4.68	1.0~~4~~2	3.82	3.70	2.06	.77	.82	.49	1.72	2.62	2.98	1.14	YEAR'S TOTAL 25.82
Rain Days.	19	7	14	16	12	9	8	9	11	15	16	8	144

W. 7,500, XI. 12

cod fr auth 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Kingswood County
in the County of Warwick
by R I B Caldicott

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.06		.16	.39				.02	.03	1
2										.01	.77	.24	2
3			.05	.01	.19						.01		3
4	.25		.02	.27	.09						.41	.34	4
5	R&S .05		.09	.26	.07	.10					.04	.01	5
6		.04		.01	.05		.50				.07	.05	6
7		.14	.36		.12		.04					.04	7
8	.03	.01	.12	.07	.10	.61					.01	.01	8
9	.34		.18	.36	.01	1.25			.10				9
10	.04	.17	R&S .02	.26	.11	.12		1.43	.13				10
11		.06	.32	.12	.11	.08					.19	8 .48	11
12	.01	.03	.08		.01	.01	.15		.20	.23	.03	.32	12
13		.19	.23						.03	.24	.22	.32	13
14	.02	.03	.08				.12			.04	.12	.22	14
15	.01		.09						.02		.02	.02	15
16			.04				.15		.11				16
17	.02	.18	.05				.15		.11			.36	17
18							.03		.01			.42	18
19			.05								.03	.02	19
20		.12	.13				.13					5 .26	20
21		x				.06				.17		.18	21
22		x .41			.22			.22		.22			22
23		x								.06			23
24			.26	.01						.26	.06		24
25	.07		.04				.04			.39	.03	.25	25
26			.03				.02	.24		.05	.19	.32	26
27								.04		.01	.05	.17	27
28		.08	.17							.01	.03	R&S 1.00	28
29	.01		.09							.23	.18		29
30		X	.01			.05				.02	.61	.30	30
31	.03	X		X		X			X		X	.02	31
Total	.88	1.46	2.51	1.43	1.08	2.44	1.72	1.93	.71	1.94	3.09	5:38 5.38	YEAR'S TOTAL 24.57 24.57
Rain Days.	12	13 ~~12~~	22	10	11	9	11	~~4~~	8	14	20	23	~~156~~

W. 8,000. X. 14.

cndly c. 27.III.16 ExLMe

2868

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at Kingwood, Coventry
in the County of Warwick
by R. B. Caldicott

Lat. .... Long. ....
Time of Observation 9.0 a.m.
Nearest Railway Station Coventry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·10	R+S ·08		·26			Away from home		·07	·02	·09	1
2	·17	·15	·26	·10		·12		x	·03	·29		·06	2
3	·57		·02	·08			1·19	x				·12	3
4	·07				·11		·27					·76	4
5	·01	·20		·02	·03			x				·43	5
6	·16	·28		·22			·71	x				·08	6
7	·07	·38		·08	·03	·03	·44					·35	7
8	·04	·17					·01				·05		8
9	·02	·11						x			·21	·38	9
10	·30	·01	·06				·02				·11		10
11	·02			·13	·10		·21				·71	Snow ·10	11
12	·08			·17	·42			x	·02		·98		12
13		R+S. ·32			·78						·01	·16	13
14					·01		·04	x	·05			·37	14
15	·29				·10		·11	x		·02	R+S ·15	·13	15
16	·05	·59			·16		1·42	x				·02	16
17		·26			·21		·03	·80					17
18	·01	·26	Snow ·20				·01	·02			·03		18
19		·02			·10		·15						19
20	·24			·06								·11	20
21	R+S ·20	R+S ·21					·17					·07	21
22	·10		·25	·11			·35		·02			·16	22
23			·02			·04	·41		·02	·65		·31	23
24			·02			·01	·17		·44	·11		·11	24
25						·13	·14		·03	·01		·39	25
26		·16	·01				·19		·03			·41	26
27		·06					·43			·51		·01	27
28		R+S ·12					·01	·13	·07	·01	·17		28
29						·22	·03	·03			·12	·06	29
30		X				·01	·03	·01		·09		·07	30
31	·10	X		X		X	·01		X	·13	X	·22	31
Total	2·59	3·40	·92	·97	2·31	·56	6·55 6·55	·99	·71 ~~·65~~	1·89	2·56	4·97	YEAR'S TOTAL 28·42 28·32
Rain Days.	19	17	9	9	12	7	24	(15)	9	10	11	24	(164)

W. 8,000. X. 15.

2504

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Kingswood - Coventry
in the County of Warwick
by R T Caldicott

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Coventry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.06			.06	.09	away from home		.04	.27		1
2	.41	.02	Rrs .07		.33		.09			.47	.20		2
3		.48			.02		.02			.23	.10		3
4	.26	.04		.07	.48	32			.08	.02	.26		4
5	.03					.27	.06			.06	.10		5
6	.01	.17	S .16	.08		.05	.33			.05	.36		6
7	.03		S .14			.03	.35			.16	.18	.18	7
8	.03		S .04	(33)							.05	.23	8
9					.28	.12				.03	.02	.08	9
10		.18	S .17	.09	.02	.02			.04	.04 ~~.04~~			10
11	.05	Rrs .11	Rrs .11	.16	.12	.37			.01	~~.04~~		S .31	11
12	.02	.07	.16	.01	36	.02	.08			.04			12
13		.13	.31	.05	.01		.03	x					13
14		S .47		.07	.02			x	.01	.09			14
15		.33	.65	.02	.09		.08	x					15
16		.07	.33	.21	.08		.04	x					16
17	.08	.10		16					.23	.23			17
18		.07	.05	.03				x	.14	Rrs .74	S .11		18
19	.06	.07	.17	.08				.56x	.10		Rrs .43	.17	19
20	.03		.26	.02									20
21	.01		.34		.04		.16					Rrs .42	21
22		S .02	.01		.06						.08		22
23	.03	S .72	away from home					.08		.07	.07	S .17	23
24		S .25				.03		.12		.20		.14	24
25		S .06	x		.04			.26		.02	.19		25
26	.01	Rrs S .05	x			.07		.16		.09	Rrs .13		26
27	.04		x			.02	.06	.17		.16			27
28		S .39	x							.06		.13	28
29		.10				.33		.97		.22		.08	29
30		X				.01				.23			30
31		X	1.26	X		X		.01	X	.08	X	.12	31
Total	1.14	3.84	4.29 4.29	.99	2.28 ✓	1.72	1.39	3.33	.61 .61	2.59	3.18 ✓	2.14	YEAR'S TOTAL 27.56 27.50
Rain Days.	16	21	~~17~~ (20)	13	15	14	12	(13) ~~8~~	7	21	15 ✓	12	179

W. 8,000. X. 15.

Jy-Aug divided by me n.s.

2383

FORM A.
BRITISH RAINFALL
8. JAN 1918

REGISTER OF RAINFALL IN 19

Kept at Kingswood County

in the County of Warwick

by R B Caldicott

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station County

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 340. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				S. .10				} .76	.18			S. .27	1
2	.02					.11				.02		S. .02	2
3		S. .09		S. .20						.34	.06		3
4		S. .09	S. .16	S. .02				.15		.39			4
5	.15		.06	S. .18				.17	.02	.04			5
6						.31		.01		.17	.14		6
7	.45		S .03							.05	.18		7
8	Rr S. .58			Rr S. .12			.20	.36		.45		.15	8
9	Rr S. .02		S .16		.16		.02	.30					9
10	S .35		.30		1.07			.18					10
11	.12		.07	S. .40				.17					11
12	S. .18				.13	.62		.03		.49			12
13				.08				.15	.08		.19		13
14	S .03		.13					.06					14
15	S .02					.50	.27	.01		.07		.08	15
16	S .03	.28		.10		.38	.02			.06		S .25	16
17				.04	.47		.30	.02	.05				17
18					.05		.35	.41	.94	.07			18
19		.27	.15		.07	.09							19
20	.03	.17	Rr S. .01		.27	.20	.23		.10		.04		20
21		.02	S. .05		.31	.12	.42				.01		21
22			S. .13						.02	.18			22
23					.12		to	.30		.06		.03	23
24		.18				.35		.05		.22			24
25		.04	.05				Aug				.11 S.		25
26		.03	S. .01		.13			.39	.14				26
27						.13	2nd	.69					27
28			.09			.23		.08		.04	.10	.02	28
29						.25		.09		.38		.21	29
30		╳					(.60)	.24		.02			30
31		╳	Rr S. .06	╳		╳	~~1.30~~	.05	╳		╳	.01	31
Total	1.98	1.17	1.46	1.24	2.78	3.29	~~3.07~~ (2.31)	~~3.97~~ (4.67)	1.53	3.05	.83	1.04	YEAR'S TOTAL 25.35
Rain Days.	12	9	15	9	10	12	~~8~~ (14)	~~21~~ 23	8	17	8	9	136

W. 8,000, IX. 17.

8L

REGISTER OF RAINFALL IN 1918

26
~~303~~

FORM A.
BRITISH RAINFALL.

22. 1

Kept at Kingswood, Coventry

in the County of Warwickshire

by R. B. Caldicott

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·14	·11	–								1
2		·15		·15									2
3		·07											3
4		·02	·05										4
5		·02	·02										5
6		·12		·15									6
7	·05	·07	·02	·03									7
8		·07											8
9		·37		·23									9
10	·12	·02		·03									10
11				·01									11
12		·05											12
13			·01	·02									13
14	·34												14
15	·76			·36									15
16	·10			·46									16
17	·20			·02									17
18	·35												18
19	·04	·08		·05									19
20	·01		·09	·63									20
21	·06	·09		·31									21
22													22
23	·20												23
24	·01	·13											24
25													25
26													26
27		·14											27
28		·14											28
29			·35		–								29
30		╳	·05										30
31		╳	·34	╳		╳			╳		╳		31
Total	2·24	1·56	1·07	2·56									YEAR'S TOTAL
Rain Days.	12	16	9	14									

W. 8,000, IX. 17.

2382

FORM A.
BRITISH RAINFALL.
5 FEB 1918

REG … 7

11 St Pauls R … 1·25 approx
Kept at 22 Radcliffe … a.m.
in the County of War … Coventry
by J. B. Mor … Gauge 5 in.
… e Ground 1 ft. - in.
… Sea Level 340 ft.

COVENTRY

RADCLIFFE RD

WARWICKSHIRE

1917 – 1920

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the read … r in the space provided for it at the end of thi … ment of rain, the selection and placing … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Cam …

Jan. 1, following.

…sdon Radcliffe Rd

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·03	–	·02	–	·68	·42	–	·02	·15	1
2	0·03	–	–	·05	–	·13	–	·12	–	02	·01	·04	2
3	–	·06	–	·30	–	·02	–	·15	–	·28	·06	–	3
4	–	·16	·10	–	–	–	–	·06	·01	·44	·09	–	4
5	0·16	–	·06	·19		–	–	·05	–	·04	–	–	5
6	–	–	–		–	·24	–	–	–	·13	·05	–	6
7	0·46	–	·01		–	–	–	·08	–	·09	–	·02	7
8	0·64	–	–		–	–	·18	·30	–	·44	·17	·12	8
9	0·05	–	·09	·47	·16	–	·07	·33	·01	–	·23	–	9
10	0·33	–	·27		·90	–	·01	·12	–	·01	–	–	10
11	·11	–	·07		–	–	–	·16	·02	·24	·02	–	11
12	·15	–	·01		·20	·22	–	·01	·01	–	–	·01	12
13	·02	–	·01	26	–	–	–	·14	·06	·26	–	–	13
14	·02	–	·13	–	–	–	–	·15	–	·04	–	–	14
15	~~·04~~	–	–	–	–	–	·18	·01	–	–	–	·06	15
16	·04	·32	–	·08	–	·45	·02	·05	–	·05	–	·24	16
17	·01	·08	·02	·11	·41	·70	·24	·14	·08	·04	–	–	17
18	·07	·	–	·05	·08	·02	·31	·10	·94	·05	–	–	18
19	·02	·27	·11	–	·04	·07	·01	–	·03	·03	·04	–	19
20	–	·11	·09	–	·37	·07	·07	·08	·03	–	–	–	20
21	–	–	·11	·01	·21	·18	·21	·03	–	·02	–	–	21
22	–	–	–	–	·21	·01	=	·02	·02	·19	–	–	22
23	–	·17	–	–	·13	–	–	·30	–	·04	·06	–	23
24	–	·05	–	–	–	·68	–	·13	–	·21	·09	05	24
25	–	·04	·09	–	–	–	·03	–		–	·10	–	25
26	–		–	–	–	–	–	·45	·15	–	·01	–	26
27	–	–	·01	–	·32	·31	·07	·70	–	–	–	–	27
28	–	–	·02	–	–	·20	·01	·09	–	·05	–	·03	28
29	–	–	·04	–	–	·31	·06	·07	(–)	·37	–	·23	29
30	–	X	–	–	–	–	·49	·23	–	·02			30
31	·01	X	·08	X	–	X	·01	·06	X		X		31
Total	2·12	1·26 1·2~~8~~6	1·32	1·55	3·03	3·63	1·97	4·81	1·78	3·06	0·95	0·95	YEAR'S TOTAL ~~26·10~~
Rain Days.	15	9	18	(14)	11	16	16	28	12	22	13	10	~~179~~ 174

W. 8,000, IX. 17.

2382

REG

11 St Pauls R

1.25 approx

FORM A.
BRITISH RAINFALL.

5. FEB 1918

Kept at 22 Radcliffe Rd Earlsdon
Coventry

in the County of Warwick

by L. B. Morris

Time of Observation 9 a.m.
Nearest Railway Station Coventry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Earlsdon Radcliffe Rd

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·03	-	·02	-	·68	·42	-	·02	·15	1
2	0·03	-	-	·05	-	·13	-	·12	-	02	·01	·04	2
3	-	·06	-	·30	-	·02	-	·15	-	·28	·06	-	3
4	-	·16	·10	-	-	-	-	·06	·01	·44	·09	-	4
5	0·16	-	·06	·19		-	-	·05	-	·04	-	-	5
6	-	-	-		-	·24	-	-	-	·13	·05	-	6
7	0·46	-	·01		-	-	-	·08	-	·09	-	·02	7
8	0·64	-	-		-	-	·18	·30	-	·44	·17	·12	8
9	0·05	-	·09	·47	·16	-	·07	·33	·01	-	·23	-	9
10	0·33	-	·27		·90	-	·01	·12	-	·01	-	-	10
11	·11	-	·07		-	-	-	·16	·02	·24	·02	-	11
12	·15	-	·01		·20	·22	-	·01	·01	-	-	·01	12
13	·02	-	·01	26	-	-	-	·14	·06	·26	-	-	13
14	·02	-	·13	-	-	-	-	·15	-	·04	-	-	14
15	~~·01~~	-	-	-	-	-	·18	·01	-	-	-	·06	15
16	·04	·32	-	·08	-	·45	·02	·05	-	·05	-	·24	16
17	·01	·08	·02	·11	·41	·70	·24	·14	·08	·04	-	-	17
18	·07		-	·05	·08	·02	·31	·10	·94	·05	-	-	18
19	·02	·27	·11	-	·04	·07	·01	-	·03	·03	·04	-	19
20	-	·11	·09	-	·37	·07	·07	·08	·03	-	-	-	20
21	-	-	·11	·01	·21	·18	·21	·03	-	·02	-	-	21
22	-	-	-	-	·21	·01	-	·02	·02	·19	-	-	22
23	-	·17	-	-	·13	-	-	·30	-	·04	·06	-	23
24	-	·05	-	-	-	·68	-	·13	-	·21	·09	05	24
25	-	·04	·09	-	-	-	·03	-		-	·10	-	25
26	-		-	-	-	-	-	·45	·15	-	·01	-	26
27	-	-	·01	-	·32	·31	·07	·70	-	-	-	-	27
28	-	-	·02	-	-	·20	·01	·09	-	·05	-	03	28
29	-	-	·04	-	-	·31	·06	·07	(-)	·37	-	·23	29
30	-	✕	-	-	-	-	·49	·23	-	·02			30
31	·01	✕	·08	✕	-	✕	·01	·06	✕		✕		31 ~~24.13~~
Total	2·12	~~1·23~~ 1·26	1·32	1·55	3·03	3·63	1·97	4·81	1·78	3·06	0·95	0·95	YEAR'S TOTAL ~~26·10~~
Rain Days.	15	9	18	(14)	11	16	16	28	12	22	13	10	~~179~~ 174

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13. 1 19

Kept at 22 Radcliffe Rd. Coventry
in the County of Warwick
by J. B. Morris

Lat. 1·50 Long. 1·25 approx
Time of Observation 9 a.m
Nearest Railway Station Coventry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 339 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	-	·14	-	-	-	-	·04	·02	·15	-	1
2	-	·14	-	·13	-	-	-	·12	-	·05	-	·16	2
3	-	·04	·04	·01	·22	-	-	·12	·29	·01	·19	-	3
4	-	·04	·07	-	-	-	-	·04	·60	·04	·52	·10	4
5	-	·02	-	·04	·21	-	-	·13	·04	-	-	·01	5
6	-	·15	·02	·12	-	·02	-	·03	-	·17	-	·01	6
7	0·07	·07	-	·04	·02	·08	-	-	·22	·03	·14	-	7
8	-	·07	-	·03	-	-	-	-	·09	·04	·02	·05	8
9	0·02	·39	-	·30	-	·26	·24	-	·53	·36	·02	·04	9
10	0·12	·01	-	·04	-	-	·67	-	·11	-	-	·15	10
11	-	·02	-	-	·09	-	·33	-	·09	·10	-	·06	11
12	0·01	·05	·12	·01	·19	-	·12	-	·02	-	-	·02	12
13	·04	-	-	·04	·15	·03	·06	-	·13	·01		·04	13
14	·30	-	-	·01	·02	·02	·17	-	·20	·14	-	·09	14
15	·85	-	-	·38	-	·02	·23	-	·04	-	-	·34	15
16	·11	-	-	·53	-	·07	·01	-	·15	·05	-	·02	16
17	·26	-	-	·01	-	-	·26	-	·06	·04	-	·12	17
18	·35	-	-	-	-	·14	·03	-	·35	-	-	·15	18
19	·05	·05	·11	·05	-	-	·10	-	·01	·09	-	·40	19
20	-	·10	-	·75	-	·03	·64	-	·23	·02	-	·09	20
21	·07	·01	-	·43	-	·01	·03	-	·44	-	-	·15	21
22	·14	-	-	-	·30	-	·05	-	·05	·17	-	·43	22
23	·05	-	-	-	·50	-	·09	-	·03	-	·02	·02	23
24	-	·13	-	-	-	·07	·31	-	·03	-	·10	-	24
25	-	-	-	-	-	-	·11	·34	-	·03	·02	-	25
26	-	·04	-	-	-	·01	·29	·04	·01		·07	·09	26
27	-	·10	-	-	-	-	·01	·24	·18		·05	·12	27
28	-	·12	0·31	-	-	·04	-	-	-		·21	·09	28
29	-		·36	-	-	-	-	·06	·88		-	·01	29
30		X	·35	-	-	-	-	·02	·03		·10	-	30
31		X	·32	X	-	X	-		X		X	·20	31
Total	2·44	1·56	1·70	3·05	1·70	0·80	3·75	1·14	4·85	1·37	1·61	2·96	YEAR'S TOTAL 26·93
Rain Days.	14	19	9	18	9	13	19	10	26	17	13	25	192

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

30 JAN 20

Kept at St Ives, Radcliffe Road Coventry
in the County of Warwick
by J. B. Morris

Lat. 1·50 Long. 1·25
Time of Observation 9 a.m.
Nearest Railway Station Coventry
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	-	·09	·02	·15	-	·08	-	-	·35	·03	·42	1
2	·25	·02	·02	-	·02	-	·17	-	·59	·18	·06	·03	2
3	·98	-	·07	-	·04	·18	·15	-	·23	-	·19	·11	3
4	·07	·02	·34	-	-	·11	·05	·05	·25	-	·03	·18	4
5	-	·27	·01	-	-	-	·02	-	·22	-	-	·09	5
6	-	·04	·04	-	·59	-	-	-	-	-	·01	·04	6
7	·05	-	·16	·01	·01	-	-	-	·01	-	·04	-	7
8	·14	-	·06	·17	-	-	-	-	-	-	-	-	8
9	·15	-	-	·14	-	-	-	-	-	-	·01	-	9
10	·01	-	·46	·03	-	-	-	-	·	·01	·02	·25	10
11	·03	-	·32	·01	·02	-	·30	-		-	-	-	11
12	·02	-	·10	·05	-	·14	-	-		·09	·05	·01	12
13	·15	-	-	·12	-	-	·02	-		·15	-	·06	13
14	·58	-	-	·21	-	-	·10	-		·01	-	·03	14
15	·66	·10	·05	·18	-	-	-	-		-	-	·37	15
16	·19	·90	-	·01	-	-	·02	·27	·61	-	·14	-	16
17	·04	·48	-	·02	-	-	-	-		-	·15	·02	17
18	-	-	·32	-	-	-	-	·15		-	·03	·20	18
19	·11	·39	1·37	-	-	·09	1·30	·18		-	·02	·	19
20	·73	·06	·17	-	-	·07	·23	·34		-	·25	·06	20
21	·03	·56	·06	-	-	-	·31	-		-	·04	·20	21
22	-	·22	-	-	-	-	·02	-		-	-	·49	22
23	-	-	-	-	-	·11	·01	·01		·59	·01	·07	23
24	-	-	-	·12	-	-	-	-		·59	·03	·06	24
25	·15	-	-	·05	·05	·04	-	·35	-	-	·01	·02	25
26	·01	·02	·19	·07	-	·01	-	·09	-	-	·03	·37	26
27	·11	-	·06	·36		·01	-	·07	-	-	-	·06	27
28	·13	-	·02	·02	-	-	-	·89	-	-	·12	·24	28
29	·03	-	·01	-	-	·04	-	·03	-	·33	·16	·18	29
30	·02	X	·20	·12	-	·25	-	·02	-	·02	·14	·26	30
31	·03	X	·01	X	-	X	·28	-	X	·01	X	·03	31
TOTAL	5·04	3·08	4·13	1·71	·88	1·05	3·06	2·45	1·91	2·33	1·57	3·85	YEAR'S TOTAL 31·06
Days with ·01 in. or more	25	12	22	18	7	11	15	12	(11)	11	22	25	(191)

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

24 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at 22 Radcliffe Road Coventry
in the County of Warwick
by J. B. Morris

Lat. 1·50 Long. 1·25
Time of Observation 9 a.m.
Nearest Railway Station Coventry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 339 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·05	-	·12	·28	-	·23	-	·08	·49	·01	·19	1
2	-	-	-	·02	·01	-	·30	·02	+✓	·08	-	·13	2
3	·01	·03	-	·26	·01	-	·60	-	+✓	·10	-	·01	3
4	-	-	·01	·25	-	-	·01	·35	~~·09~~ 7	·28	-	·03	4
5	-	-	·07	·03	·11	-	·46	·07	+✓	·25	-	-	5
6	-	-	·29	·03	·05	-	·25	-		·03	-	·02	6
7	·01	-	·03	·13	·01	-	·14	-		-	-	-	7
8	·56	·07	-	·62	·06	-	·44	-		-	-	-	8
9	·35	·02	·08	·47	-	-	·03	·12		-	-	-	9
10	·36	·12	·02	·01	-	·03	·14	-		-	·05	-	10
11	·19	·02	·03	·30	·52	·28	·02	-		-	-	·02	11
12	·03	-	·03	·10	-	1·05	·09	·08	2·04	·02	·02	·15	12
13	-	-	·30	·15	-	-	-	·25	+	-	-	-	13
14	·04	-	1·01	·25	-	·07	·02	-	+✓	·03	·18	·02	14
15	·01	·09	·30	·32	-	·57	·02	-	+✓	·05	·05	-	15
16	·01	·01	·01	·10	·04	·26	·04	-	+✓	·31	·01	-	16
17	·02	-	-	·02	·14	-	·04	-	+✓	·05	-	-	17
18	·19	-	-	·05	·10	-	·04	·19	+✓		-	·05	18
19	·02	·50	-	·23	-	·09	-	·17	+✓		-	·01	19
20	-	·15	-	·31	-	·26	-	-			·01	·02	20
21	-	-	-	·04	-	-	·22	-	+		-	·02	21
22	·06	-	-	·09	-	-	·02	·11	+		-	·03	22
23	-	-	-	·02	-	-	·17	·06			-	·35	23
24	-	-	·15	·04	-	-	-	·01			·02	·10	24
25	-	·03	·11	·05	·06	-	·72	·01				·01	25
26	·17	-	·15	·02	·15	-	·06	-	·01	·01		1 ·~~0~~1	26
27	·06	·03	·01	·14	·05	·28	-	-			·15	·32	27
28	·59	-	·07	·01	·19	-	·04	-			-	18 ·~~32~~	28
29	·06	-	·15	·01	·04	-	·02	-			·10	47 ·~~18~~	29
30	-	×	-	·08	·06	·06	·02	-	·28	·32	·09	25 ·~~47~~	30
31	0·06	×	·04	×	·03	×	·02	-	×		×	·10	31
TOTAL	2·80	1·12	2·86 ~~1·86~~	4·27	1·91	2·95	4·16	1·44	2·41	2·02	0·69	2·59	YEAR'S TOTAL ~~28·22~~ 29·22
Days with ·01 in. or more	19 ~~20~~	12	19	30	18	10	26	12	15	13	11	22	~~208~~ (207)
Days with ·04 in. or more	12	6	12	21	13	9	17	9	(11)	9	6	12	(137)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

22 MAR 1921

24 JAN 1921

22 Radcliffe Road
Coventry 20 Mch. 1921

Dear Sir,

I much regret that there was an error in my Rainfall return for March last year & am much obliged to you for pointing it out. It is quite correct that the total for the month should be 2·86 & for the year 29·22 inches.

With apologies for the trouble caused you,

Yours faithfully
J. D. Morris

.....in.
.ft.....in.
39 ft.
revious day.

Jan. 1, following.

												90.	Date
												n.	
												19	1
												13	2
												01	3
												03	4
												-	5
												02	6
												-	7
												-	8
												-	9
												-	10
												02	11
												15	12
												·	13
												02	14
												-	15
													16
													17
												05	18
												01	19
	-	·15	-	·31	-	·20	-	-			·01	·02	20
21	·	-	-	·04	-	-	·22	-	+			·02	21
22	·06	-	-	·09	-	-	·02	·11	+		-	·03	22
23	-	-	·	·02	-	-	·17	·06			-	·35	23
24	-	-	·15	·04	-	-	-	·01			·02	·10	24
25	-	·03	·11	·05	·06	-	·72	·01				·01	25
26	·17	-	·15	·02	·15	-	·06	-	·01	·01		1 ·~~0~~1	26
27	·06	·03	·01	·14	·05	·28	-	-			·15	·32	27
28	·59	-	·07	·01	·19	-	·04	-			-	18 ·~~32~~	28
29	·06	·	·15	·01	·04	-	·02	-			·10	47 ·~~18~~	29
30	-	X	-	·08	·16	·06	·02	-	·28	·32	·09	25 ·~~47~~	30
31	0·06	X	·04	X	·03	X	·02	-	X		X	·10	31
TOTAL	2·80	1·12	2·86 ~~1·86~~	4·27	1·91	2·95	4·16	1·44	2·41	2·02	0·69	2·59	YEAR'S TOTAL ~~28·22~~ 29·22
Days with ·01 in. or more	19 ~~20~~	12	19	30	18	10	26	12	15	13	11	22	~~208~~ (207)
Days with ·04 in. or more	12	6	12	21	13	9	17	9	(11)	9	6	12	(137)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COVENTRY
ST PAULS RD
WARWICK
1911 - 1916

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

REGI

Holyhead Ro

Kept at 11 St. Pauls R ... 5 in.

... e Ground 1 ft. - in.

in the County of Warw ... Sea Level 341 ft.

... a.m.

by J. B. Mor ... Name Foleshill

Distance 2½ Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	-	·02	-	-	-	·01	·03	-	-	·01	·01	1
2	·02	-	-	-	·15	-	·07	·26	-	·31	·03	·06	2
3	-	-	-	-	·21	-	-	·17	·02	·01	·01	·03	3
4	·02	·01	·07	·03	-	-	-	-	·15	·21	·17	·21	4
5	·04	-	.	·03	-	-	-	·07	-	·01	·08	-	5
6	·37	-	·03	-	-	-	-	·02	-	.	·03	·48	6
7	·01	-	-	-	-	-	-	-	-	.	·16	·05	7
8	·14	-	·13	-	-	-	.	-	-	.	·08	·14	8
9	·04	.	-	-	-	-	-	-	-	.	·17	·03	9
10	·03	·10	·33	-	-	-	-	·12	-	.	·01	·36	10
11	·15	·01	.	-	-	-	.	·01	-	.	·38	-	11
12	·02	-	·47	-	-	.	-	-	.	.	·30	·01	12
13	-	-	·20	-	.	.	-	-	·23	.	·01	·41	13
14	·01	·11	·02	-	-	.	-	-	·18	.	-	·49	14
15	-	·04	·11	-	-	-	-	-	-	·01	·12	·04	15
16	-	-	-	-	-	·08	-	-	-	-	·14	·12	16
17	.	-	-	-	-	·03	-	-	-	-	·08	·23	17
18	-	·38	.	·01	-	·20	-	-	-	·01	·02	·26	18
19	.	·01	.	-	·01	·36	·03	·02	-	·24	·34	·03	19
20	·01	·07	-	·01	-	·01	-	·12	·11	·01	-	·39	20
21	-	·17	.	-	-	-	-	·31	·16	·22	-	·10	21
22	.	-	·07	·01	-	·01	-	-	-	·19	-	·39	22
23	.	·10	·24	-	-	·37	-	-	-	·02	-	·16	23
24	·01	·07	·02	·01	-	·45	-	09 ·09	·37	·61	-	·17	24
25	-	·04	.	·04	·57	·06	-	-	-	-	-	·05	25
26	.	·09	·02	·25	-	·03	-	·04	-	·29	·13	·19	26
27	-	·16	·08	·22	-	-	-	·28	·23	-	·04	·07	27
28	.	·20	-	·19	-	-	-	-	-	-	·08	·03	28
29	.		-	·01	-	·15	·09	-	·23	·18	·01	.	29
30	.		.	·12	-	·12	-	-	-	·07	-	·02	30
31	.		·01		-		-	-		·02		-	31
Total	·88	1·56	1·82	·93	·94	1·87	·20	1·54	1·68	2·41	2·40	4·53	TOTAL for year 20·76
No. of Rain Days.	14	15	15	12	4	12	4	13	9	16	22	27	163

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

REGISTER OF RAINFALL IN 19

Holyhead Road } -10.III.
Kept at 11 St. Pauls Road, Coventry
in the County of Warwick
by J. B. Morris

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 341 ft.

Time of Observation 9 a.m.
Nearest Railway Station
Name Foleshill
Distance 2½ Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	·02	-	-	-	·01	·03	-	-	·01	·01	1
2	·02	-	-	-	·15	-	·07	·26	-	·31	·03	·06	2
3	-	-	-	-	·21	-	-	·17	·02	·01	·01	·03	3
4	·02	·01	·07	·03	-	-	-	-	·15	·21	·17	·21	4
5	·04	-	.	·03	-	-	-	·07	-	·01	·08	-	5
6	·37	-	·03	-	-	-	-	·02	-	.	·03	·08	6
7	·01	-	-	-	-	-	-	-	-	.	·16	·05	7
8	·14	-	·13	-	-	-	.	-	-	.	·08	·14	8
9	·04	.	-	-	-	-	-	-	-	-	·17	·03	9
10	·03	·10	·33	-	-	-	.	·12	-	.	·01	·36	10
11	·15	·01	.	.	-	-	.	·01	-	.	·38	.	11
12	·02	-	·47	-	-	.	-	-	.	.	·30	·01	12
13	-	-	·20	-	.	.	-	-	·23	-	·01	·41	13
14	·01	·11	·02	-	-	.	-	-	·18	.	-	·49	14
15	-	·04	·11	-	-	-	-	-	-	·01	·12	·04	15
16	-	-	-	-	-	·08	-	-	-	-	·14	·12	16
17	.	-	-	-	-	·03	-	-	-	-	·08	·23	17
18	-	·38	.	·01	-	·20	-	-	-	·01	·02	·26	18
19	.	·01	-	-	·01	·36	·03	·02	-	·24	·34	·03	19
20	·01	·07	-	·01	-	·01	-	·12	·11	·01	-	·39	20
21	-	·17	.	-	-	-	-	·31	·16	·22	-	·10	21
22	-	-	·07	·01	-	·01	-	-	-	·19	-	·39	22
23	-	·10	·24	-	-	·37	-	-	-	·02	-	·16	23
24	·01	·07	·02	·01	-	·45	-	89 ·09	·37	·61	-	·17	24
25	-	·04	-	·04	·57	·06	-	-	-	-	-	·05	25
26	.	·09	·02	·25	-	·03	-	·04	-	·29	·13	·19	26
27	-	·16	·08	·22	-	-	-	·28	·23	-	·04	·07	27
28	.	·20	-	·19	-	.	-	-	-	-	·08	·03	28
29	.		-	·01	-	·15	·09	-	·23	·18	·01	.	29
30	.		-	·12	-	·12	-	-	-	·07	-	·02	30
31	.		·01		-		-	-		·02		-	31
Total	·88	1·56	1·82	·93	·94	1·87	·20	1·54	1·68	2·41	2·40	4·53	TOTAL for year 20·76
No. of Rain Days.	14	15	15	12	4	12	4	13	9	16	22	27	163

W. 8,000, X. '11.

Ex D2

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at 11 St. Pauls Road
in the County of Coventry
by J. B. Morris

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 341 ft.

Time of Observation 9 a.m.
Nearest Railway Station — Name Foleshill
Distance ½ m. Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	-	0.04	0.05	-	0.30	0.03	-	0.03	-	-	0.15	1
2	-	0.01	-	0.12	0.01	0.12	0.58	-	-	-	-	0.01	2
3	0.09	-	0.03	-	0.11	0.18	0.18	0.52	0.02	-	0.01	0.05	3
4	0.13	-	0.60	-	0.13	0.12	-	0.01	-	-	0.31	0.01	4
5	0.13	-	0.42	-	0.05	0.41	-	0.18	0.06	-	0.01	0.01	5
6	0.35	0.06	-	-	0.01	0.11	-	0.05	0.03	-	-	0.05	6
7	-	0.23	-	-	0.08	0.09	-	0.08	-		-	0.02	7
8	0.33	0.28	0.22	0.02	-	0.18	0.04	0.08	0.12	-	-	0.29	8
9	0.01	0.02	0.10	0.16	-	0.12	-	0.10	-	-	-	-	9
10	-	-	0.01	-	-	0.31	-	0.08	0.01	-	0.41	0.52	10
11	0.11	0.07	-	-	-	0.06	-	0.02	-	-	0.14	-	11
12	0.02	0.28	0.11	-	0.11	0.15	-	-	-	-	0.18	0.02	12
13	0.01	0.03	-	-	-	0.04	0.05	-	-	-	0.03	-	13
14	0.09	-	0.35	-	0.16	0.11	-	0.14	-	0.04	-	-	14
15	0.20	0.03	0.12	-	0.35	0.20	-	-		-	-	0.17	15
16	0.70	-	0.17	-	0.01	0.07	-	0.08	-	0.08	-	-	16
17	0.69	-	0.12	-	-	0.10	-	0.43	-	-	0.07	0.38	17
18	0.26	-	0.11	-	-	-	-	0.08	-	0.04	-	0.01	18
19	0.28	0.06	0.01	-	-	-	0.24	0.87	-	0.02	0.02	-	19
20	0.15	0.01	0.16	-	-	-	0.13	0.03	-	0.25	0.01	-	20
21	0.01	0.14	0.17	-	1.07	-	-	0.62	-	0.23	-	0.01	21
22	0.40	0.27	-	-	0.96	0.28	0.26	0.39	-	-	-	0.05	22
23	0.08	0.01	0.29	-	-	0.17	0.44	0.33		-	0.08	0.36	23
24	0.15	-	-	-	-	0.23	0.03	0.06	-	-	0.01	0.19	24
25	-	-	-	-	0.01	0.80	-	0.30	-	-	0.25	0.29	25
26	-	-	0.02	-	-	-	0.36	0.95	-	0.65	0.24	0.39	26
27	-	0.05	-	-	-	0.09	0.04	-	-	0.67	-	0.15	27
28	-	-	-	-	-	0.14	0.18	0.55	0.03	0.32	0.32	0.48	28
29	-	0.01	-	-	-	0.16	0.20	-	0.56	0.27	0.02	0.05	29
30	0.01		0.03	-	-	0.14	0.01	-	0.02	0.07	0.01	-	30
31	0.01		-		0.32		0.76	0.13		0.01		0.10	31
Total	4.22	1.56	3.08	0.35	3.38	4.74	3.53	6.08	0.88	2.65	2.02	3.76	TOTAL for year 36.25
No. of Rain Days.	23	16	19	4	14	25	16	~~24~~ 23	9	12	17	23	~~202~~ 201

W. 8,000, X. '11.

E5 018

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at 11 St. Pauls Road, Coventry
in the County of Warwick
by J. B. Morris

Lat. 52.22 Long. 1.26
Time of Observation 9 a. m.
Nearest Railway Station Foleshill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·15	0·05	0·15	-	-	-	·58	-	·07	.	1
2	·01	·09	·01	·02	.	-	·02	-	·02	·22	·07	-	2
3	·05	-	·18	-	0·83	-	-	-	·05	·09		·15	3
4	·77	·01	.	-	·08	·03	·01	-	·05	·15	·05	·48	4
5	·08	·02	-	-	·02	·03	·18	-	-	·58	·04	·03	5
6	·01	.	·07	-	·27	·15	·40	-	-	·09	7	·09	6
7	-	·17	.	-	·30	·03	·06	-	-	·28	·06	·04	7
8	-	·05	·01	-	·12	·19	.	·03	-	·50	·06	-	8
9	-	·26	·02	-	·07	·26	·07	·03	·05	-	·11	·03	9
10	·07	.	.	·08	·14	-	-	·06	-	.	·29	-	10
11	·84	.	.	·41	·03	-	.	-	-	·56	·41	-	11
12	-	.	.	-	·07	.	.	-	·15	.	·80	-	12
13	·05	·01	·06	·03	-	.	.	·01	-	-	·29	-	13
14	·10	-	·55	·01	-	-	·02	·01	.	·10	·01	·02	14
15	·04	·06	·33	·48	-	.	·02	-	.	-	-	.	15
16	·07	-	·73	·01	-	.	-	-	-	-	-	.	16
17	·05	·02	·01	·05	-	.	·01	-	.	-	-	.	17
18	·01	.	·23	·15	·01	-	·04	.	·22	.	·01	.	18
19	·08	.	·07	·01	·01	-	·03	.	·01	.	-	.	19
20	·17	.	·12	·09	-	-	-	.	-	·19	·18	.	20
21	·01	.	·19	·01	·14	-	·07	·01	·35	-	·38	.	21
22	·56	.	·40	-	-	.	.	-	·03	-	-	.	22
23	.	.	·02	.	-	·08	-	·09	-	-	·01	.	23
24	·07	.	.	·02	-	-	-	·02	·01	.	-	·01	24
25	.	.	-	·12	-	·03	-	·01	-	·02	·01	-	25
26	.	·05	·04	·33	.	-	-	-	-	·17	-	·32	26
27	.	·10	-	·05	·05	-	-	·07	-	-	-	-	27
28	·50		·18	·61	-	-	-	-	-	·08	-	.	28
29	-		·30	1·36	·01	.	-	-		·02	-	·08	29
30	·38		-	-	.	.	.	·10	-	·13	·15	.	30
31	·01		·06		·05	-	.	·03				.	31
Total	3·94	0·85	3·73	3·89	2·35	0·80	0.93	0·45	1·52	3·18	3·00	1·25	YEAR'S TOTAL 25·89
Rain Days.	22	12	21	19	17	8	12	N12	11	15	18	10	176

W. 7,500, XI. 12

147

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
9 JAN 1915

Kept at 11 St. Paul's Rd. Coventry
in the County of Warwick
by J. B. Morris

Lat. 52·22 Long. 1·26
Time of Observation 9 a.m.
Nearest Railway Station Foleshill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	0·06	-	-	0·83	0·24	-		0·02	0·02	1
2	-	-	-	-	-	0·02	-	0·44	-		0·77	0·28	2
3	-	-	0·05	0·01	0·19	-	0·34	0·08	-	0·01	0·01	-	3
4	0·29	-	0·04	0·25	0·07	-	-	0·06	-	-	0·41	0·34	4
5	0·05	-	0·13	0·28	0·24	0·11	-	0·03	-	-	0·05	-	5
6	0·01	0·05	-	0·01	0·05	0·01	-	-	-	-	0·08	0·07	6
7	-	0·15	0·38	-	0·10	0·16	0·03	0·10	-	-	-	0·04	7
8	0·05	0·02	0·20	0·13	0·10	0·76	-	0·18	-	-	0·01	0·02	8
9	0·33	-	0·18	0·34	0·01	1·09	-	0·04	0·02	-	-	-	9
10	0·09	0·19	0·01	0·23	0·13	0·09	-	-	0·13	-	-	-	10
11	-	0·06	0·32	0·14	0·14	0·06	-	-	-	-	0·26	0·46	11
12	0·01	0·04	0·09		-	-	0·17	-	0·03	-	0·19	0·33	12
13	0·01	0·20	0·26	-	-	-		-		0·31	0·14	0·39	13
14	0·02	0·03	0·08	-	-		0·14	-		0·27	-	0·27	14
15	0·02	-	0·09	-	-	-	0·01	-		0·06	0·07	0·02	15
16	-	-	0·05	-	-	-	0·16	-	0·52				16
17	-	0·20	0·04	-	-	-	-	-		-	-	0·38	17
18	-	-		-	-	-	0·13	-		-	-	0·43	18
19	-	-	0·06	-	-	-	0·02	-	-	-	0·03	0·04	19
20	-	0·12	0·10	-	-	0·02	0·35	-	-	0·15	-	0·23	20
21	-	0·35	0·11	-	-	0·02	-	0·10	-	0·23	-	0·27	21
22	-	0·02	-	-	0·26	-	0·03	-	-	0·05	-	-	22
23	-	0·07	0·10	-	0·08	-	0·02	-	-	-	-	-	23
24	-	-	0·02	0·02	-	-	0·02	-	-	0·27	0·09	-	24
25	0·07	-	-		-	-	0·05	0·22	-	0·38	0·04	0·23	25
26	-	-	0·05	-	-	-	0·01	0·10	-	0·06	0·19	0·34	26
27	0·07	0·08			-	-	-		-	-	0·01	0·20	27
28	0·01		0·15	-	0·05	-	-	-	-	0·01	0·08	1·16	28
29	-		0·08	-	0·03	-	-	-	-	0·25	0·19	-	29
30	-	×	0·02	-	-	0·04	-	-	-	0·02	0·50	0·32	30
31	0·05	×		×	-	×	0·31	-	×		×	0·01	31
Total	1·08	1·58	2·61	1·47	1·45	2·38	2·62	1·59	0·70	2·07	3·14	5·85	YEAR'S TOTAL 26·54
Rain Days.	14	14	23	10	13	11	16	11	9	13	19	22	175

W. 8,000. X. 14.

Exe

2567

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 11 St Pauls Road Coventry
in the County of Warwick
by J. B. Morris

Lat. 52·22 Long. 1·26
Time of Observation 9 a.m.
Nearest Railway Station Foleshill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·06	·06	-	·26	-	·02	-	·04	·07	·02	·10	1
2	·07	·14	·25	·05	-	·14	-	·58	·07	·28	-	·05	2
3	·70	·13	·02	·14	-	-	1·25	·25	·04	·01	-	·15	3
4	·05	-		-	·07	-	·28	-	-	-	-	·75	4
5	·01	·19	-	-	·04		·14	·03	-	-	·02	·45	5
6	·04	·34	-	·07	-	-	·73	·09	-	-	-	·53	6
7	·07	·36		·06	·06	·02	·43	·12	-		-	·09	7
8	·05	·15	·02	·01	-	-	-	·02	-		·05	-	8
9	·02	·12	-	·09	-	-	-	·01	-		·31	·36	9
10	·28	·01	·06	-	-	-	-	-	-	-	·16	-	10
11	·06	-	·01	·02	·10	-	-	-	-	-	·71	·08	11
12	·05	-	-	·22	·42	-	·13	·29	-	·02	1·03	-	12
13	-	·29	-	-	·72	-	-	-	-		·02	-	13
14	·01	-	-	-	-	-	-	·25	·04	-	-	·38	14
15	·24	-	-		·09	-	·07	·03	-	·03	·13	·15	15
16	·06	·53	-	-	·14	-	·07	·01	-	-	-	·01	16
17	-	·26	·01	-	·19	-	1·63	-	-	-	-	-	17
18	-	·26	·24	-	-	-	·06	·02	-	-	·01	-	18
19	-	·01	·02	-	·10	-	-	-	-	-		-	19
20	·24	-	-	·06	-	-	·15	·01	-	-	-	·10	20
21	·21	·02	-	-	·02	-	-	-	-	·01	-	·07	21
22	·10	-	·16	·05	-	-	·20	-	·02	-	-	·15	22
23	·02	·04	·03	-	-	·03	·34	-	·03	·55	-	·24	23
24	-	-	·03	-	-	-	·61	-	·46	·20	-	·15	24
25	-	-	-	-	-	·19	·19	-	·02	·02	-	·43	25
26	-	·16	-	·02	-	-	·14	-	·05	-	-	·34	26
27	-	·05	·01	-	-	·03	·05	-	-	·48	-	·03	27
28	-	·15	-	-	-	-	·26	·16	·10	·20	-	-	28
29	-		-	-	-	·08	·02	·04	-	-	·15	·06	29
30	·07	X	-	-	-	-	·01	·01	-	·06	·06	·06	30
31	·06	X	-	X	-	X	·04	·04	X	·10	X	·19	31
Total	2·58	3·27	·92	·79	2·21	·49	6·82	1·96	·57	2·03	2·67	4·92	YEAR'S TOTAL 29·53
Rain Days.	21	19	13	11	12	6	22	17	10	13	12	23	189

W. 8,000. X. 15.

Eng HW

2503

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

29 JAN 1917

Kept at 11 St Pauls Rd Coventry
in the County of Warwick
by C. B. Morris

Lat. 52.22 Long. 1.26
Time of Observation 9 a.m
Nearest Railway Station Foleshill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 324 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	-	·07	-	·01	·12	·10	-	'	·05	·24	-	1
2	·47	·01	·07	-	·27	-	·26	-	·04	·53	·13	-	2
3	-	·54	-	-	.	-	·08	-	·09	·25	·11	-	3
4	·30	·04	-	-	·49	·28	-	-	·03	·01	·24	-	4
5	·03	·01	·01	-	·13	·17	·12	-	-	·07	·09	-	5
6	-	·16	·18	·12	·21	·02	·32	-	-	·05	·33	-	6
7	·07	.	·16	-	.	·03	·35	-	-	·15	·26	·20	7
8	-	-	·05		·03	.	-	-	-	-	·12	·30	8
9	-	.	·03	-	·28	·04	-	-	-	·06	-	·04	9
10	-	·13	·03	·09	·02	·05	·01	-	-	·04	-	-	10
11	·05	·18	·08	-	·06	·29	-	-	·05	-	-	·31	11
12	·01	·06	·17	}	·43	·02	·02	-	·02	·04	-	-	12
13	·08	·17	·26	}	·01		·06	·23	-	-	-	-	13
14	-	·45	-	}	·02	-	-	·64	-	·07	-	-	14
15	-	·22	·56	}	·07	.	·11	·48	.	·03	-	-	15
16	-	-	·33	} 0·62	·06	.	·13	·04	·01	·06	-	-	16
17	·39	·11	·01	}	-	.	·01	-	-	·20	.	-	17
18	·01	·20	·04	}	-	.	-	·48	·21	·02	·65	·10	18
19	·07	·07	·18	}	-	.	-	·02	·13	-	·34	·16	19
20	·03	-	·28	-	-	.	-	·02	·11	-	·09	·02	20
21	·01	·03	·11	-	·08	-	·19	-	-	-	·34	·41	21
22	- ↗	·48	-	-	.	·01	-	·06	-	-	·02	·42	22
23	·04 ↗	·29	-	-	·04	-	-	·09	-	·09	·07	·33	23
24	- ↗	~~·29~~	-	·05	.	-	-	·27	-	·19	-	·14	24
25	-	·05	0·12	-	·04	-	-	·29	-	.	·18	-	25
26	·01	·11	·01	-	-	·05	-	·09	-	·08	·07	-	26
27	·03	·07	·79	·02	-	-	·01	-	-	·16	-	-	27
28	-	·24	·24	-	·09	·32	-	·92	-	·07	-	·12	28
29	-	·10	-	-	·03	·05	-	·01	-	.	.	·08	29
30	.	X	-	-	-		-	·02	-	·24	-	-	30
31	.	X		X		X	-		X	·07	X	·18	31
Total	1·42	3·72	3·78	0·90	2·37	1·45	1·77	3·66	0·69	2·53	3·28	2·81	YEAR'S TOTAL 28·38
Rain Days.	16	22	22	12	19	13	14	15	9	22	16	14	194

W. 8,000, VIII. 16

DL ✓

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

389

FARNBOROUGH
WARWICK
1911 - 1920

RE 911

Kept at Farnboro

in the County of Warw

by Miss Prate

top .... in.

above Ground .... ft. .... in.

" Sea Level .... ft.

tion { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·05							·22	·05		1
2	·03			·04	·19			·11			·08	·07	2
3	·04				·26				·05		·03	·03	3
4		·01	·13		·19		·01		·07		·37	·38	4
5	·03							·20			·05	·02	5
6	·34		·03							·03	·02	·87	6
7			·16							·04	·19	·02	7
8	·18									·02	·11		8
9	·14		·03								·19	·38	9
10	·02	·17						·09				·24	10
11								·24			·63	·01	11
12			·72						·05		·29	·06	12
13			·45						·48		·03	·50	13
14			·24		·20							·51	14
15		·12								·02	·12	·05	15
16			·01			·08					·36	·18	16
17			·08			·05					·10	·32	17
18		·25		·04		·01				·02		·32	18
19				·01		·18			·17	·12	·26	·24	19
20		·11	·05					·11	·09			·57	20
21		·10	·05					·49	·01	·52		·07	21
22				·01		·48				·08	·02	·39	22
23		·14	·44			·10			·35			·18	23
24	·02	·11				·06		·06	·01	·50		·19	24
25		·06	·01	·05	·61	·20				·02	·09	·07	25
26		·12	·04	·32		·02		·04	·25	·25	·18	·16	26
27		·19	·13		·02			·32			·02	·10	27
28		·24		·14		·06		·11			·03		28
29			·04			·19	·21			·31	·02		29
30				·34	·12	·04		·04	·28	·10			30
31												·02	31
Total	·82	1·62	2·66	·95	1·59	1·47	·22	1·81	1·81	2·25	3·24	5·95 5·95	TOTAL for year 24·39
No. of Rain Days	9	12	18	9	8	12	13	11 ~~10~~	11	14	23	26	155

9,000, IX. '10.

DL

389

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE [redacted] 911

Kept at Farnborough

in the County of Warwickshire 3

by Miss Prater

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·05							·22	·05		1
2	·03			·04	·19			·11			·08	·07	2
3	·04				·26				·05		·03	·03	3
4		·01	·13		·19		·01		·07		·37	·38	4
5	·03							·20			·05	·02	5
6	·34		·03							·03	·02	·87	6
7			·16							·04	·19	·02	7
8	·18									·02	·11		8
9	·14		·03								·19	·38	9
10	·02	·17						·09				·24	10
11	·							·24			·63	·01	11
12			·72						·05		·29	·06	12
13			·45						·48		·03	·50	13
14			·24		·20							·51	14
15		·12								·02	·12	·05	15
16			·01			·08					·36	·18	16
17			·08			·05					·10	·32	17
18		·25		·04		·01				·02		·32	18
19				·01		·18			·17	·12	·26	·24	19
20		·11	·05					·11	·09			·57	20
21		·10	·05					·49	·01	·52		·07	21
22				·01		·48				·08	·02	·39	22
23		·14	·44			·10			·35			·18	23
24	·02	·11				·06		·06	·01	·50		·19	24
25		·06	·01	·05	·61	·20				·02	·09	·07	25
26		·12	·04	·32		·02		·04	·25	·25	·18	·16	26
27		·19	·13		·02			·32			·02	·10	27
28		·24		·14		·06		·11			·03		28
29			·04			·19	·21			·31	·02		29
30				·34	·12	·04		·04	·28	·10			30
31												·02	31
Total	·82	1·62	2·66	·95	1·59	1·47	·22	1·81	1·81	2·25	3·24	5·95 5·95	TOTAL for year 24·39
No. of Rain Days	9	12	18	9	8	12	3	11 ~~10~~	11	14	23	26	155

9,000, IX. '10

82 [illegible] 7.11.13 ~~W~~ 7. 6. 388

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Farnborough

in the County of Warwickshire 3

by D. J. S. Prater

RAIN GAUGE { Pattern

Diameter of top in.

Height of top above Ground ft. in.

,, ,, ,, Sea Level ft.

Time of Observation

Nearest Railway Station { Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·05			·06	·05		·04	·15		·05	1
2			·12			·35	·72			·01		·01	2
3			·04	·04	·07	·06	·12	·37	·01		·01	·11	3
4	·19		·73		·22	·56		·05			·24		4
5			·31		·35	·13		·42	·04	·02		·06	5
6	·23				·01			·57	·02			·06	6
7	·22	·12			·06	·74		·28				·03	7
8		·06	·42	·04		·13	·16	·01	·07			·02	8
9	·33	·43	·15			·26	·01	·08	·01			·27	9
10	·02		·03			·03		·15		·01	·06		10
11	·08	·02	·01			·13		·07			·09	·55	11
12	·11	·09	·22		·07						·04		12
13	·08	·48				·03	·12				·05		13
14	·06	·06	·43		·12	·06		·16		·02			14
15	·09		·05		·27	·26		·02				·20	15
16	·45	·07	·12		·05	·12		·06		·07	·05		16
17	·75		·16			·09		·24		·01	·03	·35	17
18			·15				·20	·07		·07	·02	·01	18
19							·24	·26					19
20		·08	·43		·01	·15	·34	·37		·37			20
21	·12		·16		·56			·99		·38			21
22	·10	·03	·14		·26	·01	·95	·30		·04			22
23	·49	·11	·40			·10	·31	·47			·11	·40	23
24	·04	·50				·29		·20				·17	24
25	·01					·61		·54		·01	·29		25
26		·02	·03				·63	·95		·09	·31	·30	26
27		·02				·21	·10			·56		·24	27
28				·01		·04	·12	·85	·09	·26	·18	·67	28
29		·04	·03	·01		·10	·33		1·20	·39		·04	29
30					·24	·03	·16	·01	·13	·27			30
31			·02		·26		·54	·11		·02		·04	31
Total	3·41	2·13	4·20	·10	~~2·55~~ 2·55	4·55	5·10	~~7·80~~ 7·60	1·61	2·75	1·48	3·58	TOTAL for year 39.06
No. of Rain Days.	18	15	23	4	14	24	17	25	9	18	13	19	~~199~~ 199

W. 8,000, X. '11.

✓ Overflowed on Apr 29

Cnd by C. 31.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Farnborough

in the County of Warwickshire 3

by Constance A. Prater (Miss)

Lat. Long.

Time of Observation 10 am

Nearest Railway Station Fenny Compton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .01 (snow

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.08	.15	.12	.04	.00	.00	.00	.85	.00	.12	00	1
2	.04	.18	.03	.20	.00	.00	.00	.00	.21	.99	.04	00	2
3	.11	.00	.13	.00	1.00	.00	.04	.00	.00	.01	.00	.27	3
4	.89	.00	.00	.00	.00	.00	.10	.00	.00	.10	.05	.32	4
5	.01	.00	.00	.00	.00	.00	.11	.00	.00	.27	.02	.03	5
6	.01	.00	.05	.00	.34	.07	.18	.00	.03	.20	.07	.12	6
7	.00	.25	.00	.00	.17	.36	.05	.00	.00	.44	.14	.02	7
8	.00	.00	.00	.00	.16	.09	.00	.00	.00	.28	.07	.00	8
9	.00	.25	.00	.00	.07	.02	.01	.00	.22	.00	.05	.06	9
10	.02	.00	.00	.12	.04	.26	.00	.02	.00	.00	.45	.00	10
11	.58	.01	.00	.42	.17	.00	.00	.04	.00	.28	.49	.00	11
12	.00	.02	.00	.00	.03	.00	.00	.00	.00	.00	1.04	.00	12
13	.03	.00	.01	.03	.00	.00	.00	.00	.20	.00	.30	.00	13
14	.19	.00	.34	.00	.00	.00	.07	.02	.00	.12	.02	.00	14
15	.17	.05	.28	.56	.00	.00	.09	.00	.08	.00	.04	.00	15
16	.05	.00	.92	.08	.00	.00	.00	.00	.04	.00	.01	.00	16
17	.13	.07	.09	.14	.00	.01	.15	.00	.02	.00	.00	.00	17
18	.03	.00	.16	.11	.13	.00	.11	.00	.08}	.00	.00	.03	18
19	.19	.00	.10	.00	.02	.04	.07	.00		.00	.00	.01	19
20	.18	.00	.9	.00	.00	.00	.00	.00	.02	.26	.21	.00	20
21	.01	.01	.20	.10	.13	.00	.02	.00	.00	.00	.53	.00	21
22	.50	.00	.37	.00	.00	.00	.00	.07	.40	.00	.07	.00	22
23	.00	.00	.05	.00	.00	.05	.00	.03	.01	.01	.03	.00	23
24	.02	.00	.00	.12	.00	.00	.00	.00	.00	.00	.02	.00	24
25	.00	.05	.00	.13	.00	.00	.00	.00	.00	.02	.00	.08	25
26	.00	.04	.05	.28	.06	.00	.00	.13	.00	.31	.00	.17	26
27	36}	.05	.07	.07	.00	.00	.00	.00	.00	.06	.00	.00	27
28		.00	.35	.22	.00	.00	.00	.00	.00	.23	.00	.00	28
29	.02		.36	1.38?	.00	.00	.00	.11	.00	.12	.00	.30	29
30	.31		.00	.00	.00	.00	.00	.00	.00	.20	.17	.00	30
31	.00		.02		.14		.00	06				.00	31
Total	3.85	1.05	3.82	4.08?	2.44	.90	.91	.48	2.16	3.40	3.76	1.41	YEAR'S TOTAL 28.76?
Rain Days.	22	2	20	16	14	8	11	8	13	17	21	11	173

W. 7,500, XI. '12

cnd + completed by C. 2.IV.15 ~~W~~ JL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN.

Kept at Farnborough
in the County of Warwick 3
by Miss C. Prater.

Lat. 20° Long. 52°
Time of Observation 10 a.m.
Nearest Railway Station Fenny Compton (two miles) (within 3 mile)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.24.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.08	.00	.07	.00	.00	.20	·33	.00	.00	.07	.13	1
2	.00	.00	.00	.00	.00	.00	.10	·10	.00	.07	.64	.29	2
3	.00	.00	.02	.03	.17	.00	.34	·03	.00	.00	.00	.00	3
4	.30	.00	.01	.20	.07	.00	.00	·51	.00	.00	.46	.07	4
5	.03	.00	.05	.13	.17	.18	.21	–	.00	.00	.13	.42	5
6	.00	.03	.00	.00	.07	.07	.00	·05	.00	.00	.31	.13	6
7	.01	.50	.40	.08	.13	.06	.13	·15	.00	.00	.00	.01	7
8	.05	.05	.25	.15	.12	1.12	.02	·11	.00	.00	.01	.09	8
9	.23	.34	.36	.23	.01	1.32	.00	·01	.08	.00	.00	.00	9
10	.06	.00	.03	.11	.07	.00	.00	–	.44	.00	.00	.00	10
11	.00	.09	.35	.06	.15	.50	.00	–	.00	.00	.26	.36	11
12	.00	.05	.11	.00	.00	.01	.50	–	.52	.00	.03	.39	12
13	.02	.22	.23	.00	.00	.01	.00	–	.07	.05	.09	.53	13
14	.01	.08	.15	.00	.00	.00	.18	–	.00	.47	.10	.19	14
15	.03	.00	.17	.00	.00	.00	.01	·01	.04	.00	.03	.01	15
16	.00	.01	.04	.00	.00	.00	.07	–	.17	.00	.02	.00	16
17	.00	.25	.08	.00	.00	.00	.08	–	.02	.00	.00	.29	17
18	.00	.00	.01	.00	.00	.00	.32	–	.01	.00	.00	.42	18
19	.00	.00	.03	.00	.00	.00	.03	–	.00	.00	.11	.06	19
20	.00	.35	.32	.00	.00	.00	.00	·07	.00	.00	.00	.31	20
21	.00	.50	.10	.04	.00	.04	.00	–	.00	.15	.03	.29	21
22	.00	.00	.03	.00	.18	.00	.00	·07	.00	.08	.00	.08	22
23	.00	.09	.09	.00	.05	.01	.09	–	.00	.10	.01	.13	23
24	.00	.02	.03	.00	.11	.00	.07	–	.00	.24	.07	.00	24
25	.01	.00	.13	.00	.00	.00	.00	·34	.00	.37	.03	.30	25
26	.12	.00	.08	.00	.00	.00	.11	–	.00	.08	.19	.45	26
27	.00	.00	.00	.00	.00	.00	.00	–	.00	.05	.07	.08	27
28	.09	.10	.04	.00	.18	.00	.00	–	.00	.08	.11	.36	28
29	.00		.03	.00	.05	.00	.00	–	.00	.31	.24	.00	29
30	.00		.05	.00	.00	.02	.00	–	.00	.04	.38	1.24	30
31	.00		.00		.07		.20	–		.00		.04	31
Total	·97 .99	2.81	3.19 3.19	1.10	1.54	3.34	2.66	1.78	1.35	2.03	3.33	6.67	YEARS TOTAL 30·77 30·[illegible]
Rain Days.	13	16	26	10	15	11	17	12	8	13	22	24	187

W. 8,000. X. 14.

8h

nd fr auth 27.11.16

25/2
374

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Farnborough

in the County of Warwickshire W. Jt

by C. A. Prater

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·20	·10		·17			·06	·05	·11	·01	·03	1
2	·15	·18	·05	·14		·06		·76		·28	·03	·07	2
3	·65	·02	·02	·05	·01		·13	·54	·04		·01	·19	3
4	·03				·02		·26	·01	·01			·49	4
5		·60		·01				·03				·39	5
6	·30	·07		·16			·89					·11	6
7	·05	·55					·29	·07				·16	7
8	·07	·16		·03				·04			·05		8
9	·03		·02	·23							·15	·42	9
10	·32	·01	·05					·01			·08		10
11				·06	·09						·94		11
12	·03	·05		·35	·53			·55	·01		1·07		12
13	·06	·33		·02	·87					·01		·12	13
14		·11					·01	·12	·07	·01		·50	14
15	·26	·01			·05		·02	·04		·12	·17	·13	15
16		·50			·18		·78	·03			·17	·03	16
17		·53			·28		·02				·05	·02	17
18		·25	·12		·01					·01	·01		18
19		·01			·04		·06					·02	19
20	·50			·01								·17	20
21	·13	·07			·07		·12			·05		·10	21
22	·25		·29	·03			·26					·11	22
23	·01	·15	·03			·10	·23		·12	·34		·33	23
24			·11	·11		·01	·09		1·56	·27		·14	24
25			·02	·01		·39	·29		·01	·03	·04	·41	25
26		·07					·06		·01			·43	26
27		·15	·01			·01	·25			·50		·02	27
28		·25	·02			·02	·01	·18	·16	·04			28
29							·15	·07		·03	·15	·08	29
30	·08	X				·16	·13			·21	·08	·29	30
31	·02	X		X		X	·01	·03	X	·60	X	·24	31
Total	3·18	4·27	·84	1·21	2·32	·75	4·06	2·5~~2~~4	2·04	2·61	3·01	5·00	YEAR'S TOTAL 31 83 31·83
Rain Days.	18	21	12	13	12	7	~~19~~ 20	15	10	15	15	25	183

W. 8,000. X. 14.

8h

2508
337

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Farnborough
in the County of Warwickshire
by C. A. Prater

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·03		·02	·06	·28			·21	·38		1
2	·34	02	·04		·23	·09			·02	·48	·03		2
3		·91		·01	·08				·02		·11		3
4	·40	·02			·17	·31			·01	·06	·36		4
5	·04		}		·21	·13	·13			·07	22		5
6	·07	·15	·16}	·11	07	·19	54			·10	·56		6
7			·08	·01	01	·03	·19			·09	·26	·17	7
8	·03		·20		·31				·01			·22	8
9			·03		·15	·06						·08	9
10		·27	·06	·08	·01	·20			02	·02		·01	10
11	·05	·08	·08	15	09	·53			·01		·01	·21	11
12	·03	·05	34	·07	67	·03	·16	·01	·02	·23	·01		12
13		·33		02		·01	·30	16	·03				13
14	01	·23	·62	·06	03			·02		·03			14
15		·35	·53		12		·23	·38	·06	·06		01	15
16	·01			·30	·06		·08	·39		·05			16
17	·11	15		·19			·04	·18	41	·35		·01	17
18	·01	·06	·05	·12				·30	·05	·01	·77		18
19	·09	·03		·17				·11	17		·45	09	19
20	·03		·20	·06				·02			·07	·61	20
21			·57				·25			·01	·03	·75	21
22					23	01				·04		·59	22
23	·02	}	·01	·02				·05		·12	·08	·20	23
24		(·50)}	·01	·02	·06	·30		·09		·13	·01	·24	24
25		·52	·23					·39		·01	·23		25
26		14	·05			·11		·01		·15	·03		26
27	·05	·23	·13					·18		·17	·01		27
28		·19	·77	·09					·03	·07		·25	28
29		·23			·15	·25		1·57		·28		·06	29
30		X			·01			·01		·18			30
31	·03	X		X		X		·02	X	·11	X	·20	31
Total	1·38	(4·46)	4·19	1·48	2·68	2·31	2·20	3·89	·86	3·03	3·62	3·70	YEAR'S TOTAL (33·80)
Rain Days.	17	20	21 ~~18~~	16	19	15	10	17	13	24	18	16	206

W. 8,000. X. 15.

2387
323

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Farnborough
in the County of Warwickshire
by C. A. Prater

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·05				1·18	·09		·10	·02	1
2			·02			·15	—	·09		·05	·03	·05	2
3				·22				·26		·42	·02		3
4		·15	·11	·05				·15		·22			4
5	·20		·07	·11					·06	·11	·12		5
6			·17			·25				·10	·11	·02	6
7	·44	·01	·01				·03			·28		·03	7
8	·73			·20		—	·62	·35		·38	·12	·11	8
9	·12		·07	·08	·18			·43	·03		·24	·10	9
10	·23		·28	·23	·20			·09			·01		10
11	·17	·01	·25	·34				·18	·34	·20	·02		11
12	·10		·02	·02	·15	·04				·29	·01		12
13	·01	·01	·01	·01				·14	·07	·01		·01	13
14	·03			·15				·20		·01	·03	·03	14
15	·01		·01					·01		·08			15
16	·04	·43		·34	·03	·06	·16			·07		·36	16
17				·12	·76		·36	·07	·18	·12			17
18	— }	·01		·05	·07	·02	·16	·12	1·15	·04			18
19	·03 }	·28	·21										19
20		·18	·02		·91	·07	·06	·01	·17	·01	·02	·01	20
21			·11		·10	·05	·04			·22	·02		21
22			·05					·06		·16			22
23		·17	·01		·17			·41		·02		·02	23
24		·06	·01			·24		·08		·25	·02	·01	24
25		·06	·09								·07		25
26								·43	·12		·09		26
27							·01	·80		·01			27
28			·30		·09	1·00		·17		·01		·04	28
29			·02				·04	·09		·45		·37	29
30		X	·01			(·01)	·65	·34			·01		30
31	·03	X	·08	X		X	·05	·08	X	·01	X	·02	31
Total	2·14	1·37	1·94	1·97	2·66	1·89 ~~1·38~~	2·18	5·74	2·21	3·52	1·04	1·20	YEAR'S TOTAL 27·86 ~~27·35~~
Rain Days.	13	11	23	14	10	10 9	11	23	9	22	17	15	180

2·27

W. 8,000, VIII. 16

82

28 ~~304~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Farnborough

in the County of Warwickshire

by C. A. Prater

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05	·03	·16							·37		1
2	·03	·10		·06				·14			·14	·13	2
3		·03	·02	·01	·30			·03	·44		·26		3
4		·09	·02				·03		·18		·65	·08	4
5		·06		·02	·29			·29	·29	·01			5
6		·22		·09		·01				·06	·03	·06	6
7	·04	·16		·02	·04	·01			·08	·03	·17		7
8	·03		·01						·16	·15	·01	·13	8
9		·01		·18		·33	·49		·42	·34		·08	9
10	·09			~~·10~~			·43		·11	·26		·09	10
11				·04	·06		·11		·08	·11	·05	·06	11
12	·03	·05	·11		·18		·20		·04		·01		12
13		·04		·02	·08		·09		·09	·07	·01	·03	13
14	·28			·01		·02	·84		·37	·07	·02	·06	14
15	1·00			·72		·03	·18		·02		·01	·26	15
16	(·20)			·68		·05			·07	·16		·11	16
17	·57			·07			·47		·04	·03		·10	17
18	·54	·01				·24	·07		·52		·01	·53	18
19	·02	·07	·04	·06			·07			·12		·21	19
20		·14		·35		·07	·02		·08	·15	·02	·01	20
21	·06		·01	·82		·01	·01		·41	·17	·01		21
22	·18				·19		·12		·09	·01	·01	·32	22
23	·07				·83	·04	·06				·01	·02	23
24		·20					·02		·06	·01	·20	·01	24
25						·03	·10	·24		·03	·09		25
26							·61	·06		·02	·09	·19	26
27		·08	·02					·32	·11		·14	·14	27
28		·23	·32								·14	·09	28
29	·01		·04						1·19		·02	·09	29
30		×	·31						·04		·10	·27	30
31	·03	×	·27	×		×		·07	×		×		31
Total	~~2·98~~ 3·18	~~1·52~~ 1·54	1·20	3·31	1·97	·84	3·92	1·15	4·89	1·80	2·57	3·07	YEAR'S TOTAL ~~29·42~~ 29·44
Rain Days.	16	16	12	16	8	11	18	7	22	18	24	23	191

W. 8,000, IX. 17.

82

224
~~28~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Farnborough
in the County of Warwickshire
by C. A. Prater.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·04	·06		·01	·11	·11			·30		·63	1
2	·13		·01		·01		·22		·63	·03	·24	·01	2
3	·15		·13		·02	06	·02		·73		·13	·17	3
4	·09	·01	·49			·03	·11	·08	·23		·06	·10	4
5	·02	09	·35				·01		·28			·18	5
6	·01		·15		·70					·01		·04	6
7	·06		·30	·02	·04					·01			7
8	·22		·05	·26						·01			8
9	·06		·02	·11					·01				9
10	·02		·46	·02						·04	·02	·14	10
11	·04		·30	·02	·03		·33						11
12		·01	·36	·02		·12				·18	·14	·01	12
13	·15			·23			·01			·16		·05	13
14	·46			·29			·11		·01	·10		·02	14
15	·41	·05	·06	·26						·02	·08	·49	15
16	·15	1·00									·15	·02	16
17	·02	·49	·01	·02							·12		17
18			·32					·34		·01	·02	·16	18
19	·11	·24	·98			·11	1·22	·40	·07	·01	·06		19
20	·49	·08	·12			·02	·25	·19	09		·35	·03	20
21	·02	·44	·05			·03	·53	·01		·01	·05	·14	21
22		·43							·28			·50	22
23						14		03		·53	·03	·02	23
24		·01		·08	·02					·40	·03	·11	24
25	18			·21	·04			·32				·07	25
26	17		·21	·12				·01	·10			·38	26
27	·04		·02	·72				·57				·08	27
28	·08		·03	·01				·50	·01		·14	·32	28
29	·04			·02		·01		·09		·24	·11	·33	29
30			·23	·29		·34		·04		·06	·04	·25	30
31	·02		·01				·02			·04		·01	31
Total	3·50	2·89	4·72	2·70	·87 ✓	·97	2·94	2·58	2·44	2·16	1·77	4·26	YEAR'S TOTAL 31·80
Rain Days.	25	12	23	17	8 ✓	10	12	12 ~~10~~	11 ~~10~~	18 ~~14~~	17	25	~~189~~ 190

W. 6,500. VII. 18. w w c

358

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Farnborough
in the County of Warwickshire
by Miss C. A. Prater

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15	·28		+		·03	·34		·22	1
2			·03	·03			+ ·41	·08	·09	·12		·11	2
3	·08	·04		·14			1·06	·01	·11	·27			3
4		·01	·07	·30			·05	·30	·03	·26		·03	4
5			·10	·05	·25		·45	·17	·12	·15	·02	·01	5
6		·02	·24		·14		·20			·02		·02	6
7			·07	·17			·21						7
8	·21	·09		·66	·04		·35			·01			8
9	·29			1·50				·07	·01			·02	9
10	·39	·05	·10			·06	·15				·02		10
11	·31		·03	·35	·43	·15	·06				·02		11
12	·01		·10	·16		1·08					·02		12
13			·28	·06					·05	·01			13
14	·01		·48	·27		·21			·31	·06	·29	·08	14
15		·06	·27	·17		·13			·08	·01	·02		15
16			·05	·07	·03	·05	·01		·21	·17	·07		16
17			·01	·41	·10				·38	·05		·04	17
18	·38			·04	·05		·11	·20	·35	·01	·01	·01	18
19	·02	·19		·44		·11	·02	·05			·01		19
20	·03	·33		·42		·30						·03	20
21		·01		·06				·09	·04		·01	·06	21
22		·02		·20				·08	·05		·02	·13	22
23		·01					·37	·12		·01	·01	·39	23
24	·01		·17							·01	·01	·05	24
25		·08	·04	·01			·67		·01			·12	25
26	·24		·31	·03	0 1·93	·01	·32						26
27	·46	·06	·02	·37		·50				·02	·20	·28	27
28	·52		·02		·10		·08			·01	·10	·03	28
29	·19		·16		·51	·07	·08			·01	·15	·57	29
30	·01			·11		·10	·10		·21		·17	·24	30
31	·05		·05							·46		·02	31
Total	3·21	·97	2·60	6·17 ~~5·67~~	2·96	2·77	4·70	1·17	2·08 ~~1·88~~ ~~1·18~~	2·00	1·15	2·46	Year's Total 32·24 ~~32·04~~ ~~30·84~~
Days with ·01 in. or more	17	13	20	24	11	12	19 ~~18~~	10	16 ~~15~~	19	17	20	198 ~~196~~
·04	11	8	15	21	10	11	17	9	11	9	6	12	140

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Farnborough.
Banbury. Oxon.

Ap 8th 1921

Rainfall Sept 1920 at above

Dear Sir.

In reply to your letter received this morning, I am sorry if any mistake has occurred in the calculations of rainfall for the above place – ~~but~~ I am sorry – but I can't agree about the figures – my paper (Combined Recording) records 2.08 rain in September chart last year not 1.88 as you say – I have done them several times over & have had them verified by a School-teacher. I have little doubt that you are right in some way or other – but I can't truthfully say that I agree with your calculation – I have made out a fresh

record of the months for you to judge —
I think it is just possible there may
have been a slip on the record for Sept 2nd
wh should be .09 — ~~I ha~~ as it is rather
faintly written — I may have copied
it wrong. Hoping you may be able
to make it agree with your own calculations

I am

Truly yours.

Constance A. Prater

FOLESHILL

FOXFORD COUNTY SCH.
WARWICK
1911- 1916

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

REGI

11

Kept at Foxford Council Sch

in the County of Warw

by Arthur F. Su

mons

5" in.

ve Ground 10 ft. 9 in.

Sea Level 311 ft.

30

Name Longford & [illegible] hall. L.N.W.

Distance 1/4 ml Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·03				·01	·03	1
2	·02				·20		·02			·32	·03	·06	2
3	·01											·01	3
4	·02		·11	·02					·12	·22	·20	·22	4
5								·05		·01	·02		5
6	·43		·05					·08			·07	·59	6
7	·01		·02								·18	·08	7
8	·15		·14								·02	·08	8
9	·04							·32			·07	·16	9
10			·30								·18	·31	10
11	·08	·10						·02			·34	·01	11
12	·10		·53						·24		·23		12
13			·11						·18		·02	·43	13
14		·10	·03									·46	14
15		·06	·08								·11	·09	15
16						·10					·12	·15	16
17						·03					·22	·19	17
18		·40			·01	·24					·13	·27	18
19						·29	·01			·19	·11	·04	19
20		·08						·09	·21			·44	20
21		·18	·02					·37				·15	21
22		·03				·08				·64		·27	22
23			·22			·61			·36	·05		·35	23
24		·06				·28				·47		·33	24
25			·02	·07		·10				·03		·01	25
26		·16		·29	·47	·07				·26	·15	·01	26
27		·25	·06	·16				·45	·27	·08	·04	·11	27
28		·21		·04		·03					·09		28
29						·16		·46		·11	·02		29
30			·01	·20		·06	·04		·24	·07		·01	30
31			·01							·01			31
Total	·86	1·63	1·73	·78	·68	2·05	·10	1·84	1·62	2·46	2·36	4·86	TOTAL for year 20·97
No. of Rain Days.	9	11	16	6	3	12	4	8	7	13	21	26	136

W. 8,000, X. '11.

REG 11

FORM A2.

BRITISH RAINFALL.
16 JAN 1912

Kept at Foxford Council School Foleshill

in the County of Warwick

by Arthur F. Smith

RAIN GAUGE
Pattern Symons
Diameter of top 5" in.
Height of top above Ground 10 ft. 9 in.
" " " Sea Level 311 ft.

Time of Observation 9.30

Nearest Railway Station
Name Longford & Exhall. L.N.W
Distance ¼ ml Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02				·03				·01	·03	1
2	·02				·20		·02			·32	·03	·06	2
3	·01											·01	3
4	·02		·11	·02					·12	·22	·20	·22	4
5								·05		·01	·02		5
6	·43		·05					·08			·07	·59	6
7	·01		·02								·18	·08	7
8	·15		·14								·02	·08	8
9	·04							·32			·07	·16	9
10			·30								·18	·31	10
11	·08	·10						·02			·34	·01	11
12	·10		·53						·24		·23		12
13			·11						·18		·02	·43	13
14		·10	·03									·46	14
15		·06	·08								·11	·09	15
16						·10					·12	·15	16
17						·03					·22	·19	17
18		·40			·01	·24					·13	·27	18
19						·29	·01			·19	·11	·04	19
20		·08						·09	·21			·44	20
21		·18	·02					·37				·15	21
22		·03				·08				·64		·27	22
23			·22			·61			·36	·05		·35	23
24		·06				·28				·47		·33	24
25			·02	·07		·10				·03		·01	25
26		·16		·29	·47	·07				·26	·15	·01	26
27		·25	·06	·16				·45	·27	·08	·04	·11	27
28		·21		·04		·03					·09		28
29						·16		·46		·11	·02		29
30			·01	·20		·06	·04		·24	·07		·01	30
31			·01							·01			31
Total	·86	1·63	1·73	·78	·68	2·05	·10	1·84	1·62	2·46	2·36	4·86	TOTAL for year 20·97
No. of Rain Days.	9	11	16	6	3	12	4	8	7	13	21	26	136

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Foxford Council School

in the County of Warwick

by Arthur F. Smith

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 10 ft. 9 in.
" " " Sea Level 311 ft.

Time of Observation 9.30 a.m.

Nearest Railway Station
Name Longford & Exhall
Distance 3/4 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·20	.	.	·32	·05	·01	·06			·18	1
2	.	.	.	·16	.	·09	·43						2
3	·03	.	.	.	·07	·13	·12	·14	·03		dew ·02	·04	3
4	·05	.	·55	.	·17	·48		·19			·31		4
5	·03	.	·44	.	·04	·15		·45	·09				5
6	·32	·16	.	.	.	·22		·05	·10			·05	6
7	.	·13	.	.	·07	·22		·04				·05	7
8	·32	·30	·24	.	.	·29	·03	·06	·11	dew ·01			8
9	·01	·05	·06	·24	.	·37		·08	·01			·27	9
10	.	.	.	.	.	·25		·18			·71		10
11	.	·05	dew. ·03		.	·16		·04			·21	·59	11
12	·04	·25	·12	.	·12	.					·04		12
13	·07	.	.	.	.	·01	·08				·02		13
14	·0·2	.	·40	.	·10	·21		·02					14
15	·21	·06	·22	.	·36	·16		·04				·11	15
16	·63	.	·11	.	·04	·03		·11		·07			16
17	1·24	.	·14	.	.	·16		·58		.	·06	·48	17
18	·20	.	·13	.	.	.		·08		·02	·01		18
19	·10	·08	·01	.	.	.	·30	·65		·04		·03	19
20	·29	·01	·18	.	·03	.	·08	·09		·32		·14	20
21	·02	.	·17	.	1·08	.		·14		·23		·09	21
22	·35	·14	·02	.	·67	·45	·30	·21		dew. ·01		·19	22
23	·08	·26	·25	.	.	·25	·32	·90			·12	·33	23
24	·14	.	.	.	.	·34	·05	·09		·01		·10	24
25	·01	.	.	.	.	·83	.	·45		·01	·27	·16	25
26	.	·04	·04	.	.	.	·25	·88		·64	·22	·50	26
27	.	.	.	.	.	·08	·13			·63		·09	27
28	.	·05	.	.	.	·16	·34	·54	.	·30	·35	·50	28
29	.	.	.		.	·22	·22		·62	·31			29
30	·03	.	.	.		·14				·06			30
31	·01	.	·16	.	·62	.	·74	·14				·04	31
Total	4·20	1·58	3·47	·40	3·37	5·72	3·44	6·16	1·02	2·66	2·34	3·94	TOTAL for year 38·30
No. of Rain Days.	22	13	19	2	12	24	15	25	7	14	12	19	184

W. 8,000, X. '11.

Eve Df

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at Foxford Council School. Foleshill
in the County of Warwick
by Arthur F. Smith.

Lat. 52° 26' Long. 1° 31' W
Time of Observation 9. 30
Nearest Railway Station Longford & Exhall
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 9 in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·18	·05	·13				·59		·05		1
2	·01	·09	·02	·02					·01		·12		2
3	·11		·21		·96				·04	·11		·06	3
4	·69									·30	·06		4
5	·07				·03	·14	·10		·01	·55		·44	5
6	·01	·03	·08		·30	·07	·50			·15		·07	6
7		·09	·03		·31	·21	·08			·20		·02	7
8		·17	·02		·03	·02		·01		·55	·07	·01	8
9		·16	·02		·02	·32	·06		·06		·22		9
10	·09			·10	·11						·22		10
11	snow ·74			·41	·01			·02		·44	·51		11
12		·01			·15						·70		12
13	·09	·01		·02							·30		13
14	·11		·57	·01					·19	·10			14
15	·06	·05	·57	·51						·01			15
16	·07	·03	snow ·65						·01	·02	·01		16
17	·04	·01	·02										17
18			·21	·32									18
19	·11		·03		·03		·07		·28				19
20	·22		·09	·03						·18	·20		20
21	·03		·11		·17		·03				·29		21
22	·59		·48						·39				22
23						·07		·02	·03	·01	·03		23
24	·08			·03				·08			·01		24
25				·09					·02		·01		25
26		·08		·29	·07			·16		·21		·42	26
27		·05	·05	·10	Hail. large ·08								27
28	·47		·19	·57	·01				·01	·08		·04	28
29			·38	1.39				·14		·03			29
30	·41			·04						·13	·13		30
31			·07					·04				·01	31
Total	4.05	·78	3·98	3·98	2·41	·83	·84	·47	1.64	3·07	2·93	1·07	YEAR'S TOTAL 26·05
Rain Days.	20	12	20	16	16	6	6	7	12	16	16	8	155

W. 7,500, XI. 12

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Foxford Co. Schools, Foleshill

in the County of Warwick

by A F Smith

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·06			1·66	·22			·01	·01	1
2				·03				·54			·81	·26	2
3			·03	·02	·19		·36	·14			·01		3
4	·20		·03	·06				·24			·31	·19	4
5	·06		·13	·36	·19	·07	·11	·01			·10	·05	5
6		·06			·05	·02		·07				·18	6
7		·14	·40		·07	·10	·04	·12				·05	7
8	·10		·10		·10	·48		·12			·07		8
9		·19	·17	·02		1·23							9
10	·43			·08	·18	·02							10
11		·05	·34	·63	·14	·06			·13		·26	·42	11
12	·02	·03	·13				·13		·23		·07	·25	12
13		·23	·22						·06	·40	·17	·38	13
14	·02		·08				·15			·29	·12	·31	14
15			·11				·11			·01	·15		15
16							·16		·20				16
17		·19	·07				·10		·11			·40	17
18	·02		·01									·63	18
19							·03		·11		·04		19
20			·18				·26					·12	20
21		·48	·03				·03			·14		·27	21
22		·02					·04			·25			22
23		·10	·11		·34		·02	·07		·12			23
24			·01				·06	·15		·22	·10		24
25	·07						·05	·11		·41	·03	·24	25
26			·13				·02	·06		·07	·23	·32	26
27	·06										·11	·17	27
28		·08	·13		·03					·13	·04	·95	28
29			·07		·02					·05	·12	·17	29
30		X	·02			·03				·04	·54	·44	30
31	·05	X		X		X	·13		X		X		31
Total	1·03	1·57	2·51	1·26	1·31	2·01	3·46	1·85	·84	2·13	3·29	5·81	YEAR'S TOTAL 27·07
Rain Days.	10	11	22	8	10	8	18	12	6	12	19	20	156

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

JAN 1916

Kept at Foxford Council School
in the County of Warwick
by Arthur F. Smith

Lat. 52° 25′ Long. 1° 30′ W
Nearest Railway Station Longford & Exhall
Time of Observation 9·30 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 9 in.
" " " Sea Level 311 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·17	·04		·22				·05		·02		1
2	·12	·22	·25	·07		·12		·53	·04	·31		·04	2
3			·01	·12			1·73	·16			·01	·30	3
4	1·00				·08		Thunder Storm					·68	4
5		·12			·06		·04	·03				·46	5
6	·05	·33		·24			·76	·11				·06	6
7	·12	·51		·01	·08	·02	·40	·07				·54	7
8	·06	·15						·04			·12		8
9	·02	·16		·11							·34	·34	9
10	·34		·05								·09		10
11	·05			·03	·09		·13				·69	·11	11
12	·03			·25	·42			·20		·06	·90		12
13		·31			·56					·01			13
14	·01	·01			·01		·06	·22	·06			·37	14
15	·23			·01	·06		·10	·03			·07	·13	15
16	·02	·56			·16		1·40					·10	16
17		·25			·13		·28						17
18		·24	·16					·24					18
19		·02			·10		·12						19
20	·37			·07				·02				·15	20
21	·33	·01					·22		·03			·14	21
22	·08		·15	·10			·47			·01		·14	22
23	·02	·03					·45			·46		·02	23
24	·01		·02	·01			·20		·46	·16		·28	24
25						·08	·32			·06		·63	25
26		·13					·06		·09			·24	26
27		·06					·27			·49			27
28		·13					·02	·10	·10	·06		·03	28
29			·01			·02		·03			·18	·02	29
30	·03						·05			·11		·07	30
31	·13						·01	·01		·06		·25	31
Total	3·21	3·41	·69	1·02	1·97	·24	7·09	1·79	·83	1·79	2·42	5.10	TOTAL for year 29·36
No. of Rain Days	20	18	8	11	12	4	21	14	7	11	9	22	157

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

2505

FORM A.
BRITISH RAINFALL.
18 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Foxford Council School

in the County of Warwick

by Arthur F Smith

Lat. 52·26 N Long. 1. 31 W

Time of Observation 9. 30 a m

Nearest Railway Station Longford & Exhall

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. 9 in.

" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·12	·12			·02	·21		1
2	·29	·01	·07		·29		·14		·06	·54	Thunder storm ·09		2
3		·57					·35		·10	·25	·20		3
4	·24	·06		·01	·50	·29			·03	·02	·09		4
5	·03				·17	·35	·04			·08	·15		5
6	·05	·12	Snow ·17	·07	·16		·30			·05	·37		6
7	·02		" ·08				·34			·12	·26		7
8	·19	·02	" ·03			·07					·08	·29	8
9			" ·02		·26	·02				·08	·01	·03	9
10		·19	·04	·10		·05	·03		·06	·03			10
11		·14	·07	·21	·07	·32						·27	11
12	·13	·03	·15	·02	·47	·03	·10			·05		·09	12
13	·01	·17	·26	·03			·04	·21		·01			13
14		Snow ·54		·06	·02			·26		·02			14
15		·18	·55	·04	·10		·04	·59	·03	·02			15
16	·01		·33	·27	·03		·17	·06		·04			16
17	·10	·11		Thunder 2.30 ·19			·02		·23	·27			17
18	·01	·13	·10	·03				·74	·24		·49	·02	18
19	·07	·03	·11	·03		·04		·03	·12		·48	·13	19
20	·03		·21	·				·13			·08	·14	20
21	·04		·10	·01	·11		·05					·46	21
22		·02	·01	·01	·02	·02				·02	·01	·32	22
23	·02	Snow ·65						·04		·03	·07	·49	23
24		·31				·04		·10		·18		·14	24
25		·05	·10		·03			·23			·21	·03	25
26	·03	·05	·02			·01		·19			·07		26
27	·03	·05	Snow ·55					·09		·03			27
28		·21	Snow ·69							·10		·12	28
29		·09	Snow ·01		·24			·79		·34		·11	29
30		✕			·02	·28				·25		·01	30
31	·01	✕		✕		✕		·02	✕	·09	✕	·18	31
Total	1·31	3·73	3·76	1·08	2·49	1·64	1·74	3·48	·87	2·64	2·87	2·83	YEAR'S TOTAL 28·44
Rain Days.	18	22	22	14	15	13	13	14	8	23	16	16	194

W. 8,000, VIII. 16

HAMPTON -

REGI

HAMPTON-IN-ARDEN
HAMPTON MANOR
WARWICK.
1911-15, 1917-1918.

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Hampton

8 in.

e Ground ft. 7 in.

in the County of Warw

Sea Level 345 ft.

a m

by W. R. Coop

Name Hampton-in Ard

Distance ¼ m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·00	0·02	0·00	0·00	0·00	0·05	0·02	0·00	0·00	0·01	0·02	1
2	0·01	0·00	0·00	0·02	0·22	0·00	0·10	0·02	0·00	0·13	0·03	0·04	2
3	0·00	0·00	0·00	0·00	0·29	0·00	0·00	0·17	0·00	0·01	0·02	0·02	3
4	0·02	0·02	0·15	0·02	0·00	0·00	0·00	0·00	0·13	0·29	0·25	0·30	4
5	0·00	0·00	0·01	0·10	0·02	0·00	0·00	0·00	0·00	0·03	0·02	0·00	5
6	0·60	0·00	0·06	0·01	0·00	0·00	0·00	0·04	0·00	0·00	0·03	0·46	6
7	0·01	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·30	0·17	7
8	0·11	0·00	0·16	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·02	0·36	8
9	0·10	0·00	0·03	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·20	0·05	9
10	0·03	0·12	0·50	0·00	0·00	0·00	0·00	0·50	0·00	0·00	0·05	0·58	10
11	0·24	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·00	0·38	0·00	11
12	0·00	0·00	0·55	0·00	0·00	0·00	0·00	0·00	0·06	0·00	0·40	0·00	12
13	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·18	0·00	0·02	0·45	13
14	0·00	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·85	14
15	0·00	0·05	0·09	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·18	0·08	15
16	0·00	0·00	0·00	0·00	0·00	0·12	0·00	0·00	0·00	0·01	0·15	0·14	16
17	0·00	0·00	0·01	0·00	0·00	0·20	0·00	0·00	0·00	0·00	0·17	0·52	17
18	0·00	0·46	0·01	0·04	0·02	0·21	0·00	0·00	0·00	0·02	0·00	0·40	18
19	0·00	0·02	0·00	0·01	0·01	0·45	0·14	0·02	0·24	0·14	0·19	0·05	19
20	0·01	0·06	0·00	0·02	0·00	0·00	0·00	0·44	0·01	0·16	0·00	0·45	20
21	0·00	0·23	0·04	0·02	0·00	0·00	0·00	0·60	0·00	0·43	0·00	0·18	21
22	0·00	0·00	0·01	0·03	0·00	0·05	0·00	0·21	0·00	0·23	0·00	0·45	22
23	0·00	0·09	0·25	0·00	0·00	0·18	0·00	0·00	0·38	0·03	0·00	0·22	23
24	0·00	0·09	0·01	0·01	0·00	0·57	0·00	0·05	0·00	0·55	0·00	0·11	24
25	0·00	0·00	0·02	0·05	0·19	0·08	0·00	0·00	0·00	0·00	0·00	0·07	25
26	0·00	0·00	0·00	0·37	0·08	0·01	0·00	0·00	0·00	0·28	0·16	0·17	26
27	0·00	0·32	0·12	0·22	0·00	0·00	0·00	0·26	0·26	0·00	0·10	0·10	27
28	0·01	0·27	0·00	0·22	0·00	0·00	0·08	0·00	0·00	0·00	0·08	0·05	28
29	0·00		0·00	0·00	0·00	0·14	0·33	0·00	0·26	0·20	0·00	0·01	29
30	0·00		0·01	0·01	0·03	0·05	0·00	0·75	0·12	0·10	0·00	0·11	30
31	0·00		0·05		0·00		0·00	0·00		0·05		0·00	31
~~Total~~	1·15	1·86	2·14	1·16	0·86	2·06	0·70	3·09	1·64	2·67	2·76	6·41	TOTAL for year ✓ 26·50
No. of Rain Days.	11	12	21	16	8	11	5	13	9	17	20	27	170 ✓

W. 8,000, X. '11.

HAMPTON

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Hampton Manor
in the County of Warwickshire 4
by W. R. Cooper

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground .... ft. 7 in.
„ „ „ Sea Level 345 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Hampton-in Ard
Distance 4 m. Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.00	0.02	0.00	0.00	0.00	0.05	0.02	0.00	0.00	0.01	0.02	1
2	0.01	0.00	0.00	0.02	0.22	0.00	0.10	0.02	0.00	0.13	0.03	0.04	2
3	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.17	0.00	0.01	0.02	0.02	3
4	0.02	0.02	0.15	0.02	0.00	0.00	0.00	0.00	0.13	0.29	0.25	0.30	4
5	0.00	0.00	0.01	0.10	0.02	0.00	0.00	0.00	0.00	0.03	0.02	0.00	5
6	0.60	0.00	0.06	0.01	0.00	0.00	0.00	0.04	0.00	0.00	0.03	0.46	6
7	0.01	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.17	7
8	0.11	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.36	8
9	0.10	0.00	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.05	9
10	0.03	0.12	0.50	0.00	0.00	0.00	0.00	0.50	0.00	0.00	0.05	0.58	10
11	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.38	0.00	11
12	0.00	0.00	0.55	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.40	0.00	12
13	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.02	0.45	13
14	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.85	14
15	0.00	0.05	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.18	0.08	15
16	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.01	0.15	0.14	16
17	0.00	0.00	0.01	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.17	0.52	17
18	0.00	0.46	0.01	0.04	0.02	0.21	0.00	0.00	0.00	0.02	0.00	0.40	18
19	0.00	0.02	0.00	0.01	0.01	0.45	0.14	0.02	0.24	0.14	0.19	0.05	19
20	0.01	0.06	0.00	0.02	0.00	0.00	0.00	0.44	0.01	0.16	0.00	0.45	20
21	0.00	0.23	0.04	0.02	0.00	0.00	0.00	0.60	0.00	0.43	0.00	0.18	21
22	0.00	0.00	0.01	0.03	0.00	0.05	0.00	0.21	0.00	0.23	0.00	0.45	22
23	0.00	0.09	0.25	0.00	0.00	0.18	0.00	0.00	0.38	0.03	0.00	0.22	23
24	0.00	0.09	0.01	0.01	0.00	0.57	0.00	0.05	0.00	0.55	0.00	0.11	24
25	0.00	0.00	0.02	0.05	0.19	0.08	0.00	0.00	0.00	0.00	0.00	0.07	25
26	0.00	0.00	0.00	0.37	0.08	0.01	0.00	0.00	0.00	0.28	0.16	0.17	26
27	0.00	0.32	0.12	0.22	0.00	0.00	0.00	0.26	0.26	0.00	0.10	0.10	27
28	0.01	0.27	0.00	0.22	0.00	0.00	0.08	0.00	0.00	0.00	0.08	0.05	28
29	0.00		0.00	0.00	0.00	0.14	0.33	0.00	0.26	0.20	0.00	0.01	29
30	0.00		0.01	0.01	0.03	0.05	0.00	0.75	0.12	0.10	0.00	0.11	30
31	0.00		0.05		0.00		0.00	0.00		0.05		0.00	31
Total	1.15	1.86	2.14	1.16	0.86	2.06	0.70	3.09	1.64	2.67	2.76	6.41	TOTAL for year 26.50
No. of Rain Days.	11	12	21	16	8	11	5	13	9	17	20	27	170

W. 8,000, X. '11.

Ex 56 Cov by sur. stats. 9.V.13

REGISTER OF RAINFALL IN 1912

Form A2.
BRITISH RAINFALL
9 JAN 1913

Kept at Hampton Manor
in the County of Warwickshire 4
by W. R. Cooper

Rain Gauge: Pattern
Diameter of top 8 in.
Height of top above Ground — ft. 1 in.
" " " Sea Level 345 ft.
Time of Observation 9 a.m.
Nearest Railway Station: Name Hampton-in-Ard
Distance ¼ m Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.10	0.0	0.00	0.28	0.20	0.00	0.07	0.00	0.00	0.28	1
2	0.01	0.00	0.15	0.08	0.01	0.17	0.60	0.00	0.00	0.00	0.00	0.02	2
3	0.18	0.00	0.02	0.00	0.06	0.15	0.15	0.93	0.06	0.00	0.00	0.10	3
4	0.17	0.00	0.01	0.00	0.24	0.65	0.01	0.25	0.00	0.00	0.32	0.00	4
5	0.12	0.00	0.35	0.00	0.04	0.16	0.00	0.52	0.15	0.00	0.01	0.01	5
6	0.47	0.30	0.00	0.00	0.01	0.32	0.00	0.32	0.07	0.00	0.01	0.03	6
7	0.00	0.15	0.00	0.00	0.12	0.22	0.00	0.12	0.00	0.00	0.00	0.07	7
8	0.43	0.27	0.35	0.02	0.00	0.22	0.14	0.23	0.14	0.00	0.01	0.02	8
9	0.02	0.05	0.19	0.15	0.00	0.35	0.00	0.13	0.00	0.00	0.00	0.40	9
10	0.00	0.01	0.11	0.00	0.00	0.54	0.00	0.22	0.05	0.00	0.27	0.00	10
11	0.16	0.12	0.01	0.00	0.00	0.13	[illegible]	0.00	0.00	0.00	0.05	0.66	11
12	0.04	0.28	0.18	0.00	0.20	0.04	0.01	0.00	0.00	0.00	0.08	0.02	12
13	0.02	0.16	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.06	0.00	13
14	0.17	0.00	0.43	0.00	0.02	0.12	0.00	0.13	0.00	0.06	0.00	0.00	14
15	0.31	0.06	0.12	0.00	0.47	0.29	0.00	0.03	0.00	0.00	0.00	0.22	15
16	0.68	0.00	0.18	0.00	0.08	0.11	0.00	0.10	0.00	0.10	0.00	0.00	16
1.25 17	1.00	0.00	0.35	0.00	0.00	0.13	0.00	0.71	0.00	0.00	0.07	0.65	17
(·28) 18	0.28	0.02	0.08	0.00	0.00	0.00	0.00	0.41	0.00	0.06	0.01	0.00	18
(·20) 19	·28 0.~~40~~	0.10	0.02	0.00	0.02	0.00	0.37	0.36	0.01	0.05	0.02	0.01	19
·08 20	[illegible]	0.00	0.18	0.00	0.01	0.00	0.20	0.20	0.00	0.34	0.01	0.00	20
– 21	0.00 –	0.01	0.36	0.00	1.19	0.00	0.00	0.55	0.00	0.38	0.00	0.01	21
22	0.00	0.16	0.00	0.00	0.89	0.24	0.35	0.25	0.00	0.00	0.00	0.11	22
23	0.58	0.12	0.36	0.00	0.01	0.17	0.45	0.70	0.00	0.00	0.12	0.40	23
24	0.26	0.02	0.02	0.00	0.00	0.11	0.20	0.13	0.00	0.00	0.00	0.24	24
25	0.00	0.00	0.00	0.00	0.00	0.89	0.00	0.10	0.00	0.00	0.25	0.21	25
26	0.00	0.08	0.02	0.00	0.00	0.00	0.70	1.03	0.00	0.73	0.25	0.75	26
27	0.00	0.00	0.00	0.00	0.01	0.17	0.32	0.00	0.00	1.06	0.00	0.27	27
28	0.00	0.08	0.00	0.00	0.00	0.05	0.20	0.71	0.09	0.38	0.44	0.67	28
29	0.00	0.05	0.00	0.00	0.00	0.13	0.62	0.04	0.53	0.24	0.04	0.08	29
30	0.00		0.00	0.00	0.30	0.08	0.00	0.00	0.03	0.03	0.00	0.00	30
31	0.00		0.23		0.18		0.43	0.10		0.00		0.12	31
Total	5.31	1.98	4.61	0.25	3.86	5.82	5.34	8.47	1.20	3.43	2.02	5.35	TOTAL for year 47.64
No. of Rain Days	18	17	22	3	18	24	18	24	10	11	17	23	205

000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
-9 JAN 1914

Kept at Hampton Manor

in the County of Warwickshire

by W. R. Cooper

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground — ft. 7 in.
" " " Sea Level 345 ft.

Time of Observation 9. A. M

Nearest Railway Station
Name Hampton-in-Ard
Distance ¼ m Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·06	0·00	0·24	0·13	0·00	0·00	0·00	0·00	0·55	·–··	0·09	0·01	1
2	0·01	0·12	0·02	0·15	0·00	0·00	0·01	0·00	0·08	0·24	0·08	·–··	2
3	0·14	0·00	0·22	0·00	0·89	0·00	0·00	0·00	0·02	0·16	·–··	0·06	3
4	0·96	0·01	0·00	0·10	0·60	0·00	0·03	0·00	0·03	0·09	0·04	0·55	4
5	0·14	0·03	0·00	0·00	0·00	0·09	0·11	0·00	·–··	0·67	0·08	0·15	5
6	0·01	0·05	0·12	0·00	0·34	0·21	0·56	0·00	·–··	·–··	·–··	0·12	6
7	0·00	0·16	0·10	0·00	0·32	0·04	0·14	0·00	·–··	0·47	0·04	0·04	7
8	0·00	0·05	0·00	0·00	0·16	0·17	0·00	0·00	·–··	0·26	0·10	·–··	8
9	0·00	0·35	0·01	0·00	0·03	0·29	0·15	0·08	0·10	·–··	0·12	0·07	9
10	0·01	0·00	0·01	0·13	0·36	0·00	0·00	0·10	·–··	·–··	0·28	·–··	10
11	0·61	0·01	0·00	Snow 0·26	0·01	0·02	0·00	0·04	·–··	0·16	0·44	·–··	11
12	0·30	0·00	0·00	0·00	0·16	0·00	0·00	0·00	·–··	0·02	0·66	·–··	12
13	0·00	0·00	0·10	0·02	0·00	0·00	0·00	0·00	0·20	·–··	0·21	·–··	13
14	0·15	0·00	0·65	0·01	0·00	0·00	0·00	0·05	·–··	0·13	0·08	·–··	14
15	0·19	0·15	0·62	0·38	0·00	0·00	0·00	0·00	0·08	0·01	0·04	·–··	15
16	0·07	0·00	0·24	0·14	0·00	0·00	0·00	0·00	0·02	·–··	0·02	·–··	16
17	0·06	0·04	0·64	0·10	0·00	0·00	0·03	0·00	0·03	·–··	0·01	0·01	17
18	0·00	0·00	0·15	0·21	0·02	0·00	0·00	0·00	0·03	·–··	0·05	·–··	18
19	0·16	0·00	0·20	0·04	0·00	0·00	0·08	0·00	0·22	·–··	·–··	0·01	19
20	0·15	0·00	0·16	0·12	0·00	0·00	0·00	0·00	0·02	0·10	0·17	·–··	20
21	0·00	0·00	0·25	0·05	0·12	0·00	0·10	0·00	·–··	·–··	0·33	·–··	21
22	0·71	0·00	0·47	0·00	0·01	0·00	0·00	0·08	0·46	·–··	·–··	·–··	22
23	0·00	0·00	0·02	0·00	0·00	0·11	0·00	0·06	0·10	·–··	0·03	·–··	23
24	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·03	·–··	·–··	·–··	·–··	24
25	0·00	0·00	0·00	0·08	0·00	0·00	0·00	0·00	0·04	0·04	·–··	·–··	25
26	0·00	0·08	0·04	0·73	0·00	0·00	0·00	0·13	0·02	0·10	·–··	0·31	26
27	0·00	0·00	0·00	0·97	0·00	0·00	0·00	0·00	·–··	0·03	·–··	·–··	27
28	0·48	0·01	0·29	0·32	0·00	0·00	0·00	0·00	·–··	0·19	0·01	·–··	28
29	0·02		0·51	0·93	0·01	0·00	0·00	0·11	·–··	0·03	·–··	0·10	29
30	0·00		0·00	0·00	0·00	0·00	0·00	0·00	·–··	0·20	0·11	·–··	30
31	0·01		0·10		0·04		0·00	0·04		0·11		·–··	31
Total	4·35	1·06	5·16	4·87	3·07	0·93	1·21	0·72	2·00	3·01	2·99	1·43	TOTAL for year 30·80
No. of Rain Days.	2X 20	12	21	18	14	7	9	10	16	18	21	11	178 177

S.000, X. '11.

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Hampton Manor

in the County of Warwickshire 4

by

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Hampton-in-Arden

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	· ·	· ·	·01	· ·	· ·	·87	·14	· ·	· ·	· ·	·06	1
2	· ·	·02	·01	·07	· ·	· ·	·04	·33	· ·	·05	·48	·38	2
3	· ·	· ·	·04	·04	·20	· ·	·36	·14	· ·	· ·	·02	·02	3
4	·21	· ·	·07	·25	·06	· ·	· ·	·08	· ·	· ·	·43	·40	4
5	·08	· ·	·12	·20	·14	·11	·30	·04	· ·	· ·	·11	·02	5
6	· ·	·10	· ·	·03	·07	·03	· ·	· ·	· ·	· ·	·10	·12	6
7	· ·	·16	·31	·01	·09	·17	·15	· ·	· ·	· ·	·01	·16	7
8	·02	·02	·08	·09	·13	· ·	·08	·26	· ·	· ·	· ·	·06	8
9	·31	·01	·16	·28	} · ×	1·35	· ·	·06	·08	· ·	· ·	· ·	9
10	·10	·12	·04	·16	13	·10	· ·	· ·	·14	· ·	· ·	· ·	10
11	· ·	·08	·38	·31	·07	·12	· ·	· ·	·02	· ·	·20	·56	11
12	·02	·07	·06	· ·	· ·	·03	·50	· ·	·24	· ·	· ·	·36	12
13	· ·	·25	·23	· ·	· ·	· ·	· ·	· ·	·04	·24	·24	·29	13
14	· ·	·04	·10	· ·	· ·	· ·	·04	· ·	· ·	·40	·10	·20	14
15	·06	· ·	·07	· ·	· ·	· ·	·05	·02	·02	·04	·03	·34	15
16	· ·	· ·	·08	· ·	· ·	· ·	·16	· ·	·14	· ·	· ·	· ·	16
17	·03	·23	·09	· ·	· ·	· ·	·02	· ·	·25	· ·	· ·	·27	17
18	· ·	· ·	·03	· ·	· ·	· ·	·10	· ·	· ·	· ·	· ·	·59	18
19	· ·	· ·	·09	· ·	· ·	· ·	·23	· ·	·07	· ·	· ·	·06	19
20	· ·	·22	·02	· ·	· ·	· ·	·05	· ·	·01	· ·	· ·	·04	20
21	· ·	·43	·05	· ·	· ·	·12	·24	· ·	· ·	·09	· ·	·49	21
22	· ·	·05	·02	· ·	·41	· ·	·04	·22	· ·	·30	· ·	·04	22
23	· ·	·10	·17	· ·	·23	· ·	·03	·04	· ·	·04	· ·	·02	23
24	· ·	·06	·14	·02	·02	· ·	·06	·08	· ·	·08	·09	· ·	24
25	·10	· ·	·09	· ·	· ·	· ·	·03	·15	· ·	·45	·05	·18	25
26	· ·	· ·	·08	· ·	· ·	· ·	·03	·07	· ·	·09	·14	·41	26
27	·06	· ·	·03	· ·	· ·	· ·	· ·	· ·	· ·	·04	·01	· ·	27
28	· ·	·07	·10	· ·	· ·	· ·	· ·	· ·	· ·	·02	·14	·24	28
29	·01		·18	· ·	·07	· ·	· ·	· ·	· ·	·36	·18	·39	29
30	· ·		·04	· ·	·04	·12	· ·	· ·	· ·	·02	·43	·95	30
31	·03		· ·		·02		·24	· ·		·02		·03	31
Total	1·13	2·03	2·88	1·47	1·68	2·15	3·62	1·63	1·01	2·24	2·76	6·68	YEAR'S TOTAL 29·28
Rain Days.	13	17	28	12	15	9	21	13	10	15	17	26	196

2577

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

7. JAN. 1916

Kept at Hampton Manor

in the County of Warwickshire

by H. R. Cooper, Gardener

Lat. Long.

Time of Observation 9. A. M.

Nearest Railway Station Hampton-in-Arden

Diameter of Rain Gauge ·8 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·16	0·16	0·10	· ·	0·32	· ·	· ·	0·05	0·08	0·06	0·04	0·13	1
2	0·09	0·19	0·23	0·04	· ·	0·12	· ·	0·23	· ·	0·36	· ·	0·04	2
3	0·74	0·04	0·06	0·12	· ·	· ·	0·76	0·38	· ·	· ·	· ·	0·19	3
4	0·01	· ·	· ·	· ·	0·03	· ·	1·52	0·02	· ·	0·02	· ·	0·70	4
5	0·02	0·29	· ·	· ·	0·10	· ·	· ·	0·03	· ·	· ·	· ·	0·43	5
6	0·14	0·20	· ·	0·28	· ·	· ·	0·75	0·15	· ·	· ·	· ·	0·14	6
7	0·09	0·50	· ·	0·06	0·98	0·03	0·33	0·12	· ·	· ·	· ·	0·40	7
8	0·09	0·25	· ·	0·02	· ·	· ·	· ·	0·03	· ·	· ·	0·05	· ·	8
9	0·04	0·21	· ·	0·20	· ·	· ·	· ·	0·02	· ·	· ·	0·18	0·34	9
10	0·27	0·07	0·02	0·03	· ·	· ·	0·01	0·04	· ·	· ·	0·14	0·03	10
11	0·02	0·02	0·06	0·08	0·12	· ·	0·14	0·01	· ·	· ·	0·69	· ·	11
12	0·06	· ·	· ·	0·14	0·33	· ·	· ·	0·44	· ·	0·06	1·78	0·04	12
13	0·02	0·40	· ·	· ·	0·75	· ·	· ·	0·02	· ·	· ·	0·04	0·05	13
14	0·02	0·02	· ·	· ·	· ·	· ·	0·09	0·16	0·05	0·02	· ·	0·36	14
15	0·28	· ·	· ·	· ·	0·12	· ·	0·08	0·10	· ·	0·02	0·24	0·31	15
16	0·03	0·57	· ·	· ·	0·20	· ·	1·60	0·01	· ·	· ·	· ·	0·05	16
17	· ·	0·33	· ·	· ·	0·22	· ·	0·06	· ·	· ·	0·01	· ·	0·02	17
18	· ·	0·28	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	0·02	· ·	18
19	· ·	0·04	0·15	· ·	0·08	· ·	0·09	· ·	· ·	· ·	· ·	· ·	19
20	0·27	0·02	· ·	0·08	· ·	· ·	· ·	0·01	· ·	· ·	· ·	0·09	20
21	0·12	0·10	· ·	· ·	· ·	· ·	0·19	· ·	· ·	· ·	· ·	0·05	21
22	0·10	· ·	0·17	0·03	· ·	· ·	0·23	· ·	· ·	0·03	· ·	0·10	22
23	0·08	0·04	· ·	· ·	· ·	0·06	0·53	· ·	· ·	0·50	· ·	0·21	23
24	· ·	0·06	0·06	0·03	· ·	0·02	0·15	· ·	0·37	0·35	· ·	0·15	24
25	· ·	· ·	· ·	· ·	· ·	0·41	0·34	· ·	· ·	0·06	· ·	0·38	25
26	· ·	0·23	· ·	· ·	· ·	· ·	0·11	· ·	0·08	· ·	· ·	0·31	26
27	· ·	0·08	0·04	· ·	· ·	· ·	0·22	· ·	· ·	0·42	· ·	0·14	27
28	· ·	0·17	· ·	· ·	· ·	· ·	0·02	0·12	0·09	0·08	· ·	· ·	28
29	· ·		· ·	· ·	· ·	0·01	0·07	0·11	· ·	· ·	0·11	0·09	29
30	0·08	X	· ·	· ·	· ·	0·03	0·36	0·02	· ·	0·08	0·04	0·19	30
31	0·06	X	· ·	X	· ·	X	0·02	0·04	X	0·21	X	0·29	31
													YEAR'S TOTAL
Total	2·79	~~4·27~~	·89	1·13	3·25	·68	7·67	2·11	·67	2·28	3·33	5·21	34·28
Rain Days.	22	23	9	12	11	7	22	21	5	15	11	26	184

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Hampton Manor
in the County of Warwickshire
by R. R. Cooper

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Hampton-in-Arden
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·14	· ·	0·02	0·07	· ·	0·06	· ·	0·70	0·34	· ·	0·03	0·07	1
2	0·04	· ·	· ·	0·12	· ·	0·23	· ·	0·02	· ·	0·01	0·02	0·14	2
3	0·06	· ·	· ·	0·04	· ·	0·02	· ·	0·17	· ·	0·01	0·07	· ·	3
4	0·04	· ·	· ·	0·12	· ·	· ·	· ·	0·13	· ·	0·82	0·01	· ·	4
5	0·18	· ·	0·34	0·24	· ·	· ·	· ·	0·01	0·01	0·08	0·08	· ·	5
6	0·02	· ·	0·06	0·06	· ·	0·28	· ·	· ·	· ·	0·05	0·07	0·04	6
7	0·39	· ·	· ·	0·19	· ·	0·18	· ·	· ·	· ·	0·16	0·01	· ·	7
8	0·69	· ·	· ·	· ·	· ·	· ·	0·17	0·33	· ·	0·47	0·21	0·23	8
9	0·02	· ·	0·04	0·06	· ·	· ·	· ·	0·42	0·05	· ·	0·19	· ·	9
10	0·10	· ·	0·50	0·04	0·38	· ·	· ·	0·15	· ·	0·02	· ·	· ·	10
11	0·49	· ·	· ·	0·14	· ·	· ·	· ·	0·05	· ·	0·23	0·03	· ·	11
12	0·15	· ·	0·02	0·07	0·15	· ·	· ·	0·04	· ·	0·22	· ·	· ·	12
13	0·06	· ·	0·03	0·05	· ·	· ·	· ·	0·27	0·10	0·02	0·02	0·03	13
14	0·05	· ·	0·20	0·33	· ·	· ·	· ·	0·23	· ·	· ·	0·01	· ·	14
15	0·04	· ·	0·06	· ·	0·03	· ·	0·12	0·03	· ·	0·05	0·01	0·06	15
16	(0·04)	· ·	0·02	0·14	· ·	· ·	0·02	0·01	· ·	0·03	· ·	0·54	16
17	0·02	0·24	0·01	0·07	0·44	0·33	0·12	0·13	0·06	0·08	· ·	0·04	17
18	0·02	0·02	· ·	0·05	0·12	0·03	0·47	0·11	0·90	0·05	· ·	· ·	18
19	0·06	0·21	0·14	0·04	0·29	0·08	· ·	· ·	0·11	· ·	· ·	· ·	19
20	0·02	0·24	0·06	· ·	0·39	0·10	0·10	0·05	0·19	· ·	0·04	0·02	20
21	0·01	0·04	0·02	· ·	0·28	0·04	· ·	0·05	· ·	0·02	0·03	· ·	21
22	0·02	0·02	0·14	· ·	· ·	0·05	· ·	0·17	0·02	0·14	· ·	· ·	22
23	0·04	0·14	0·07	· ·	0·06	· ·	· ·	0·23	· ·	0·37	· ·	0·02	23
24	0·02	0·04	0·04	· ·	· ·	0·54	· ·	0·06	· ·	0·21	0·06	0·01	24
25	· ·	0·05	0·06	· ·	· ·	· ·	0·02	· ·	· ·	0·02	0·04	· ·	25
26	· ·	0·02	· ·	· ·	· ·	· ·	· ·	0·52	0·19	0·02	0·16	· ·	26
27	· ·	· ·	· ·	· ·	0·18	0·20	0·22	0·60	· ·	0·03	· ·	· ·	27
28	· ·	· ·	0·06	· ·	· ·	0·15	· ·	0·12	· ·	0·62	· ·	0·04	28
29	· ·	· ·	0·04	· ·	· ·	0·39	0·03	0·08	· ·	0·07	· ·	0·19	29
30	· ·	X	· ·	0·01	· ·	· ·	0·11	0·18	· ·	0·12	· ·	0·03	30
31	· ·	X	0·06	X	· ·	X	· ·	0·02	X	0·01	X	0·04	31
Total	2·73	1·02	1·99	1·74	2·32	2·68	1·38	4·88	1·97	3·93	1·09	1·49	YEAR'S TOTAL 27·22
Rain Days.	24	10	21	18	10	15	10	27	10	26	18	15	204

W. 8,000, IX. 17.

Excel 976

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

10 6. 1

Kept at Hampton Manor

in the County of Warwickshire

by H. R. Cooper

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Hampton-in-Arden

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	· ·	·04	· ·	·12	·01	· ·	· ·	· ·	·02	·02	·04	·12	1
2	· ·	· ·	· ·	·12	· ·	· ·	· ·	· ·	· ·	·06	·18	·04	2
3	· ·	·06	·06	· ·	·25	· ·	· ·	·09	·40	·03	·02	·25	3
4	· ·	·07	·03	· ·	· ·	· ·	· ·	·21	·61	·02	·09	·04	4
5	· ·	·03	· ·	·05	·20	·10	· ·	·07	·05	·10	·57	·14	5
6	·02	·17	·03	· ·	· ·	· ·	· ·	·09	·04	·02	· ·	·02	6
7	·02	·08	· ·	·23	·04	·04	· ·	·02	·21	·21	· ·	·03	7
8	· ·	·17	· ·	· ·	· ·	·10	· ·	· ·	·04	·04	· ·	·05	8
9	·04	·37	· ·	·29	· ·	·24	·14	·02	·40	·33	· ·	·04	9
10	·14	·01	· ·	·05	· ·	· ·	·50	· ·	·12	·05	·02	·65	10
11	· ·	·01	· ·	·62	·16	· ·	·10	· ·	·15	·03	· ·	·09	11
12	·32	·06	·10	·04	·14	· ·	·04	· ·	·02	·02	·01	·06	12
13	· ·	·02	· ·	·05	·16	·04	· ·	· ·	·13	·08	· ·	·02	13
14	·42	· ·	·01	·34	· ·	·04	·02	· ·	·18	·04	· ·	·07	14
15	·06	· ·	· ·	·46	· ·	· ·	·10	· ·	·04	·16	·02	·09	15
16	·05	· ·	· ·	·01	· ·	·19	·18	· ·	·23	· ·	· ·	·48	16
17	·33	· ·	· ·	·02	·01	·11	·02	· ·	·09	· ·	· ·	·03	17
18	·90	· ·	· ·	· ·	· ·	·16	·15	·01	·18	·05	· ·	·16	18
19	·06	·07	·12	·07	· ·	· ·	·04	· ·	· ·	·02	· ·	·18	19
20	·14	·12	· ·	·34	·65	·05	·11	· ·	·14	·02	· ·	·24	20
21	·06	· ·	· ·	·61	·28	·03	·91	· ·	· ·	·09	·04	·07	21
22	·12	· ·	· ·	· ·	· ·	· ·	·06	· ·	·32	·02	· ·	·14	22
23	·24	· ·	· ·	· ·	·54	· ·	·09	· ·	·03	·03	·02	·47	23
24	· ·	·09	· ·	· ·	· ·	· ·	·14	· ·	·04	·06	·02	·03	24
25	· ·	· ·	· ·	· ·	· ·	· ·	·07	· ·	·03	·01	·12	·03	25
26	· ·	· ·	· ·	· ·	· ·	· ·	·15	·40	· ·	· ·	·05	·01	26
27	· ·	·04	· ·	· ·	· ·	· ·	·14	·04	·05	·02	· ·	·12	27
28	· ·	·08	·33	· ·	· ·	· ·	·04	·30	·20	· ·	·12	·14	28
29	· ·	· ·	·07	· ·	· ·	· ·	· ·	·02	· ·	· ·	·10	·08	29
30	· ·	✕	·35	· ·	· ·	· ·	· ·	· ·	·82	· ·	·02	·03	30
31	· ·	✕	·40	✕	· ·	✕	· ·	·11	✕	·01	✕	·27	31
Total	2·72	1·49	1·50	2·72	2·47	1·10	2·99	1·38	4·24	1·52	1·44	3·57	YEAR'S TOTAL 27·16
Rain Days.	15	17	10	16	11	11	19	12	25	25	16	31	208

W. 6,500. VII. 18. w w c

HAMPTON - IN - ARDEN

ESTCOTE

WARWICKSHIRE

1914 - 1916

RE 14

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Estcote

in the County of Wa

by Mr E. P. C

ng. 1°51'30"W

9 a.m

n Hampton in Arden

e 5 in.

above Ground 1 ft. — in.

„ Sea Level 340·00 ft.

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the r … year in the space provided for it at the end of … urement of rain, the selection and plac … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, C

Jan. 1, following.
0·14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	0·01	.	0·02	0·73	0·30	.		0·01	0·05	1
2	.	.	.	0·03	.	.	0·04	0·13	.	0·02	0·44	0·37	2
3	.	.	0·03	0·03	0·22	.	0·34	0·08	.	.	0·01	0·02	3
4	0·23	.	0·03	0·23	0·06	.	0·01	0·06	.	.	0·39	0·42	4
5	0·07	.	0·10	0·17	0·09	0·07	0·33	0·04	.	.	0·13	0·02	5
6	.	0·07	.	.	0·06	.	.	0·01	.	.	0·11	0·09	6
7	.	0·13	0·30	-	0·03	0·19	0·09	0·11	.	.	.	0·11	7
8	.	0·01	0·05	.	0·13	0·65	0·01	0·17	0·01	.	.	0·04	8
9	0·30	0·01	0·14	0·25	.	1·00	.	0·03	0·03	.	.	.	9
10	.	0·11	0·01	0·15	0·08	0·07	.	.	0·13	.	.	.	10
11	.	0·06	0·40	0·27	0·07	0·09	.	.	.	.	0·17	0·50	11
12	.	0·06	0·10	.		.	0·38	.	0·23	.	0·05	0·29	12
13	.	0·23	0·23	.		.	.	.	0·04	0·29	0·27	0·28	13
14	.	0·04	.	.		.	0·03	.	.	0·31	0·14	0·40	14
15	0·03	.	0·08	.		.	0·04	0·02		0·03	0·03	0·01	15
16	.	.	0·03	.		.	0·12	.	0·13	.	.	.	16
17	0·01	0·20	0·08	.		.	0·01	.	0·16	.	.	0·34	17
18	.	.	0·01	.		.	0·11	.	.	.	.	0·39	18
19	.	0·01	0·07	.		.	0·26	.	0·06	.	.	0·05	19
20	.	0·19	.	.		0·02	0·05	.	.	.	.	0·11	20
21	.	0·43	0·05	.		0·14	0·15	0	.	0·13	.	0·35	21
22	.	0·05	.	.	0·40	.	0·05	0·21	.	0·23	.	.	22
23	.	0·07	0·15	.	0·15	.	0·01	.	.	0·06	.	.	23
24	.	.	0·12	0·02	0·01	.	0·05	0·14	.	0·04	0·06	.	24
25	0·09	.	0·06	.	.	.	0·03	0·20	.	0·43	0·04	0·23	25
26	.	0·01	0·03	.	.	.	0·02	0·09	.	0·10	0·11	0·36	26
27	0·05	.	.	.	.	.	.	.	.	0·02	0·10	0·23	27
28	.	0·06	0·16	.	.	.	.	.	.	0·04	0·06	0·30	28
29	.	.	0·07	.	0·01	.	.	.	.	0·29	0·15	.	29
30	.	X	0·01	.	0·06	0·14	.	.	.	0·03	0·40	0·46	30
31	0·04	X	.	X	.	X	0·24	.	X	0·04	X	0·01	31
Total	0·82	1·74	2·31	1·16	1·37	2·39	3·10	1·59	0·79	2·06	2·67	6·03	YEAR'S TOTAL 26·03
Rain Days.	8	17	23	9	13	10	22	14	8	15	18	24	181

W. 8,000. X. 14.

REGISTER OF RAIN 14

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Estcote BARSTON
in the County of Warwick
by Mr E. P. Currall msc

Lat. 52°24'56" N Long. 1°51'30" W
Time of Observation 9 a.m
Nearest Railway Station Hampton in Arden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 340·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	0·01	·	0·02	0·73	0·30	·		0·01	0·05	1
2	·	·	·	0·03	·	·	0·04	0·13	·	0·02	0·44	0·37	2
3	·	·	0·03	0·03	0·22	·	0·34	0·08	·	·	0·01	0·02	3
4	0·23	·	0·03	0·23	0·06	·	0·01	0·06	·	·	0·39	0·42	4
5	0·07	·	0·10	0·17	0·09	0·07	0·33	0·04	·	·	0·13	0·02	5
6	·	0·07	·	·	0·06	·	·	0·01	·	·	0·11	0·09	6
7	·	0·13	0·30	–	0·03	0·19	0·09	0·11	·	·	·	0·11	7
8	·	0·01	0·05	·	0·13	0·65	0·01	0·17	0·01	·	·	0·04	8
9	0·30	0·01	0·14	0·25	·	1·00	·	0·03	0·03	·	·	·	9
10	·	0·11	0·01	0·15	0·08	0·07	·	·	0·13	·	·	·	10
11	·	0·06	0·40	0·27	0·07	0·09	·	·	·	·	0·17	0·50	11
12	·	0·06	0·10	·		·	0·38	·	0·23	·	0·05	0·29	12
13	·	0·23	0·23	·		·	·	·	0·04	0·29	0·27	0·28	13
14	·	0·04	·	·		·	0·03	·	·	0·31	0·14	0·40	14
15	0·03	·	0·08	·		·	0·04	0·02		0·03	0·03	0·01	15
16	·	·	0·03	·		·	0·12	·	0·13	·	·	·	16
17	0·01	0·20	0·08	·		·	0·01	·	0·16	·	·	0·34	17
18	·	·	0·01	·		·	0·11	·	·	·	·	0·39	18
19	·	0·01	0·07	·		·	0·26	·	0·06	·	·	0·05	19
20	·	0·19	·	·		0·02	0·05	·	·	·	·	0·11	20
21	·	0·43	0·05	·		0·14	0·15	0	·	0·13	·	0·35	21
22	·	0·05	·	·	0·40	·	0·05	0·21	·	0·23	·	·	22
23	·	0·07	0·15	·	0·15	·	0·01	·	·	0·06	·	·	23
24	·	·	0·12	0·02	0·01	·	0·05	0·14	·	0·04	0·06	·	24
25	0·09	·	0·06	·	·	·	0·03	0·20	·	0·43	0·04	0·23	25
26	·	0·01	0·03	·	·	·	0·02	0·09	·	0·10	0·11	0·36	26
27	0·05	·	·	·	·	·	·	·	·	0·02	0·10	0·23	27
28	·	0·06	0·16	·	·	·	·	·	·	0·04	0·06	0·90	28
29	·	·	0·07	·	0·01	·	·	·	·	0·29	0·15	·	29
30	·	✕	0·01	·	0·06	0·14	·	·	·	0·03	0·40	0·46	30
31	0·04	✕	·	✕	·	✕	0·24	·	✕	0·04	✕	0·01	31
Total	0·82	1·74	2·31	1·16	1·37	2·39	3·10	1·59	0·79	2·06	2·67	6·03	YEAR'S TOTAL 26·03
Rain Days.	8	17	23	9	13	10	22	14	8	15	18	24	181

W. 8,000. X. 14.

1574

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Barston Etcote

in the County of Warwick

by E. F. Currall. M.Sc; A.M.I.C.E.

Lat. 52°24'56" N Long. 1°51'30" W
Time of Observation 9. a.m
Nearest Railway Station Hampton-in-Arden L.N.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 340·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·14	0·14	0·10	.	0·29	.	.	0·07	0·06	0·09	0·02	0·04	1
2	0·15	0·17	0·26	0·09	.	0·11	.	0·19	.	0·27	.	0·03	2
3	0·54	0·02	0·01	0·06	.	.	0·64	0·37	.	.	.	0·13	3
4	0·02	.	.	.	0·04	.	0·81	.	.	.	.	0·67	4
5	0·01	0·29	.	0·01	0·09	.	.	0·03	.	.	.	0·46	5
6	0·13	0·24	.	0·22	.	.	.	0·11	.	.	.	0·09	6
7	0·06	0·48	.	0·05	0·52	0·05	0·63	0·10	.	.	.	0·38	7
8	0·06	0·24	.	0·01	.	.	.	0·02	.	.	0·07	.	8
9	0·05	0·20	.	0·17	.	.	.	0·02	.	.	0·13	0·32	9
10	0·35	0·02	0·05	0·02	.	.	.	.	.	.	0·09	0·01	10
11	0·01	.	.	0·05	0·12	.	0·18	.	.	.	0·69	.	11
12	0·05	.	.	0·14	0·42	.	.	0·45	.	0·04	1·75	.	12
13	.	0·38	.	.	0·56	.	.	.	.	.	0·03	0·13	13
14	0·02	0·01	.	.	.	.	0·11	0·27	0·04	.	.	0·33	14
15	0·27	.	.	.	0·11	.	0·13	0·02	.	.	0·14	0·24	15
16	0·02	0·52	.	.	0·22	.	1·71	.	.	.	.	0·02	16
17	.	0·18	0·01	.	0·18	.	0·01	.	.	.	.	0·01	17
18	.	0·27	0·07	.	.	.	.	.	.	.	.	.	18
19	.	0·02	.	.	0·07	.	0·07	.	.	.	.	.	19
20	0·25	.	.	0·06	.	.	.	.	.	.	.	0·07	20
21	0·14	0·10	.	.	.	.	0·78	.	.	0·02	.	0·04	21
22	0·10	.	0·16	0·02	.	.	0·19	.	.	.	.	0·07	22
23	0·01	0·05	0·03	.	.	0·06	0·48	.	0·04	0·57	.	0·22	23
24	.	.	0·02	0·04	.	.	0·15	.	0·34	0·24	.	0·14	24
25	.	.	0·01	.	.	0·51	0·39	.	.	0·02	.	0·33	25
26	.	0·17	.	.	.	.	0·10	.	0·09	.	.	0·36	26
27	.	0·10	0·02	.	.	.	0·21	.	.	0·44	.	0·16	27
28	.	0·16	0·02	.	.	.	.	0·19	0·08	0·04	.	.	28
29	.	.	.	.	.	0·03	0·06	0·02	.	.	0·10	0·08	29
30	0·08	✕	.	.	.	.	0·22	0·01	.	0·15	0·09	0·09	30
31	0·05	✕	.	✕	.	✕	0·03	0·04	✕	0·10	✕	0·25	31
Total	2·51	3·86	0·76	0·94	2·62	0·76	6·30	1·91	0·65	1·98	3·11	4·67	YEAR'S TOTAL 30·07
Rain Days.	21	20	12	13	11	5	19	15	6	11	10	25	168

W. 8,000. X. 15.

98 2571

REGISTER OF RAINFALL IN 1916 1°43'8" W

FORM A. BRITISH RAINFALL. 22 JAN 191

Kept at Estcote or Barston.

in the County of Warwick

by Lieut E. P. Currall R.N.V.R

Lat. 52°24'56" N Long. ~~1°51'30"~~

Time of Observation 9 a.m.

Nearest Railway Station Hampton in Arden L.N.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11				·01	·11	·18			·06	·23		1
2	·40	·03	·50		·25		·21		·04	·41	·01		2
3		·61			·01		·07		·10	·30	·06		3
4	·27	·09			·49	·21				·02	·36		4
5	·02				·14	·41	·33			·04	·15		5
6	·03	·14	·09	·07	·36	·04	·44			·05	·47		6
7	·04		·05		·03	·03	·12			·26	·12	·15	7
8	·02	·01	·01		·10						·04	·26	8
9			·02		·19	·12				·09	·01	·03	9
10		·26	·02	·06	·03	·06				·04		·01	10
11	·08	·14	·05	·14	·02	·38			·06			·29	11
12	·02	·05	·14	·02	·37		·17			·05			12
13		·16	·30	·06	·01		·04	·20					13
14		·36		·09	·09			·34		·07		·01	14
15		·21	·50	·02	·03		·14	·58	·03	·06			15
16	·01		·35	·15			·11	·18					16
17	·08	·12		·21			·01	·10	·22	·14			17
18	·01	·07	·06	·05				·04	·17	·05	·55		18
19	·05	·04	·15	·10					·11		·50		19
20	·03	·10	·26	·01	·07			·07			·07	·26	20
21	·01	·01	·09		·06		·04					·29	21
22											·02	·34	22
23	·04				·05			·07		·08	·07	·35	23
24		·26			·06			·10		·25		·17	24
25			·10					·14	·04	·03	·21		25
26	·03		·01			·07		·23	·03	·13	·05		26
27	·03		·28			·14	1·14	·27	·02	·29			27
28			·02							·12		·14	28
29						·24		·76		·30		·11	29
30		X			·05					·12			30
31		X		X	·06	X		·02	X	·07	X	·15	31
Total	1·28	2·66	3·00	0·98	2·48	1·81	3·00	3·10	0·82	3·03	2·92	2·56	YEAR'S TOTAL 27·64
Rain Days.	18	17	19	12	21	11	13	14	10	23	16	14	188

✓ made

REGI 13

HATTON HOUSE
WARWICK
1913 - 1915.

FORM A.
BRITISH RAINFALL.

21 MAY 1914

Kept at Hatton
in the County of War
by J.P. Arkwrig

ng.
8 a.m.
on Hatton
ge in.
above Ground 5 ft. in.
" Sea Level about 400 ft.

IMPORTANT NOTE. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·10		·02			·05		·02	·11	1
2			·19	·03	·02				·63		·02	·01	2
3	·03	·15		·02					·15	·80	·04		3
4	·02		·17		·75				·02	·01		·02	4
5	·74				·27	·06	·03			·02	·05	·37	5
6	·03					·32	·87		·05	·52	·04	·02	6
7	·02	·05	·07		·25	·04	·82			·02		·13	7
8		·11			·30	·15	·08			·37	·08	·02	8
9		·05			·10	·29				·14	·06		9
10		·34	·01		·03		·09	·04	·13		·06	·04	10
11			·01	·06	·01			·06			·13		11
12	·48	·01		·42	·10			·21		·16	·19		12
13	·33				·17						·74		13
14	·09		·07	·03				—	·23		·23		14
15	·09		·45	·03			·02	·05		·12	·07		15
16	·05	06	·50	·30			·07		·18		·03	·02	16
17	·02		·11	·15			·02		·13		·01		17
18	·12	·01	·63	·10		·02	·10				·01		18
19	·01		·19	·07	·05	—	·02				·03	·01	19
20	·17		·08		·01	·03	·12		·09		—		20
21	·33		·20	·13			·01			·26	·03		21
22	·01		·14	·05	·14		·04	·02			·39		22
23	·51		·32				·02	·14	·35				23
24						·08		·05	·06		·02	·02	24
25	·06			·02				·04			·02		25
26				·09					·02	·04			26
27	~~·48~~	·08	·02	·32				·12		·12		·29	27
28	~~·07~~			·11	·21					·01			28
29	·48		·19	·62	—					·07			29
30	·01		·29	·48		—		·08		·03		·06	30
31	·27							·08		·15		·05	31
Total	— 3·87	— ·86	·10 3·64	3·17 ~~3·15~~	·02 2·41	1·01 ~~·95~~	— 1·51	·05 ·89	— 2·09	·02 2·84	·11 2·27	— 1·17	YEAR'S TOTAL 25·65 25·73
Rain Days.	21	9	19	18	15	8	14	12	12	17	21	13	179
	3·87	·86	3·74	3·07	2·43	·99	1·51	·94	2·04	2·86	2·36	1·06	25·73

W.7,000, XI. 13

✓ made

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

21 MAY 1914

Kept at Hatton W. Mg.

in the County of Warwick

by J. P. Arkwright

Lat. Long.

Time of Observation 8. a. M.

Nearest Railway Station Hatton

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 5 ft. in.

" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10		·02			·05		·02	·11	1
2			·19	·03	·02				·63		·02	·01	2
3	·03	·15		·02					·15	·80	·04		3
4	·02		·17		·75				·02	·01		·02	4
5	·74				·27	·06	.03			·02	·05	·37	5
6	·03					·32	·87		·05	·52	·04	·02	6
7	·02	·05	·07		·25	·04	·82			·02		·13	7
8		·11			·30	·15	.08			·37	·08	·02	8
9		·05			·10	·29				·14	·06		9
10		·34	·01		·03		·09	·04	·13		·06	·04	10
11			·01	·06	·01			·06			·13		11
12	·48	·01		42	·10			·21		·16	·19		12
13	·33				·17						·74		13
14	·09		·07	·03					·23		·23		14
15	·09		·45	·03			·02	·05		·12	·07		15
16	·05	06	·50	·30			·07		·18		·03	·02	16
17	·02		·11	·15			·02		·13		·01		17
18	·12	·01	·63	·10		·02	·10				·01		18
19	·01		·19	·07	·05		·02				·03	·01	19
20	·17		·08		·01	·03	·12		·09				20
21	·33		·20	·13			·01			·26	·03		21
22	·01		·14	·05	·14		·04	·02			·39		22
23	·51		·32				·02	·14	·35				23
24						·08		·05	·06		·02	·02	24
25	·06			·02				·04			·02		25
26				·09					·02	·04			26
27	~~·48~~	·08	·02	·32				·12		·12		·29	27
28	~~·07~~		—	·11	·21					·01			28
29	·48		·19	·62	—					·07			29
30	·01		·29	·48	—	—		·08		·03		·06	30
31	·27							·08		·15		·05	31
	—	—	·10	3.17	·02	1·01	—	·05	—	·02	·11	—	YEAR'S TOTAL
Total	~~3.87~~	~~·86~~	~~3.64~~	~~3.15~~	~~2.41~~	~~·95~~	~~1·51~~	~~·89~~	~~2.09~~	~~2.84~~	~~2.27~~	~~1.17~~	~~25.65~~ 25·73
Rain Days.	21	9	19	18	15	8	14	12	12	17	21	13	179
	3.87	·86	3.74	3.07	2.43	·99	1·51	·94	2·04	2·86	2·36	1.06	25·73

W.7,000, XI. 13

cwdly run stats to 318.V.15 for WD

DL

27 APR 1915

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Hatton House

in the County of Warwick

by Mrs J. P. Arkwright

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Hatton G.W.R.

Diameter of Rain Gauge 10 square in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	·4	·12	..	..	·2	·5	·34	..	..	·2	·62	1
2	..	..	..	·5	·2	..	·24	·22	..	..	·2	·5	2
3	..	..	..	..	..	..	·2	·56	..	·4	·45	·27	3
4	..	..	·2	·4	·19	..	·52	·4	..	..	·1	..	4
5	·19	..	·5	·24	·2	..	..	·3	..	..	·46	·89	5
6	·2	·5	·5	·29	·25	·5	·20	·2	..	..	·5	..	6
7	..	·11	..	·4	·7	·3	..	..	..	..	·14	·4	7
8	..	·2	·32	·11	·17	·6	·5	·3	..	..	..	·6	8
9	·3	..	·12	·1	·11	·84	..	·32	..	..	..	..	9
10	·23	·17	·21	·30	..	1·04	..	·8	·5	..	..	..	10
11	·4	·9	·05 ~~·50~~	·15	·10	·6	..	..	·18	..	·1	..	11
12	..	·5	·20	·14	·23	·7	..	..	·1	..	·25	·52	12
13	..	·18	·05 ~~·50~~	..	..	..	·28	..	·30	..	..	·34	13
14	·2	·4	·10	..	..	..	..	..	·6	·9	·15	·45	14
15	..	..	·9	..	..	..	·6	..	..	·31	·12	·13	15
16	·3	..	·10	..	..	..	..	..	·16	..	·2	·5	16
17	..	..	·5	..	..	..	·1	..	·2	·1	..	..	17
18	..	·18	·7	..	..	..	·1	..	·9	..	..	·24	18
19	..	..	·1	..	..	..	·11	..	..	..	..	·43	19
20	..	..	·4	..	..	..	·27	..	·7	..	·6	·3	20
21	..	·12	·8	..	..	·6	..	..	..	..	..	·6	21
22	..	·22	·5	..	..	·3	..	·14	..	·14	..	·36	22
23	..	·2	·2	..	·29	..	·4	·11	..	·21	..	..	23
24	..	·5	·9	..	·10	..	·1	..	..	·5	..	..	24
25	..	..	·14	·01	·25	·2	·4	..	..	·45	·8	..	25
26	·9	..	·7	..	..	..	..	·22	..	·45	·4	·27	26
27	..	..	·2	..	..	..	..	·10	..	·6	·22	·22	27
28	..	..	..	..	..	..	..	..	..	·7	..	·18	28
29	..		·16	..	·32	..	..	..	..	·2	·15	·30	29
30	·4	X	·12	..	·2	..	..	..	..	·30	·11	·31	30
31	..	X	·5	X	·2	X	..	..	X	·4	X	·55	31
	·64	·12	—	—	·02	·05	·37	—	—	·02	·62	(·03)	YEAR'S TOTAL
Total	~~·69~~	~~1·27~~	~~2·45~~	~~1·41~~	~~2·16~~	~~2·28~~	~~2·21~~	~~2·24~~	~~·94~~	~~2·24~~	~~2·86~~	~~5·84~~	~~26·12~~
	·73	1·35	2·33	1·41	2·18	2·31	2·53	1·87	·94	2·26	2·96	5·28	26·15
Rain Days.	10	14	26	11	16	11	15	12	9	15	18	22	179

W. 8,000. X. 14.

cmd pr WD 26-VI-16

2557

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL 26 APR 1916

Kept at Hatton House

in the County of Warwick

by Mrs. J.P. Arkwright

Lat. ______ Long. ______

Time of Observation 8 a.m.

Nearest Railway Station Hatton G.W.R.

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 4 ft. 11 in.

" " " " Sea Level about 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	02	18				71	02	04		14	14	1
2	10	16	11		25				16	06	02	15	2
3	09	18	29	09		10		27		34		05	3
4	70	02	04	09			1·17	39				15	4
5	01				05		31	01				60	5
6		12			01		13	04			02	41	6
7	20	21		18			62	06				05	7
8	04	34		04	07	04	23	06				26	8
9	06	14						03			05		9
10	01	06	01	12							09	29	10
11	31	04	02	01				05			03	10	11
12			02	04	07		02				80	04	12
13	04			19	42			17			1·01	05	13
14		45			85								14
15	01	01					11	07	07			41	15
16	22			06	07		01	11			14	20	16
17	01	35			23		96	01			02	02	17
18		33			26		03				02		18
19		27	03										19
20		02	12		14		19						20
21	23			02								09	21
22	08	11					18			07		06	22
23	17		22				33		03	01		15	23
24	02	01	06			06	80		04	61		26	24
25		06	03				11		46	56		13	25
26			04			38	27		31	06		29	26
27		07					05		01			32	27
28		02					31			48		09	28
29			02		—		05		09	02			29
30		X				·02		10			16	04	30
31	07	X		X		X	06	11	X	08	X	08	31
	·02	·18	—	—	—	·71	·02	·04	—	·14	·14	·15	YEAR'S TOTAL
Total	~~2·38~~	~~2·99~~	~~1·19~~	~~·82~~	~~2·42~~	~~·60~~	~~6·65~~	~~1·50~~	~~1·21~~	~~2·29~~	~~2·50~~	~~4·43~~	~~28·98~~
Rain	2·39	3·15	1·0	·82	2·42	1·31	5·96	1·52	1·17	2·43	2·56	4·44	29·12
Days.	19	21	~~14~~ 13	10	11	~~5~~ 6	21	15	~~9~~ 8	~~10~~ 11	12	25	172

W. 8,000. X. 15.

~~5~~573

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REG

HOCKLEY HEATH

PACKWOOD

WARWICKSHIRE.

1915 - 1918

Kept at Packwoo .... a.m

in the County of Warw .... Lapworth

by E. S. Fry

Gauge 5 in.

Ground 1 ft. 2 in.

Sea Level 400 ft.

IMPORTANT NOT ... the result entered to the previous day. If an Obs ... ersal rule, he is earnestly requested to add the readi ... in the space provided for it at the end of this ... ent of rain, the selection and placing ... ish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.15	.34		.24			.05	.15	.07	.03	.21	1
2	.12	.20	.26	.09				.27		.35		.07	2
3	.67	.03	.03	.10		.12	1.02 Th.	.20 Th.				.15	3
4	.02						.41 Th.					.82	4
5		.20			.15		.04	.04			.01	.52	5
6	.19	.25		.24			.54	.04				.13	6
7	.06	.51		.06	.04	.05	.20	.09				.53	7
8	.08	.17						.01			.03		8
9		.15		.13							.15	.36	9
10	.44			.02							.04		10
11			.04	.05	.07						.79	.07 Sn.	11
12	.05			.16	.45			.15 Th.			1.47		12
13		.36 Sn.			.84					.03			13
14	.02						.10	.70 Th.	.04			.44	14
15	.38			.01	.07			.14 Th.			.15	.23	15
16	.05	.47			.25		1.23	.17				.01	16
17		.30			.27		.02					.02	17
18		.27	.09 Sn.								.01		18
19		.03			.09		.23						19
20	.28			.02								.06	20
21	.20	.03					.20					.04	21
22	.09		.16				.33		.01				22
23		.06 Sn.				.08	.99			.67		.38	23
24			.10				.15		.45	.49		.18	24
25						.46 Th.	.29 Th.		.06 Th.			.28	25
26		.09					.09					.33	26
27		.04					.34			.47		.05	27
28			.07 Sn.				.03	.18	.11	.05			28
29						.42 Th.	.06	.09			.12	.06	29
30	.09	X				.30 Th.	.01			.13	.03	.09	30
31	.03	X		X		X	.02	.05	X	.22	X	.21	31
Total	2.91	3.31	1.09	.88	2.47	1.43	6.30	2.18	.82	2.48	2.83	5.24	YEAR'S TOTAL 31.94
Rain Days.	17	17	8	10	10	6	20	14	6	9	11	23	151

W. 8,000. X. 15.

Sn = Snow Th = Thunder

2573

REG

FORM A.
BRITISH RAINFALL.

3 JAN 1918

Kept at Packwood

in the County of Warwick

by E. S. Fry

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Lapworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·15	·34		·24			·05	·15	·07	·03	·21	1
2	·12	·20	·26	·09				·27		·35		·07	2
3	·67	·03	·03	·10		·12	1.02 Th.	·20 Th				·15	3
4	·02						·41 Th.					·82	4
5		·20			·15		·04	·04			·01	·52	5
6	·19	·25		·24			·54	·04				·13	6
7	·06	·51		·06	·04	·05	·20	·09				·53	7
8	·08	·17						·01			·03		8
9		·15		·13							·15	·36	9
10	·44			·02							·04		10
11			·04	·05	·07						·79	·07 Sn	11
12	·05			·16	·45			·15 Th			1.47		12
13		·36 Sn.			·84					·03			13
14	·02						·10	·70 Th.	·04			·44	14
15	·38			·01	·07			·14 Th			·15	·23	15
16	·05	·47			·25		1.23	·17				·01	16
17		·30			·27		·02					·02	17
18		·27	·09 Sn								·01		18
19		·03			·09		·23						19
20	·28			·02								·06	20
21	·20	·03					·20					·04	21
22	·09		·16				·33		·01				22
23		·06 Sn.				·08	·99			·67		·38	23
24			·10				·15		·45	·49		·18	24
25						·46 Th.	·29 Th		·06 Th			·28	25
26		·09					·09					·33	26
27		·04					·34			·47		·05	27
28			·07 Sn.				·03	·18	·11	·05			28
29						·42 Th.	·06	·09			·12	·06	29
30	·09	X				·30 Th	·01			·13	·03	·09	30
31	·03	X		X		X	·02	·05	X	·22	X	·21	31
Total	2.91	3.31	1.09	·88	2.47	1.43	6.30	2.18	·82	2.48	2.83	5.24	YEAR'S TOTAL 31.94
Rain Days.	17	17	8	10	10	6	20	14	6	9	11	23	151

W. 8,000. X. 15.

Sn = snow Th = thunder

exd JS

2509

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1 JAN 1917

Kept at Packwood

in the County of Warwick

by G. S. Fry

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Lapworth

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .12

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.05			.06	.24			.06 +	.22		1
2	.43	.04	.10 s.		.33		.12		.05	.57	.09		2
3		.53					.07		.10	.30	.09		3
4	.28	.06			.53	.35				.01	.31		4
5	.04				.19	.22			.02	.08	.19		5
6	.01	.21		.05	.29	.02	.41			.02	.44		6
7	.05		.10 s.			.04	.22			.14	.22	.17	7
8			.16 s.		.20					.01		.22	8
9					.24	.17			.01	.02		.09	9
10	.01	.22	.69 s.			.07 Th.	.02		.01				10
11	.08	.15	.07 s.	.21	.06	.19			.03			.30 s.	11
12	.03	.09		.02	.40		.15	.04		.07			12
13	.01	.19	.34				.15	.31					13
14		.38 s.		.10	.02		.19	.49		.10			14
15		.51	.54		.07			.44		.04			15
16		.05	.35	.21	.10		.07	.17		.03			16
17	.09	.14					.01	.08	.30	.22			17
18		.09	.05	.25				.06	.22	.02	.72 s	.09 s	18
19	.03	.01		.11				.02	.13 Th.		.56		19
20	.06		.41	.04				.03			.08	.19	20
21	.03		.23		.08 *		1.04 Th						21
22					.10	.02				.04	.03		22
23	.03	.63 s.				.01 Th				.10	.07	1.15 s	23
24		.34 s.		.02				.19		.30		.17	24
25			.10		.15			.22	.07	.03	.26		25
26		.15 s.				.12		.16	.21	.14	.01		26
27	.07	.06 s.				.07	.80 Th.	.02	.07	.30 Th			27
28		.40 s.	.88 s.						.03	.08			28
29		.10				.35		1.02 Th		.24			29
30		X				.01		.02		.30			30
31		X		X		X			X	.12 Th.	X	.12	31
Total	1.33	4.35	3.47	1.01	2.76	1.70	3.49	3.27	1.25	3.34	3.29	2.50	YEAR'S TOTAL 31.76
Rain Days.	16	20	14	9	14	14	13	15	13	25	14	9	176

W. 8,000, VIII. 16

* Summer Time.

+ Greenwich Time

2509

FORM A.
BRITISH RAINFALL.

1 JAN 1917

19 16

Long.

…ervation G. A. M

…lway Station Lapworth

Funnel of Rain Gauge 5" in.

…p of Gauge above Ground 1 ft. 2 in.

" " Sea Level 400 ft.

9 a.m. and the result entered to the … almost universal rule, he is earnestly … following year in the space provided … the measurement of rain, … to the British Rainfall … post-free on application to

Jan. 1, following. 1/2

Attach to A

LIGHTLANDS,
HOCKLEY HEATH,
NEAR BIRMINGHAM.

31/12/16

Record of 28th March

—

The conditions were so exceptional that I can offer no opinion as to the value of this record.

The blizzard struck us with extraordinary force and it was impossible to get to the gauge before the morning of the 29th. But the bulk of snow had fallen before 9 a.m. on the 28th. As I took the reading on the 29th I entered it for the 28th.

It was likewise impossible to satisfactorily test the fall by dipping a rule in the snow, patches of the ground being swept almost bare & portions within a short distance piled with drift. It was a fantastic sight. The driving snow on the 28th I believe to have been mostly the snow that had already fallen driven from the open fields by the furious gusts of wind, which reached their height in the early afternoon of that day. A second 5" gauge

---

									Sept.	Oct.	Nov.	Dec.	Date.
										·06 +	·22		1
									·05	·57	·09		2
									·10	·30	·09		3
										·01	·31		4
									·02	·08	·19		5
										·02	·44		6
										·14	·22	·17	7
										·01		·22	8
									·01	·02		·09	9
									·01				10
									·03			·30 S.	11
										·07			12
													13
										·10			14
										·04			15
										·03			16
	·09	·14					[illegible]	[illegible]	·30	·22			17
18		·09	·05	·25				·06	·22	·02	·72 S	·09 S	18
19	·03	·01		·11				·02	·13 Th.		·56		19
20	·06		·41	·04				·03			·08	·19	20
21	·03		·23		·08 *		1.04 Th						21
22					·10	·02				·04	·03		22
23	·03	·63 S.				·01 Th				·10	·07	1.15 S	23
24		·34 S.		·02				·19		·30		·17	24
25			·10		·15			·22	·07	·03	·26		25
26		·15 S.				·12		·16	·21	·14	·01		26
27	·07	·06 S.				·07	·80 Th.	·02	·07	·30 Th			27
28		·40 S.	·88 S.						·03	·08			28
29		·10				·35		1.02 Th		·24			29
30		✕				·01		·02		·30			30
31		✕		✕		✕			✕	·12 Th.	✕	·12	31
Total	1.33	4.35	3.47	1.01	2.76	1.70	3.49	3.27	1.25	3.34	3.29	2.50	YEAR'S TOTAL 31.76
Rain Days.	16	20	14	9	14	14	13	15	13	25	14	9	176

W. 8,000, VIII. 16

*: Summer-Time.

+ Greenwich Time

with a shallow receiver which I use to check the readings of the Snowdon gauge, which stands about 7 feet away, gave .62

E. S F

2788

Engl. 45

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 3 JAN 1918

Kept at Packwood

in the County of Warwick

by Edward S Fry

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Lapworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov. *	Dec.	*Date.*
1	.01			.04^{S}		.08		.62	.37		.02	.11^{S}	1
2						.20Th		.05		.02	.02		2
3				.18^{S}				.19		.18			3
4		.08	.15^{S}					.04		.56			4
5	.19		.08^{S}	.21^{S}				.13	.07	.06	.14		5
6	.07		.09^{S}			.23Th		.		.14	.08		6
7	.35			.01 .				.		.22			7
8	.45$^{S.}$			.12*			.22	.43		.26	.15	.23^{S}	8
9	.03^{S}		.15^{S}	.01^{S}	.13			.32	.01	.03	.25		9
10	.41^{S}		.27	.06^{S}	.26Th			.16					10
11	.08	.01^{S}	.11	.18^{S}	.			.08Th	.05	.25			11
12	.05	.01^{S}	.02	.	.15Th			.		.21			12
13	.02^{S}		.	.02	.03Th			.23	.06				13
14	.		.27^{S}	.08	.			.02Th			.01	.02	14
15	.02^{S}		.	.18	.07		.40Th			.03		.10	15
16	.03^{S}	.15	.	.			.10			.04		.51^{S}	16
17	.		.	.04	.66	.17Th	.17	.04	.05*	.08			17
18	.01		.	.02	.04		.38	.22Th	1.04	.05			18
19		.32	.27^{S}		.	.07		.	.08				19
20		.21			.41Th	.05	15Th	.03					20
21		.02	.16^{S}		.18Th	.12Th		.04		.02	.02		21
22	.03	.	.09^{S}			.02		.20		.13			22
23		.19			.07			.31Th		.02			23
24						.30		.09		.31			24
25		.06	.09^{S}					.65		.01	.04^{S}		25
26									.17		.19		26
27					.41Th		.10	.72		—		.02	27
28			.12					.10		.01		.02	28
29			.03			.55	.02	.20		.48		.23	29
30		×					.19	.25		.01		–	30
31		×	.10^{S}	×		×	.02	.04	×		×	.02	31
Total	1.75 ✓	1.05 ✓	2.00 ✓	1.15 ✓	2.41 ✓	1.79 ✓	1.75 ✓	5.16 ✓	1.90 ✓	3.12 ✓	.92 ✓	1.26 ✓	YEAR'S TOTAL 24.26 ✓
Rain Days.	14 ✓	9 ✓	15 ✓	13 ✓	11 ✓	10 ✓	10 ✓	24 ✓	9 ✓	22 ✓	10 ✓	9 ✓	156 ✓

W. 8,000, IX. 17.

·*· 9 a.m Summer Time

1.09

* 9 a.m Greenwich Time

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
13. 1. 19

Kept at Packwood
in the County of Warwick
by Edward S. Fry

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Lapworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
										✱			
1		·04		·12	·03					✱	·17		1
2		·05		·12				·27		·05	·04	·17	2
3		·03	·03 S.		·13			·10	·28		·05		3
4		·03	·02					·03	·66	·03	·47	·16	4
5				·03	·37			·06	·21	·05			5
6	·02 Sn.	·27		·15		·03			·01			·06	6
7		·11		·05	·05				·08	·24	·17	·01	7
8		·15							·14	·06		·03	8
9	·01 S.	·41		·10		·38	·14		·31	·41			9
10	·10			·11			·61 Th		·10	·05		·13	10
11		·01		·01	·08		·31		·18	·03		·07	11
12	·03	·03	·06		·17		·09		·03	·03			12
13		·02		·04	·09		·05		·15			·	13
14	·32					·10	·19 Th		·17	·25			14
15	·76 S.			·40			·20		·05				15
16	·12 S.			·55		·05	·03		·32			·42	16
17	·20			·04	·01 Th.	·01	·17		·07	·04			17
18	·40					·18	·10 Th		·36			·33	18
19	·04	·08	·15	·09 S.			·09		·01	·11		·21	19
20	·08	·09		·72 S.		·02	1.70 Th		·13		·03	·03	20
21	·10			·37 S.	·10 Th.	·03	·06		·37	·02		·05	21
22	·16				·31 Th.		·10		·17	·05		·36	22
23	·04				·67		·22		·07			·04	23
24		·16	✱				·42 Th		·03		·14		24
25			✱				·30 Th	·41		·03	·03		25
26							·70 Th		·02	·01	·12	·13	26
27		·05 S.				·02	·26 Th	·30	·17		·12	·15	27
28		·17 S	·30								·07	·13	28
29									·88				29
30		X	·43					·11	·03		·13	·19	30
31		X	·38	X		X		·03	X		X		31
Total	2.38	1.70	1.37	2.90	2.01	·82	5.74	1.31	5.00	1.46	1.54	2.67	YEAR'S TOTAL 28.90 ✓
Rain Days.	14	16	7	15	11	9	19	8	26	16	12	18	171 ✓

W. 6,500, VII. 18. w w c ✱ Summer Time

✱ Summer Time

S. made ✓

REGIS… 7

FORM A.
BRITISH RAINFALL.

KENILWORTH

~~GREAT~~. GATEHOUSE

WARWICK

1917, 18, 1920

Kept at Gatehouse. Ke… …g. 45' - 30'

… a. m.

in the County of Warwicksh… … Kenilworth

…ain Gauge 5 in.

by Keitt Rotheham… …bove Ground 1 ft. — in.

…, Sea Level ft.

IMPORTANT NOTE.-… …nd the result entered to the previous day. If an Obser… …this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	·02	—	– –	—	·57	·25	—	·02	—	1
2	·03	—	—	—	—	—	—	·11	—	·02	·03	·11	2
3	·02	·07	—	·20	—	—	—	·02	—	·25	—	—	3
4	·63	·03	·11	—	—	—	—	—	—	·45	·05	—	4
5	·14	—	—	·20	—	—	—	—	·02	—	·05	—	5
6	·03	—	·06	—	—	·52	—	—	—	—	·06	—	6
7	·43	—	·02	—	—	·03	—	—	—	·26	—	—	7
8	·46	—	—	·16	—	—	·17	·45	—	·40	·12	·16	8
9	·03	—	·10	·07	·19	—	·02	·25	—	—	·20	·02	9
10	·11	—	·18	—	·67	—	—	·16	—	—	—	—	10
11	·43	—	·20	·30	—	—	—	·18	·05	·24	—	—	11
12	·10	·01	—	—	—	—	—	—	—	·26	—	—	12
13	·03	—	·01	·02	·07	—	—	·20	—	—	—	—	13
14	·03	—	·15	·07	—	—	—	·08	—	·06	—	—	14
15	·04	—	—	—	—	—	·56	·02	—	—	—	—	15
16	·03	·21	—	·14	—	·60	—	—	—	—	—	·39	16
17	—	·02	—	·06	·60	·16	·28	·04	·05	·12	—	—	17
18	—	·01	—	—	·10	—	·31	·11	·92	·04	—	—	18
19	·02	·28	·14	—	—	·07	—	—	—	—	—	—	19
20	·03	·17	—	·03	·36	·10	·15	·06	·02	—	—	—	20
21	·01	·03	·07	—	·20	·20	—	·03	—	—	—	—	21
22	·01	—	·08	—	—	—	—	·05	—	—	—	—	22
23	—	·16	—	—	·08	—	—	·26	—	·20	—	—	23
24	·01	—	—	—	—	·28	—	·06	—	·16	—	—	24
25	—	7	·10	—	—	—	—	—	—	—	·06	—	25
26	—	—	—	—	·10	—	—	·31	·14	—	—	—	26
27	—	—	—	—	—	·03	—	·62	—	—	—	—	27
28	—	—	·01	—	—	·22	—	·08	—	—	—	—	28
29	—		·08	—	—	·48	·13	·11	—	·36	—	—	29
30	—	✕	—	—	—	—	·32	·22	—	—	—	—	30
31	·01	✕	·07	✕		✕		·02	✕	—	✕	—	31
Total	2.04	1.06	1.38	1.27	2.37	2-69	1-94	4·01	1.45	2.82	·59	·68	YEAR'S TOTAL 22.30
Rain Days.	22.	11.	15.	11	9	11	8	23	7	13	8	4	142

W. 8,000, VIII. 16

115

Printed ✓

REGISTER OF RAINFALL IN 19 7

FORM A.
BRITISH RAINFALL.

Kept at Gatehouse. Kenilworth.

in the County of Warwickshire.

by Keith Rotherham Esq.

Lat. 30' – 20' Long. 45' – 30'

Time of Observation 9. a. m.

Nearest Railway Station Kenilworth.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	·02	—	—	—	·57	·25	—	·02	—	1
2	·03	—	—	—	—	—	—	·11	—	·02	·03	·11	2
3	·02	·07	—	·20	—	—	—	·02	—	·25	—	—	3
4	·63	·03	·11	—	—	—	—	—	—	·45	·05	—	4
5	·14	—	—	·20	—	—	—	—	·02	—	·05	—	5
6	·03	—	·06	—	—	·52	—	—	—	—	·06	—	6
7	·43	—	·02	—	—	·03	—	—	—	·26	—	—	7
8	·46	—	—	·16	—	—	·17	·45	—	·40	·12	·16	8
9	·03	—	·10	·07	·19	—	·02	·25	—	—	·20	·02	9
10	·11	—	·18	—	·67	—	—	·16	—	—	—	—	10
11	·43	—	·20	·30	—	—	—	·18	·05	·24	—	—	11
12	·10	·01	—	—	—	—	—	—	—	·26	—	—	12
13	·03	—	·01	·02	·07	—	—	·20	—	—	—	—	13
14	·03	—	·15	·07	—	—	—	·08	—	·06	—	—	14
15	·04	—	—	—	—	—	·56	·02	—	—	—	—	15
16	·03	·21	—	·14	—	·60	—	—	—	—	—	·39	16
17	—	·02	—	·06	·60	·16	·28	·04	·05	·12	—	—	17
18	—	·01	—	—	·10	—	·31	·11	·92	·04	—	—	18
19	·02	·28	·14	—	—	·07	—	—	—	—	—	—	19
20	·03	·17	—	·03	·36	·10	·15	·06	·02	—	—	—	20
21	·01	·03	·07	—	·20	·20	—	·03	—	—	—	—	21
22	·01	—	·08	—	—	—	—	·05	—	—	—	—	22
23	—	·16	—	—	·08	—	—	·26	—	·20	—	—	23
24	·01	—	—	—	—	·28	—	·06	—	·16	—	—	24
25	—	7	·10	—	—	—	—	—	—	—	·06	—	25
26	—	—	—	—	·10	—	—	·31	·14	—	—	—	26
27	—	—	—	—	—	·03	—	·62	—	—	—	—	27
28	—	—	·01	—	—	·22	—	·08	—	—	—	—	28
29	—		·08	—	—	·48	·13	·11	—	·36	—	—	29
30	—	✕	—	—	—	—	·32	·22	—	—	—	—	30
31	·01	✕	·07	✕		✕		·02	✕	—	✕	—	31
Total	2.04	1.06	1.38	1.27	2.37	2.69	1.94	4.01	1.45	2.82	·59	·68	YEAR'S TOTAL 22.30
Rain Days.	22.	11.	15.	11	9	11	8	23	7	13	8	4	142

W. 8,000, VIII. 16

115

B. Moode

cwd for pr. W.D. mar 31 err?

19

REGISTER OF RAINFALL IN 1918

Kept at Great Patehouse. Kenilworth.

in the County of Warwickshire.

by Kevitt Rotteshaw Esqre.

Lat. 30'-20' Long. 45'-30'

Time of Observation 9. a. m.

Nearest Railway Station Kenilworth.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.

7.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·12	—	—	—	—	—	·02	·15	·03	1
2	—	·02	—	·08	—	—	—	·18	—	·06	—	·12	2
3	—	·18	—	·04	·31	—	—	·05	·46	—	—	·02	3
4	—	·04	—	—	—	—	—	~~·03~~	·34	—	·50	·12	4
5	—	·03	—	—	·26	·03	—	—	—	—	—	—	5
6	—	·19	·03	·16	·02	·05	—	—	—	—	—	·05	6
7	—	·08	·02	·06	—	—	—	—	·09	·30	·14	—	7
8	—	—	—	—	—	—	—	—	·20	—	—	—	8
9	—	·42	—	·15	—	·35	·23	—	·40	·36	—	·04	9
10	·30	—	—	—	—	—	·53	—	·27	·10	—	·14	10
11	·10	—	—	—	—	—	·51	—	·07	—	—	—	11
12	—	·04	—	—	·21	—	·06	—	·07	—	—	·02	12
13	—	—	—	—	·09	—	·07	—	·14	—	—	·02	13
14	—	—	—	—	·03	·07	·10	—	·15	·19	—	—	14
15	·32	—	·05	·40	—	·10	·20	—	·12	—	—	08	15
16	·92	—	·02	·64	—	·03	·03	—	·08	·10	—	·05	16
17	·10	—	—	·06	—	—	·16	—	·27	·10	—	·09	17
18	·19	—	—	—	—	·18	·10	·02	·42	—	—	·11	18
19	·35	·07	—	—	—	—	·11	—	·03	—	—	·15	19
20	—	—	·20	·40	—	·03	·50	—	·16	—	—	—	20
21	·07	—	—	·55	—	—	·22	—	·08	·08	—	·02	21
22	·07	—	—	—	·16	—	·06	—	·50	·18	—	·03	22
23	·20	—	—	—	·60	—	·11	—	·08	—	—	·08	23
24	·06	·15	—	—	—	—	·21	—	·03	·04	—	—	24
25	—	—	—	—	—	—	·23	·23	·04	—	·13	·02	25
26	—	—	—	—	—	—	·30	—	·14	—	·06	·08	26
27	—	—	—	—	—	·05	·26	—	—	—	·09	·09	27
28	—	·15	—	—	—	—	—	—	—	—	·09	·02	28
29	—	—	—	—	—	—	—	—	·92	—	·14	·09	29
30	—	X	·25	—	—	—	—	·08	·04	·03	·07	11	30
31	—	X	—	X	—	X	—	·04	X	—	X	29	31
Total	2·68	1·37	(·50) ·57 (1·97)	2·66	1·68	·89	3·99	·63	5·10	1·56	1·37	1·87	YEAR'S TOTAL 25·87 24·87
Rain Days.	11	11	6 7	11	8	9	19	7	24	12	9	24	152

W. 8,000, IX. 17.

cond for WD

8 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ~~the~~ Gate House Kenilworth

in the County of Warwickshire.

by Blanch Bennett for Dr. E. Rotherham.

Lat. 30'-20' Long. 45-30'

Time of Observation 9. A M

Nearest Railway Station Kenilworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. end (·06)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·02	~~·02~~	—	·24	—	-	·10	29	·14	1
2	·02	·07	-	·09	·02	·04	·16	—	·04	·40	-	·15	2
3	·02	-	-	·06	—	·06	·28	·08	·10	29	-	·18	3
4	-	·16	-	·17	—	—	1·09	·14	·08	·04	-	·02	4
5	-	·04	-	·10	·04	—	·03	·04	—	·14	—	—	5
6	-	-	·04	·04	·16	·14	·94	—	·09	·55	-	02	6
7	·37	-	·06	·05	·19	·09	·74	·02	—	—	—	—	7
8	·04	-	—	09	—	·14	·56	—	—	-	—	—	8
9	·02	·01	·02	·14	·05	—	·13	-	-	—	—	-	9
10	·35	—	-	·24	—	-	·05	—	01	-	—	—	10
11	·24	·03	·09	·19	·34	·03	·14	·14	-	-	05	—	11
12	·30	·09	·16	·30	·04	·16	·10	·28	—	-	—	·06	12
13	·04	·16	·03	·09	—	·19	—	-	02	-	04	·24	13
14	-	·03	·09	·16	—	·14	—	-	21	-	06	·16	14
15	·04	-	·30	·18	-	·05	04	-	20	·02	-	—	15
16	-	·10	·19	·25	—	·69	·10	·06	25	·02	—	-	16
17	-	-	—	·08	·02	·14	·04	1	45	24	-	-	17
18	-	-	—	·07	·12	·21	—	-	88		—	·06	18
19	·15	-	-	·15	·10	·14	·14	—	03		·06	·04	19
20	·04	·22	—	·11	·04		·10	02	—		·09	—	20
21	-	·12	—	·12	-	·04	·03	·10	—		—	·06	21
22	-	—	—	·19	—	·32	22	·19	·03	02	-	—	22
23	·03	—	-	-	—	—	02	·24	-	·06	—	-	23
24	—	—	·09	·02	—	—	—	·08	-	-	·03	·30	24
25	-	·04	·14	·04	-	-	-	·16	—	—	—	·16	25
26	·02	—	·04	·02	·39	·14	—	—	—	-	—	—	26
27	·17	·01	·09	·04	·74	·11	~~10~~	—	-	·02	·03	·10	27
28	·04	-	·06	·02	—	·04	16	·04	—	·01	·14	·16	28
29	·23	-	·08	-	·10	—	12	—	—	—	—	·10	29
30	·20	✕	·04	·06	·23	-	9	—	—	—	·06	·14	30
31	·05	✕	·05	✕	—	✕	4	03	✕	03	✕	·22	31
TOTAL	2·37	1·08	~~1·57~~ ·02 1·59	~~3·09~~ 3·07	2·58	~~2·87~~ ·24 3·11	~~5·56~~ 5·32	1·63	~~1·89~~ ·10 1·99	~~1·94~~ ·29 2·13	~~·85~~ ·14 ·70	~~2·31~~ ·06 2·23	YEAR'S TOTAL ~~27·74~~ ~~28·7~~ 27·80
Days with ·01 in. or more	19	13	~~17~~ 18	~~28~~ 27	15	~~19~~ 20	~~24~~ 23	16	~~13~~ 14	14	10	18	~~206~~ 207
	14	9	15	24	13	19 ~~18~~	~~21~~ 20	12	10 ~~9~~	8	8	16	~~167~~ 168

(44,283). Wt.21,958—213. 7500. 10/19. Gp.132. A.&E.W.

S made

KINETON

4

REGI … 18

FORM A. BRITISH RAINFALL.

8 . i.

KINETON
LODGE FARM
WARWICK
1918 – 1920

Kept at Lodge Fa… …ong. … 9-a.m

in the County of Wa… …on Kineton Sh…

Rain Gauge 8 in.

by Leonard … …e above Ground 1 ft. 2 in.

„ Sea Level 403 ft.

IMPORTANT NOT… and the result entered to the previous day. If an Obs… universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·5		·5	·2					·2	·25		1
2		·11		·2				·11		·2	·9	·14	2
3		·3	·2	·2	·19				·44		·19		3
4		·9	·4						·29		·63	·4	4
5		·2		·4	·26			·6	·50				5
6		·13						·1	·2				6
7	·9			·12	·8	·5	·		·8	·11	·20		7
8									·6	·19		·16	8
9		·3		·14		·23	·26		·48	·45		·13	9
10	·7			·10			·50			·31		·14	10
11				·6	·8					·14		·5	11
12		·4	·11	·2	·15		·7						12
13				·2			·4			·3		·8	13
14	·21			·1			·22		·50	·9		·4	14
15	1·26			·50		·2	·18		·17	·27		·22	15
16				·87		·5			·6				16
17	·5			·4		·	·40	·2	·2			·10	17
18	·43						·4		·76			·75	18
19	·2	·8	·7	·6		·30	·4		·2	·10		·13	19
20							1·69		·6	·3			20
21	·4			·73		·3	·4		·36	·2		·6	21
22	·20				·40		·9		·3	·12		·30	22
23	·7				·64	·4	·3					·2	23
24		·24							·4		·23		24
25						·5	·14	·16		·3	·9		25
26							·64	·3		·4	·9	·14	26
27							·22	·24	·17		·12	·15	27
28		·13	·30					·5			·7	·10	28
29		·15							1·30			·9	29
30		✕	·31						·3		·10	·17	30
31		✕	·21	✕		✕		·2	✕		✕		31
Total	2·44	1·10	1·06	2·80	1·82	·77	4·55	·70	5·37	1·97	2·06	3·01	YEAR'S TOTAL 27·65
Rain Days	10	12	7	16	8	8	16	9	20	16	11	20	153

W. 6,500,'VII. 18. w w c

KINETON 4

FORM A. BRITISH RAINFALL.

8 . 1 .

REGISTER OF RAINFALL IN 1918

Kept at Lodge Farm Kineton

in the County of Warwickshire

by Leonard G. Lucas

Lat. 8 Long. J5

Time of Observation 9-a.m.

Nearest Railway Station Kineton S.M.J.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 403 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·5		·5	·2					·2	·25		1
2		·11		·2				·11		·2	·9	·14	2
3		·3	·2	·2	·19				·44		·19		3
4		·9	·4						·29		·63	·4	4
5		·2		·4	·26			·6	·50				5
6		·13						·1	·2				6
7	·9			·12	·8	·5			·8	·11	·20		7
8									·6	·19		·16	8
9		·3		·14		·23	·26		·48	·45		·13	9
10	·7			·10			·50			·31		·14	10
11				·6	·8					·14		·5	11
12		·4	·11	·2	·15		·7						12
13				·2			·4			·3		·8	13
14	·21			·1			·22		·50	·9		·4	14
15	1·26			·50		·2	·18		·17	·27		·22	15
16				·87		·5			·6				16
17	·5			·4			·40	·2	·2			·10	17
18	·43						·4		·76			·75	18
19	·2	·8	·7	·6		·30	·4		·2	·10		·13	19
20							1·69		·6	·3			20
21	·4			·73		·3	·4		·36	·2		·6	21
22	·20				·40		·9		·3	·12		·30	22
23	·7				·64	·4	·3					·2	23
24		·24							·4		·23		24
25						·5	·14	·16		·3	·9		25
26							·64	·3		·4	·9	·14	26
27							·22	·24	·17		·12	·15	27
28		·13	·30					·5			·7	·10	28
29		·15							1·30			·9	29
30		X	·31						·3		·10	·17	30
31		X	·21	X		X		·2	X		X		31
Total	2·44	1·10	1·06	2·80	1·82	·77	4·55	·70	5·37	1·97	2·06	3·01	YEAR'S TOTAL 27·65
Rain Days	10	12	7	16	8	8	16	9	20	16	11	20	153

W. 6,500, 'VII. 18. w w c

2219

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Lodge Farm Kineton
in the County of Warwickshire
by Leonard G. Llace

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Kineton S.M.J.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 403 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		·3		·16		·16			·24	·2	·52	1
2	·13		·8				·27		·74		·21	·3	2
3	1·18		·6		·4	·18	·5		·33		·20	·18	3
4	·9		·55			·14			·10		·5	·6	4
5		·25	·18					·10	·32			·16	5
6	·4		·7		·62					·7		·4	6
7	·6		·30		·18						·6		7
8	·14		·6	·20		·1					·2		8
9	·6		·3	·16									9
10	·2		·48	·3								·8	10
11	·4		·25	·3			·37						11
12			·9	·14		·10			·2	·20	·29	·2	12
13	·14			·5					·2	·16		·4	13
14	·52			·17			·17		·4	·12		·2	14
15	·34	·15		·15							·4	·34	15
16	·8			·1				·5			·7	·3	16
17	·2	·78									·10		17
18			·43					·16			·5	·12	18
19	·2	·48	·69			·8	1·16	·29	·9		·8		19
20	·50	·10	·47				·40	·42	·4		·7	·4	20
21	·3	·30	·3			·5	·42	·1				·14	21
22		·28							·26			·45	22
23						·11		·5	·2	·37	·2	·6	23
24				·6						·46	·5	·7	24
25	·20			·17	·4	·6		·25				·10	25
26	·5		·14	·10				·3	·11			·36	26
27	·34		·[illegible]	·61								·8	27
28								·18				·34	28
29	·5							·44		·18	·34	·35	29
30		╳	·5	·24		·26		·4		·6	·3	·25	30
31		╳		╳		╳	·4	·3	╳	·6	╳	·2	31
TOTAL	4·33	2·21	4·02	2·12	·97	·99	3·04	2·05	2·09	2·11	1·70	3·90	YEAR'S TOTAL 29·53
Days with ·01 in. or more	22	7	19	14	5	9	9	13	12	10	17	25	162

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

11 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Lodge Farm Kineton
in the County of Warwickshire
by Howard G. Haw

Lat. 8 Long. J
Time of Observation 9 a.m.
Nearest Railway Station Kineton S.M.J.R
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 403 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·23	·30		·31		·2	·80	·1	·20	1
2				·4			{·63}	·13	·14	·18			2
3		·3		·19	·8	·2		·6	·11	·22		·10	3
4			·5	·24			·3	·31	·5	·22			4
5			·24	·5	·31		·42	·12	·15	·45			5
6			·22	·1	·13		·43			·10			6
7	·4		·7	·22			·12						7
8	·12	·9		·80	·4		·42			·2			8
9	·32			1·27			·2	·4	·2				9
10	·41		·13	·5		·2	·12						10
11	·18		·2	·14	·54	·28	·10						11
12	·2		·3	·14		·90	·2	·8					12
13			·35	·18					·5		·5		13
14			1·10	·22		·8			·32	·8	·20		14
15		·10	·13	·21		·4			·35	·4	·3		15
16		·07	·1	·11	·18	·36	·3		·35	·34			16
17	·2		·1	·78	·11				·36	·10			17
18	·20			·2	·5		·18	·23	·94				18
19		·8		·31		·13	·6	·14	·4				19
20	·7	·27		·32		·36							20
21				·5			·2	·5	·4				21
22				·16			·1	·6	·2			·20	22
23			·14				·42	·26				·50	23
24				·3									24
25		·4	·29		·5		·66	·1					25
26	·20			·3	·12		·18					·20	26
27	·30	·2	·4	·32		·68	·5				·3		27
28	·63		·5	·2	·23	·1	·6				·3	·29	28
29	·9		·12	·2	·28	·4	·2					·50	29
30	·3	╳	·1	·4		·10	·10		·23		·7	·20	30
31		╳	·7	╳		╳			╳	·72	╳	·6	31
TOTAL	2·63	·64	3·08	6·20	2·42	3·02	4·41	1·49	3·42	3·27	·42	2·25	YEAR'S TOTAL 33·25
Days with ·01 in. or more	14	8	19	28	13	13	24	12	16	12	7	9	175
Days with ·04 in. or more	11	5	14	22	13	10	18	11	13	11	3	9	~~130~~ 140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KINGS NEWNHA

KINGS NEWNHAM

WARWICK

1914-15, 1918-19.

REGIS 4.

FORM A. BRITISH RAINFALL.

16 FEB 1915

Kept at Kings Ne

in the County of Wa

by H. L. Bi

g. 1-20 W.

9. a.m.

Brandon & Wolston W

5 in.

above Ground 1 ft. – in.

„ Sea Level 300 ft.

IMPORTANT NOTE. nd the result entered to the previous day. If an Obse niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·135

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·07	-	-	·40	·20	-	·005	·02	-	1
2	-	-	·005	-	-	-	·04	·23	-	-	·64	·40	2
3	-	-	·015	-	·20	-	·29	-	-	-	-	-	3
4	·19	-	·02	·21	·10	-	-	·23	-	-	·30	·28	4
5	·04	-	·07	·23	·11	·17	·18	·05	-	-	·09	-	5
6	-	·14	-	-	·035	-	-	·005	-	-	·15	·045	6
7	-	·08	·34	-	·11	·025	·04	·115	-	-	-	-	7
8	·06	-	·21	-	·10	1·01	·11	·14	-	-	-	-	8
9	·32	·01	·20	·19	·01	·98	-	·055	·025	-	-	·01	9
10	·06	·09	·025	·25	·14	·005	-	-	·16	-	-	·025	10
11	-	·15	·34	·11	·175	·08	-	-	·005	-	·20	·42	11
12	·015	·025	·07	-	-	-	·12	-	·21	-	·04	·265	12
13	·01	·18	·20	-	-	-	-	-	·02	·265	·18	·38	13
14	-	·03	·09	-	-	-	·15	-	-	·28	·10	·405	14
15	-	-	·11	-	-	-	-	-	·05	·015	·01	·005	15
16	·015	-	·05	-	-	-	·11	-	-	-	-	-	16
17	-	·24	·065	-	-	-	-	-	·24	-	-	·335	17
18	-	-	-	-	-	·04	-	-	·005	-	-	·40	18
19	-	-	-	-	-	-	·21	-	·025	-	-	·02	19
20	-	·18	·17	-	-	-	·04	-	·01	-	-	·165	20
21	-	·29	·07	-	-	·005	-	-	-	·105	·035	·27	21
22	-	-	-	-	·29	-	·02	·16	-	·235	-	-	22
23	-	·10	·155	-	·10	-	·01	·005	-	·08	-	-	23
24	-	-	·065	·005	·21	·01	·025	-	-	·48	·07	-	24
25	·07	-	·015	-	-	-	·07	·14	-	·44	·02	·21	25
26	-	-	·18	-	-	-	·02	·115	-	·055	·20	·29	26
27	·06	-	-	-	-	-	-	-	-	-	·025	·17	27
28	-	·06	·065	-	·12	-	-	-	-	·02	·02	1·05	28
29	·005		·155	-	·035	-	-	-	-	·25	·12	-	29
30	-		·035	-	·01	·01	-	-	-	·015	·30	·22	30
31	·04		-		·005		·45	-		-		·035	31
Total	·885	1·575	2·715	1·065	1·75	2·335	2·285	1·445	·75	2·24	2·52	5·40	YEAR'S TOTAL 24·965
Rain Days.	12	13	~~24~~ 23	7	~~16~~ 15	~~10~~ 9	17	~~12~~ 11	~~10~~ 9	13	18	21	~~175~~

168

W. 8,000. X. 14.

KINGS NEWNHA

REGIS 4

FORM A.
BRITISH RAINFALL.
16 FEB 1915

Kept at Kings Newnham
in the County of Warwick
by H. L. Bierley

Lat. 52.23 N. Long. 1.20 W.
Time of Observation 9 a.m.
Nearest Railway Station Brandon & Wolston L N W
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·135

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·07	-	-	·40	·20	-	·005	·02	-	1
2	-	-	·005	-	-	-	·04	·23	-	-	·64	·40	2
3	-	-	·015	-	·20	-	·29	-	-	-	-	-	3
4	·19	-	·02	·21	·10	-	-	·23	-	-	·30	·28	4
5	·04	-	·07	·23	·11	·17	·18	·05	-	-	·09	-	5
6	-	·14	-	-	·035	-	-	·005	-	-	·15	·045	6
7	-	·08	·34	-	·11	·025	·04	·115	-	-	-	-	7
8	·06	-	·21	-	·10	1·01	·11	·14	-	-	-	-	8
9	·32	·01	·20	·19	·01	·98	-	·055	·025	-	-	·01	9
10	·06	·09	·025	·25	·14	·005	-	-	·16	-	-	·025	10
11	-	·15	·34	·11	·175	·08	-	-	·005	-	·20	·42	11
12	·015	·025	·07	-	-	-	·12	-	·21	-	·04	·265	12
13	·01	·18	·20	-	-	-	-	-	·02	·265	·18	·38	13
14	-	·03	·09	-	-	-	·15	-	-	·28	·10	·405	14
15	-	-	·11	-	-	-	-	-	·05	·015	·01	·005	15
16	·015	-	·05	-	-	-	·11	-	-	-	-	-	16
17	-	·24	·065	-	-	-	-	-	·24	-	-	·335	17
18	-	-	-	-	-	·04	-	-	·005	-	-	·40	18
19	-	-	-	-	-	-	·21	-	·025	-	-	·02	19
20	-	·18	·17	-	-	-	·04	-	·01	-	-	·165	20
21	-	·29	·07	-	-	·005	-	-	-	·105	·035	·27	21
22	-	-	-	-	·29	-	·02	·16	-	·235	-	-	22
23	-	·10	·155	-	·10	-	·01	·005	-	·08	-	-	23
24	-	-	·065	·005	·21	·01	·025	-	-	·48	·07	-	24
25	·07	-	·015	-	-	-	·07	·14	-	·44	·02	·21	25
26	-	-	·18	-	-	-	·02	·115	-	·055	·20	·29	26
27	·06	-	-	-	-	-	-	-	-	-	·025	·17	27
28	-	·06	·065	-	·12	-	-	-	-	·02	·02	1·05	28
29	·005	╳	·155	-	·035	-	-	-	-	·25	·12	-	29
30	-	╳	·035	-	·01	·01	-	-	-	·015	·30	·22	30
31	·04	╳	-	╳	·005	╳	·45	-	╳	-	╳	·035	31
Total	·885	1·575	2·715	1·065	1·75	2·335	2·285	1·445	·75	2·24	2·52	5·40	YEAR'S TOTAL 24·965
Rain Days.	12	13	24 23	7	16 15	10 9	17	12 11	10 9	13	18	21	175 168

W. 8,000. X. 14.

2565

FORM A.
BRITISH RAINFALL
26 APR 1916

REGISTER OF RAINFALL IN 1915

Kept at Kings Newnham nr. Rugby
in the County of Warwick
by John Bierly

Lat. 52.23 N Long. 1·20 W
Time of Observation 9 a.m.
Nearest Railway Station Brandon + Wolston L N W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level (approx.) 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·135 ~~·09~~	·11	·12	–	–	–	–	·12	·05	·09	·02	–	1
2	·085 ~~·32~~	·11	·26	·12	·22	·08	–	·39	·01	·15	–	–	2
3	·4	–	·02	·08	–	–	·95	·19	–	·01	–	·17	3
4	·08 ~~·37~~	–	–	–	·04	–	·12	·01 ~~·12~~	~~·01~~	–	–	·62	4
5	·03	·31	–	·2	·01	–	–	·05	–	–	·01	·31	5
6	·13 ~~·04~~	·29	–	–	–	–	·89	·06	–	–	–	–	6
7	·06	·31	·01	·03	·28	·11	·25	·11	·03	–	–	·35	7
8	·02	·13	–	–	–	–	–	·02	–	–	·07	–	8
9	·01	·04	–	–	–	–	–	·01	–	–	·26	·32	9
10	·24	–	·04	–	–	–	–	·07	–	–	·06	–	10
11	·04	–	–	–	–	–	·14	–	–	–	·59	·12	11
12	·02	–	–	·33	·41	–	–	·4	–	–	·72	–	12
13	·33	·39	–	–	·76	–	–	–	–	–	–	·03	13
14	–	·06	–	–	–	–	–	·22	–	–	–	·32	14
15	–	–	–	–	·07	–	·09	·02	–	·02	·16	·12	15
16	–	·41	–	–	·08	–	1·00	·09	–	–	–	–	16
17	–	·14	–	–	·15	–	·09	–	–	–	–	–	17
18	–	·32	·22	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	·05	–	·14	–	–	–	–	–	19
20	·28	–	–	·07	–	–	–	–	–	–	–	–	20
21	·12	·17	–	–	–	–	·18	·09	–	·01	–	·2	21
22	·1	–	·19	·03	–	–	·49	–	·01	–	–	·08	22
23	·02	–	·01	–	–	–	·03	–	·03	·34	–	·24	23
24	–	–	·01	·04	–	–	–	–	·92	·18	–	–	24
25	–	–	–	–	~~·04~~	·04	·33	–	·12	–	–	·47	25
26	–	–	–	–	–	–	·03	–	·04	·02	–	·39	26
27	–	·02	–	–	~~·01~~	·01	·15	–	–	·56	–	–	27
28	–	·14	·03	–	–	–	–	·13	·09	·07	–	–	28
29	–	–	–	–	~~·19~~	·19	–	·03	–	–	·19	·03	29
30	·07	╳	–	–	~~·03~~	·03	·02	–	–	·12	–	·11	30
31	·08	╳	–	╳	–	╳	·02	·02	╳	·13	╳	·09	31
Total	2·25	2·95	·91	·90	2·07	·46	4·92	2·03	1·30	1·70	2·08	3·97	YEAR'S TOTAL 25·54
Rain Days.	19	15	10	8	10	6	17	18	9	12	9	17	150

W. 8,000. X. 15.

~~W~~ M88

24

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at King's Newnham Hall

in the County of Warwick

by Dohm^d Bierly

Lat. 52.23 N Long. 1.20 W.

Time of Observation 9. a. m G. T.

Nearest Railway Station Brandon & Wolston L.N.W

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
				·09	-								
1	-	-	-	·13	-	-	-	-	-	·01	·13	-	1
2	-	-	·02	-	-	-	-	·08	-	·04	-	·11	2
3	-	·24	·04	-	·21	-	-	·08	·32	·01	·29	-	3
4	-	·12	-	·03	-	-	-	·02	·37	·01	·48	·1	4
5	-	-	-	·15	·18	·06	-	·17	·09	·02	-	-	5
6	-	·1	-	·04	-	·04	-	-	·04	·09	-	·02	6
7	-	·06	·02	-	·02	-	-	-	·04	·17	·1	·05	7
8	·1	-	·08	-	-	-	-	-	·19	·08	-	·04	8
9	·02	·32	-	·12	-	·22	·41	-	·35	·35	-	·07	9
10	·01	·01	-	·01	-	·01	·37	-	·07	·21	-	·08	10
11	-	·06	-	-	·1	-	·29	-	·17	·09	·02	·05	11
12	-	-	-	-	·29	-	·12	-	·01	-	-	-	12
13	·02	-	-	-	·03	·04	·06	-	·12	·05	-	·08	13
14	·35	-	-	-	-	·01	·14	-	·2	·04	-	·06	14
15	-	-	-	·41	-	-	·21	-	·02	·02	-	·14	15
16	·76	-	-	·35	-	·13	·39	-	·04	-	-	·01	16
17	·3	-	-	·05	-	-	-	·02	·05	·03	-	·14	17
18	·34	-	-	-	-	·16	·17	-	·6	-	-	·21	18
19	·03	·08	-	·03	-	-	·19	-	·01	-	-	·41	19
20	·01	·09	-	·35	-	·08	·27	-	·1	·07	-	·01	20
21	·03	-	-	·68	-	·02	·04	-	·04	·05	-	·02	21
22	·11	-	-	-	·26	-	·06	-	·29	·12	-	·11	22
23	·04	-	-	-	·47	-	·02	-	·15	-	-	·3	23
24	-	·11	-	-	-	-	·31	-	·04	·04	·17	·02	24
25	-	-	-	-	-	·02	·3	·27	·01	·01	-	-	25
26	-	-	-	-	-	·01	·35	·02	·04	-	-	·12	26
27	-	·01	-	-	-	-	·02	·24	·12	-	-	·08	27
28	-	·13	·22	-	-	-	-	·2	·01	-	·41	-	28
29	-		-	-	-	-	-	-	·93	-	·02	(·11)	29
30	-		·31	-	-	-	-	·3	·06	-	·09	·16	30
31	-		·43		-		-	·02		-		-	31
Total	2.12	1.33	1.12	2.44	1.56	·8	3.72	1.42	4.48	1.51	1.71	2.47	YEAR'S TOTAL 24.68
Rain Days.	13	12	7	13	8	12	18	11	28	20	9	24	175

2238

JUN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Kings Newnham Hall
in the County of Warwick
by John Brierly

Lat. 52.23 Long. 1.20
Time of Observation 9 a.m.
Nearest Railway Station Brandon & Wolston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " about " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. None.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·09	·14	-	·02	·47	-	·82	1
2						-	·17	-	1·21	-	-	-	2
3						·01	·29	-	·25	·09	·16	·09	3
4						-	·06	·11	·09	-	·03	-	4
5						·12	-	-	·31	·01	-	·02	5
6						-	·01	-	-	-	-	·26	6
7						-	-	-	-	-	-	-	7
8						-	-	-	-	-	-	-	8
9						-	-	-	-	-	-	-	9
10						-	-	-	-	·02	-	-	10
11						-	·33	-	-	-	-	-	11
12						-	-	-	-	·12	-	-	12
13						-	·03	-	-	·03	-	-	13
14						-	-	-	·32	-	-	·02	14
15						-	·08	-	~~·44~~	-	·03	·51	15
16						-	·03	·38	-	-	·29	-	16
17						-	-	-	-	-	·03	-	17
18						-	-	·2	-	-	·19	-	18
19						·14	1·09	·19	·04	-	-	-	19
20						·03	·25	·23	·05	-	·24	-	20
21						-	·36	-	·01	-	·04	·24	21
22						-	-	-	-	-	-	-	22
23						·08	·03	-	·22	·59	-	·62	23
24						-	-	-	-	·48	-	-	24
25						-	-	-	-	-	-	·02	25
26						-	-	·27	-	-	-	·45	26
27						-	-	·1	-	-	-	-	27
28						-	-	·63	-	-	-	·23	28
29						·03	-	·03	-	-	-	-	29
30						·26	-	·02	-	·29	·02	·39	30
31							·08	·02		·03		-	31
TOTAL						·76	2·95 ~~2·87~~ ~~·08~~	2·18	2·52	2·13	1·03	3·67	YEAR'S TOTAL
Days with ·01 in. or more						8	14	11	10	10	9	12	

Records up to May 31 lost - if [illegible] will forward

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LAPWORTH

FORM A.
BRITISH RAINFALL
20. 1. 19

REGIST

LAPWORTH
ARDENHILL
WARWICK
1918

'25' W.

Kept at Ardenhill, L a.m.

in the County of Warwick Lapworth

by A. R. Walker.

Gauge 8 × 8 in.

Ground 4 ft. 6 in.

Sea Level 420 ft.

IMPORTANT NOTE.—R the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
–

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.03	.04	.40	.02	–	–	–	–	–	.16	–	1
2	–	.05	–	.10	–	–	–	.12	.06	.04	–	.20	2
3	–	.03	.04	.21	.07	–	–	.06	.36	.02	.07	–	3
4	–	.03	–	–	–	–	–	.02	.26	.02	.42	.18	4
5	–	–	–	–	.32	–	–	.04	.06	.08	–	–	5
6	–	.23	.03	.04	–	.02	–	–	–	–	–	.04	6
7	–	.10	–	.17	.05	.06	–	–	.14	.27	.13	–	7
8	–	.10	–	.05	–	–	–	–	.12	.20	–	.03	8
9	.06	.40	–	.10	–	.30	.13	–	.36	.31	–	.04	9
10	.10	–	–	.11	–	–	.61	–	.10	.03	–	.08	10
11	–	–	–	.02	.10	–	.24	–	.23	.02	–	.05	11
12	–	.03	.05	–	.09	–	.11	–	.04	–	–	–	12
13	–	.02	–	.03	.12	–	.04	–	.16	.02	–	.08	13
14	.33	–	–	–	–	.03	.26	–	.07	.32	–	.10	14
15	–	–	–	.40	–	–	.20	–	.17	–	–	.34	15
16	.05	–	–	.62	–	.05	.02	.02	.31	–	–	.06	16
17	.75 (Snow)	–	.02	.05	–	–	.16	–	.06	.04	–	.07	17
18	.46	–	–	–	–	.19	.06	–	.36	–	–	.21	18
19	.05	.10	.12	–	–	–	.10	–	.03	.10	–	.16	19
20	.07	.10	–	.15	–	.02	1.20	–	.14	–	–	.04	20
21	.07	–	–	.72	.05	.04	.05	–	.44	–	–	.03	21
22	.12	–	–	–	.35	–	.10	–	.10	.04	–	.38	22
23	.05	–	–	–	.65	–	.20	–	.04	.03	–	–	23
24	–	.12	–	–	–	–	.16	–	.03	–	–	.03	24
25	–	–	–	–	–	–	.35	.41	–	–	–	–	25
26	–	–	–	–	–	–	.54	–	.04	.04	.18	.05	26
27	–	–	–	–	–	–	.16	.31	.20	–	–	.14	27
28	–	.21	.35	–	–	–	–	.03	–	–	–	.10	28
29	–	X	–	–	–	–	–	–	.80	–	.02	–	29
30	–	X	.60	–	–	–	–	–	.02	–	.04	.13	30
31		X	–	X	–	X	–	–	X	–	X	–	31
Total	2.13	1.55	1.15	3.17	1.82	.71	4.69	1.01	4.70	1.58	1.02	2.54	YEAR'S TOTAL 26.07
Rain Days.	11	14	8	15	10	8	19	8	26	16	7	22	164

W, 6,500, VII. 18. W W C

LAPWORTH

FORM A.
BRITISH RAINFALL
20. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Aldenhill, Lapworth,
in the County of Warwick,
by A. R. Walker.

Lat. 52°20' N Long. 1°25' W.
Time of Observation 9 a.m.
Nearest Railway Station Lapworth
~~Diameter of~~ Funnel of Rain Gauge 8 × 9 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.03	.04	.40	.02	–	–	–	–	–	.16	–	1
2	–	.05	–	.10	–	–	–	.12	.06	.04	–	.20	2
3	–	.03	.04	.21	.07	–	–	.06	.36	.02	.07	–	3
4	–	.03	–	–	–	–	–	.02	.26	.02	.42	.15	4
5	–	–	–	–	.32	–	–	.04	.06	.08	–	–	5
6	–	.23	.03	.04	–	.02	–	–	–	–	–	.04	6
7	–	.10	–	.17	.05	.06	–	–	.14	.27	.13	–	7
8	–	.10	–	.05	–	–	–	–	.12	.20	–	.03	8
9	.06	.40	–	.10	–	.30	.13	–	.36	.31	–	.04	9
10	.10	–	–	.11	–	–	.61	–	.10	.03	–	.08	10
11	–	–	–	.02	.10	–	.24	–	.23	.02	–	.05	11
12	–	.03	.05	–	.09	–	.11	–	.04	–	–	–	12
13	–	.02	–	.03	.12	–	.04	–	.16	.02	–	.08	13
14	.33	–	–	–	–	.03	.26	–	.07	.32	–	.10	14
15	–	–	–	.40	–	–	.20	–	.17	–	–	.34	15
16	.05	–	–	.62	–	.05	.02	.02	.31	–	–	.06	16
17	.75 (Snow)	–	.02	.05	–	–	.16	–	.06	.04	–	.07	17
18	.46	–	–	–	–	.19	.06	–	.36	–	–	.21	18
19	.05	.10	.12	–	–	–	.10	–	.03	.10	–	.16	19
20	.07	.10	–	.15	–	.02	1.20	–	.14	–	–	.04	20
21	.07	–	–	.72	.05	.04	.05	–	.44	–	–	.03	21
22	.12	–	–	–	.35	–	.10	–	.10	.04	–	.38	22
23	.05	–	–	–	.65	–	.20	–	.04	.03	–	–	23
24	–	.12	–	–	–	–	.16	–	.03	–	–	.03	24
25	–	–	–	–	–	–	.35	.41	–	–	–	–	25
26	–	–	–	–	–	–	.54	–	.04	.04	.18	.05	26
27	–	–	–	–	–	–	.16	.31	.20	–	–	.14	27
28	–	.21	.35	–	–	–	–	.03	–	–	–	.10	28
29	–	✕	–	–	–	–	–	–	.80	–	.02	–	29
30	–	✕	.60	–	–	–	–	–	.02	–	.04	.13	30
31	–	✕	–	✕	–	✕	–	–	✕	–	✕	–	31
Total	2.13	1.55	1.15	3.17	1.82	.71	4.69	1.01	4.70	1.58	1.02	2.54	YEAR'S TOTAL 26.07
Rain Days.	11	14	8	15	10	8	19	8	26	16	7	22	164

W, 6,500. VII. 18. w w c

CUBBINGTON

REGI

FORM A.
BRITISH RAINFALL.
1 - JAN 1912

LEAMINGTON

WEST HILL CUBBINGTON

WARWICKSHIRE

1911 - 1915

Kept at West Hill … eamington

in the County of War … n.

… in.

by Mr Robins. … round 1 ft. in.

… a Level 282 ft.

NOTE.—Rain should be measured … tructions for the measurement of rain and particulars as to the British … " sent post-free on application to Dr. H. R. MILL, 62, Camden Square …

Date	Jan.	Feb.	March.							t.	Nov.	Dec.	Date.
	in.	in.	in.								in.	in.	
1	.01		.02								.04	.02	1
2	.01									35		.03	2
3					.19	.03		.19				.01	3
4	.01	.01	.09	.02					.13	.13	.22	.16	4
5	.04		.01	.06				.10		.01	.01		5
6	.30		.04	.01							.06	.29	6
7	.02										.17	.09	7
8	.17		.17								.05	.09	8
9	.03		.02								.19	.03	9
10		.13	.46					.08				.29	10
11	.12										.43	.01	11
12	.03	.01	.48						.08		.21	.01	12
13			.04						.29		.01	.47	13
14			.02								.03	.36	14
15		.05	.09								.08	.07	15
16						.10					.26		16
17						.02					.10	.19	17
18		.42				.03					.01	.21	18
19						.23	.24		.09	.14	.20	.03	19
20	.01	.08		.01				.31	.14			.32	20
21		.13	.04			.05		.25		.17	.04	.06	21
22			.02			.03						.37	22
23	.01	.07	.28			.29			.23			.15	23
24		.07	.02	.01		.45		.08		.71		.12	24
25		.03	.03	.04	.54	.07		.10		.01		.04	25
26		.08		.24				.07		.24	.16	.12	26
27		.19	.11	.05		.01		.34	.20		.05	.09	27
28		.21		.20		.02		.01			.13	.02	28
29			.01	.15		.29	.12	.03	.32	.16			29
30				.04		.03				.06		.01	30
31			.07							.12			31
Total	.76	1.48	2.02	.87	.87	1.66	.37	1.77	1.48	2.00	2.45	3.66	Total for year 19.38
No. of Rain Days	12	13	19	12	3	14	3	13	8	11	20	27	165

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

CUBBINGTON

REGI

FORM A.
BRITISH RAINFALL.

1 - JAN 1912

Kept at West Hill nr Leamington

in the County of Warwick

by Mr. Robins.

Lat. Long.

Nearest Railway Station Leamington

Time of Observation 9 a.m.

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 282 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.02					.01			.04	.02	1
2	.01			.04	.14		.01	.20		.25		.03	2
3					.19	.03		.19				.01	3
4	.01	.01	.09	.02					.13	.13	.22	.16	4
5	.04		.01	.06				.10		.01	.01		5
6	.30		.04	.01							.06	.29	6
7	.02										.17	.09	7
8	.17		.17								.05	.09	8
9	.03		.02								.19	.03	9
10		.13	.46					.08				.29	10
11	.12										.43	.01	11
12	.03	.01	.48						.08		.21	.01	12
13			.04						.29		.01	.47	13
14			.02								.03	.36	14
15		.05	.09								.08	.07	15
16						.10					.26		16
17						.02					.10	.19	17
18		.42				.03					.01	.21	18
19						.23	.24		.09	.14	.20	.03	19
20	.01	.08		.01				.31	.14			.32	20
21		.13	.04			.05		.25		.17	.04	.06	21
22			.02			.03						.37	22
23	.01	.07	.28			.29			.23			.15	23
24		.07	.02	.01		.45		.08		.71		.12	24
25		.03	.03	.04	.54	.07		.10		.01		.04	25
26		.08		.24				.07		.24	.16	.12	26
27		.19	.11	.05		.01		.34	.20		.05	.09	27
28		.21		.20		.02		.01			.13	.02	28
29			.01	.15		.29	.12	.03	.32	.16			29
30				.04		.03				.06		.01	30
31			.07							.12			31
Total	.76	1.48	2.02	.87	.87	1.66	.37	1.77	1.48	2.00	2.45	3.66	TOTAL for year 19.38
No. of Rain Days	12	13	19	12	3	14	3	13	8	11	20	27	155

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL
2 JAN 1913

Kept at West Hill nr Leamington

in the County of Warwick

by Mr Robins

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Leamington

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 282 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01			.16	.03		.04	.08		.10	1
2		.06	.06	.11		.08	.45	.37				.01	2
3	.03		.11		.31	.09	.05		.05		.01	.06	3
4	.13		.40		.16	.44	.01	.02			.15		4
5	.17	.05	.14		.12	.10		.25	.02				5
6	.21	.09	.01		.05	.30		.10	.06			.03	6
7		.11	.01		.08	.29	.01	.52	.01		.01		7
8	.34	.19	.14	.01		.34		.16	.04			.03	8
9	.03	.05	.06	.10		.63		.02				.20	9
10			.03			.03		.03			.18		10
11	.11	.08	.01			.13		.02			.13	.50	11
12	.03	.32	.14		.11		.04				.05		12
13		.02	.01			.02					.02	.01	13
14	.05		.40		.01	.04		.15					14
15	.08	.06	.07		.37	.22		.03				.17	15
16	.83	.01	.21		.06	.04		.10		.06			16
17	1.03		.10			.10		.34			.07	.21	17
18	.17		.12					.06		.07		.01	18
19	.20	.03	.03				.14	.41		.01	.01		19
20	.08		.26		.06		.23	.11		.33	.01		20
21	.01	.02	.22		.70		.03	.73		.24			21
22	.43	.13			1.15	.20	.22	.31				.03	22
23	.06	.26	.35		.01	.09	.93	.17		.01	.13	.30	23
24	.08		.01			.37	.01	.06				.15	24
25						.70		.36			.23	.28	25
26		.11	.02				.18	.85		.58	.23	.18	26
27		.01				.13	.09			.60		.22	27
28		.05				.23	.38	.66	.04	.27	.16	.43	28
29		.02	.04			.23	.46	.03	.46	.20	.02	.01	29
30			.01		.25	.04	.07	.01	.01	.07			30
31			.14		.45		.91	.09				.05	31
Total	4.07	1.67	3.11	.22	3.89	5.04	4.24	5.96	.73	2.52	1.41	2.98	YEAR'S TOTAL 35.80
Rain Days.	19	19	27	3	15	24	18	26	9	12	15	20	207

W. 7,500, XI. '12

Ex 28

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2- JAN 1914

Kept at West Hill. Cubbington
in the County of Warwick
by Mr. Robins

Lat. Long.
Nearest Railway Station
Time of Observation 9 a. m.
Diameter of Rain Gauge 9 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 282 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.13	.03	.15				1.08		.04		1
2	—	.11	.01	.02			—		.20	1.40	.04		2
3	.01	—	.16		.73	—	—		.02	.24		.04	3
4	.65				.09		.04			.12	.03	.41	4
5	—	—				.04	.10		.04	.33	.05	.04	5
6	.01	.04	.06		.26	.21	.50			.18		.09	6
7		.09		—	.26	.02	.03			.23	.13	.04	7
8		.05			.09	.13				.08	.02		8
9		.37			.10	.21		.02	.14		.05	.08	9
10	.04			.07	.21	—	.06	.07			.27		10
11	.71			.33			—	.22		.31	.43		11
12	.01				.12						.77		12
13	.03		.05		—				.19		.25		13
14	.04		.41	.01			.79		—	.08	.01		14
15	.06	.06	.45	.58	—		.02	—					15
16	.04		.71	.08							.02		16
17	.11	.02	.05	.07		—	.06	—	.04		.05		17
18			.23	.06	.12	—	.07	—					18
19	.07		.08			.01	.03		.10				19
20	.40		.05	.06						.18	.11		20
21			.11	.06	.08		.07				.41	.01	21
22	.37		.27		—		—	.12	.34				22
23						.04		.04	.02				23
24	.05							.05			.02		24
25		.01	—	.11						.19			25
26		.07	.03	.14	.04			.08				.27	26
27		.08		.04	.08								27
28	.49		.16	.50	.01			.07		.11		.02	28
29	.01		.27	1.09	—					.03		.07	29
30	.24			.02				.09		.12	.18		30
31			.05		.21					.03			31 ✓
Total	3.35	.90	3.28	3.27	2.55	.66	1.77	.76	2.17	3.63	2.88	1.07	TOTAL for year 26.29
No. of Rain Days.	19	10	18	17	15	7	11	19	10	15	18	10	159

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1914

Ex DJ

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

Kept at West Hill nr Leamington
in the County of Warwick
by Mr Robins

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Leamington
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 282 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				.09			.17	.17			.02	.04	1
2								.30		.04	.84	.40	2
3			.01	.02			.40	.01					3
4	.20		.01	.19				.14			.32	.29	4
5			.04	.20		.10	.23				.03		5
6		.06		.03							.11	.03	6
7		.10	.32	.06		.04	.04					.05	7
8	.06	.01	.08	.06		.85		.11					8
9	.28		.20	.19		1.16	.29		.04				9
10	.05	.07		.25		.01		.05	.19				10
11		.12	.30	.16		.10		.03			.24	.39	11
12		.03	.09					.07	.29		.05	.32	12
13		.14	.17						.03	.18	.09	.26	13
14			.07				.14			.30	.07	.20	14
15	.04		.12						.15				15
16			.02				.12		.02				16
17		.20	.04						.14			.31	17
18							.06					.35	18
19			.05				.03						19
20		.09	.18				.04					.20	20
21		.31	.06			.11		.05		.12		.25	21
22		.01	.08	.01			.03	.06		.28			22
23		.04	.02							.08			23
24	.09		.13							.30	.13		24
25			.04				.02	.23		.53	.03	.25	25
26	.08							.03		.03	.17	.19	26
27			.10							.04		.12	27
28		.12	.11							.04	.11	1.04	28
29										.22	.10		29
30			.01							.02	.44	.18	30
31	.03						.24					.04	31
Total	.83	1.30	2.25	1.26	1.23	2.37	1.81	1.25	.86	2.18	2.75	4.91	YEAR'S TOTAL 23.00
Rain Days.	8	13	23	11		7	13	12	7	13	15	19	

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at West Hill Cubbington

in the County of Warwick

by Mr Robins

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Leamington

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 282 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.09	.10		.25	.06			.12			.06	1
2		.13	.18	.10				.42	.01			.06	2
3	.65		.01				1.17	.22				.14	3
4	.02				.08		.23					.54	4
5		.19			.07		.06	.05				.14	5
6	.20	.18		.10			.78	.10				.03	6
7	.04	.25		.08	.08		.06	.05				.20	7
8	.03	.03				.11					.07		8
9		.04		.11							.12	.34	9
10	.32		.07					.04			.07	.01	10
11				.02	.05						.68	.14	11
12	.04			.18	.37			.12			.72		12
13		.33			.79								13
14							.03	.03	.02			.30	14
15	.25				.07			.11		.03	.17	.11	15
16		.40			.20		.79	.18					16
17		.08			.25		.03						17
18		.29	.15										18
19		.01			.10		.15						19
20	.23											.12	20
21	.12	.17					.11			.03		.07	21
22	.07		.19	.12			.77					.12	22
23		.07					.57		.02	.51		.29	23
24			.04	.03		.02	.24		.65	.24		.12	24
25			.02			.37	.01		.36	.04		.29	25
26		.07					.03					.31	26
27		.04					.11			.43		.03	27
28		.21					.08	.13	.09				28
29						.18	.01	.05		.03	.14	.03	29
30	.07					.13	.01			.06	.06	.04	30
31	.03						.01	.03		.14		.13	31
Total	2.10	2.58	.76	.74	2.31	.87	5.25	1.53	1.27	1.51	2.03	3.62	YEAR'S TOTAL 24.57
Rain Days.	14	17	8	8	11	6	20	13	7	9	8	23	144

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

81

2472
~~338~~

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REC

LONG COMPTON
WESTON PK
WARWICKSHIRE
1916 - 1920

Kept at Weston Par

in the County of Warw

by H. A. Warrine

in Gauge .... in.

bove Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT NO … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of t … rement of rain, the selection and placi … British Rainfall Organization are given … application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15			—	·03	·03	·33		—	·09	29		1
2	·27	·03	·01		·30					·62	·04		2
3		·85	·08		·21		·38		·08	·29	·09		3
4	·32	·09		·12	·22	·22			·04	·03	·40		4
5	·04					·06	·13			·05	·21		5
6		·12	·08	·09	·11	·04	·38			·08	·65		6
7	·06		·12				·37			·19	·31	·13	7
8	·02		·02		·13							·23	8
9	·02		·01		·19	·09						·01	9
10		·21	·07	·09		·15	·04		·07	·13			10
11	·01	·09	·09	·04	·06	·39			·04			·31	11
12	02	·03	·04	·05	·33	·02	·19	·02		·08			12
13		·24	·16				·42	·09					13
14		·34			·04			·02		·03			14
15		·11	·61				·08	·27	·02	·05			15
16		·05	·26	·22	·25		·09	·03					16
17	·07	·11	·02	09			·03	·21	·33	·37			17
18		·06		·06				·28	·05	·03	·57	·15	18
19	·08		·09	·32					·07	·03	·35		19
20	·13		·31	·01								·57	20
21			·65				·11					·52	21
22			·01		·19	·01				·04		·28	22
23	·01	·26						·04		·11	·10	·15	23
24		·16		·02		·78		·02		·10		·21	24
25		·18	·19		·08			·29	·55	·10	·12		25
26		·04	·03			·23		·01	·01	·15			26
27	·04	·05	·65			·20	·02	·10	·03	·29			27
28		·32	·25			·07		·02	·14	·08		·19	28
29		·14				·26		1·64		·32		·09	29
30		X			·07	·03				·15			30
31		X		X		X		·01	X	·14	X	·05	31
Total	1·24	3·48	3·75	1·11	2·21	2·58	2·57	3·05	1·43	3·55	3·13	2·89	YEAR'S TOTAL 30·99
Rain Days.	14	20	21	11	14	15	13	15	12	24	11 ~~10~~	13	183

W. 8,000. X. 15.

81

247
~~338~~

REG

FORM A.
BRITISH RAINFALL.

30 JAN 1917

Kept at Weston Park

in the County of Warwickshire

by H. A. Warriner

5

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15			—	·03	·03	·33		—	·09	29		1
2	·27	·03	·01		·30					·62	·04		2
3		·85	·08		·21		·38		·08	·29	·09		3
4	·32	·09		·12	·22	·22			·04	·03	·40		4
5	·04					·06	·13			·05	·21		5
6		·12	·08	·09	·11	·04	·38			·08	·65		6
7	·06		·12				·37			·19	·31	·13	7
8	·02		·02		·13							·23	8
9	·02		·01		·19	·09						·01	9
10		·21	·07	·09		·15	·04		·07	·13			10
11	·01	·09	·09	·04	·06	·39			·04			·31	11
12	·02	·03	·04	·05	·33	·02	·19	·02		·08			12
13		·24	·16				·42	·09					13
14		·34			·04			·02		·03			14
15		·11	·61				·08	·27	·02	·05			15
16		·05	·26	·22	·25		·09	·03					16
17	·07	·11	·02	·09			·03	·21	·33	·37			17
18		·06		·06				·28	·05	·03	·57	·15	18
19	·08		·09	·32					·07	·03	·35		19
20	·13		·31	·01								·57	20
21			·65				·11					·52	21
22			·01		·19	·01				·04		·28	22
23	·01	·26						·04		·11	·10	·15	23
24		·16		·02		·78		·02		·10		·21	24
25		·18	·19		·08			·29	·55	·10	·12		25
26		·04	·03			·23		·01	·01	·15			26
27	·04	·05	·65			·20	·02	·10	·03	·29			27
28		·32	·25			·07		·02	·14	·08		·19	28
29		·14				·26		1·64		·32		·09	29
30		X			·07	·03				·15			30
31		X		X		X		·01	X	·14	X	·05	31
Total	1·24	3·48	3·75	1·11	2·21	2·58	2·57	3·05	1·43	3·55	3·13	2·89	YEAR'S TOTAL 30·99
Rain Days.	14	20	21	11	14	15	13	15	12	24	11 ~~10~~	13	183

W. 8,000. X. 15.

fl

2358
319

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Long Compton, Weston Park

in the County of Warwickshire

by H. A. Warriner

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					–			·88	·15	–	·18		1
2								·05			·02	·05	2
3				·32				·26					3
4			·23					·40					4
5			·07	·15					·09		·05		5
6											·05		6
7			·21										7
8				·12				·24			·09		8
9			·19	·08				·08	·02		·17	·21	9
10			·28	·18				·07				·03	10
11			19	·20				·14	·63		·01		11
12			·02	·13				·02					12
13			·03					·08	·03				13
14				·07				·01				·03	14
15								·36				·07	15
16				·14								·88	16
17				·07				·02	·15				17
18				·02					1·04				18
19			·06										19
20			·09					·02	·02				20
21			·04								·08		21
22			·08					·05					22
23								·40					23
24			·03					·20			·02	·01	24
25			·08								·03		25
26								·38	·10		·18		26
27								·65					27
28			·11					·06				·01	28
29								·09				·27	29
30		X						·20				·01	30
31		X	·16	X		X			X		X	·04	31
Total	1·41	1·21	1·87	1·48	2·54	1·94	2·18	4·66	2·23	3·13	·88	1·61	YEAR'S TOTAL 25·14
Rain Days.	11	10	16	11	9	11	11	22	9	20	11	11	152

W. 8,000, VIII. 16

84 Est Pk

REGISTER OF RAINFALL IN 1918

~~302~~

FORM A. BRITISH RAINFALL.

30. 1 19

Kept at Weston Park

in the County of Worcestershire Warwick

by H. A. Warriner

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·01	·04				·01		·01	·36		1
2		·15		·02				·12		·02	·08	·06	2
3		·03		·07	·29			·03	·32		·13	·01	3
4		·11	·02					·02	·10		·71	·05	4
5		·02			·21			·07	·42	·02		·02	5
6	·02	·17		·07					·01			·02	6
7	·04	·07		·02	·18	·05			·04	·15	·17	·05	7
8	·02	·05							·06	·09		·14	8
9		·06		·08		·20	·35		·42	·33		·05	9
10	·02			·10		·04	·28		·15	·22		·15	10
11				·03			·05		·04	·13	·05	·04	11
12	·02	·02	·10		·13		·26		·07				12
13		·04			·09		·03		·17			·12	13
14	·14					·05	·83		·46	·06		·07	14
15	1·20			·52			·21		·02			·19	15
16	·10			·73		·15			·13	·13		·02	16
17	·11			·06			·37		·02	·02		·05	17
18	·47					·27	·03		·33	·01		·38	18
19	·03	·03	·15	·06			·02		·03	·06		·01	19
20	·01	·07		·45		·04	·05		·14	·07		·03	20
21	·07			·56		·02	·03		·40	·03		·04	21
22	·20				·61		·10		·10	·04		·22	22
23	·04				·46		·04		·06		·05		23
24		·12					·10		·03		·13		24
25							·09	·28		·01	·03		25
26							·68		·01	·04	·05	·18	26
27							·07	·20	·06		·12	·06	27
28		·07	·30					·05			·10	·02	28
29									1·15			·01	29
30		X	·29					·01	·03		·06	·04	30
31		X	·09	X		X		·04	X		X	·01	31
Total	2·49	1·03	·96	2·81	1·97	·82	3·59	·83	4·77	1·44	2·04	2·04	YEAR'S TOTAL 24·79
Rain Days.	15	15	7	14	7	8	18	10 9	26	18	13	26	177

W. 8,000, IX. 17.

81

2216
~~279~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

24 APR 20

Kept at Weston Park, Long Compton
in the County of Warwick
by H. A. Warriner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·03	·05	·03	·03		·23			·14		·53	1
2	·11				·05		·43		·44	·10	·17	·03	2
3	·80		·08		·01	·30	·02		·44		·08	·19	3
4	·37	·03	·42				·08	·08	·32		·05	·13	4
5		·27	·37		·36				·29			·14	5
6	·05		·05										6
7	·09		·35		·10						·12		7
8	·22		·04	·30									8
9	·05		·02	·04									9
10			·32							·01	·02	·18	10
11	·04		·22	·05	·01		·36						11
12			·09	·01		·16				·11	·07	·02	12
13	·05			·29						·14		·06	13
14	·37			·15			·10		·02	·03		·04	14
15	·25	·01	·07	·15								·45	15
16	·07	·81						·02			·07		16
17		·37									·09		17
18			·24					·27			·01	·11	18
19	·08	·25	·50				1·46	·55	·15		·03		19
20	·49	·04	·62			·08	·09	·27	·06		·05		20
21	·03	·45				·03	·17					·12	21
22		·24				·06		·05	·15			·30	22
23										·46	·05	·01	23
24				·03			·07			·77	·02	·02	24
25	·10				·01	·02		·23				·03	25
26			·14	·10				·03	·10			·35	26
27	·28		·07	·70			·04	·33					27
28	·03							·54				·26	28
29			·08					·05		·16	·21	·17	29
30		X		·20		·20		·05		·07	·30	·29	30
31		X		X		X			X	·03	X	·02	31
Total	3·75	2·50	3·73	2·05	·57	·85	3·05	2·47	1·97	2·02	1·34	3·45	YEAR'S TOTAL 27·75
Rain Days.	19	10	18	12	7	7	11	12	9	11	15	21	152

W, 6,500, VII. 18. w w c

357

31 3 21

FORM A. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Long Compton, Weston Park

in the County of Warwickshire

by H. A. Warriner

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28	·34		·17			·22		·26	1
2			·03	·09			·04	·07	·06	·13		·09	2
3	·03	·02		·13		·02	·40		·09	·28			3
4				·20				·31	·02	·19		·03	4
5			·18	·05	12		·61	·02	·03	1·03			5
6			·19		·13		·21			·02		·01	6
7				·10			·12						7
8	·12	·08		·55			·16						8
9	·16	·06		1·56				·01					9
10	·35		·10	·15		·06	·07				·03		10
11	·24		·05	·18	·33	·11	·10						11
12	·03	·01	·01	·21		·53		·27			·01		12
13	·01		·32	·08					·02			·01	13
14			·68	·32		·16			·17	·05	·21	·02	14
15		·07		·27		·20			·08	·03	·03		15
16			·02	·02	·10	·40			·22	·12			16
17				·10	·08		·03		·22	·06			17
18	·20			·02	·03		·04	·19	·42			·04	18
19	·12	·13		·51		·13	·01	·04	·01				19
20	·03	·21		·28		·22						·03	20
21							·01	·03	·04			·08	21
22				·16				·13	·03			·12	22
23							·35	·08				·44	23
24			·16								·05	·05	24
25	·03	·10	·06			·01	·39	·01					25
26	·20		·28	·03	·03		·14					·08	26
27	·57	·03	·03	·20		·46	·07				·05	·33	27
28	·53		·04		·25		·02					·01	28
29	·23		·07		·09	·05	·01				·12	·57	29
30	·01		·07	·02		·07	·11		·20		·20	·08	30
31	·09									·78		·10	31
TOTAL	2·95	·71	2·29	5·51	1·50	2·42	3·06	1·16	1·61	2·91	·70	2·29	YEAR'S TOTAL 2711 ✓
Days with ·01 in. or more	17	9	16	23	10	13	20	11	14	11	8	18	170
	11	6	12	19	8	11	15	7	9	9	5	12	124

(44,283). Wt.21958—213. 7500. 10/19. Gp.132. A.&E.W.

R 12

MINWORTH GREAVES

1912, 14 — 1920

FORM A.
BRITISH RAINFALL.
1 FEB 1913

Kept at Min
in the County of W
by Birmingha

ng. 1°·45 W.
9. A.M.
n Water Orton. Mid Rly
e Eight in.
above Ground 0 ft. 6 in.
" Sea Level 285·50. ft.

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and pla British Rainfall Organization are give on application to Dr. H. R. Mill, 62,

Jan. 1, following.

Date.	Jan.	Feb.	Mar					Sept	august	Oct.	Nov.	Dec.	Date.
1	0·005	NiL.	0·030	NiL.	NiL	0·210.	0·065.	0·010	0·010.	NiL.	NiL.	0·110.	1
2	NiL	Trace.	0·010.	0·065.	0·030.	0·145.	0·415.	0·010.	NiL.	NiL	NiL.	0·010	2
3	0·060.	NiL.	0·015.	NiL.	0·010.	0·130.	0·110.	0·015.	0·790.	NiL.	0·010.	0·045.	3
4	0·160.	NiL.	0·430.	NiL.	0·130.	0·960	NiL.	NiL.	0·190.	NiL.	0·270.	Trace.	4
5	0·110.	0·030.	0·250.	NiL.	0·030.	0·185.	NiL.	0·090.	0·250.	NiL.	0·010	0·005.	5
6	0·300.	0·150.	NiL	NiL.	0·005.	0·130.	NiL.	0·050.	0·130.	NiL	NiL.	0·015.	6
7	NiL	0·100.	Trace.	NiL.	0·010.	0·100.	NiL.	NiL.	0·030.	NiL.	NiL.	0·025	7
8	0·225.	0·180	0·190.	0·015.	NiL.	0·125.	0·065	0·135.	0·065	NiL	NiL.	0·040.	8
9	0·065.	0·015.	0·165.	0·165	Trace.	0·360.	NiL	NiL.	0·085.	NiL	NiL.	0·320	9
10	0·035.	Trace.	Trace.	NiL.	NiL.	0·185.	NiL.	0·005.	0·575.	NiL.	0·330.	Trace.	10
11	0·040.	0·075.	NiL	NiL.	NiL.	0·120.	Trace.	NiL	0·005	NiL.	0·080.	0·460	11
12	0·035.	0·280.	0·110.	NiL.	0·055.	Trace.	0·015.	NiL.	NiL.	NiL.	0·025.	0·005	12
13	Trace.	0·010.	NiL.	NiL.	NiL.	0·085.	0·020.	Trace.	NiL.	0·015.	0·025.	NiL.	13
14	0·110.	NiL.	0·385.	NiL.	NiL.	0·065.	NiL.	NiL.	0·055.	Trace.	NiL.	NiL.	14
15	0·125.	0·035.	0·100	NiL	0·380.	0·235.	NiL.	NiL	0·005.	NiL	NiL.	0·130.	15
16	0·320.	Trace.	0·105.	NiL	Trace.	0·085.	NiL.	NiL.	0·100.	0·060.	0·005.	NiL.	16
17	1·600.	NiL	0·165.	NiL.	NiL.	0·115.	NiL	NiL.	0·455.	NiL.	0·110.	0·565.	17
18	0·310	NiL.	0·040.	NiL.	NiL.	NiL.	NiL.	NiL.	0·090	0·025.	0·010	Trace.	18
19	0·270.	0·020.	NiL.	NiL	0·025	0·010.	0·310	NiL.	0·270.	0·015.	Trace.	0·005.	19
20	0·065.	Trace.	0·135.	NiL.	NiL.	NiL.	0·055.	Trace.	0·010.	0·145.	0·005.	NiL.	20
21	0·020.	Trace.	0·120.	NiL	0·875.	NiL.	NiL.	NiL.	0·450	0·250.	NiL.	NiL.	21
22	0·170.	0·035.	NiL.	NiL	0·340.	0·090.	0·340.	NiL.	0·325.	NiL	NiL.	0·115.	22
23	0·140.	0·025.	0·200.	NiL.	NiL.	0·015.	0·630.	NiL.	0·280.	NiL.	0·105.	0·030.	23
24	0·170.	Trace.	0·005.	NiL.	NiL.	0·165.	0·060.	NiL.	0·040.	NiL.	Trace.	0·120.	24
25	0·005.	NiL.	NiL.	NiL.	NiL.	0·410.	NiL.	NiL.	0·520.	NiL.	0·180.	0·315.	25
26	NiL.	0·050.	0·020.	NiL.	NiL.	0·005.	0·840	NiL.	0·700.	0·485.	0·215.	0·210.	26
27	NiL.	NiL.	NiL.	NiL.	Trace.	0·155.	0·110.	NiL.	NiL	0·750.	NiL.	0·190.	27
28	NiL.	0·060.	0·005	NiL.	NiL.	0·005.	0·105.	0·030	0·420.	0·165.	0·600.	0·380.	28
29	NiL.	0·005	NiL.	NiL	NiL.	0·170.	0·100.	0·390.	0·010.	0·075.	0·030.	0·030.	29
30	0·015		NiL.	NiL	0·285.	NiL	0·020.	0·010.	NiL.	0·040.	NiL.	NiL.	30
31	NiL.		0·060.		0·210.		0·450.		0·130.	Trace.		0·050.	31
Total	4·355.	1·07⑤	2·540	0·245	2·385.	4·260.	3·710.	0·745.	5·990.	2·025.	2·010.	3·175.	YEAR'S TOTAL 32·51⑤.
Rain Days.	~~23~~ 22	15.	~~20.~~ 19	3.	~~13~~ 12	~~25.~~ 24	17.	10.	~~26~~ 25	11.	~~16.~~ 15	~~22.~~ 20	~~201.~~ 193

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
1 FEB 1913

Kept at Minworth. } J. D. Watson Chief Engineer
in the County of Warwick 4
by Birmingham Drainage Board.

Lat. 52°·32′ N. Long. 1°·45 W.
Time of Observation 9. A.M.
Nearest Railway Station Water Orton. Mid Rly
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 0 ft. 6 in.
" " " " Sea Level 285·50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	~~Aug.~~ Sept.	~~Sept.~~ August.	Oct.	Nov.	Dec.	Date.
1	0·005	NIL.	0·030.	NIL.	NIL	0·210.	0·065.	0·010.	0·010.	NIL.	NIL.	0·110.	1
2	NIL.	Trace.	0·010.	0·065.	0·030.	0·145.	0·415.	0·010.	NIL.	NIL	NIL.	0·010	2
3	0·060.	NIL.	0·015.	NIL.	0·010.	0·130.	0·110.	0·015.	0·790.	NIL.	0·010.	0·045.	3
4	0·160.	NIL.	0·430.	NIL.	0·130.	0·960	NIL.	NIL.	0·190.	NIL.	0·270.	Trace.	4
5	0·110.	0·030.	0·250.	NIL.	0·030.	0·185.	NIL.	0·090.	0·250.	NIL.	0·010	0·005.	5
6	0·300.	0·150.	NIL	NIL.	0·005.	0·130.	NIL.	0·050.	0·130.	NIL	NIL.	0·015.	6
7	NIL	0·100.	Trace.	NIL.	0·010.	0·100.	NIL.	NIL.	0·030.	NIL.	NIL.	0·025	7
8	0·225.	0·180	0·190.	0·015.	NIL.	0·125.	0·065.	0·135.	0·065.	NIL	NIL.	0·040.	8
9	0·065.	0·015.	0·165.	0·165	Trace.	0·360.	NIL.	NIL.	0·085.	NIL	NIL.	0·320	9
10	0·035.	Trace.	Trace.	NIL.	NIL.	0·185.	NIL.	0·005	0·575.	NIL.	0·330.	Trace.	10
11	0·040.	0·075.	NIL	NIL.	NIL.	0·120.	Trace.	NIL.	0·005	NIL.	0·080.	0·460	11
12	0·035.	0·280.	0·110.	NIL.	0·055.	Trace.	0·015.	NIL.	NIL.	NIL.	0·025.	0·005	12
13	Trace.	0·010.	NIL.	NIL.	NIL.	0·085.	0·020.	Trace.	NIL.	0·015.	0·025.	NIL.	13
14	0·110.	NIL.	0·385.	NIL.	NIL.	0·065.	NIL.	NIL.	0·055.	Trace.	NIL.	NIL.	14
15	0·125.	0·035.	0·100	NIL	0·380.	0·235.	NIL.	NIL	0·005.	NIL	NIL.	0·130.	15
16	0·320.	Trace.	0·105.	NIL	Trace.	0·085.	NIL.	NIL.	0·100	0·060.	0·005.	NIL.	16
17	1·600.	NIL	0·165.	NIL.	NIL.	0·115.	NIL	NIL.	0·455.	NIL.	0·110.	0·565.	17
18	0·310	NIL.	0·040.	NIL.	NIL.	NIL.	NIL.	NIL.	0·090.	0·025.	0·010	Trace.	18
19	0·270.	0·020.	NIL.	NIL	0·025	0·010.	0·310	NIL.	0·270.	0·015.	Trace.	0·005.	19
20	0·065.	Trace.	0·135.	NIL.	NIL.	NIL.	0·055.	Trace.	0·010.	0·145.	0·005	NIL.	20
21	0·020.	Trace.	0·120.	NIL	0·875.	NIL.	NIL.	NIL.	0·450	0·250.	NIL.	NIL.	21
22	0·170.	0·035.	NIL.	NIL	0·340.	0·090.	0·340.	NIL.	0·325.	NIL	NIL.	0·115.	22
23	0·140.	0·025.	0·200.	NIL.	NIL.	0·015.	0·630.	NIL.	0·280.	NIL.	0·105.	0·030.	23
24	0·170.	Trace.	0·005.	NIL.	NIL.	0·165.	0·060.	NIL.	0·040.	NIL.	Trace.	0·120.	24
25	0·005.	NIL.	NIL.	NIL.	NIL.	0·410.	NIL.	NIL.	0·520.	NIL.	0·180.	0·315.	25
26	NIL.	0·050.	0·020.	NIL.	NIL.	0·005	0·840	NIL.	0·700.	0·485.	0·215.	0·210.	26
27	NIL.	NIL.	NIL.	NIL.	Trace.	0·155.	0·110.	NIL.	NIL	0·750.	NIL.	0·190.	27
28	NIL.	0·060.	0·005	NIL.	NIL.	0·005.	0·105.	0·030	0·420.	0·165.	0·600.	0·380.	28
29	NIL.	0·005.	NIL.	NIL	NIL.	0·170.	0·100.	0·390.	0·010.	0·075.	0·030.	0·030.	29
30	0·015		NIL.	NIL	0·285.	NIL	0·020.	0·010.	NIL.	0·040.	NIL.	NIL.	30
31	NIL.		0·060.		0·210.		0·450.		0·130.	Trace.		0·050.	31
Total	4·355.	1·075	2·540	0·245	2·385.	4·260.	3·710.	0·745.	5·990.	2·025.	2·010.	3·175	YEAR'S TOTAL 32·515.
Rain Days.	~~23.~~ 22	15.	~~20.~~ 19	3.	~~13~~ 12	~~25.~~ 24	17.	10.	~~26~~ 25	11.	~~16.~~ 15	~~22.~~ 20	~~201.~~ 193

W. 7,500, XI. '12

FORM A.
BRITISH RAINFALL.
7 JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Minworth

in the County of Warwickshire 4

by Birmingham Tame & Rea District Drainage Board G.S.

Lat. 52° 32′ Long. 1° 45′ W.

Time of Observation 9 A.M.

Nearest Railway Station WATER ORTON MIDLY

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 285·50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	·01.	1·05.	·16.	—	·02.	—	·01.	1
2	—	—	—	—	—	—	—	·11.	—	—	·41.	·31.	2
3	—	—	·04	·06.	·11.	—	·34	·38.	—	—	·05.	—	3
4	·18.	—	·03.	·10.	·03.	—	—	·10.	—	—	·43.	·43.	4
5	·09.	—	·13.	·15.	·07.	·07.	·30.	—	—	—	·16.	—	5
6	—	·05.	—	—	·03.	—	—	—	—	—	·07.	·05.	6
7	—	·10.	·39.	·02.	·06.	·16.	·25.	·11.	—	—	·02.	·12.	7
8	·03.	—	—	·02.	·10.	·68	·01.	·07.	—	—	—	·08.	8
9	·35	—	·11	·16.	·01.	1·05.	—	·01.	·12.	—	—	—	9
10	·08	·10.	·01.	·24.	·15.	·01.	—	—	·14.	—	—	—	10
11	—	·04	·20	·03.	·03.	·05.	—	—	—	—	·26.	·40.	11
12	—	·07.	·11.	—	—	—	·57.	—	·25.	—	·06.	·28.	12
13	—	·11.	·18.	—	—	—	—	—	·03.	·16.	·24.	·37.	13
14	—	·07.	·11	—	—	—	·03.	—	·01.	·24.	·11	·17.	14
15	·01.	—	·08.	—	—	—	—	·01.	·05.	·02.	—	—	15
16	·01.	—	·04.	—	—	—	·27.	—	·06.	·01.	—	—	16
17	—	·14.	·10.	—	—	—	—	—	·02.	—	—	·16.	17
18	—	—	—	—	—	—	·13.	—	·01.	—	—	·44.	18
19	—	—	·02.	—	—	—	·14.	—	·11.	—	·01.	·07.	19
20	—	·27.	·01	—	—	·03.	·16.	—	·02.	—	—	·29.	20
21	—	·36.	—	—	—	—	·03.	·05.	—	·07.	—	·28.	21
22	—	—	—	—	·42.	·01.	·01	·16.	—	·22.	—	—	22
23	—	·01.	·10	—	·24	—	·07.	—	—	·04.	—	—	23
24	—	—	·11	·03.	·02.	—	·14.	·14.	—	·07.	·07.	—	24
25	·04.	—	·01.	—	—	—	·04.	·12.	—	·29.	·04.	·11.	25
26	—	—	·12	—	—	—	—	·13.	—	·09.	·27.	·27.	26
27	·03.	—	—	—	—	—	—	—	—	—	·19.	·21.	27
28	—	·03.	·08.	—	—	—	—	—	—	·10.	·27.	1·00	28
29	—		·06.	—	·08.	—	—	—	—	·18.	·09.	—	29
30	—		—	—	—	·14.	—	—	—	·01.	·30.	·46.	30
31	·02.		—		·01.		·20.	—		·01.		·01.	31
Total	·84.	1·35	2·04.	·81.	1·36	2·21.	3·74.	1·55.	·82.	1·53.	3·05.	5·52.	YEAR'S TOTAL 24·82.
Rain Days.	10.	12.	21.	9.	14.	10.	17.	13.	11.	15.	18.	21.	171.

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

2592

FORM A.
BRITISH RAINFALL.
7 JAN 1916

Kept at Minworth
in the County of Warwick
by Birmingham District Drainage Board

Lat. 52° 32′ Long. 1° 45′
Time of Observation 9. AM.
Nearest Railway Station Water Orton M.R
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground - ft. six in.
" " " " Sea Level 285·50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17.	·18.	·07.	–	·35.	–	–	·05	·09.	·09	·01.	·06.	1
2	·08.	·07.	·25.	·08.	–	·13.	–	·16.	–	·26	–	·07.	2
3	·84.	–	–	·07.	–	–	·75.	·96.	–	–	–	·20.	3
4	–	–	–	–	·03.	–	·82.	·07.	–	–	–	·85.	4
5	–	·27	–	–	·13	–	–	·05.	–	·01.	–	·30	5
6	·09.	·10	·02	·25	–	–	·69	·05.	–	–	–	·04.	6
7	·09	·35.	–	·01.	1·14.	·25.	·10.	·12.	–	–	–	·35	7
8	·12.	·18.	–	·01.	–	–	–	·02.	–	–	·05.	–	8
9	·02.	·13.	–	·12	–	–	–	–	–	–	·25	·37.	9
10	·26.	–	·02.	·02	–	–	–	–	–	–	·16.	–	10
11	·02.	–	–	·03	·20.	–	·13.	·11.	–	–	·69.	Snow. ·10	11
12	·06.	–	–	·14.	·36.	–	–	·24.	–	·05.	1·23.	–	12
13	–	·46.	–	–	·65.	–	–	·01.	–	–	·05.	·03.	13
14	·02.	–	–	–	–	–	·06.	·26.	·03.	·02.	–	·28.	14
15	·23	–	–	–	·10.	–	·14.	·05.	–	–	·06.	·13.	15
16	–	·36.	–	–	·18.	–	2·15.	–	–	–	–	·01	16
17	–	·16.	–	–	·14.	–	·02.	–	–	–	–	·01.	17
18	–	·16.	·09.	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	·05.	–	·10.	–	–	–	–	–	19
20	·26.	·01.	–	·07.	–	–	–	–	–	–	–	·07.	20
21	·18.	·01.	–	–	–	–	·14.	–	–	·02.	–	·04.	21
22	·05.	–	·23.	·11.	–	–	·17.	–	·01	–	–	·06.	22
23	·06.	·06.	·03.	–	–	·03.	·07.	–	·02	·36.	·01.	·18.	23
24	–	–	·01.	·07.	–	·06.	·03.	–	·28.	·09.	–	·08.	24
25	–	–	·02.	–	–	·44.	·09.	–	·01.	–	–	·34.	25
26	–	·09	–	–	–	–	·15.	–	·01.	–	–	·32	26
27	–	·01.	–	–	–	–	·13.	–	–	·34.	–	·06.	27
28	–	·11.	·01.	–	–	·07.	·02	·24.	–	·07.	–	–	28
29	–	X	–	–	–	–	·02.	·01.	–	–	·06.	·10	29
30	·04.	X	–	–	–	·07.	·11.	·06.	–	·12.	·03.	·05	30
31	·05.	X	–	X	–	X	·03.	·04.	X	·08.	X	·17.	31
Total	2·64.	2·71	·75.	·98	3·33.	1·05.	5·92.	2·50	·45.	1·51.	2·60	4·27.	YEAR'S TOTAL 28·71
Rain Days.	18.	17.	10.	12.	11.	7.	21.	17.	7.	12.	11.	25.	168.

W. 8,000. X. 15.

[illegible] 2528

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Minworth Greaves Minworth

in the County of Warwick

by Bham - Tame & Rea. District Drainage Board

Lat. 52°·32' N. Long. 1°·45' W.

Time of Observation 9 AM (Greenwich Time)

Nearest Railway Station Water Orton M.R.

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground - ft. six in.

" " " " Sea Level 258·50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·01.	·10 snow.	·01.	–	·03.	·09.	–	–	·04	·17.	–	1
2	·18.	·02.	·14 "	–	·27.	–	·26.	–	·08.	·63.	·02.	–	2
3	–	·41.	–	–	·01.	·01	·08	–	·15	·28	·05	–	3
4	·27.	·04.	–	–	·56.	·18.	–	–	·02	·02.	·28.	–	4
5	·01	–	–	–	·13.	·22.	·05	–	–	·07.	·09.	–	5
6	·06.	·16.	·09 snow.	–	·24	·01.	·47	–	–	·11.	·30.	–	6
7	·07.	–	·15	–	·02.	·01.	·11.	–	–	·11.	·20	·17	7
8	·01.	–	·03	–	·08.	·01.	–	–	–	·03.	·02	·16.	8
9	–	·01.	·07.	–	·27	·07	–	–	·02.	–	–	·04	9
10	–	·20.	·06.	·09.	–	·02	·02	–	·03.	·01.	–	·01.	10
11	·08.	·20.	·08.	·17.	·01	·55.	–	–	·05.	–	·01.	·29 snow.	11
12	·04.	·04.	·19 sleet.	·01	·28.	–	·08.	·01.	–	·08.	–	–	12
13	–	·12.	·30	·01	·01	–	·04.	·19	–	–	–	–	13
14	–	·48 snow.	–	·08.	·02.	–	–	·32	–	·02.	·02	–	14
15	–	·20.	·61.	·02.	·09.	–	·10.	·30	·02	·03.	–	–	15
16	–	–	·26.	·21	·02.	–	·06.	·09.	–	·01.	–	–	16
17	·07.	·11.	–	·18.	–	–	–	·16.	·26	·15.	–	–	17
18	·01.	·09	·04.	·08.	–	–	–	·01.	·20.	–	·66.	·06 snow.	18
19	·03.	·10.	·19.	–	–	–	–	·01.	·03.	–	·29		19
20	·01.	–	·54	–	–	–	–	·01.	–	–	·08.	·14 snow & sleet	20
21	–	–	·08.	·21.	·09.	–	·07.	–	–	–	·01.	·27 "	21
22	·01.	·01.	–	·01.	·02.	–	–	–	–	·05.	–	·43 snow.	22
23	·02.	·46 snow.	–	–	–	–	–	·07.	–	·02.	·05	·18 snow & rain	23
24	–	·73.	–	–	·08	–	–	·10	–	·18.	–	·19 "	24
25	–	·05	·14.	–	–	·02.	–	·09.	·01.	–	·21.	–	25
26	·02	·15.	·02	–	–	·01.	–	·20	–	·10.	·03.	–	26
27	–	·16 snow	·67 snow.	–	–	·20.	·25.	·05.	·04.	·17.	–	–	27
28	–	·37.	1·14.	–	–	–	–	–	·01.	·08.	–	·19	28
29	–	·12.	–	–	–	·14.	–	·57	–	·28.	–	·13.	29
30	–	✕	–	–	·10.	·21.	–	–	–	·14	–	–	30
31	–	✕	–	✕	–	✕	–	·01.	✕	·14.	✕	·23.	31
Total	0·98.	4·24.	4·90.	1·08.	2·30.	1·69.	1·68.	2·19.	·92.	2·75.	2·49.	2·49.	YEAR'S TOTAL 27·71
Rain Days.	16.	23.	20.	12.	18.	15.	13.	16.	13.	23.	17.	14.	200

W. 8,000. X. 15.

2405

FORM A.
BRITISH RAINFALL
8. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Minworth Greaves Minworth
in the County of Warwick
by Bham Tame & Rea District Drainage Board

Lat. 52° 32' N. Long. 1° 45' W.
Time of Observation 9 AM. (Greenwich Time)
Nearest Railway Station Water Orton M.R.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground – ft. six in.
" " " " Sea Level 258·50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·06.	—	·01.	—	·81.	·21.	—	—	·16	1
2	·02.	—	—	—	—	·25.	—	·10.	—	·01.	·03.	·02.	2
3	·03.	·08		·22.	—	—	—	·10.	—	·34.	·06.	—	3
4	·07.	·03.	·16.	·01	—	—	—	·10.	—	·38	—	—	4
5	·13.	—	·05.	·11.	—	—	—	·01.	—	·06.	·04.	—	5
6	·02.	—	—	—	—	·57.	—	—	—	·06.	·10	·01.	6
7	·41.	—	—	—	—	·01.	—	—	—	·15	·02	·07.	7
8	·61.	—	—	·14	—	—	·12.	·31.	—	·37.	·12	·21.	8
9	—	—	·15.	·13.	·10.	—	—	·50.	·01.	·02.	·22.	—	9
10	·37.	—	·21	·06.	·69.	—	—	·12.	·01.	—	—	—	10
11	·10.	—	·11.	·21.	—	—	—	·01.	·02.	·11.	·01.	—	11
12	·19.	·03.	·01.	—	·18.	—	—	·01.	—	·19.	—	·01.	12
13	·01.	—	—	·09.	·01.	—	—	·22	·08.	·02.	—	—	13
14	·03.	—	·16.	·28.	—	—	—	·32.	—	—	—	—	14
15	—	—	—	—	·02.	—	·50	·03.	—	·02.	—	·11.	15
16	·01.	·20.	·01.	·09.	—	·02.	·01.	·01.	—	—	—	·36	16
17	·01.	·01.	·01.	·08.	·31.	·76.	·25.	·14.	·17.	·04	—	—	17
18	·01.	·01.	—	·01.	·09.	—	·41.	·03.	·88	·06.	—	—	18
19	·04.	·23.	·18.	—	·09.	·07.	—	—	·01.	—	—	—	19
20	·01.	·17.	—	—	·27.	·04.	·01.	·17.	·13.	—	·05.	—	20
21	—	·03.	·15.	—	·15.	·23.	—	·04	—	·01	·01.	—	21
22	—	—	—	—	—	·05.	—	·11.	·06.	·15.	—	—	22
23	—	·15	—	—	·07.	—	—	·03.	—	·10.	—	—	23
24	—	·02	—	—	—	·65.	·07.	·08.	—	·29.	·05.	·03.	24
25	—	·04.	·10.	—	—	—	—	—	—	·01.	·08.	—	25
26	—	—	—	—	—	—	—	·53.	·16.	·01.	·22.	—	26
27	—	—	·02.	—	·13.	·24.	·40.	·74	—	—	—	—	27
28	—	—	·07.	—	—	·14.	—	·09.	—	—	—	·04.	28
29	—	X	·03.	—	—	·44.	·05.	·04.	—	·26.	—	·28.	29
30	—	X	—	—	—	—	·12.	·21.	—	·02.	—	—	30
31	—	X	·04.	X	—	X	·01.	·06.	X	·01.	X	·03	31
Total	2·07	1·00.	1·46.	1·49.	2·11.	3·48.	1·95.	4·92.	1·74.	2·69.	1·01.	1·33	YEAR'S TOTAL 25·25
Rain Days.	17.	12.	16.	13.	12.	14.	11.	27.	11.	23.	13.	12.	181.

W. 8,000, VIII. 16

Exd. E.F.E.

45

FORM A.
BRITISH RAINFALL.

8.1.19

REGISTER OF RAINFALL IN 1918.

Kept at Minworth Greaves Minworth
in the County of Warwick
by Bham Tame & Rea District Drainage Board

Lat. 52°·32′ N Long. 1°·45′ W.
Time of Observation 9 AM Greenwich Time
Nearest Railway Station Water Orton M.R.
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground - ft. Six in.
" " " " Sea Level 258·50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·07.	·07.	—	—	—	—	·02	·20	·01	1
2	—	·04.	—	·15	—	—	—	·06	—	·05	·01.	·15	2
3	—	·02.	·02	—	·28.	—	—	·43	·45	·01.	·03.	—	3
4	·03.	·02.	·01	—	—	—	—	·06	·72	·02	·52.	·22	4
5	—	—	—	·02	·13.	—	—	·01.	·16	·05	—	—	5
6	—	·10.	·01.	·14	—	·12.	—	—	·01.	·09.	—	·03	6
7	·01.	·08.	—	·05	·02.	·01.	—	—	·06.	·01	·11.	·01.	7
8	—	·16.	—	—	—	—	—	—	·13	·06	—	·02	8
9	·02	·36	—	·26.	—	·20.	·02.	—	·35	·29.	·01.	·01	9
10	·14	—	—	·03	—	—	·28	—	·01.	·03.	—	·04.	10
11	—	·01.	—	·01.	·05	—	·13.	—	·27.	—	—	·08.	11
12	·04	·02	·07.	—	·10.	—	·30.	—	·01.	·01	—	—	12
13	—	—	—	·01.	·18.	·03.	—	—	·14	·02	—	·03.	13
14	·33.	—	—	—	—	·02	·05	—	·21.	·18.	—	·09.	14
15	1·00.	—	—	·15	—	·04.	·25.	—	·05	—	—	·22	15
16	·08.	—	—	·38.	—	·01.	—	—	·19.	—	—	·02	16
17	·29.	—	—	·—	·06	·11.	·08.	—	·18.	·06.	—	·11	17
18	·35.	—	—	—	—	·03.	1·06.	—	·22	—	—	·30.	18
19	·03.	·04.	·11.	·09.	—	—	·06	—	—	·10.	—	·43.	19
20	·19.	·08.	—	·63.	—	·05.	·40.	—	·10.	—	·01.	·06	20
21	·06	—	—	·36.	·27.	—	·07.	—	·20.	—	—	·08.	21
22	·02	—	—	—	·36	·01.	·10.	—	—	·14.	—	·32	22
23	·03	—	—	—	·44.	—	·11.	—	·05	—	·01.	—	23
24	—	·07.	—	—	—	—	·05.	—	·04.	—	·14	—	24
25	—	—	—	—	—	—	·16.	·29.	—	—	·01.	—	25
26	—	—	—	—	—	—	·05	·03.	·06	—	·04	·07.	26
27	—	·05	—	—	—	—	·02.	·30.	·19.	—	·11.	·13.	27
28	—	·11.	·27.	—	—	—	—	—	—	—	·16	·14.	28
29	—		·03.	—	—	—	—	—	·77.	—	—	·02.	29
30	—		·30	—	—	—	—	·05	·02	—	·22.	·01.	30
31	—		·18.		—		—	—		—		—	31
Total	2·62	1·18.	1·00.	2·35.	1·96.	·63.	3·19	1·23.	4·59.	1·14.	1·58.	2·60.	YEAR'S TOTAL 24·07. ✓
Rain Days.	15. ✓	15 ✓	9. ✓	14. ✓	11. ✓	11. ✓	17.	8. ✓	24 ✓	16. ✓	14.	24	178. ✓

W. 8,000, IX. 17.

W M L cord for auth

261

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.

Kept at Minworth Greaves.
in the County of Warwick
by Bham "Tame & Rea District Drainage Board

Lat. 52°·32' N. Long. 1°·45' W.
Time of Observation 9 AM (Greenwich Time)
Nearest Railway Station Water Orton
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground — ft. six in.
" " " " Sea Level 258·50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	—	·02.	—	·14	—	·41	—	·01.	·26	—	·30	1
2	·13.	·01.	·03.	—	—	—	·06	—	—	·05.	·06	·01	2
3	·72.	—	·02.	—	·02.	·09	·34.	—	·31.	—	·18.	·12.	3
4	·04.	—	·33.	—	—	·05.	·02	·10	·20.	—	·02	·30.	4
5	·01	·25.	—	—	—	—	—	—	·22	—	—	·08.	5
6	·02.	—	·13.	—	·64.	—	—	—	—	—	·04.	·06.	6
7	·08	—	·13	—	—	—	—	—	—	—	—	—	7
8	·10	—	·03.	·11.	—	·04	—	—	—	—	—	—	8
9	·03.	—	—	·05.	—	—	—	—	—	—	—	—	9
10	—	—	·47	·02.	—	—	—	—	—	—	·02	·10	10
11	·02.	—	·45	—	·01.	—	·26	—	—	·11	—	·01	11
12	—	—	·16.	—	—	·28.	—	—	·02	·05	·04	·01	12
13	·13.	—	—	·22.	—	—	·06.	—	·16.	·17	—	·01	13
14	·34.	·01	—	·13	—	—	·07.	—	·30	·04.	—	·01.	14
15	·17.	·08.	·03.	·28.	—	—	—	—	—	·01.	·02.	·22.	15
16	·07.	·85.	—	·07.	—	—	—	·07	—	—	·10.	—	16
17	·04.	·44.	—	·01.	—	·03.	—	—	—	—	·14.	—	17
18	—	—	·36	—	—	—	—	·26	—	—	·01.	·26	18
19	·09.	·23.	·93	—	—	·15.	1·27.	·27.	—	—	·04.	—	19
20	·21.	·06	·16.	—	—	·02.	·22	·15.	·10	—	·32	·05	20
21	·01.	·34	·05	—	—	—	·28.	·01.	—	—	·04.	·24	21
22	—	·18.	—	—	—	·02	—	—	·28.	—	·01.	·71.	22
23	—	—	—	—	—	·23.	—	·02	—	·75	—	·06	23
24	—	—	—	·05.	·04.	—	—	—	—	·60	·11.	·07.	24
25	·15	—	—	·05	·10.	·20.	—	·43.	—	—	—	·01.	25
26	—	—	·18.	·04	—	·02.	—	·02	·07.	—	·03	·26	26
27	·11.	—	—	·36	—	—	—	·18.	—	—	—	·02	27
28	·03.	—	—	·01.	—	—	—	·54.	—	—	·08.	·20.	28
29	·02.		·03.	·02.	—	·09.	—	·03.	—	·51.	·10	·10.	29
30	·02.		·24	·12	—	·18.	—	·01	—	·02.	·07.	·27.	30
31	·01.		—		—		—	—		·01		·01.	31
Total	2·89.	2·45.	3·75	1·54.	·95.	1·40.	2·99	2·09.	1·67	2·58 ~~2·48.~~	1·43.	3·49.	YEAR'S TOTAL 27·23 ~~27·13~~
Rain Days.	24.	10.	18.	15.	6.	13.	10	13.	10.	12.	19.	25.	175

469

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Minworth Greaves, Minworth
in the County of Warwickshire
by Birmingham Tame & Rea District Drainage Board

Lat. 52° 32′ Long. 1° 45′ W
Time of Observation 9 A M (Greenwich Time)
Nearest Railway Station Water Orton M.R.
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level 285·50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·10	·25	—	·23	—	·06	·07	—	·27	1
2	—	—	—	·13	·01	—	·44	—	·08	·26	—	·07	2
3	·03	·10	—	·18	—	·04	·52	—	·08	·18	—	—	3
4	—	—	—	·17	—	—	·02	·27	—	·32	—	—	4
5	—	—	·03	·01	·20	—	·31	·01	·25	·40	—	—	5
6	—	—	·20	·03	·01	—	·21	—	—	·01	—	·04	6
7	—	—	·02	·07	—	—	·20	—	—	—	—	—	7
8	·32	·07	—	·58	·22	—	·21	—	—	·01	—	—	8
9	·32	—	·01	·36	—	—	·02	·31	—	—	—	—	9
10	·21	·09	·04	·08	—	·02	·08	—	—	—	—	—	10
11	·07	—	·03	·13	·47	·17	·05	·03	—	—	·01	·02	11
12	·06	—	·01	·17	—	·86	—	·68	—	·03	·11	·16	12
13	·04	·04	·19	·23	—	—	—	·06	—	—	—	—	13
14	—	·01	1·24	·17	—	·06	·02	—	·19	—	·09	—	14
15	—	·07	·05	·26	—	·07	—	—	·03	·05	·02	—	15
16	—	—	·02	·12	·07	·17	·12	—	·05	·43	—	—	16
17	·01	—	—	—	·10	—	—	—	·68	·04	—	—	17
18	·16	—	—	·03	·06	—	—	·09	·54	—	—	—	18
19	—	Snow. ·80	—	·30	—	·04	—	·02	·01	—	—	—	19
20	·02	·09	—	·27	—	·20	·02	—	—	—	—	·03	20
21	—	—	—	·03	—	—	·26	·05	·02	—	—	·03	21
22	·01	—	—	·11	—	—	·01	·06	·01	—	—	—	22
23	—	—	—	·01	—	—	·27	·04	—	—	—	·33	23
24	·02	—	·16	·05	—	—	—	·04	—	—	—	·08	24
25	·02	·05	—	·05	—	—	·29	·02	—	—	·03	·01	25
26	·16	—	·16	·03	—	—	·08	—	—	—	—	·02	26
27	·04	—	·01	·09	·13	·19	—	—	—	—	·09	·39	27
28	·82	·04	·04	·02	·39	—	·04	—	—	—	—	·10	28
29	·04	—	·04	—	·25	·02	·06	—	—	—	·10	·36	29
30	·01	✕	·14	·12	·21	·11	·07	—	·23	—	·30	·09	30
31	·06	✕	·04	✕	·04	✕	·02	—	✕	·36	✕	·03	31
TOTAL	2·42	1·36	2·43	3·90	2·41	1·95	3·55	1·68	2·23	2·16	·75	2·03	YEAR'S TOTAL 26·87
Days with ·01 in. or more	19	10	18	28	14	12	23	13	13	12	8	16	186
	12	9	12	21	12	10	17	9	9	9	5	10	134

(44,283). Wt 21958—218. 7500. 10/19. Gp 132. A.&E.W.

✓

REGIST

MOSELEY

CHANTRY RD. &
OXFORD RD
WARWICK.

1913 – 1920

FORM A2.
BRITISH RAINFALL.

8. JAN 1914

Kept at "Boscobel" Chan
in the Borough of Birmin
tale in the County of Worcester

by G. F. Lyndon I.

don

in.

round 1 ft. — in.

ea Level 442 ft.

AM

ame Moseley W R

istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·180	·060					·530		·050	·005	1
2	·010	·100	·020	·120			·005		·010	·140	·070		2
3	·050		·180		·870				·040	·110		·145	3
4	·885	·020			·180		·020		·005	·090	·030	·450	4
5	·110	·030				·085	·140		·015	·980	·060	·010	5
6	·030	·060	·140		·220	·220	·800			·100		·150	6
7		·130	·005		·190	·055	·030			·275	·130	·015	7
8		·030			·160	·190		·100		·425			8
9		·320	·045	·005	·040	·430	·570	·060	·150		·100	·070	9
10	·020			·155	·050			·035			·150		10
11	·945	·005		·410		·050		·260		·100	·600		11
12					·080						·590		12
13	·070		·100	·015				·035	·280		·270		13
14	·130		·690	·040				·080		·120	·010	·005	14
15	·030	·095	·720	·595				·010	·070	·010	·060		15
16	·020	·010	·650	·060					·140		·010		16
17	·020	·020	·045	·090		·020	·025		·180		·005		17
18	·005		·145	·080	·030		·040				·015		18
19	·175		·085	·030	·020		·030		·170			·010	19
20	·110		·275	·110						·020	·210		20
21			·260	·020	·040		·060	·085			·260		21
22	·540		·700			·060		·185	·450				22
23	·030		·020			·090		·060	·030		·020		23
24	·090			·020				·020					24
25	·005			·050					·020	·010			25
26		·060	·010	·680	·150			·180	·010	·060		·310	26
27		·020	·010	·460				·005		·020		·010	27
28	·400		·200	·440	·060					·230	·010	·070	28
29	·010		·440	·580				·075		·030		·060	29
30	·335				·010					·380	·130		30
31			·120					·040		·020			31
Total	4·020	·900	5·040	4·020	2·100	1·200	1·720	1·230	2·100	3·150	2·480	1·340	TOTAL for year [illegible]
No. of Rain Days	20 21	12	21	19	14	9	9	14	14	18	19	14 12	180 182

9,000, IX. '10.

REGIS

FORM A2.
BRITISH RAINFALL.
8 JAN 1914

Kept at "Boscobel" Chantry Road Moseley
in the Borough of Birmingham
late in the County of Worcester

5

by G. F. Lyndon J.P.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. —
" " " Sea Level 442 ft.

Time of Observation 9·0 AM

Nearest Railway Station
Name Moseley M.R.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·180	·060					·530		·050	·005	1
2	·010	·100	·020	·120			·005		·010	·140	·070		2
3	·050		·180		·870				·040	·110		·175	3
4	·885	·020			·180		·020		·005	·090	·030	·450	4
5	·110	·030				·085	·140		·015	·980	·060	·010	5
6	·030	·060	·140		·220	·220	·800			·100		·150	6
7		·130	·005		·190	·055	·030			·275	·130	·015	7
8		·030			·160	·190		·100		·425			8
9		·320	·045	·005	·040	·430	·570	·060	·150		·100	·070	9
10	·020			·155	·050			·035			·150		10
11	·945	·005		·410		·050		·260		·100	·600		11
12					·080						·590		12
13	·070		·100	·015				·035	·280		·270		13
14	·130		·690	·040				·080		·120	·010	·005	14
15	·030	·095	·720	·595				·010	·070	·010	·060		15
16	·020	·010	·650	·060					·140		·010		16
17	·020	·020	·045	·090		·020	·025		·180		·005		17
18	·005		·145	·080	·030		·040				·015		18
19	·175		·085	·030	·020		·030		·170			·010	19
20	·110		·275	·110						·020	·210		20
21			·260	·020	·040		·060	·085			·260		21
22	·540		·700			·060		·185	·450				22
23	·030		·020			·090		·060	·030		·020		23
24	·090			·020				·020					24
25	·005			·050					·020	·010			25
26		·060	·010	·680	·150			·180	·010	·060		·310	26
27		·020	·010	·460				·005		·020		·010	27
28	·400		·200	·440	·060					·230	·010	·070	28
29	·010		·440	·580				·075		·030		·060	29
30	·335				·010					·380	·130		30
31			·120					·040		·020			31
Total	4·020	·900	5·040	4·020	2·100	1·200	1·720	1·230	2·100	3·150	2·480	1·340	TOTAL for year 2960
No. of Rain Days	20 21	12	21	19	14	9	9	14	14	18	19	14	180 182

9,000, IX. '10.

Eve D L

FORM A.
BRITISH RAINFALL.

11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Boscobel, Chantry Road Moseley
in the city & County of Birmingham Warwick 4
by G. F. Lyndon J.P.

Lat. Long. ——
Time of Observation 9.0. A.M.
Nearest Railway Station Moseley M R
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. —— in.
" " " " Sea Level 472 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·010		·020	1·140	·220		·010	·010	·040	1
2				·020			·060	·120		·025	·636	·330	2
3			·035	·020	·160		·230	·160			·160	·010	3
4	·200		·045	·170	·040		·020	·090			·650	·490	4
5	·070		·120	·180	·020	·040	·280	·050			·170		5
6	·010	·060			·070	·020					·090	·120	6
7		·180	·290	·020	·070	·140	·700	·120				·260	7
8	·015		·040	·050	·160	·930	·020	·130	·005			·150	8
9	·345	·005	·110	·240	·040	1·230		·050	·015			·005	9
10	·095	·130	·020	·260	·110	·070			·130				10
11		·105	·340	·030	·020	·120			·010		·230	·600	11
12		·130	·120				·340		·300		·050	·280	12
13	·005	·190	·230				·020		·050	·130	·210	·410	13
14	·005	·110	·095				·040		·010	·245	·160	·105	14
15	·025	·015	·070				·110	·050	·050	·050	·005	·010	15
16	·005		·045				·060		·120				16
17	·015	·200	·110				·015		·050			·240	17
18							·200		·010			·370	18
19			·030				·390		·200		·060	·080	19
20		·570	·060			·060	·460		·020			·280	20
21		·395	·030				·035			·120		·280	21
22		·020	·070		·440	·030	·025	·190		·140			22
23		·020	·140		·390		·010			·040			23
24			·005	·030	·010	·005	·060	·080		·090	·065		24
25	·070		·055				·030	·240		·460	·050	·190	25
26			·060				·035	·150		·120	·210	·320	26
27	·050									·010	·120	·280	27
28	·010	·090	·150		·020					·140	·350	1·020	28
29			·080		·120					·210	·120		29
30		✕	·020		·005	·095				·030	·300	·710	30
31	·050	✕		✕	·015	✕	·290		✕	·010	✕	·010	31
Total	·970	2·220	2·370	1·030	1·600	2·460	4·570	1·650	·970	1·830	3·640	6·590	YEAR'S TOTAL 30·200
Rain Days.	12	14	24	11	15	11	23	13	12	16	18	23	192

W. 8,000. X. 14.

ex 195

2583

FORM A.
BRITISH RAINFALL.

7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Boscobel" Chantry Road Moseley
in the city & County of Warwick Birmingham
by G. F. Lyndon JP

Lat. Long.
Time of Observation 9·0 AM
Nearest Railway Station Moseley M R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·180	·150	·100		·250			·070	·040	·090	·030	·050	1
2	·060	·135	·290	·110		·090		·255		·310		·050	2
3	·930	·020	·035	·065			1·180	·290				·180	3
4	·010	·005	—	—	·025		·640	·015				·810	4
5		·650	·005			·020		·060				·390	5
6	·090	·080		·275			·790	·080				·050	6
7	·080	·540		·040	·665	·090	·180	·110				·370	7
8	·100	·250		·020				·020			·070		8
9	·030	·200		·170							·210	·430	9
10	·340		·045	·030			·005			·005	·120	·080	10
11	·015			·060	·090		·080				·820	·090	11
12	·065			·120	·440			·040		·050	1·440		12
13	·010	·420			·770						·040	·050	13
14	·010						·190	·110	·040	·015		·410	14
15	·420				·080		·125	·100			·120	·230	15
16	·060	·620			·170		1·975					·020	16
17		·270	·015		·250		·005					·015	17
18	·010	·330	·130										18
19		·015			·060		·120						19
20	·260			·100								·070	20
21	·190	·020*					·090			·030		·040	21
22	·040		·180	·030			·300		·010	·005		·100	22
23	·080	·110	·040	-		·140	·420		·020	·565		·235	23
24			·030	·070			·070		·190	·240		·130	24
25			·010			·370	·220		·020	·010		·300	25
26		·155					·200		·160			·380	26
27		·110					·140			·480		·100	27
28		·160					·020	·250	·070	·060			28
29		X					·050	·075			·100	·070	29
30	·060	X				·130	·020	·005		·160	·040	·060	30
31	·050	X		X		X	·100	·030	X	·090	X	·300	31
Total	3·090	4·240	·880	1·090	2·800	·840	6·920	1·510	·550	2·110	2·990	5·010	YEAR'S TOTAL 32·030
Rain Days.	22	1~~8~~9	10	12	10	6	2~~0~~1	1~~4~~5	8	1~~2~~3	10	26	~~168~~ 172

W. 8,000. X. 14.

Reads *·020

2519

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at "Boscobel" Chantry Rd Mosely
in the City & County of Birmingham Warwick
by G. F. Lyndon JP

Lat. —— Long. ——
Time of Observation 9·00 AM – GMT
Nearest Railway Station Mosely MR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. —— in.
" " " " Sea Level 472 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·100	·010	·070		·025	·110	·140			·060	·220		1
2	·310	·050	·200		·240		·410		·080	·520	·015		2
3		·620			·015	·010			·110	·345	·095		3
4	·320	·050		·030	·570	·240			·030	·005	·380		4
5	·015				·170	·390	·100			·060	·330		5
6	·030	·170	·140	·030	·370	·005	·440			·070	·500		6
7	·080		·150		·080	·020	·460			·120	·280	·160	7
8	·020		·050		·150	·040				·040	·060	·270	8
9	·065		·035		·250	·095			·010	·075		·020	9
10		·260	·070	·090	·020	·280	·050		·015	·015			10
11	·090	·150	·070	·190	·020	·340			·070			·180	11
12	·030	·070	·080	·010	·240		·080	·025		·050			12
13	·030	·170	·205	·080			·090	·330					13
14		·550	·005	·070	·010			·090		·070		·005	14
15		·180	·655	·020	·110		·120	·420		·030			15
16		·005	·110	·180	·030		·020	·035	·010	·005			16
17	·080	·170		·240				·050	·265	·175			17
18		·085	·040	·100		·[illegible]		·020	·230	·040	·750	·185	18
19	·040	·020	·150	·080		·005			·040		·390		19
20	·030		·340	·010				·030			·060	·130	20
21			·150		·100		·080					·240	21
22		·010		·020		·020				·090		·470	22
23	·030	·360						·080		·040	·070	·210	23
24		·460			·110			·110		·310		·190	24
25		·040	·160		·040	·020		·180	·390	·030	·370		25
26	·035	·130				·110		·070	·120	·130	·040		26
27	·025	·140	·750			·285		·140	·060	·240			27
28		·440	·240							·090		·190	28
29		·150				·160		·650		·380		·130	29
30		X				·060				·200			30
31		X		X	·010	X		·020	X	·150	X	·190	31
Total	1·270	4·290	3·670	1·150	2·560	2·190	1·990	2·250	1·430	3·340	3·560	2·570	YEAR'S TOTAL 30·270
Rain Days.	17 ~~16~~	22	20 ~~19~~	14	19	16 ~~15~~	11	15	13	~~24~~ 25	14	13	199 ~~195~~

W. 8,000, VIII. 16

2397

FORM A.
BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at "Boscobel" Chantry Rd Moseley until 24 Aug afterwards at "Clydesdale" Oxford Road Moseley
in the City County of Birmingham Warwickshire
by G. F. Lyndon J.P.

Lat. Long.
Time of Observation 9. 0 AM - G.T.
Nearest Railway Station Moseley (M.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. → in.
" " " " Sea Level Chantry Rd 442 ft. Oxford Rd 506 ft

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·020		·015	·120		·100		·770	·320		·020	·240	1
2						·240		·020			·020	·030	2
3	·020	·080		·220		·005		·090		·310	·040		3
4	·020		·260	·020				·180		·560			4
5	·225		·100	·170					·060	·090	·160		5
6	·015		·180			·750			·005	·120	·170		6
7	·400							·050		·120	·005	·005	7
8	·630			·170		·020	·160	·770		·490	·225	·210	8
9			·185	·130	·290			1·150	·020	·020	·290	·005	9
10	·385		·300	·080	·890			·130	·015	·010			10
11	·140		·030	·230				·020		·200	·015		11
12	·030	·020			·420			·010		·170	·005		12
13	·015		·020	·100	·030			·130	·110	·010			13
14	·030		·100	·290				·480				·020	14
15	·015				·100		·210	·060		·040		·230	15
16	·010	·130		·120	·010	·155				·010		·420	16
17		·005	·020	·070	·510	·550	·370	·285	·210	·065	·005		17
18	·010	·015		·040	·050		·320	·035	1·030	·055			18
19	·050	·260	·280		·220	·120			·020				19
20		·180			·560	·040	·070	·380	·340		·080		20
21		·030	·190		·070	·180		·060		·020	·055		21
22	·005	·005	·030			·040		·160	·020	·190			22
23		·165			·140			·080		·060	·005		23
24		·005				·460	·160	·100		·270	·050	·020	24
25		·065	·100							·015	·075		25
26			·005					·310	·220	·035	·290		26
27			·005		·580	·040	·330	1·020			·010		27
28		·010	·050			·170		·170		·010		·050	28
29		✕	·040			·280	·080	·260		·380		·250	29
30		✕					·100	·200		·020	·050	·020	30
31		✕	·060	✕		✕		·200	✕	·010	✕	·030	31
Total	2·020	·970	1·970	1·760	3·840	3·150	1·800	7·120	2·370	3·280	1·570	1·530	YEAR'S TOTAL 31·410
Rain Days.	16	10 12	17 18	13	13	14	9	26	11 12	25	15 17	11 12	180

W. 8,000, IX. 17.

moved 187

36

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at "Clydesdale" 33 Oxford Road
Moseley. B'ham
in the City & County of Birmingham Warwick
by G. F. Lyndon. J.P.

Lat. Long.
Time of Observation 9·0 AM – GT
Nearest Railway Station Moseley (M.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 506 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·030		·200	·130				·020	·020	·310		1
2		·060		·020				·080		·030	·015	·200	2
3		·030	·035		·190			·380	·620	·025	·040	·005	3
4	·010	·020	·015					·090	·720	·055	·820	·315	4
5		·005		·040	·250			·100	·280	·090		·010	5
6		·190	·015	·200		·110			·030	·130		·050	6
7	·020	·090		·080	·050	·010			·280	·035	·180	·020	7
8	·040	·165		·020					·160	·125	·010	·010	8
9	·010	·360		·240		·280	·035		·390	·270		·020	9
10	·110	·020		·030			·140		·140	·060		·075	10
11			·005	·020	·100		·165		·170	·020	·005	·050	11
12	·015	·050	·100	·010	·110		·150	·005	·020			·005	12
13		·010		·005	·110	·040	·010		·160	·090		·040	13
14	·355					·040	·130		·210	·160		·180	14
15	·790			·275	·020		·320		·020	·005	·010	·380	15
16	·100			·570		·030		·005	·310	~~[illegible]~~		·020	16
17	·290				·450	·110	·090		·170	·050		·140	17
18	·360					·170	·230		·360			·260	18
19	·070	·055	·150	·120			·050		·010	·100		·200	19
20	·270	·095		·830		·030	·340		·180	·005	·015	·100	20
21	·100			·300	·010	·010	·065		·330		·005	·090	21
22	·010				·360	·010	·075			·030		·430	22
23	·025				1·020		·055		·050		·020	·030	23
24		·090					·020		·030		·180	·010	24
25						·050	·245	·370			·030		25
26							·140	·060	·170	·010	·080	·090	26
27		·090	·020				·030	·410	·300		·130	·180	27
28		·140	·400			·090		·010			·120	·120	28
29			·090						·740			·030	29
30	·005	X	·360					·100	·040		·200	·210	30
31		X	·340	X		X		·030	X		X		31
Total	2·580	1·500	1·530	2·960	2·800	·980	2·290	1·640	5·940	1·310	2·170	3·270	YEAR'S TOTAL 28·970
Rain Days.	~~16~~ 17	16	~~10~~ 11	15	12	13	18	~~10~~ 11	26	~~14~~ 18	~~15~~ 16	~~26~~ 27	~~194~~ 200

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at "Clydesdale" 33 Oxford Road ~~Warwick~~ Moseley
in the city & County of B'ham (late Worcestershire).
by G. F. Lyndon J.P.

Lat.......... Long..........
Time of Observation 9·0 AM - G.T.
Nearest Railway Station Moseley M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 506 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·470	·010	·040	·010	·120	·690	·400		·040	·190	·010	·350	1
2	·150	·030	·035		·005		·080		·150	·005	·090		2
3	·430		·050		·045	·140	·300		·170		·170	·120	3
4	·080	·010	·350			·040	·130	·095	·280		·025	·250	4
5		·330	·005		·010		·010		·300			·140	5
6	·030		·090	·010	·650						·070	·080	6
7	·180		·240	·050							·010		7
8	·140		·040	·110		·070							8
9	·080			·090									9
10	·010		·560	·010						·005	·010	·250	10
11			·450		·040		·270					·010	11
12	·020		·140	·135		·280			·030	·060	·030	·025	12
13	·220			·300		·005	·120		·190	·180		·020	13
14	·410	·020		·140			·060		·240	·035		·040	14
15	·210	·120		·300						·030	·015	·260	15
16	·120	1·020		·005			·005	·250			·085	·015	16
17	·030	·510	·020			·025	·020				·130	·010	17
18			·490				·025	·250	·010		·020	·160	18
19	·190	·240	1·090			·200	1·320	·420	·140		·040	·010	19
20	·330	·050	·260				·130	·150	·080		·525	·080	20
21		·390	·050				·250	·025	·020		·020	·240	21
22		·410							·270	·005		·660	22
23						·120		·015		·480		·700	23
24				·040	·090					·800	·150	·100	24
25	·130			·060		·140		·620			·020	·040	25
26			·190	·090		·050		·025	·090		·010	·380	26
27	·190		·020	·410				·300	·010		·090	·040	27
28	·040		·015	·010				·630			·090	·250	28
29	·030		·035	·060		·070		·020		·420	·210	·110	29
30	·020	×	·060	·140		·220		·040		·030	·090	·450	30
31		×	·050	×		×	·030		×		×	·040	31
TOTAL	3·840	3·140	4·310	1·970	·960	2·050	3·150	2·840	2·020	2·540	1·910	4·230	YEAR'S TOTAL 32·960
Days with ·01 in. or more	22	12	21	18 17	6	12	15 14	13	15	11 9	22	27	190

191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at "Clydesdale" 33 Oxford Road Moseley
in the City & County of B'ham
by G. F. Lyndon J.P.

Lat. .... Long. ....
Time of Observation 9.0 AM — GT
Nearest Railway Station Moseley Mid. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 506 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·200	·410		·250		·130	·090		·300	1
2				·070	·020		·330			·230		·140	2
3	·050	·070		·120	·010	·030	·610	·005		·420			3
4				·160			·020	·365		·320			4
5				·040	·230		·400	·070		·650			5
6		·010		·050	·060		·080			·030		·040	6
7				·090	·010		·180						7
8	·370	·050		·730	·160		·440	·030		·015			8
9	·340	·010		·380			·020	·160					9
10	·420	·090		·050		·130	·095						10
11	·140	·020		·220	·535	·220	·045	·010				·010	11
12	·100	·020		·250		·920	·010	·580		·025		·180	12
13	·070	·020		·300								·020	13
14	·020	·010		·250		·260	·030			·020	·310		14
15	·005	·090		·360		·390				·020			15
16				·110	·090	·120	·200			·560			16
17	·015		1·920	·010	·165			·030		·110		·020	17
18	·175			·110	·100		·015	·110					18
19	·020	+✓		·350		·080		·020					19
20	·020	+✓		·460		·190	·035					·020	20
21				·040			·240	·030				·040	21
22	·055			·130			·040	·180	1·970			·010	22
23				·020			·140	·040	·005			·320	23
24	·020		·230	·020				·020				·130	24
25	·010	+	·040	·050	·130		·680	·020			·100	·010	25
26	·215		·250	·020			·100				·020	·040	26
27	·110		·030	·220	·100	·190					·060	·590	27
28	·810	−	·050	·050	·320	·005	·040					·050	28
29	·100	·760	·370		·300	·005	·060				·180	·440	29
30	·020	X		·090	·050	·120	·030		·245		·250	·230	30
31	·045	X	·100	X	·010	X			X	·520	X	·020	31
TOTAL	3·130	1·150	2·990	4·950	2·700	2·660	4·120	1·640	2·350	3·010	·920	2·610	YEAR'S TOTAL 32·260
Days with ·01 in. or more	21	? 11	? 8	29	17	11 12	24	14 15	? 3	? 13	? 6	19	~~? 145~~
Days with ·04 in. or more	14	? 5	? 7	24 25	13	10	17	7	? 2	? 8	? 5	12	~~? 125~~

Feb.: Total fall from the 17th & 29th both days inclusive 0·760 inch

March: Total fall from the 1st & 17th both days inclusive 1·920 inches

Sept.: Total fall from the 2nd & 22nd both days inclusive 1·970 inches

Oct.: Total fall from the 20th & 31st both days inclusive 0·520 inch

Nov.: Total fall from the 1st & 14th both days inclusive 0·310 inch

Nov.: Total fall from the 15th & 25th both days inclusive 0·100 inch

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

"Clydesdale,"
33, Oxford Road,
~~[illegible]~~
~~Chantry Road,~~
Moseley,
Birmingham.

6th Jany/21

Dear Sir

In forwarding you my annual report of the Rainfall as usual for this district. I regret that ~~they~~ ~~are~~ it is by no means complete, so far as the daily records are concerned; the fact is I have been suffering from bronchial troubles most of the year & have had to leave home for other climates several times & have had no one to attend to gauge during my (& my wife's) absence: these absences are shown on the chart: however the totals for each month have been made up by measuring the bulks & I hope will be of service to you. I am now in my 79th year & have taken the records of the weather for over 45 years so must expect these little intermissions now & now.

Yours truly
G. F. Lyndon

To the Superintendent
British Rainfall Organization
London

AINFALL ORGANIZATION.

LL IN 1920.

Long.

of Observation 9.0 AM — GT
est Railway Station Moseley Mid. Ry
neter of Funnel of Rain Gauge 5 in.
ht of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 506 ft.

a.m. and the result entered to the previous day.

, he is earnestly requested to add
pace provided for it at the end of
election and placing of rain gauges,
n "*Rules for Rainfall Observers,*"
Rainfall Organization, 62, Camden

Jan. 1, following.

be entered on this form.

								August	Sept.	Oct.	Nov.	Dec.	*Date*
								in.	in.	in.	in.	in.	
									·130	·090		·300	1
										·230		·140	2
								·005		·420			3
								·365		·320			4
								·070		·650			5
										·030		·040	6
													7
								·030		·015			8
								·160					9
													10
								·010				·010	11
								·580		·025		·180	12
13	·070	·020		·060								·020	13
14	·020	·010		·250		·260	·030			·020	·310		14
15	·005	·090		·360		·390				·020			15
16				·110	·090	·120	·200			·560			16
17	·015		1·920	·010	·165			·030		·110		·020	17
18	·175			·110	·100		·015	·110					18
19	·020			·350		·080		·020					19
20	·020			·460		·190	·035					·020	20
21				·040			·240	·030				·040	21
22	·055			·130			·040	·180	1·940			·010	22
23				·020			·140	·040	·005			·320	23
24	·020		·230	·020				·020				·130	24
25	·010		·040	·050	·130		·680	·020			·100	·010	25
26	·215		·250	·020			·100				·020	·040	26
27	·110		·030	·220	·100	·190					·060	·590	27
28	·810		·050	·050	·320	·005	·040					·050	28
29	·100	·760	·370		·300	·005	·060				·180	·440	29
30	·020	X		·090	·050	·120	·030		·245		·250	·230	30
31	·045	X	·100	X	·010	X			X	·520	X	·020	31
TOTAL	3·130	1·150	2·990	4·950	2·400	2·660	4·120	1·640	2·350	3·010	·920	2·610	YEAR'S TOTAL 32·260
Days with ·01 in. or more	21	? 11	? 8	29	17	11	24	14	?. 3	?. 13	?. 6	19	~~? 148~~
Days with ·04 in. or more	14	? 5	? 7	24	13	10	17	7	?. 2	?. 8	?. 5	12	? 125

Total fall from the 17th & 29th both days inclusive 0·460 inch

Total … both days inclusive

Total fall from the 2nd & 22nd both days inclusive 1·940 inches

Total fall from the 20th & 31st both days inclusive 0·520 inch

Total fall from the 1st & 14th both days inclusive 0·310 inch

Total fall from the 15th & 25th both days inclusive 0·100 inch

Cond fr

REGIS

MOSELEY
HIGHFIELD RD.
WARWICK
1914-17, 1919

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at 8- Highfield Ro a.m

in the County of Warw Moseley Mid 1914

by James Newlan 8 in.

Above Ground 1 ft. 9 in.

Sea Level 550 estimated ft.

IMPORTANT NOTE.— d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.04	.08	.	.	.02	.10	.32	.	.	.04	.31	1
2	.	.	.	.01	.	.02	.95	.25	.	.	.03	.03	2
3	.	.	.	.02	.01	.	.06	.15	.	.05	.61	.30	3
4	.	.	.04	.03	.17	.	.23	.23	.	.	.20	.01	4
5	.20	.	.05	.17	.04	.	.03	.10	.	.	.58	.50	5
6	.02	.	.14	.20	.02	.05	.25	.04	.	.	.20	.02	6
7	.01	.07	.	.	.06	.02	.	.01	.	.	.12	.14	7
8	.	.16	.31	.03	.12	.16	.57	.13	.01	.	.01	.22	8
9	.04	.	.04	.04	.11	.90	.01	.14	.02	.	.	.15	9
10	.35	.01	.12	.27	.09	1.21	.	.04	.02	.	.	.	10
11	.10	.11	.	.27	.07	.09	.	.	.08	.	.	.	11
12	.	.08	.35	.06	.02	.10	.	.	.02	.	.25	.53	12
13	.	.16	.12	.	.	.	.34	.	.30	.	.06	.29	13
14	.	.18	.25	.	.	.	.02	.	.05	.13	.23	.41	14
15	.	.09	.09	.	.	.	.06	.	.07	.21	.16	.10	15
16	.04	.01	.07	.	.	.	.05	.05	.[illegible]	.06	.	.01	16
17	.	.	.	.	.	.	.08	.	.16	.	.	.	17
18	.	.22	.17	.	.	.	.01	.	.06	.	.	.22	18
19	.	.01	.01	.	.	.	.18	.	.	.	.	.40	19
20	.	.	.04	.	.	.	.40	.	.20	.	.06	.08	20
21	.	.48	.08	.	.	.05	.51	.	.	.	.	.10	21
22	.	.49	.	.	.	.01	.05	.	.	.15	.	.44	22
23	.	.02	.07	.	.35	.01	.	.22	.	.12	.	.	23
24	.	.03	.15	.	.29	.	.01	.	.	.05	.	.01	24
25	.	.	.	.03	.02	.	.07	.07	.	.09	.05	.	25
26	.09	.	.06	.	.	.	.02	.26	.	.43	.05	.18	26
27	.	.	.11	.	.	.	.05	.24	.	.02	.21	.32	27
28	.06	.	.	.	.	.	.	.	.	.15	.31	.26	28
29	.	.	.16	.	.02	.	.	.	.	.	.11	.92	29
30	.	X	.08	.	.11	.	.	.	.	.21	.11		30
31	.	X	.02	X		X		.	X	.03	X	.71	31
	.04	.08	–	–	.02	.10	.32	–	–	.04	.31	(–)	YEAR'S TOTAL
Total	~~.91~~	~~2.16~~	~~2.61~~	~~1.13~~	~~1.50~~	~~2.64~~	~~4.05~~	~~2.25~~	~~.99~~	~~1.70~~	~~3.39~~	~~6.66~~	29.99
	.95	2.20	2.53	1.13	1.52	2.72	4.27	1.93	.99	1.74	3.66	6.35	
Rain Days.	~~9~~ 10	16	~~23~~ 22	11	~~15~~ 16	12	22	~~13~~ 14	12	~~13~~ 14	19	~~25~~ 24	192 191

W. 8,000. X. 14.

Cond fr

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.
2 JAN 1915

Kept at 8 - Highfield Road, Moseley, Birmingham.
in the County of Warwick 4
by James Newland Brown

Lat. ______ Long. ______
Time of Observation 9 a.m
Nearest Railway Station Moseley Mid Ry
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 550 estimated ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	·04	·08	.	.	·02	·10	·32	.	.	·04	·31	1
2	.	.	.	·01	.	·02	·95	·25	.	.	·03	·03	2
3	.	.	.	·02	·01	.	·06	·15	.	·05	·61	·30	3
4	.	.	·04	·03	·17	.	·23	·23	.	.	·20	·01	4
5	·20	.	·05	·17	·04	.	·03	·10	.	.	·58	·50	5
6	·02	.	·14	·20	·02	·05	·25	·04	.	.	·20	·02	6
7	·01	·07	.	.	·06	·02	.	·01	.	.	·12	·14	7
8	.	·16	·31	·03	·12	·16	·57	·13	·01	.	·01	·22	8
9	·04	.	·04	·04	·11	·90	·01	·14	·02	.	.	·15	9
10	·35	·01	·12	·27	·09	1·21	.	·04	·02	.	.	.	10
11	·10	·11	.	·27	·07	·09	.	.	·08	.	.	.	11
12	.	·08	·35	·06	·02	·10	.	.	·02	.	·25	·53	12
13	.	·16	·12	.	.	.	·34	.	·30	.	·06	·29	13
14	.	·18	·25	.	.	.	·02	.	·05	·13	·23	·41	14
15	.	·09	·09	.	.	.	·06	.	·07	·21	·16	·10	15
16	·04	·01	·07	.	.	.	·05	·05	·[illegible]	·06	.	·01	16
17	.	.	.	.	.	.	·08	.	·16	.	.	.	17
18	.	·22	·17	.	.	.	·01	.	·06	.	.	·22	18
19	.	·01	·01	.	.	.	·18	.	.	.	.	·40	19
20	.	.	·04	.	.	.	·40	.	·20	.	·06	·08	20
21	.	·48	·08	.	.	·05	·51	.	.	.	.	·10	21
22	.	·49	.	.	.	·01	·05	.	.	·15	.	·44	22
23	.	·02	·07	.	·35	·01	.	·22	.	·12	.	.	23
24	.	·03	·15	.	·29	.	·01	.	.	·05	.	·01	24
25	.	.	.	·03	·02	.	·07	·07	.	·09	·05	.	25
26	·09	.	·06	.	.	.	·02	·26	.	·43	·05	·18	26
27	.	.	·11	.	.	.	·05	·24	.	·02	·21	·32	27
28	·06	.	.	.	.		.	.	.	·15	·31	·26	28
29	.	.	·16	.	·02	.	.	.	.	.	·11	·92	29
30	.	X	·08	.	·11	.	.	.	.	·21	·11		30
31	.	X	·02	X		X		.	X	·03	X	·71	31
	·04	·08	–	–	·02	·10	·32	–	–	·04	·31	(–)	YEAR'S TOTAL
Total	~~·91~~	~~2·16~~	~~2·61~~	~~1·13~~	~~1·50~~	~~2·64~~	~~4·05~~	~~2·25~~	~~·99~~	~~1·70~~	~~3·39~~	~~6·66~~	29·99
	·95	2·20	2·53	1·13	1·52	2·72	4·27	1·93	·99	1·74	3·66	6·35	
Rain Days.	~~7~~ 10	16	~~23~~ 22	11	~~15~~ 16	12	22	~~13~~ 14	12	~~13~~ 14	19	~~25~~ 24	~~192~~ 191

W. 8,000. X. 14.

corrected for WD 12.iv.16

2582

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915

Kept at "The Chase" 8 Highfield Road Moseley. Birmingham.
in the County of Worcester. Warwick
by James Newland Brown

Lat. 52.40 Long. 3.20
Time of Observation 9. a. m
Nearest Railway Station Moseley 10 minutes walk
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 19 ft. 9 in.
" " " " Sea Level 1550' 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·09	·15	·	·	·	.39	.13	.04	·	.08	.06	1
2	·15	·18	·10	·	·27	·		.06	·04	.10	.03	.04	2
3	·11	·11	·28	·12	·	·09	·	.31	·01	·33		.02	3
4	·80	·02	·03	·07	·	·	1·20	·28		·01	·	.17	4
5	·	·01	·	·	.03	·	·54	·01	·	·	·	·85	5
6	·	·66	·	·	·		·	·06	·	·	·	·39	6
7	·10	·06	·	·27	·	·04	·80	·11	·	·	·	.05	7
8	·06	·47	·	·06	.52	·	·18	·11		·	·	.33	8
9	·11	·24	·	·02	·	·05	·	·03	·	·	.10	.01	9
10	·03	·20	·	·18	·	·	·	·01	·	·	·20	.40	10
11	·33	·	·08	·03	·	·	·	·01	·	·01	.12	.04	11
12	·01	·	·	·05	.08	·	.10	·01	·	·	·75	.07	12
13	·06	·	·	·11	·49	·	·	·03	·	.05	1·47	·	13
14	·	·37	·	·	·79	·	·	·01	·	·	·05	.07	14
15	·01	·	·	·	·		·21	.13	.05	·01	·	·40	15
16	·38	·01	·	·	.09	·	.15	.07			.10	.20	16
17	·07	·60	·	·	.17	·	·	·01		·	·	.02	17
18	·	·25	·	·	·28		1.86	·		·	·	·	18
19	·	·30	·12	·	·05	·	·	·		·	·	·	19
20	·	·02	·	·	·	·	·14	·		·	·	·	20
21	·27	·	·	·09	·	·	·	·01		·	·	.09	21
22	·17	·01	·	·	·	·	.10	·		.02	·	.04	22
23	·04	·	·19	05	·	·	·30	·	.02	·01	·	.11	23
24	·10	·10	·03		·	.15	·52	·	.03	·55	·	.24	24
25	·	·	·03	08	·		.15	·	.21	·23	·	.13	25
26	·	·	·02	·	·	.36	·21	·	.01	·01	·	.30	26
27	·	.15	·	·	·	·	·20	·	.15	·	·	.40	27
28	·	·11	·	·	·	·	·14	·	·	.50	·	.08	28
29	·	·	·	·	·	·	·	·30	.08	·	·	.01	29
30	·	✕	·	·	·	·	.07	·05	·02	·07	.14	.07	30
31	·02	✕	·	✕	·	✕	·03	·02	✕	.17	✕	.07	31
Total	·09 ~~2.82~~ 2·91	·15 ~~3.96~~ 4·02	– ~~1.03~~ ·88	– ~~1.13~~ 1·13	– ~~2.77~~ 2·77	·39 ~~.69~~ 1·08	·13 ~~7.29~~ 7·03	·04 ~~1.76~~ 1·67	– ~~.66~~ ·62	·08 ~~2.07~~ 2·15	·06 ~~3.04~~ 3·0[illegible]	·21 ~~4.66~~ 4·81	YEAR'S TOTAL ~~31.88~~ 32·09 ✓
Rain Days.	~~18~~ 19	20	~~10~~ 9	12	10	~~5~~ 6	19	21	~~11~~ 10	~~11~~ 15	10	27	~~177~~ 178 ✓

W. 8,000. X. 15.

S made ✓ cod pr months 2518

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at The Chase 8-Highfield Road Moseley Birmingham.
in the County of ~~Worcester~~ Warwick
by James Newland Brown

Lat. .... Long. ....
Time of Observation 9 a.m. until the D Saving time then 10.
Nearest Railway Station Moseley Midland Railway
Diameter of Funnel of Rain Gauge 8" in. Negretti & Zambra
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 550 ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (.22)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.		.	.03	.01	.04	.	.02	.	13	.	1
2	.07	.	.06	.	.	.15	.14	.		.09	.23	.	2
3	.31	.07	.	.	.26	.	.43	.	.07	.50	.01	.	3
4	.	.55	.	.	.03	.02	.	.	.13	.35	.10	.	4
5	.33	.07	.13	.03	.55	.21	.	.	.06	.01	.40	.	5
6	.01	.01	.	.	.19	.47	.05	.	.	.06	.24	.	6
7	.02	.18	.	.04	.40	.01	.45	.	.	.15	.45	.	7
8	.08	.	.	.	.09	.02	.45	.	.	.04	.26	.18	8
9	.02	.	.26	.	.20	.08	.	.	.	.	.05	.28	9
10	.	.	.	.	.21	.12	.	.	.02	.02	.01	.	10
11	.	.25	.	.09	.02	.28	.03	.	.03	.02	.	.	11
12	.10	.17	.15	.19	.01	.36	.	.	.08	.	.	.12	12
13	.03	.06	.06	.01	.25	.01	.09	.02	.03	.06	.	.	13
14	.01	.18	.24	.09	.	.	.09	.32	.	.	.	.	14
15	.	.	.	.06	.01	.	.	.08	.	.05	.	.	15
16	.	.65	.68	.03	.12	.	.11	.41	.01	.03	.		16
17	.02	.20	.11	.18	.04	.	.03	.04	.	.02	.	Snow	17
18	.08	↓ .	.	.24	.	.	.01	.03	.27	.16	.	× fall	18
19	.	.05	.05	.10	.	.	.	.02	.20	.04	.50	×	19
20	.06	.04	.15	.08	.	.01	.	.02	.06	.	.69	.37	20
21	.01		.36	.02	.	.	.	.04	.	.	.09	.25	21
22	.		.16	.	.12	.	.04		.	.	.	×	22
23	.01	Snow fall ×	.	.		.03	.	.08	.	.08	.	× Snow	23
24	.01	×	.	.01		.	.	.10	.	.03	.08	×	24
25	.01	×	.	.	.16	.	.	.20	.	.33	.		25
26	.	×	.15	.	.	.03	.	.06	.27	.02	.33	.71	26
27	.07	×	× .02	.	.	.09	.	.08	.12	.13	.03	.	27
28	.02	1.38	×	.	.	.32	.	.	.06	.24	.	.	28
29	.	.43	Snow period	.	.	.	.	.68	.01	.12	.	.20	29
30	.	×	.	.	.	.17	.	.	.	.35	.	.11	30
31	.	×	.85	×	.	×	.		×	.21	×	.17	31
	-	-	-	.03	.01	.04	-	.02	-	.13	-	(.22)	YEAR'S TOTAL
Total	~~1.18~~ 1.27	4.21	3.43	~~1.17~~ 1.20	~~2.69~~ 2.67	~~2.39~~ 2.42	~~1.96~~ 1.92	~~2.18~~ 2.20	~~1.44~~ 1.42	~~3.20~~ 3.33	~~3.60~~ 3.47	~~2.39~~ 2.61	~~30.15~~ 30.15
Rain Days.	~~20~~	~~15~~ (20)	(15)	~~14~~	~~17~~	~~18~~	~~13~~	~~15~~	~~16~~	~~24~~	~~16~~	~~9~~ ~~(12)~~	~~197~~ ~~(201)~~
	19	(20)	(16)	15	17	18	12	16	15	25	15	(13)	(201)

W. 8,000. VIII. 16

2496

FORM A.

BRITISH RAINFALL

3. JAN

and for WD

REGISTER OF RAINFALL IN 19 17

Kept at McClair - 8 - Highfield Road Moseley Birmingham

in the County of ~~Worcester~~ Warwick

by James Newland Brown

Lat. 53° Long. 2

Time of Observation 9 a.m.

Nearest Railway Station Moseley M.R.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level about 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.02	.10	.	.	.	.	.14	.	.	.05	1
2	.03	.	.	.	.	.20	.	.73	.34	–	.01	.15	2
3				.07		.34		.02			.03		3
4	.02			.06				.10		.33	.04		4
5	.02							.13		.53			5
6	.25		.38	.38				.01	.05	.09	.15		6
7			.12			.61				.13	.16		7
8	.50									.15	.02		8
9	.47			.18			.20	.80		.42	.18	.37	9
10					.26			.98	.02	.03	.30		10
11				.18	.73			.14		.01			11
12	.47			.25				.02	.02	.20		–	12
13			.53		.37	[illegible]		.02		.17			13
14	.01			.24	.01			.19	.11	.01			14
15			.05	.15				.57					15
16				.15	.10		.09			.04			16
17	.05	.29	.08	.17		.04		.05				.74	17
18				.06	.52	.60	.35	.25	.21	.09			18
19				.04	.05		.36	.20	1.00	.08			19
20		.32	.07		.27	.10			.01				20
21		.22	.20		.47	.03	.09	.58	.37		.12	–	21
22		.03			.18	.19		.06		.01			22
23			.07			.06		.10	.02	.04			23
24		.21			.14			.08		.20			24
25			.10			.40	.13	.10		.25	.14	.02	25
26		.05	.20							.01			26
27								.35	.20	.03	.25	–	27
28			.05		.54		.34	1.09				.02	28
29						.14		.15		.01		.04	29
30		✕	.11			.37	.10	.20		.34		.26	30
31		✕		✕		✕	.10	.19	✕	.03	✕	.01	31
	–	.02	.10	–	–	–	–	.14	–	–	.05	–	
Total	~~1.82~~ 1.82	~~1.12~~ 1.14	~~1.98~~ 2.06	~~2.03~~ 1.93	~~3.64~~ 3.64	~~3.08~~ 3.08	~~1.76~~ 1.96	~~7.11~~ 7.25	~~2.49~~ 2.35	~~3.20~~ 3.26	~~1.40~~ 1.45	~~1.66~~ 1.61	YEAR'S TOTAL 31.29 ✓
Rain Days.	9	6	13 ✓	12	12	12	9	25	12	23 ✓	12 ✓	8	154 ✓

W. 8,000, IX. 17.

corrd for WD

5 JAN 20

~~FORM~~ A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at "The Chase" 8, Highfield Road
Moseley, Birmingham
in the County of Warwick
by James Newland Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Moseley Midland Ry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.02	-	.14	.15	.	.22	.02	.	.	.04	.	1
2	.38	.02	.04	.	.13	storm .8!	.41	.	.04	.20	.01	.35	2
3	.15		.05				.07		.15	.01	.09	.01	3
4					.05	.10	.29		.18		.17	.13	4
5	.25		.38			.08	.12	.12	.27		.05	.25	5
6	.77	.33					.02		.31			.13	6
7			.13		.70				.01		.07	.09	7
8	.18	.	.18								.01	.	8
9	.16		.04	.17		.05					.01	.	9
10	.05			.06									10
11			.54		.04					.01	.01	.23	11
12			.46	.06			.26					.01	12
13			.16	.23		.24			.04	.10		.03	13
14	.26			.26		.01	.12		.20	.18		.03	14
15	.35		.01	.14			.06		.25	.05	.03	.05	15
16	.23	.13		.26						.03		.25	16
17	.10	1.10		.04				.24			.07	.01	17
18	.04		.30			.04	.03				.15	.02	18
19		.50	.65				.02	.25	.02		.02	Gale .17	19
20	.15	.35				.19	1.24	.33	.14		.05	.01	20
21	.30	.04				.02	.29	.24	.07	.	.20	.12	21
22		.39	Snowfall 1.70				.25	.04			.31	.22	22
23		.40	.14						.28			.65	23
24						.14		.02		.78	.	.11	24
25				.04		.		.02	~~.02~~	.88	15	.11	25
26	.20			.05	.12	.14	.	.67				.05	26
27			.27	.08		.05		.03	.09		.01	.37	27
28			.02	.40		.01		.15	.02		.06	.04	28
29				.02				.75				.22	29
30	.24	X	.10	.03		.07	.	.05		.41	.40	.10	30
31	.01	X	.05	X		X		.05	X		X	.45	31
	.02	-	.14	.15	-	.22	.02	-	-	.04	-	-	YEAR'S TOTAL
TOTAL	~~3.82~~ 3.84	~~3.28~~ 3.26	~~5.22~~ 5.36	~~1.98~~ 1.99	~~1.19~~ 1.04	~~1.95~~ 2.17	~~3.40~~ 3.20	~~2.96~~ 2.96	2.07	~~2.58~~ 2.62	~~1.91~~ 1.87	4.21	34.58
Days with ·01 in. or more	~~17~~ 18	~~10~~ 9	~~18~~ 19	15	~~6~~ 5	~~14~~ 15	14	~~15~~ 14	16	~~10~~ 11	~~20~~ 19	27	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

NFALL ORGANIZATION.

L IN 1919

5 JAN 20

Long

bservation 9 a.m.

ailway Station Moseley, Midland Ry Co

of Funnel of Rain Gauge 8 in.

top of Gauge above Ground 1 ft 9 in.

,, ,, ,, Sea Level 550 ft.

nd the result entered to the previous day.

s earnestly requested to add
provided for it at the end of
n and placing of rain gauges,
ules for Rainfall Observers,"
l Organization, 62, Camden

red on this form.

Jan. 1, following.
—

The Rainfall at "The Chase" Birmingham

measured on the morning of January 1st, 1920

was Nil

Signed J. Newland Brown

March 31st 1920.

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

									Sept.	Oct.	Nov.	Dec.	*Date*
									in.	in.	in.	in.	
									.	.	.04	.	1
									.04	.20	.01	.35	2
									.15	.01	.09	.01	3
									.18		.17	.13	4
									.27		.05	.25	5
									.31			.13	6
									.01		.07	.09	7
											.01	.	8
											.01	.	9
													10
										.01	.01	.23	11
												.01	12
									.04	.10		.03	13
									.20	.18		.03	14
15	.35		.01	.14			.06		.25	.05	.03	.05	15
16	.23	.13		.26						.03		.25	16
17	.10	1.10		.04				.24			.07	.01	17
18	.04		.30			.04	.03				.15	.02	18
19		.50	.65				.02	.25	.02		.02	Gale .17	19
20	.15	.35				.19	1.24	.33	.14		.05	.01	20
21	.30	.04				.02	.29	.24	.07	.	.20	.12	21
22		.39	Snowfall 1.70				.25	.04			.31	.22	22
23		.40	.14						.28			.65	23
24						.14		.02		.78	.	.11	24
25				.04		.		.02	~~.02~~	.88	15	.11	25
26	.20			.05	.12	.14	.	.67				.05	26
27			.27	.08		.05		.03	.09		.01	.37	27
28			.02	.40		.01		.15	.02		.06	.04	28
29				.02				.75				.22	29
30	.24	X	.10	.03		.07	.	.05		.41	.40	.10	30
31	.01	X	.05	X		X		.05	X		X	.45	31
	.02	–	.14	.15	–	.22	.02	–		.04	–	–	YEAR'S TOTAL
TOTAL	~~3.82~~ 3.84	~~3.28~~ 3.26	~~5.22~~ 5.36	~~1.84~~ 1.99	~~1.19~~ 1.04	~~1.95~~ 2.17	~~3.40~~ 3.20	~~2.96~~ 2.96	2.07	~~2.58~~ 2.62	~~1.91~~ 1.87	4.21	34.58
Days with ·01 in. or more	~~17~~ 18	~~10~~ 9	~~18~~ 19	15	~~6~~ 5	~~14~~ 15	14	~~15~~ 14	16	~~10~~ 11	~~20~~ 19	27	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.
7 JAN 1914

MOSELEY
PROSPECT RD
WARWICK
1913 - 1920

REGI 13

Kept at 17, Prospect ong. 1°54' W
8 a.m
in the County of Worce on Kings Heath
ge 5 in.
by the Rev. J. Osea above Ground 1 ft. — in.
„ Sea Level 550 ft.

IMPORTANT NOTI and the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	·20	·06	—	—	—	rainfall during August and up to Sept 6 inclusive 1·58"		—	·03	—	1
2	·01	·09	—	·11	—	—	—			·20	·06	—	2
3	·06	—	·20	—	·81	—	—			·15	—	·11	3
4	·94	·02	—	—	·20	—	·01			·11	·04	·35	4
5	·11	·03	—	—	—	·09	·12			·85	·05	·08	5
6	·04	·06	·14	—	·22	·25	·82			—	—	·14	6
7	—	·15	—	—	·17	·04	·02		—	·36	·07	·01	7
8	—	·03	—	—	·14	·14	—		—	·50	·05	—	8
9	—	·33	·04	—	·04	·38	·32		·15	—	·10	·05	9
10	—	—	—	·15	·03	—	—		—	—	·82	—	10
11	·94*	—	—	·40*	—	·05	—		—	·10		—	11
12	—	—	—	—	—	—	—		—	—	·54	—	12
13	·04*	—	·10	—	—	—	—		·27	—	·21	—	13
14	—	—	·69*	·07	—	—	—		—	·11	·06	—	14
15	—	·10	·75*	·48	—	—	—		·07	—	·03	—	15
16	·19	—	·61*	·12	—	—	—		·01	—	·01	—	16
17	·02	—	—	·12	—	·02	·01		·18	—	·01	—	17
18	—	—	·18	·11	·01	—	·01		—	—	·02	—	18
19	·17	—	·10	·02	—	—	·06		·17	—	—	—	19
20	·13	—	·24	·10	—	—	—		—	·02	·18	—	20
21	—	—	·25	—	·05	—	·05		—	—	·29	—	21
22	·53*	—	·70	—	—	—	—		·46	—	—	—	22
23	·03	—	·05	—	—	·20	—		·06	—	·01	—	23
24	·10	—	—	·03	—	—	—		—	—	—	—	24
25	—	—	—	·05	—	—	—		·01	—	—	—	25
26	—	·08	—	·69	·05	—	—		·01	·07	—	·45*	26
27	—	·02	—	·41	—	—	—		—	·02	—		27
28	·33	—	·10	·46	·01	—	—		—	·23	—		28
29	·01		·45	·56	·02	—	—		—	·03	—	—	29
30	·34		—	—	—	—	—		—	·40	·14	—	30
31	—	0·92	·10		—		—			·01		—	31
Total	4·01	~~4·93~~ ~~0·92~~	4·90	3·94	1·75	1·17	1·42	2·97		3·16	2·72	1·19	YEAR'S TOTAL 28·15
Rain Days.	17	~~49~~ 11	17	17	12	8	9	—		15	19	—	

W.7,000, XI. 13

* as snow

FORM A. BRITISH RAINFALL. 7 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at 17, Prospect Rd, Moseley

in the County of Worcester

by the Rev. J. Oscar Lane

5

Lat. 52° 26′ N Long. 1° 54′ W

Time of Observation 8 a.m

Nearest Railway Station Kings Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·20	·06	—	—	—			—	·03	—	1
2	·01	·09	—	·11	—	—	—			·20	·06	—	2
3	·06	—	·20	—	·81	—	—			·15	—	·11	3
4	·94	·02	—	—	·20	—	·01			·11	·04	·35	4
5	·11	·03	—	—	—	·09	·12			·85	·05	·08	5
6	·04	·06	·14	—	·22	·25	·82			—	—	·14	6
7	—	·15	—	—	·17	·04	·02		—	·36	·07	·01	7
8	—	·03	—	—	·14	·14	—		—	·50	·05	—	8
9	—	·33	·04	—	·04	·38	·32		·15	—	·10	·05	9
10	—	—	—	·15	·03	—	—		—	—	} ·82	—	10
11	·94*	—	—	·40*	—	·05	—		—	·10		—	11
12	—	—	—	—	—	—	—		—	—	·54	—	12
13	·04*	—	·10	—	—	—	—		·27	—	·21	—	13
14	—	—	·69*	·07	—	—	—		—	·11	·06	—	14
15	—	·10	·75*	·48	—	—	—		·07	—	·03	—	15
16	·19	—	·61*	·12	—	—	—		·01	—	·01	—	16
17	·02	—	—	·12	—	·02	·01		·18	—	·01	—	17
18	—	—	·18	·11	·01	—	·01		—	—	·02	—	18
19	·17	—	·10	·02	—	—	·06		·17	—	—	—	19
20	·13	—	·24	·10	—	—	—		—	·02	·18	—	20
21	—	—	·25	—	·05	—	·05		—	—	·29	—	21
22	·53*	—	·70	—	—	—	—		·46	—	—	—	22
23	·03	—	·05	—	—	·20	—		·06	—	·01	—	23
24	·10	—	—	·03	—	—	—		—	—	—	—	24
25	—	—	—	·05	—	—	—		·01	—	—	—	25
26	—	·08	—	·69	·05	—	—		·01	·07	—	} ·45*	26
27	—	·02	—	·41	—	—	—		—	·02	—		27
28	·33	—	·10	·46	·01	—	—		—	·23	—		28
29	·01		·45	·56	·02	—	—		—	·03	—	—	29
30	·34		—	—	—	—	—		—	·40	·14	—	30
31	—	0·92	·10		—		—			·01		—	31
Total	4·01	~~4·93~~ ~~0·92~~	4·90	3·94	1·75	1·17	1·42	2·97		3·16	2·72	1·19	YEAR'S TOTAL 28·15
Rain Days.	17	~~49~~ 11	17	17	12	8	9	—		15	19	—	

rainfall during August and up to Sept 6 inclusive 1·58"

* as snow

W.7,000, XI. 13

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at 17, Prospect Rd, Moseley

in the County of ~~Worcester~~ Warwick 4

by the Rev. J. Oscar Lane

Lat. 52°26'N Long. 1°54'W

Time of Observation 8 a.m

Nearest Railway Station Kings Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·16

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	·01	·96	·25	–	–	·01	·03	1
2	–	–	–	·02	–	–	·01	·15	–	·01	·59	·33	2
3	–	–	–	·01	·16	–	·25	·21	–	–	·16	·01	3
4	–	–			·02	–	·02		–	–	·61	·51	4
5	·24*	–	·29		·03	·03	·27		–	–	·18	·01	5
6	–	·07	–		·07	·01	–		–	–	·08	·14	6
7	–	·18		·57	·06	·10	·57		–	–	–	·20	7
8	–	–	·33		·15	·79	·03		–	–	–	·15	8
9	·34	–	·11		·06	1·35	–		·03	–	–	–	9
10	·08	·18	–	·30	·07	·07	–		·12	–	–	–	10
11	–	·09	·35	·01	·03	·07	–		–	–	·27	·54	11
12	–	·15	·10	–	–	–	·34		·27	–	·01	·26	12
13	–	·19	·27	–	–	–	·01		·04	·09	·24	·35	13
14	–	·09	·08	–	–	–	·05		·01	·23	·16	·13	14
15	·02	·01	·04	–	–	–	·04		·04	–	·01	·01	15
16	–	–	·05	–	–	–	·03		·12	–	–	–	16
17	–	·20	·11	–	–	–	·01	1·21	·14	–	–	·20	17
18	–	–	–	–	–	–	·19		–	–	–	·42	18
19	–	–	·03	–	–	–			·19	–	·05	·06	19
20	–	·53	·03	–	–	–	·61		·02	–	–	·20*	20
21	–	·41	–	–	–	·08	–		–	·16	–	·32*	21
22	–	·02	·11	–	·35	·01	–		–	·15	–	–	22
23	–	·01	·15	–	·30	–	–		–	·03	–	–	23
24	–	–	·01	·01	–	–	·06		–	·09	·06	–	24
25	·08	–	·04	–	–	–	·01		–	·47	·04	·18	25
26	–	–	·04	–	–	–	·03		–	·11	·20	·33	26
27	·05	–	–	–	–	–	–		–	·01	·01	·27	27
28	–	–	·16	–	–	–	–		–	·16	·43	·99*	28
29	–	X	·08	–	·15	–	–		–	·22	·13	–	29
30	–	X	·01	–	–	·09	–		–	·01	·30	·72	30
31	·05	X	–	X	–	X	·30		X	·01	X	–	31
Total	0·86	2·13	2·39	0·92	1·45	2·61	3·79	1·82	0·98	1·75	3·54	6·36	YEAR'S TOTAL 28·60
Rain Days.	7	13	22?	–	12	11	20?	–	10	14	19	23	

W. 8,000. X. 14.

* partly as snow.

2581

FORM A.
BRITISH RAINFALL.

6. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 17, Prospect Rd, Moseley
in the County of Worcester Warwick
by the Rev. F. O. Lane

Lat. 52° 26′ N Long. 1° 54′ W.
Time of Observation 8 a.m
Nearest Railway Station Kings Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft. app.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·15	·06	—	·27	—	—	·06	·06	—	·05	·06	1
2	·10	·12	·24	·11	—	·10	—	·27	—	·41	—	·03	2
3	·82	·01	·05	·05	—	—	1·26	x	—	—	—	·17	3
4	—	—	—	—	·01	—	·49	x	—	—	—	·80	4
5	—	·57	—	—	—	·04	—	x	—	—	—	·37	5
6	·10	·15	—	·28	—	—	·74	x	—	—	—	·07	6
7	·06	·51	—	·07	·85	·06	·19	x	—	—	—	·32	7
8	·09	·20	—	·01	—	—	—	x	—	—	·05	—	8
9	—	·22	—	·15	—	—	—	x	—	—	·22	·42	9
10	·37	—	·03	·02	—	—	—	·66 x	—	—	·09	—	10
11	—	—	—	·05	·08	—	·16	x	—	—	·70*	·13*	11
12	·07	—	—	·14	·29	—	·01	x	—	·03	1·45*	—	12
13	—	·36*	—	—	·82*	—	—	x	—	—	·01	—	13
14	—	—	—	—	—	—	·18	x	·03	·01	—	·36	14
15	·40	—	—	—	·08	—	·09	x	—	—	·12*	·32	15
16	·05	·86 x	—	—	·18	—	1·91	—	—	—	—	—	16
17	—	x	—	—	·25	—	·01	—	—	—	—	·01	17
18	—	·34	·08*	—	—	—	—	—	—	·01	·01	—	18
19	—	—	·01*	—	·05	—	·15	—	—	—	—	—	19
20	·26	—	—	·08	—	—	—	—	—	—	—	·05	20
21	·13*	·01	—	—	—	—	·09	—	—	·01	—	·03	21
22	·08*	—	·17	·03	—	—	·20	—	—	—	—	·08	22
23	·08	·08*	·02	—	—	·15	·63	—	·03	·58	—	·22	23
24	—	—	—	·07	—	—	·05	—	·18	·28	—	·20	24
25	—	—	·01	—	—	·36	·22	—	—	·01	—	·22	25
26	—	·15	—	—	—	—	·21	—	·12	—	—	·39	26
27	—	·09	—	—	—	—	·14	—	—	·50	—	·07	27
28	—	·15*	—	—	—	—	·01	·25	·07	·11	—	—	28
29	—	X	—	—	—	—	·10	·06	—	—	·11	·06	29
30	·05	X	—	—	—	·46	·01	·01	—	·15	·02	·06	30
31	·04	X	—	X	—	X	·10	·02	X	·07	X	·25	31
Total	2·86	3·97	0·67	1·06	2·88	1·17	6·95	1·33	0·49	2·17	2·83	4·69	YEAR'S TOTAL 31·07
Rain Days.	16	? ~~16~~ 17 or 17	9	12	10	6	22	(+9)	6	12	11	23	(163)

* Partly as snow.

W. 8,000. X. 15.

2517

FORM A.
BRITISH RAINFALL.

JAN 191

REGISTER OF RAINFALL IN 1916

Kept at 17. Prospect Rd, Moseley
in the County of Worcester Warwick
by the Rev. F. Oscar Lane.

Lat. 52° 26' N Long. 1° 54' W (approx)
Time of Observation 8 a.m
Nearest Railway Station Kings Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
i.e. from 8 a.m to 9 a.m 0·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	—	—	—	·13	·13	—	—	—	·17	—	1
2	·28	·06	·19	—	·27	—	·43	—	·07	·58	·01	—	2
3	—	·59	—	—	—	·01	—	—	·10	·22	·08	—	3
4	·33	·03	—	·09	·54	·27	—	—	·03	·15	·22	—	4
5	·01	—	—	—	·18	·47	·03	—	—	·06	·45	—	5
6	·02	·15	·49*	·01	·35	·01	·41	—	—	·06	·53	—	6
7	·07	—		—	·07	—	·36	—	—	·16	·26	·15	7
8	·01	—		—	·08	·13	—	—	—	—	·07	·20	8
9	—	—		—	·30	·10	—	—	·01	·10	—	·07	9
10	—	·20		·08	—	·21	—	—	·02	·03	—	·03	10
11	·07	·20*		·16	—	·32	—	—	·03	—	—	·16*	11
12	·01	·06		·01	·28	—	·09	—	—	·04	—	—	12
13	—	·18	·18	·07	—	—	·15	·37	—	—	—	—	13
14	—	·33*	—	·05*	—	—	—	·06	—	·08	·01	·02	14
15	—	·18	·65	·01	·06	—	·12	·38	—	·03	—	—	15
16	—	·01	·08	·17	·10	—	·01	·06	·01	—	—	—	16
17	·09	·11*	·01	·20	—	—	—	·03	·25	·19	—	—	17
18	—	·14	·03	·17	—	—	—	·02	·25	·02	·58*	·11*	18
19	·02	·01	·10	·05	—	—	—	—	·05	—	·44*	—	19
20	·03	—	·34	·01	—	—	—	·03	—	—	·11*	·24	20
21	—	—	·12	—	·02	—	·10	—	—	—	—	·22*	21
22	—	—	—	—	·06	—	—	—	—	·08	·01	·30*	22
23	·03	·38*	—	—	—	—	—	·08	—	·04	·06	·20*	23
24	—	·32*	—	—	—	—	—	·09	—	·61	—	—	24
25	—	—	·15	—	·14	—	—	·18	·31		·32	—	25
26	·04	·12*	·01	—	—	·11	—	·04	·22		·01	—	26
27	·01	·10*	·85*	—	—	·27	—	·06	·05		—	—	27
28	—	·30*	·05*	—	—	—	—	—	—	·11	—	·55	28
29	—	·29	—	—	—	·17	—	·62	—	·35	—		29
30	—	×	—	—	—	·02	—	—	—	·23	—	—	30
31	—	×	—	×	·01	×	—	·01	×	·17	×	·18	31
Total	1·09	3·76	~~2·75~~ (3·25)	1·08	2·46	2·22	1·83	2·03	1·40	3·31	3·33	2·43	YEAR'S TOTAL 27·69 (28·19)
Rain Days.	15	20	20?	13	14	13	10	14	13	—	16	14	

W. 8,000, VIII. 16

* Partly as snow,

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 8. JAN 1918

Kept at 17, Prospect Rd, Moseley
in the County of Worcester Warwick
by (the Rev) F. Ocarfane, B.Sc.

Lat. 52°26′N Long. 1°54′W
Time of Observation 8 a.m
Nearest Railway Station Kings Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·02	·08*	–	·14	–	·70	·34	–	·01	·25*	1
2	–	–	–	–	–	·35	–	·01	–	–	·01	·02*	2
3	–	·08*	–	·20*	–	–	–	·07	–	·24	·02	–	3
4	·01	·02*	·22*	·01*	–	–	–	·10	–	·60	–	–	4
5	·21	–	·10*	·19*	–	–	–	–	·05	·09	·15	–	5
6	·01	–	·10*	–	–	·67	–	–	–	·11	·14	–	6
7	·38	–	–	–	–	·01	–	·05	–	·10	–	–	7
8	·49*	–	–	·19*	–	–	–	·85	–	·50	·24	·25*	8
9	·01*	–	·17*	·10*	·16	–	–	·95	·02	·01	·28	–	9
10	·30*	–	·32	·09*	·84	–	–	·12	–	·01	–	–	10
11	·25	·01*	·05	·23*	–	–	–	·01	·02	·20	·01	–	11
12	·01*	·01*	–	–	·39	–	–	–	–	·15	–	–	12
13	·01*	–	·02	·08	·01	–	–		·09	–	–	–	13
14	·01*	–	·08*	·27	–	–	–		–	–	–	–	14
15	·01*	–	–	–	·07	–	·07		–	·03	–	·14*	15
16	·02*	·12	–	·17	–	·01	–		–	–	–	·44*	16
17	–	·07	·01	·05	·49	·60	·16		·22	·08	–	–	17
18	–	·02	–	·02	·03	–	·55		·94	·06	–	–	18
19	·01*	·15	·16*	–	·35	·08	–		·10	–	–	–	19
20	–	·30	·11*	–	·33	·04	–	3·85	·23	–	·06	–	20
21	–	·10	·13*	–	·20	·23	–		–	·01	·05	–	21
22	–	–	·01*	–	–	·04	–		·01	·17	·01	–	22
23	–	·10	–	–	·16	–	–		–	·03	–	–	23
24	–	–	·01	–	–	·39	·15		–	·24	·04	·02	24
25	–	·05	·08*	–	–	–	–		–	·01	·05*	–	25
26	–	–	·01*	–	–	–	–		·21	·03	·27	–	26
27	–	–	–	–	·54	·04	·31		–	–	–	–	27
28	–	–	·09	–	–	·08	–		–	–	–	·02	28
29	–		·03*	–	–	·34	·08		–	·38	–	·25	29
30	·01*	X	–	–	–	–	·06	·20	–	·01	–	·01	30
31	–	X	·07*	X	–	X	–	·18	X	–	X	·01	31
Total	1·75	1·03	1·79	1·68	3·57	3·02	1·38	7·09	2·23	3·06	1·34	1·41	YEAR'S TOTAL 29·35 ✓
Rain Days.	16	12	20	13	12	14	7		11	21	14	10	

W. 8,000, IX. 17.

* as snow.

adjusted by new stats

E 24 120

34

FORM A.
BRITISH RAINFALL.

3. 1 19

REGISTER OF RAINFALL IN 1918

Kept at 17, Prospect Rd, Moseley

in the County of Worcester Warwick

by (the Rev.) J. Oscar Lane.

Lat. 52° 26′ N Long. 1° 53 W.

Time of Observation 8 a.m.

Nearest Railway Station Kings Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil,

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	—	—	·20	·12	—	—	—	from Aug 25 to Sept 16 inclusive (house closed)	·01	·30	·01	1
2	–	·08	—	·01	—	—	—	·07		·03	·01	·20	2
3	–	—	·01*	—	·13	—	—	·33		·67	·03	—	3
4	–	·04	·01	—	—	—	—	·07			·76	·32	4
5	–	—	—	·03	·23	—	—	·09			—	·01	5
6	–	·18	·01	·18	—	·02	—	—	(3·00)		—	·05	6
7	·01*	·08	—	—	·03	·07	—	—	3·92		·16	·01	7
8	·01*	·16	—	·08	—	—	—	—			—	·01	8
9	·01*	·38	—	·20	—	·27	·03	—			·01	·01	9
10	·11	·01	—	·02	—	—	·13	—		·05	—	·07	10
11	—	—	—	·01	·08	—	·15	—		·02	—	·04	11
12	—	—	·08	·01	·11	—	·16	—		—	—	—	12
13	·36*	—	—	—	·15	·01	—	—		·03	—	—	13
14	1·88	—	—	—	—	·03	·13	—		·21	—	·20	14
15		—	—	·25	—	—	·31	—		—	—	·38	15
16		—	—	·63	—	·03	—	·01		—	—	·02	16
17		—	—	—	·38	·11	·07	—	·16	·04	—	·13	17
18		—	—	—	—	·16	·28	—	·33	—	—	·23	18
19		·10	·14	·03	—	—	·05	—	·01	·08	—	·21*	19
20		·09	—	1·01*	—	·02	·50	—	·18	·01	—	·06	20
21		—	—		·01	·01	·06	—	·30	—	—	·07	21
22	—	—	—	—	·34	·01	·06	—	—	—	—	·49	22
23	·03	—	—	—	·89	—	·07	—	·06	—	·02	—	23
24	—	·09	—	—	—	—	·02	—	·03	—	·12	—	24
25	—	—	—	—	—	·06	·19		—	—	·05	—	25
26	—	—	—	—	—	—	·17	(·92)	·15	·01	·10	·09	26
27	—	·08*	—	—	—	·01	·02		·30	—	·14	·17	27
28	—	·12*	·40	—	—	·07	—		—	—	·10	·10	28
29	—	X	·05	—	—	—	—		·74	—	—	·01	29
30	—	X	·35	—	—	—	—		·02	—	·17	·19	30
31	—	X	·40	X	—	X	—		X	·04	X	—	31
Total	2·41	1·41	1·45	2·66	2·47	0·88	2·40	6·77		1·20	1·97	3·08	YEAR'S TOTAL 26·70
Rain Days.	—	12	9	14	11	14	17	(1·49)	(5·28)	—	13	24	...

* wholly or partly as snow.

W. 8,000, IX. 17.

[illegible]

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at 17, Prospect Rd, Moseley
in the County of ~~Worcester~~ Warwick
by the Rev. F. O. Lane.

Lat. 52°26'N Long. 1°54'W.
Time of Observation 8 a.m.
Nearest Railway Station Kings Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: nil.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44	—	·03	—	·07	·37	·38		·03	·17	·01	·31	1
2	·15	·08*	·01	—	·03	—	·06		·15	·04	·07	·02	2
3	·62*	—	·05	—	·06	·02	·28		·17	—	·15*	·10	3
4	·13*	—	·33	—	—	·14	·09		·29	—	·01	·22	4
5	—	·35*	—	—	—	—	·03		·30	—	—	·13	5
6	—	—	·08	·01	·62	—	—		—	—	·03	·07	6
7	·21	—	·26	·04	—	—	—		—	—	·03	—	7
8	·16	—	·03	·10	—	·05	—		—	—	—	—	8
9	·07	—	—	·07	—	—	—		—	—	—	—	9
10	—	—	·47	·01	—	—	—		—	—	·01*	·24	10
11	—	—	·46	—	·05	—	·22	1·15	—	—	—	—	11
12	·01	—	·21*	·15	—	·24	—		·01	·06	·01*	·03	12
13	·25	—	—	·34	—	—	·11		·17	·16	—	·01	13
14	·37	—	—	·13	—	—	·05		·22	—	—	·03	14
15		·17	·01	·27	—	—	—		—	·06	·01*	·24	15
16		·95	—	—	—	—	—		—	—	·08*	—	16
17		·46*	—	—	—	·04	·01		—	—	·13	·01	17
18	·84	—	·28*	—	—	—	·01		·01	—	·01		18
19		·31*	1·26*	—	—	·10	1·18		·16	—	·03		19
20		·03	·23*	—	—	·09	·17		·07	—	·28*	1·06	20
21	—	·38	·08*	—	—	—	·25		·01	—	·18		21
22	—	·38	—	—	—	—	—	—	·26	—	—		22
23	—	—	—	—	—	—	—	·01	—	·67	—	·05	23
24	—	—	—	·03	·01	—	—	—	—	·92	·15	·10	24
25	·27	—	—	·05	·09	·13	—	·67	—	—	·03	·03	25
26	—	—	·26	·05*	—	·02	—	·01	·07	—	—	·43	26
27	·14*	—	·02	·39*	—	·01	—	·29	—	—	·09*	·01	27
28	·03*	—	·01*	—	—	—	—	·60	—	—	—	·25	28
29	—		·02*	·03	—	·07	—	·01	—	·37	·24*	·10	29
30	·01*		·06*	·10	—	·20	—	·06	—	·05	·10	·48	30
31	·01*		·07*		—		—	—		—		·02	31
TOTAL	3·71	3·11	4·18	1·77	0·93	1·48	2·84	2·80	1·92	2·50	1·65	3·94	YEAR'S TOTAL 30·83
Days with ·01 in. or more		9	21	15	7	13	13		14	9	20		

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

* as snow.

2160

12 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 17, Prospect Rd. Moseley
in the County of Worcester Warwick
by the Rev. F. O. [illegible]

Lat. 52° 26′ N Long. 1° 54′ W
Time of Observation 8 a. m.
Nearest Railway Station Kings Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Records taken in Millimetres should not be entered on this form.

✱ wholly or partly as snow.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·22	·41	—	·35	—	·12	·17	—	·27	1
2	—	—	—	·08	·01	—	·32	·08	·05	·20	—	·13	2
3	·05✱	·06	—	+ ✓	·02	·01	·60	—	·10	·41	—	—	3
4	—	—	—	·26	·01	—	·01	·39	·01	·32	—	—	4
5	—	—	·06	·04	·20	—	·30	·06	·10	·64	—	—	5
6	—	—	·32	·03	·07	—	·19		—	·02	—	·02	6
7	—	—	·03✱	·08	·01	—	·19		—	—	—	—	7
8	·30✱	—	—	·70	·15	—	·35	+	—	·01	—	—	8
9	·36	·01	—	·39	—	—	·06	✓ +	·01	·01	—	—	9
10	·35	·09	·10	·04	—	·05	·11		—	—	·06	—	10
11	·11	—	·03	·24	·51	·31	·02	+	—	—	—	—	11
12	·09	+	·09✱	·25	—	·81	·01	✓ +	—	·02	·05	·16✱	12
13	·06	+	·21✱	·23	·01	—	—		—	—	·01	·03✱	13
14	·01	+ ·11	·82✱	·23	—	·24	·02		·15	·01	·13	—	14
15	—	+ ✓	·10✱	·34	—	·46	—		·10	·01	·09	—	15
16	—	—	—	·11	·08	·11	·16	1·02	·04	·52	—	—	16
17	·01	—	·01	·01	·16	—	·02	+	·95	·10	—	—	17
18	·15	—	—	·11	·09	—	·01	✓ +	·42	—	—	—	18
19	·04✱	·55✱	—	·35	—	·07	—	+	·02	—	—	—	19
20	·01	·06✱	—	·40	—	·18	·03		—	—	—	·02	20
21	—	—	—	·02	—	—	·25	+	·01	·01	—	·05	21
22	·03	—	—	·13	—	—	·04	✓ +	·01	—	—	·01	22
23	—	—	—	—	—	—	·14	✓ +	—	—	—	·31	23
24	—	—	·21	·04	—	—	—	+	—	—	·01	·13	24
25	—	·01	·03	·04	·10	—	·67	+	—	—	—	—	25
26	·32	—	·23	·01	—	—	·12		—	—	·01	·03	26
27	·10	—	·02	·21	·09	·19	·02	—	—	—	·05	·56	27
28	·63✱	—	·04	·04	·29	·01	·01	—	—	—	—	·05	28
29	·21	—	·34	·01	·33	—	·05	—	—	—	·18	·44	29
30	·01	✕	—	·08	·05	·05	—	—	·17	—	·25	·25	30
31	·05	✕	·05	✕	·01	✕	—	—	✕	·49	✕	·01	31
TOTAL	2·89	0·89	2·69	4·69	2·60	2·49	4·05	1·50	2·26	2·94	0·84	2·47	YEAR'S TOTAL 30·31
Days with ·01 in. or more	19	~~10~~	17	~~29~~	19	12	25	(~~15~~)	15	15	10	16	(202)
Days with ·04 in. or more	14 ~~10~~	~~5~~	12	24	13	10	16	(7)	10 ~~9~~	8	7	10	(156)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTHFIELD

WEST HEATH HOUSE

WARWICKSHIRE

1913 — 1916.

FORM A.
BRITISH RAINFALL.

2 JAN 1914

RI 3

Kept at West Hea

in the County of W

by Adrian J

ng.

9 a.m.

n Northfield.

e 5 in.

above Ground 1 ft. – in.

„ Sea Level ft.

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and plac British Rainfall Organization are giver on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·03	·16	·11	–	–	–	–	·46	–	·03	–	1
2	–	·09	·01	·11	–	–	·02	–	·01	·62	·04	–	2
3	·07	–	·12	–	·91	–	–	–	·03	·07	·01	·07	3
4	·96	·01	–	–	·17	–	·03	–	·01	·06	·06	·46	4
5	·11	·06	–	–	–	·15	·11	–	·01	·53	·06	·02	5
6	·03	·07	·09	–	·27	·36	1·00	–	–	·11	–	·17	6
7	·01	·12	–	–	·22	·06	·02	–	–	·32	·12	·01	7
8	–	·02	·03	–	·13	·20	–	·10	–	·40	·01	–	8
9	–	·36	·05	·03	·09	·52	·04	·07	·13	–	·12	·03	9
10	·03	–	–	·15	–	–	–	·05	–	·01	·14	–	10
11	·66	–	–	·38	–	·03	–	·17	–	·04	·59	–	11
12	–	–	–	–	·06	–	–	–	–	–	·43	–	12
13	·04	–	·12	·03	–	–	–	·05	·25	·01	·39	–	13
14	·09	–	·66	·07	–	–	·01	·15	·01	·14	·04	–	14
15	·07	·08	·68	·52	–	–	–	–	·20	–	·02	–	15
16	·01	·01	·50	·03	–	·04	–	–	·02	–	–	–	16
17	·05	·01	·11	·10	–	–	·08	–	·27	–	·01	–	17
18	·01	–	·18	·08	·15	–	–	–	–	–	·08	–	18
19	·16	–	·13	·02	·01	–	·10	–	·15	–	–	–	19
20	·13	–	·26	·08	–	·01	·02	–	·01	·02	·18	–	20
21	·01	–	·24	·05	·08	–	·05	·06	–	–	·28	–	21
22	·42	–	·57	–	–	·06	–	·10	·50	–	–	–	22
23	·04	–	·02	–	–	·09	–	·07	·03	·01	·03	–	23
24	·14	–	–	·05	–	–	–	·02	–	·01	·01	·01	24
25	–	–	–	·08	–	–	–	–	·02	–	–	·01	25
26	–	·05	–	·66	·09	–	–	·26	·01	·04	–	·25	26
27	–	·02	·02	·33	–	–	–	–	–	·04	–	–	27
28	·38	–	·11	·34	·05	–	–	–	–	·21	·01	·06	28
29	·01		·49	·59	–	–	–	·03	–	·04	–	·04	29
30	·40		–	–	·01	–	–	–	–	·45	·15	–	30
31	·03		·15		–		–	·06		·01		–	31
Total	3·87	0·93	4·70	3·81	2·24	1·52	1·48	1·19	2·12	3·14	2·81	1·13	YEAR'S TOTAL 28·94
Rain Days.	24	13	21	20	13	10	11	13	17	20	22	11	195

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 JAN 1914

Kept at West Heath, Northfield.

in the County of Worcester 5

by Adrian J. Brown

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Northfield.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·03	·16	·11	–	–	–	–	·46	–	·03	–	1
2	–	·09	·01	·11	–	–	·02	–	·01	·62	·04	–	2
3	·07	–	·12	–	·91	–	–	–	·03	·07	·01	·07	3
4	·96	·01	–	–	·17	–	·03	–	·01	·06	·06	·46	4
5	·11	·06	–	–	–	·15	·11	–	·01	·53	·06	·02	5
6	·03	·07	·09	–	·27	·36	1·00	–	–	·11	–	·17	6
7	·01	·12	–	–	·22	·06	·02	–	–	·32	·12	·01	7
8	–	·02	·03	–	·13	·20	–	·10	–	·40	·01	–	8
9	–	·36	·05	·03	·09	·52	·04	·07	·13	–	·12	·03	9
10	·03	–	–	·15	–	–	–	·05	–	·01	·14	–	10
11	·66	–	–	·38	–	·03	–	·17	–	·04	·59	–	11
12	–	–	–	–	·06	–	–	–	–	–	·43	–	12
13	·04	–	·12	·03	–	–	–	·05	·25	·01	·39	–	13
14	·09	–	·66	·07	–	–	·01	·15	·01	·14	·04	–	14
15	·07	·08	·68	·52	–	–	–	–	·20	–	·02	–	15
16	·01	·01	·50	·03	–	·04	–	–	·02	–	–	–	16
17	·05	·01	·11	·10	–	–	·08	–	·27	–	·01	–	17
18	·01	–	·18	·08	·15	–	–	–	–	–	·08	–	18
19	·16	–	·13	·02	·01	–	·10	–	·15	–	–	–	19
20	·13	–	·26	·08	–	·01	·02	–	·01	·02	·18	–	20
21	·01	–	·24	·05	·08	–	·05	·06	–	–	·28	–	21
22	·42	–	·57	–	–	·06	–	·10	·50	–	–	–	22
23	·04	–	·02	–	–	·09	–	·07	·03	·01	·03	–	23
24	·14	–	–	·05	–	–	–	·02	–	·01	·01	·01	24
25	–	–	–	·08	–	–	–	–	·02	–	–	·01	25
26	–	·05	–	·66	·09	–	–	·26	·01	·04	–	·25	26
27	–	·02	·02	·33	–	–	–	–	–	·04	–	–	27
28	·38	–	·11	·34	·05	–	–	–	–	·21	·01	·06	28
29	·01		·49	·59	–	–	–	·03	–	·04	–	·04	29
30	·40		–	–	·01	–	–	–	–	·45	·15	–	30
31	·03		·15		–		–	·06		·01		–	31
Total	3·87	0·93	4·70	3·81	2·24	1·52	1·48	1·19	2·12	3·14	2·81	1·13	YEAR'S TOTAL 28·94
Rain Days.	24	13	21	20	13	10	11	13	17	20	22	11	195

W.7,000, XI. 13

Exc 7L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at West Heath, Northfield
in the County of ~~Worcester~~ Warwick
by W. Adrian J. Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Northfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·01	–	·02	·72	·25	–	–	·02	·03	1
2	–	–	–	–	–	–	·04	·23	–	·02	·44	·27	2
3	–	–	·05	–	·15	–	·17	·16	–	–	·05	·01	3
4	·20	–	·09	·16	·04	–	·02	·12	–	–	·65	·54	4
5	·06	–	·07	·15	·10	·05	·49	·19	–	–	·11	–	5
6	·03	·04	·01	·02	·10	·03	–	–	–	–	·17	·09	6
7	·01	·14	·33	·02	·11	·15	·64	·12	–	–	·01	·27	7
8	·01	–	·03	·03	·15	·94	–	·13	–	–	–	·12	8
9	·30	–	·10	·29	·06	1·18	–	·05	·02	–	–	·01	9
10	·10	·08	·01	·28	·08	·03	–	–	·18	–	·01	–	10
11	–	·08	·30	·03	·05	·05	–	–	·01	–	·24	·62	11
12	–	·09	·13	–	–	–	·18	–	·36	–	·09	·28	12
13	–	·16	·20	–	–	–	·05	–	·07	·12	·16	·47	13
14	·02	·07	·10	–	–	–	·02	–	–	·21	·15	·08	14
15	·01	–	·08	–	–	–	–	·05	·05	·14	·02	·01	15
16	·01	–	·10	–	–	–	·01	–	·19	–	–	·01	16
17	·02	·20	·09	–	–	–	–	–	·05	–	–	·17	17
18	–	–	–	–	–	–	·28	–	–	–	·08	·41	18
19	–	–	·03	–	–	–	·37	–	·10	–	–	·09	19
20	–	·50	·05	–	–	·09	·10	–	·01	–	–	·30	20
21	–	·28	·02	–	–	·01	·22	–	–	·12	–	·28	21
22	–	·02	·01	–	·27	·08	–	·13	–	·18	–	–	22
23	–	·02	·15	–	·26	·01	–	–	–	{ ·14	–	–	23
24	–	·01	·05	·01	·05	·01	·05	·05	–		·09	–	24
25	·09	–	·05	–	–	–	·01	·31	–	·45	·08	·15	25
26	–	–	·17	–	–	–	·05	·15	–	·12	·15	·24	26
27	·04	–	·01	–	–	–	–	–	–	·05	·12	·36	27
28	·01	·10	·15	–	·04	–	–	–	–	·19	·26	1·27	28
29	–		·09	–	·11	·01	–	–	–	·27	·07	–	29
30	–	×	·01	–	–	·10	–	–	–	·02	·36	·67	30
31	·04	×	–	×	·05	×	·32	–	×	·02	×	·01	31
Total	0·95	1·79	2·48	1·00	1·62	2·76	3·74	1·94	1·04	2·05	3·33	6·76	YEAR'S TOTAL 29·46
Rain Days.	15	14	27	10	15	15	18	13	10	15	21	25	198

W. 8,000. X. 14.

2576

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 - JAN 1916

Kept at West Heath House, Northfield.
in the County of ~~Worcester~~, Warwick
by Prof. Adrian J. Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Northfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·14	·11	–	·28	–	–	·09	·09	·10	·02	·05	1
2	·15	·16	·30	·12	–	·11	–	·68	·01	·36	–	·05	2
3	·92	·03	·03	·07	·01	–	1·38	·06	–	–	–	·15	3
4	·02	·01	–	–	·01	–	·36	–	–	–	·01	·78	4
5	·03	·60	·01	·02	–	·02	–	·05	–	–	–	·37	5
6	·10	·10	–	·27	–	–	·69	·12	–	–	–	·07	6
7	·09	·49	–	·06	·02	·67	·20	·06	–	–	–	·42	7
8	·18	·31	–	–	–	–	–	·02	–	–	·08	–	8
9	·06	·23	–	·18	–	–	–	·01	–	–	·19	·36	9
10	·36	–	·05	–	–	–	–	–	–	·01	·05	·04	10
11	–	–	–	·09	·10	–	·02	–	–	–	·69	·07	11
12	·07	·01	–	·15	·45	–	–	·02	–	·02	1·32	–	12
13	·01	·30	–	–	·66	–	–	–	–	–	·03	·10	13
14	·01	–	–	–	–	–	·18	·22	·05	·01	–	·40	14
15	·38	–	–	–	·07	–	} 1·93	·11	–	–	·11	·21	15
16	·09	·50	–	–	·20	–		·08	–	–	–	·02	16
17	–	·21	·01	–	·25	–	–	–	–	·01	–	·01	17
18	–	·37	·13	–	–	–	–	–	–	–	·01	–	18
19	–	·04	·01	–	·06	–	·07	–	–	–	–	–	19
20	·29	–	–	·08	–	–	–	–	–	–	–	·08	20
21	·23	·01	–	–	–	–	·16	–	–	·03	–	·04	21
22	·05	–	·17	·06	–	–	·33	–	·02	·02	–	·07	22
23	·08	·13	·04	–	–	·09	·50	–	·02	·82	–	·29	23
24	–	–	·02	·06	–	–	·09	–	·23	·28	–	{ 0·94	24
25	–	–	·01	–	–	·38	·40	–	–	·01	–		25
26	–	·11	–	–	–	–	·30	–	·06	–	–		26
27	–	·07	–	–	–	–	·16	–	–	·42	–		27
28	–	·25	–	–	–	–	·01	·20	·09	·09	–	–	28
29	–		–	–	–	·12	·07	·02	–	–	·08	·06	29
30	·08	X	–	–	–	·23	·18	–	–	·20	·02	·05	30
31	·03	X	–	X	–	X	·08	·02	X	·15	X	·25	31
Total	3·38	4·07	0·89	1·16	2·11	1·62	7·11	1·76	0·57	2·53	2·61	4·88	YEAR'S TOTAL 32·69
Rain Days.	21	20	12	11	11	7	20	15	8	15	12	26	178

W. 8,000. X. 15.

2512

Cased [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26 JAN 1917

Kept at West Heath House. Northfield.
in the County of Worcester Warwick
by Adrian J. Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Northfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·01	·05 s	-	·02	·12	·12	-	-	·06	·17	-	1
2	·41	·06	·17	-	·22	·05	·45	-	·15	·66	·03	-	2
3	-	·58	·02 s	-	·01	·01	-	-	·13	·34	·08	-	3
4	·30	·06	-	·04	·55	·42	-	-	·04	·02	·49	-	4
5	·01	-	-	-	·17	·15	·02	-	-	·05	·21	-	5
6	·01	·16	·16 s	·04	·23	·09	·58	-	-	·09	·53	-	6
7	·01	-	·12 s	-	·15	·07	·28	-	-	·20	·37	·14	7
8	·02	·03	·12 s	-	{·53	-	-	-	-	-	·01	·21	8
9	-	-	·63 s	-		·07	-	-	·02	·05	·01	·01	9
10	-	·27	·04 s	·09	·04	·06	-	-	·03	·11	-	-	10
11	·12	·18	·06 s	·20	·01	·19	-	-	·06	-	-	·21 s	11
12	·03	·09	·02	·01	·27	-	·14	·02	-	·04	-	-	12
13	·01	·18	·12	·06	-	-	·25	·35	-	-	-	·01	13
14	-	·42 s	-	·07	·01	-	-	·13	-	·13	-	-	14
15	-	·21	·52	·04	·16	-	·12	·96	·03	·08	-	-	15
16	·01	·04	·08	·22	·03	-	·03	·03	-	·01	-	-	16
17	·10	·13	-	·20	-	-	·01	·06	·47	·24	-	-	17
18	·01	·09	·04	·13	-	-	-	·05	·16	·03	·76	·18 s	18
19	·02	·02	·08	·09	-	·02	-	-	·01	·01	·35	-	19
20	·07	-	·26	-	-	-	-	·06	-	-	·11	{·35 s	20
21	-	-	·15	·01	·05	-	·04	-	-	-	·01		21
22	-	-	-	·01	·06	·03	-	-	-	·08	-	·50 s	22
23	·04	·58 s	-	·01	-	-	-	·09	-	·06	·04	·20 s	23
24	-	·25 s	·01	-	·03	-	-	·11	-	·26	-	·17 s	24
25	-	-	·13	-	·09	-	-	·21	·03	·06	·38	-	25
26	·05	·16 s	·05	-	-	·15	-	·03	·27	·10	·04	-	26
27	·02	·06 s	{·75 s	-	-	·10	·01	·10	·12	·29	-	-	27
28	-	·25 s		-	·01	-	-	-	-	·13	·01	·15	28
29	-	·13 s	-	-	-	·23	-	·75	-	·30	-	·10	29
30	-	✕	-	-	-	·02	-	-	-	·16	-	-	30
31	-	✕	-	✕	·01	✕	-	·03	✕	·15	✕	·17	31
Total	1·30	3·96	2·98	1·22	2·65	1·72	2·05	2·98	1·52	3·71	3·60	2·40	YEAR'S TOTAL 30·09
Rain Days.	18	22	22	15	21	16	12	15	13	26	17	14	211

W. 8,000, VIII. 16

RUGBY

CALDECOTT

WARWICKSHIRE

1911 — 1920

REGIS

FORM A2. BRITISH RAINFALL. 5 - JAN 1912 2462

Kept at Rugby ... n.

in the County of Warw ... d 1 ft. 0 in.

... evel 380 ft.

by Denys E. Shor ... Rugby GCR

... ce 880 Direction ~~W~~ E

IMPORTANT NOTE.—E ... result entered to the previous day. If an Observe ... rule, he is earnestly requested to add the reading ... the space provided for it at the end of this pa ... of rain, the selection and placing of ... Rainfall Organization are given in "Ru ... ation to Dr. H. R. Mill, 62, Camden ...

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·02	—	—	—	0·15	—	—	—	0·01	0·08	1
2	0·02	—	—	0·01	0·12	—	—	0·08	—	0·06	0·06	0·05	2
3	—	—	—	—	0·13	—	0·05	0·12	—	0·05	0·01	—	3
4	0·03	0·01	0·11	0·07	—	—	—	—	0·12	0·03	0·21	0·15	4
5	0·06	—	—	0·05	—	—	—	0·11	—	0·02	—	—	5
6	0·22	—	0·02	0·08	—	—	—	—	—	trace	0·10	0·27	6
7	0·04	—	—	—	—	—	—	—	—	—	0·13	0·06	7
8	0·14	—	0·16	—	—	—	—	—	—	trace	0·03	0·08	8
9	0·06	—	0·01		—	—	—	—	—	—	0·05	0·05	9
10	0·02	0·11	0·38	—	—	—	—	0·04	—	—	—	0·30	10
11	0·16	0·01	—	—	—	—	—	0·25	—	—	0·46	—	11
12	—	—	0·53	—	—	—	—	—	0·03	—	0·28	—	12
13	—	—	0·04	—	—	—	—	—	0·37	0·01	0·02	0·40	13
14	—	0·06	0·03	—	—	—	—	—	—	—	—	0·38	14
15	Snow 0·03	0·10	0·14	—	—	—	—	—	—	0·01	0·10	0·02 ~~0·38~~	15
16	—	—	0·06	—	—	0·04	—	—	—	—	0·27	0·08	16
17	—	—	0·01	—	—	0·03	—	—	—	trace	0·12	0·17	17
18	—	0·21	—	—	—	0·02	—	—	—	trace	0·03	0·10	18
19	—	—	—	—	—	0·21	—	—	0·09	0·09	0·30	0·02 ~~0·10~~	19
20	0·01	0·07	0·01	—	—	0·03	·	0·19	0·01	0·01	—	0·47 ~~0·02~~	20
21	—	0·12	0·11	—	—	—	—	0·32	0·03	0·34	trace	0·08 ~~0·47~~	21
22	—	0·01	0·41	—	—	0·25	—	—	—	0·01	0·02	0·37 ~~0·08~~	22
23	0·01	0·10	0·06	—	—	0·20	0·005	0·02	0·29	—	—	0·13 ~~0·37~~	23
24	—	0·07	0·02	0·01		0·50	—	0·03	—	0·82	—	0·07 ~~0·13~~	24
25	—	0·03	—	—	0·68	0·06	—	—	—	—	—	0·03 ~~0·07~~	25
26	—	0·05	0·09	0·15	0·02	0·04	—	0·04	—	0·15	0·16	0·17	26
27	—	0·24	—	0·30	—	—	—	0·47	0·25	—	trace	0·08 ~~0·17~~	27
28	—	0·19	—	0·22	—	0·01	—	0·01	—	—	0·06	0·04 ~~0·08~~	28
29	—		—	0·04	—	—	0·10	0·01		0·17	trace	—	29
30	—		—	0·02	—	0·14	—	—		0·10	trace	0·01	30
31	—		0·02		—		—	—		0·05		—	31
Total	0·80	1·38	2·23	0·98	0·95	1·53	0·305	1·69	1·29	1·92	2·42	3·66	TOTAL for year 19·025
No. of Rain Days	12	15	19	10	4	12	4	13	8	15	19	25	156

7,000. X. '09.

3462

5 - JAN 1912

FORM A2.
BRITISH RAINFALL.

REGIS

4483

Kept at Rugby

in the County of Warwick

by Denys E. Shorto

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground 1 ft. 0 in.
	" " " Sea Level 380 ft.
Time of Observation 9·0 a	
Nearest Railway Station	Name Rugby GCR
	Distance ~~550~~ 495 Direction ~~NE~~ E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·02	—	—	—	0·15	—	—	—	0·01	0·08	1
2	0·02	—	—	0·01	0·12	—	—	0·08	—	0·06	0·06	0·05	2
3	—	—	—	—	0·13	—	0·05	0·12	—	0·05	0·01	—	3
4	0·03	0·01	0·11	0·07	—	—	—	—	0·12	0·03	0·21	0·15	4
5	0·06	—	—	0·05	—	—	—	0·11	—	0·02	—	—	5
6	0·22	—	0·02	0·08	—	—	—	—	—	trace	0·10	0·27	6
7	0·04	—	—	—	—	—	—	—	—	—	0·13	0·06	7
8	0·14	—	0·16	—	—	—	—	—	—	trace	0·03	0·08	8
9	0·06	—	0·01		—	—	—	—	—	—	0·05	0·05	9
10	0·02	0·11	0·38	—	—	—	—	0·04	—	—	—	0·30	10
11	0·16	0·01	—	—	—	—	—	0·25	—	—	0·46	—	11
12	—	—	0·53	—	—	—	—	—	0·03	—	0·28	—	12
13	—	—	0·04	—	—	—	—	—	0·37	0·01	0·02	0·40	13
14	—	0·06	0·03	—	—	—	—	—	—	—	—	0·38	14
15	Snow 0·03	0·10	0·14	—	—	—	—	—	—	0·01	0·10	0·02 ~~0·38~~	15
16	—	—	0·06	—	—	0·04	—	—	—	—	0·27	0·08	16
17	—	—	0·01	—	—	0·03	—	—	—	trace	0·12	0·17	17
18	—	0·21	—	—	—	0·02	—	—	—	trace	0·03	0·10	18
19	—	—	—	—	—	0·21	—	—	0·09	0·09	0·30	0·02 ~~0·10~~	19
20	0·01	0·07	0·01	—	—	0·03	—	0·19	0·01	0·01	—	0·47 ~~0·02~~	20
21	—	0·12	0·11	—	—	—	—	0·32	0·03	0·34	trace	0·08 ~~0·47~~	21
22	—	0·01	0·41	—	—	0·25	—	—	—	0·01	0·02	0·37 ~~0·08~~	22
23	0·01	0·10	0·06	—	—	0·20	0·005	0·02	0·29	—	—	0·13 ~~0·37~~	23
24	—	0·07	0·02	0·01		0·50	—	0·03	—	0·82	—	0·07 ~~0·13~~	24
25	—	0·03	—	—	0·68	0·06	—	—	—	—	—	0·03 ~~0·07~~	25
26	—	0·05	0·09	0·15	0·02	0·04	—	0·04	—	0·15	0·16	0·17	26
27	—	0·24	—	0·30	—	—	—	0·47	0·25	—	trace	0·08 ~~0·17~~	27
28	—	0·19	—	0·22	—	0·01	—	0·01	—	—	0·06	0·04 ~~0·08~~	28
29	—		—	0·04	—	—	0·10	0·01		0·17	trace	—	29
30	—		—	0·02	—	0·14	—	—		0·10	trace	0·01	30
31	—		0·02		—		—	—		0·05		—	31
Total	0·80	1·38	2·23	5 0·98	0·95	1·53	0·305	1·69	1·19	1·92	2·42	3·66	TOTAL for year 19·025
No. of Rain Days	12	15	19	10	4	12	4	13	8	15	19	25	156

7,000. X. '09.

Jan. partly estd. by M.O.

FORM A2. BRITISH RAINFALL. 2462

4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Rugby 448546

in the County of Warwick

by J. E. Shorto

RAIN GAUGE: Pattern	Snowdon
Diameter of top	5 in.
Height of top above Ground	1 ft. 0 in.
„ „ „ Sea Level	380 ft.
Time of Observation	9a
Nearest Railway Station: Name	Rugby GCR
Distance	600 yds.
Direction	E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	—	—	—	—	0·06	0·02	—	0·03	0·03	—	0·09	1
2	—	Snow 0·02	0·04	0·05	0·02	0·09	0·43	—	—	—	—	—	2
3	0·07	—	0·02	—	0·14	0·05	0·27	0·39	0·03	—	0·02	0·05	3
4	0·07	—	0·47	—	0·18	0·48	0·01	0·10	—	—	0·25	—	4
5	0·22	Snow 0·04	0·30	—	0·16	0·15	—	0·40	0·50	—	0·01	—	5
6	0·17	0·13	—	—	0·01	0·11	0·01	0·07	0·30	—	—	0·04	6
7	—	0·05	—	—	0·04	0·21	—	0·04	—	—	—	—	7
8	0·34	0·21	0·13	—	—	0·14	0·02	0·35	0·04	—	—	0·07	8
9	—	0·04	0·18	0·10	—	0·20	—	0·15	—	—	—	0·20	9
10	—	—	—	—	—	0·05	—	0·25	—	—	0·26	—	10
11	0·15	0·07	—	—	—	0·09	—	—	—	—	0·17	0·46	11
12	0·05	0·32	0·13	—	0·08	—	—	—	—	—	0·07	—	12
13	0·01	0·04	—	—	—	0·07	0·01	—	—	—	0·08	—	13
14	0·06	—	0·56	—	0·06	0·05	—	0·06	—	0·02	—	—	14
15	0·07	0·05	0·05	—	0·26	0·27	—	—	—	—	—	0·14	15
16	0·60	—	0·15	—	0·06	0·08	—	0·06	—	0·07	0·01	—	16
17	0·85	—	0·09	—	—	0·09	—	0·21	—	—	0·03	0·28	17
18	— ×	drw 0·02	0·12	—	—	—	—	0·10	—	0·03	—	0·02	18
19	×	0·09	0·03	—	0·02	—	0·19	0·12	—	0·01	—	—	19
20	×	—	0·30	—	0·06	—	0·70	0·33	—	0·33	—	—	20
21	×	0·01	0·16	—	0·62	—	0·01	0·75	—	0·22	0·02	—	21
22	× 1·10 no readings	0·10	—	—	0·78	0·03	0·26 ~~0·30~~	0·47	—	0·04	—	0·04	22
23	×	0·27	0·30	—	0·01	0·19	0·20	0·26	—	—	0·09	0·30	23
24	×	—	—	—	0·01	0·33	—	0·06	—	—	—	0·11	24
25		—	—	—	—	0·78	— ~~0·70~~	0·53	—	—	0·22	0·36	25
26		0·07	0·02	—	—	—	0·70	0·95	—	0·60	0·23	0·13	26
27		—	—	—	—	0·23	— ~~0·30~~	—	—	0·60	—	0·20	27
28	—	0·08	—	—	—	0·09	0·30 ~~0·22~~	0·59	0·05	0·20	0·20	0·53	28
29	—	—	—	—	—	0·26	0·22	—	0·90	0·10	—	0·02	29
30	0·03		—	—	0·45	0·01	—	—	0·03	0·09	—	—	30
31	0·02		0·08		0·15		0·53	0·18		0·02		0·06	31
Total	(3·83)	1·61	3·13	0·15	3·11	4·11	3·88	6·42	1·88	2·36	1·66	3·10	TOTAL for year (35·24)
No. of Rain Days.	(23)	17	18	2	18	24	16	22	8	14	14	18	(194)

W. 8,000, X. '11.

× Supplied by Meteorological Office

✓ Crd forwith 31·III·14

FORM A2. BRITISH RAINFALL. 2462

8- JAN 1914

REGISTER OF RAINFALL IN 1913

448546

Kept at Rugby

in the County of Warwickshire

by D E Shorto

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 380 ft.

Time of Observation 9a

Nearest Railway Station
Name Rugby G.C.R.
Distance 350yd Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	—	0·06	0·12	—	—	—	—	0·80	0·01	—	—	1
2	—	0·13	—	0·18	—	—	0·01	—	0·12	0·37	0·01	—	2
3	0·05	—	0·16	—	0·57	—	—	—	0·03	0·05	—	0·05	3
4	0·69	—	—	—	0·13	—	0·02	—	—	0·17	0·09	0·30	4
5	0·05	—	—	—	—	0·03	0·25	—	0·13	0·48	0·06	0·01	5
6	—	—	0·06	—	0·22	0·25	0·26	—	—	0·11	—	0·10	6
7	—	0·11	—	—	0·09	0·04	0·13	—	—	0·43	0·05	0·02	7
8	—	0·20	—	—	0·15	0·10	—	—	—	0·56	0·07	0·01	8
9	—	0·14	0·02	0·04	—	0·20	0·04	0·16	0·05	—	0·04	0·07	9
10	0·01	—	0·01	0·15	0·01	—	—	0·12	—	—	0·30	—	10
11	9" snow 1·04	—	—	0·37	—	—	—	0·01	—	0·28	0·33	—	11
12	—	—	—	—	0·08	—	—	—	—	0·01	0·66	0·01	12
13	0·10	—	0·06	0·03	—	—	—	—	—	—	0·20	—	13
14	0·05	—	0·49	0·02	—	—	—	—	—	0·10	—	0·01	14
15	0·08	0·02	0·41	0·48	—	—	0·05	0·05	—	—	0·01	—	15
16	0·07	0·01	1·00	0·01	—	—	—	—	—	0·01	—	—	16
17	0·10	0·03	0·04	0·12	—	0·03	0·01	—	0·02	—	0·02	0·01	17
18	—	—	0·20	0·05	—	—	0·08	—	—	—	0·04	—	18
19	0·10	—	0·15	—	0·02	0·01	0·04	—	0·09	—	—	—	19
20	0·40	—	0·13	0·02	—	—	—	—	0·06	0·22	0·09	0·01	20
21	0·03	—	0·11	—	0·05	—	0·02	—	—	—	0·36	—	21
22	3" snow 0·56	—	0·16	0·02	—	—	—	0·14	0·30	—	—	—	22
23	—	—	—	—	—	0·02	—	0·06	0·01	—	0·01	—	23
24	0·04	—	—	0·12	—	—	—	—	—	—	—	—	24
25	—	—	—	0·08	—	—	—	—	0·01	0·01	0·01	—	25
26	—	0·08	0·11	0·12	—	—	—	0·06	—	0·28	—	0·23	26
27	—	0·05	0·01	—	0·08	—	—	—	—	—	—	—	27
28	0·48	—	0·37	0·20	—	—	—	—	—	0·12	—	—	28
29	—		0·37	0·81	0·11	—	—	0·09	—	0·04	—	Snow 0·02	29
30	0·25		—	—	—	—	—	—	—	0·09	0·13	—	30
31	—		0·04	~~2·94~~	—		—	0·03		—		—	31
Total	~~4·05~~ 4·06 4·06	0·77	3·96	2·94	1·51	0·68	0·91	0·72	1·62	3·34	2·48	0·85	TOTAL for year 23·84 23·94
No. of Rain Days.	48 ✗ 18	9	20	18	11	8	11	9	11	18	18	13	164

W. 8,000, X. '11.

Section **A** for the entry of Daily Observations

Station No. 2462

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN ~~196~~ 1914

METFORM 1090
(*Rev. Feb. 1965*)

448546

Kept at
in the County of
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

FORM B.
BRITISH RAINFALL
2462

To be filled and returned to DR. H. R. MILL, *Director,*
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

1 MAY 1915

RAINFALL IN 1914

At Rugby

In the County of Warwick

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. — in.
Height of Top: *Above Sea Level* 390 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	·85	·32	9th	11
FEB.	1·63	·35	21st	13
MAR.	2·85	·35	7th	23
APR.	1·09	·30	9th	7
MAY	1·35	·21	3rd	15
JUNE	2·65	1·20	8th	9
JULY	1·925	·31	1st	18
AUG.	1·38	·25	4th	12
SEPT.	1·12	·40	9th	8
OCT.	2·35	·45	14th	13
NOV.	2·41	·31	2nd	17
DEC.	5·445	1·12	28th	20
Total	25·05	636		166

Signed J Beetham Dickinson

[~~Please fill~~ *in the other side also,*

W. 18,000. XI. 12.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL													Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

No 78

2462

FORM A.
BRITISH RAINFALL
JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Rugby School

in the County of Warwick 448546

by members of the School H. Bentham Dickinson

Lat. 52°. 22' N Long. 1. 15' W

Time of Observation 9. a.m.

Nearest Railway Station Rugby Station.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	* Aug.	* Sept.	* Oct.	* Nov.	* Dec.	Date.
1	·18	·13	·05		·18			·02		·07		·041	1
2	·13	·11	·26	·11		·08		·10	·015	·205		·078	2
3	·36		·04	·08			·37	·225	·01			·102	3
4	·09						·12					·551	4
5	·05	·27			·02			·035				·238	5
6	·13	·18		·19			·73	·065				·038 ~~·201~~	6
7	·07	·37		·01	·27		·07	·1				·201	7
8	·02	·07						·01					8
9	·02	·02	·03	·01							·3	·322	9
10	·31							·12			·06	·02	10
11	·05			·03	·08		·14				·591	·14	11
12	·02			·26	·34			·69			·811		12
13		·41	·02		·81								13
14		·05					·12	·07	·03			·316	14
15	·23				·08		·05	·075			·173	·16	15
16	·04	·26			·09		1·00	·04		·02			16
17	–	·24			·11		·13						17
18		·34	·25							·01			18
19		·02	·02		·05		·23						19
20	·35			·03								·16	20
21	·11	·14					·16						21
22	·07		·17	·05			·24		·01			·082	22
23	·02	·05	·03				·68		·06	·225		·08	23
24	·01		·02	·06			·13		1.35	·205		·315	24
25	(·005)					·05	·03		·1	·05		·094	25
26	(·005)	·135				·01	·04		·045			·354	26
27		·02					·09			·40		·335	27
28		·10	·04			·02		·1	·075	·28		·02	28
29						·15		·025	·01		·201		29
30	·095					1·10	·01	·		·18	·032	·08	30
31	·10							·03		·265		·048	31
Total	2·465	2·915	·93	·83	2·03	1·41	4·34	1·705	1·705	1·880	2·168	3·775	YEAR'S TOTAL 26·153
Rain Days.	22 ~~(23)~~	18	11	10	10	6	18	15	10	11	7	22	~~159~~ 160

W. 8,000. X. 14.

* Measured in mm. & reduced by table to inches

2462

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Rugby School 448546

in the County of Warwick

by Natural History Socy

Lat. 52° 22' N Long. 1° 15' W

Time of Observation 9. am (Summer Time from May)

Nearest Railway Station Rugby Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·094	–	·063	–	–	·043	·087	–	–	trace ·528	·193	tr	1
2	·114	–	·087	–	·197	trace	tr	–	·016	·174	·067	–	2
3	·359	·425	–	–	–	–	·016	–	·055	·024	·043	–	3
4	–	–	·01	–	·266	·196	–	–	trace	·098	·213	–	4
5	·28	–	–	–	·059	·283	·02	–	–	·106	·11	–	5
6	·04	·195	·147	·083	·059	–	·571	–	–	·096	·271	–	6
7	·043	–	·118	–	–	·035	·331	–	–		·382	·158	7
8	·06	–	·157	–	trace	–	tr	–	–	–	·067	·726	8
9	trace	–	·047	–	·256	·078	–	–	–	–	–	tr	9
10	–	·201	·079	·064	trace	·043	–	–	·028	·013	~~tr~~ –	·016	10
11	–	·137	·047	·166	·09	·236	–	–	trace	–	tr	·098	11
12	·047	·122	·048	–	·338	·079	·335	–	·02	·059	–	·055	12
13	·078	·185	·252	·008	·016	trace	·027	·24	–	–	tr	–	13
14	–	·472	–	·083	trace	–	–	–	–	·074	–	tr	14
15	–	·256	·594	·064	·04	–	·094	·205	·008	–	–	–	15
16	–	·008	·487	·201	·098	–	·13	·043	–	trace	–	–	16
17	–	·067	–	·13	–	–	·023	·735	·311	·256	–	–	17
18	·09	·114	·047	·047	–	trace	–	·099	·189	–	·756	·012	18
19	·051	·055	·22	·039	–	–	–	·075	·224	trace	·418	–	19
20	·035	–	·188	–	–	–	–	·079	–	–	·102	·295	20
21	·023	–	·154	–	–	–	·031	–	–	–	–	·362	21
22	– [illegible]	·027	–	–	·071	·02	–	–	–	·04	tr	·413	22
23	·035	·198	·012	·039	–	trace	trace	·075	–	·072	·043	·252	23
24	–	·453	–	–	–	·124	trace	·012	–	·052	tr	·15	24
25	–	·039	·102	–	·062	–	–	·354	–	·039	·157	–	25
26	(·004)	·121	·024	–	–	·071	–	·153	–	·094	·06	–	26
27	·032	·095	·688	–	–	–	·083	–	–	·094	–	–	27
28	–	·287	·374	·084	–	–	–	–	–	·093	–	·13	28
29	–	·09	–	–	trace	·283	–	1·181	–	·193	–	·043	29
30	–	╳	–	–	–	–	–	·005	–	·181	–		30
31	–	╳	–	╳	–	╳	–	·016	╳	–	╳	·087	31
Total	1·382	3·547	3·945	1·008	1·552	1·488	1·748	3·272	·846	2·216	2·882	2·197	YEAR'S TOTAL 26·084
Rain Days.	15	20	22	12	12	12	12	14	8	19	14	14	~~168~~ 174

W. 8,000. X. 15.

Section **A** for the entry of Daily Observations

Station No. 2462

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN ~~196~~ 1917

448546

METFORM 1090
(*Rev. Feb. 1965*)

Kept at

in the County of

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

M. W. R.

~~2376~~ 2462

FORM B.
BRITISH RAINFALL

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1917

At Rugby

In the County of Warwick

Rain Gauge: Diameter of Funnel ..... in.

Height of Top: *Above Ground* ..... ft. ..... in.

Above Sea Level 379 ft.

	Month.	Total Depth. m. m. Inches.	Greatest Fall in 24 hours. m. m. Inches.	Greatest Fall in 24 hours. Date.	Number of Days with ·01 or more recorded.
2·01	JAN.	51	20	8	10
·59	FEB.	15	5	20	10
1.03	MAR.	26	6	8	12
1.53	APR.	39	8	3	12
2.01	MAY	51	11	17	11
2.96	JUNE	75	15	6	12
1.49	JULY	38	11	30	9
3.39	AUG.	86	22	2	22
1.42	SEPT.	36	24	18	9
2.91	OCT.	74	12	29	17
·95	NOV.	24	6	9	16
·74	DEC.	19	6	29	9
21·03	Total	534 ✓	21·03		149 ✓

Signed M. O

W. 16,000. ix.17.

[*Please fill in the other side also.*

Date	Jan.	Feb.	Mar.	Apri					Sept	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.						in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL													Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 2462

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196

1918

448546

Kept at

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.						in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL													Year's Total	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

---

from Weather Reports

21
2462

FORM B.
BRITISH RAINFALL

To be filled and returned
to THE DIRECTOR,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1918

At Rugby

In the County of Warwick

Rain Gauge
Diameter of Funnel .... in.
Height of Top: *Above Ground* .... ft. .... in.
Height of Top: *Above Sea Level* 379 ft.

PLEASE FILL IN

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	mm	mm	Date.	
JAN.	50	14	17	10
FEB.	35	7	9	13
MAR.	23	8	30	7
APR.	63	16	20	14
MAY	25	11	23	6
JUNE	27	7	9	11
JULY	71	9	10	16
AUG.	29	7	27	10
SEPT.	119	34	29	23
OCT.	33	7	9	13
NOV.	54	11	4	13
DEC.	59	10	19	17
Total	588	23·15 in		153

Signed W. a D Rudge for MO

W. 13,000. vii.18. w w c

[*Please fill in the other side also.*

B. made

Ex. C.h.B. 5/2/20 [illegible] July est.

2215

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2462

REGISTER OF RAINFALL IN 1919.

7 FEB 20

Kept at Rugby School 448546

in the County of Warwick

by W. A. Douglas Rudge

Lat. 52°22′ N Long. 1°15′ W.

Time of Observation 9h Civil Time.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 379 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.0	1.8	2.6	-	5.7	-		2.1	-	-	0.4	3.2	1
2	4.0	-	1.0	-	-	-		-	11.5	4.4	-	13.5	2
3	21.5	1.5	2.3	-	1.5	-		-	5.5	-	4.7	1.2	3
4	-	0.5	8.5	-	-	-		3.2	5.0	-	-	7.7	4
5	-	3.5	12.5	-	-	1.6		-	6.8	-	-	2.3	5
6	3.5	4.3	1.0	-	14.2	-		-	-	-	-	0.8	6
7	1.0	-	6.9	-	-	-		-	-	-	-	-	7
8	4.0	-	-	8.2	-	-		-	-	-	0.2	-	8
9	-	-	10.8	4.2	-	-		-	-	-	-	-	9
10	-	-	-	1.1	-	-		-	-	0.3	0.2	-	10
11	2.9	-	10.2	0.3	-	-		-	-	-	-	-	11
12	2.5	-	3.5	1.3	-	4.0		-	-	2.7	2.9	1.2	12
13	4.0	-	-	3.5	-	1.0		-	-	-	3.3	1.7	13
14	11.4	-	-	1.3	-	-		-	-	-	-	-	14
15	8.5	1.1	3.5	4.1	-	-		-	-	-	-	12.1	15
16	5.0	15.9	-	1.0	-	-		5.9	-	1.4	7.5	-	16
17	-	12.2	-	0.3	-	-		-	-	-	4.15	-	17
18	-	0.9	6.2	-	-	-		4.0	-	-	-	5.4	18
19	0.8	8.5	19.2	-	-	2.6		7.2	2.7	-	-	0.2	19
20	12.2	-	2.4	-	-	2.1		4.3	-	-	4.0	1.1	20
21	0.5	13.8	1.2	-	-	-		-	0.3	-	0.7	3.3	21
22	-	6.2	1.2	-	-	-		-	7.2	-	0.3	14.5	22
23	-	-	-	0.5	-	6.9		0.5	0.2	-	-	-	23
24	3.7	-	-	1.3	-	-		-	-	14.8	-	0.9	24
25	-	-	-	-	1.2	-		4.5	-	-	0.85	0.9	25
26	9.5	-	3.8	3.7	-	-		3.7	2.8	-	-	8.6	26
27	-	-	-	8.5	-	-		2.0	-	-	-	1.1	27
28	2.9	-	-	1.2	-	-		15.5	-	-	0.6	5.4	28
29	1.2		-	-	-	-		1.0	-	7.2	-	4.3	29
30	-		2.5	-	-	5.9		0.2	5.5	1.1	4.1	7.5	30
31	-		-		-			-		-		-	31
TOTAL	108.1	70.2	99.3	40.5 ~~41.7~~	22.6	24.1 ~~18.1~~	(75.0)	54.1 ~~48.1~~	47.5	31.9	33.9	96.9	YEAR'S TOTAL (704.1)
Days with 0·2 mm. or more	19	12	18	15	4	7	(10)	13.	10	7	14	21	(150)

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from [illegible] 3202.

July observations lost. 75 mm (10 days) interpolated

704

2149

2462

Form A.2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rugby School (MO)
in the County of Warwickshire
by W. A. D. Rudge 448546

Lat. 52° 22′ N Long. 1° 15′ W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	Apportioned from —	-	-	4.7	7.7	-	7.5	0.3	-	9.8	-	3.4	1
2	2461 —	-	-	1.0	-	-	2.0	-	0.7	4.0	-	2.4	2
3	VI.78 2.5	0.5	-	6.4	-	0.2	13.5	1.3	2.8	2.3	-	1.0	3
4	—	-	0.3	5.4	-	-	0.5	0.3	1.1	6.0	-	-	4
5	—	-	2.7	3.2	3.6	-	9.4	8.5	0.3	1.4	-	-	5
6	—	-	-	-	1.1	-	7.0	4.8	3.1	-	-	0.2	6
7	+ —	-	0.6	3.6	0.7	-	0.8	-	-	-	-	-	7
8	+✓ —	2.4	-	14.2	0.5	-	6.8	-	-	-	-	-	8
9	+✓ —	-	-	23.6	-	-	1.9	-	-	-	-	-	9
10	+✓ 17.6 20.1	2.0	2.4	0.3	-	0.9	2.2	2.5	-	-	1.3	-	10
11	12.2	-	9.1	5.5	7.7	1.7	1.3	-	-	-	-	-	11
12	0.5	-	0.9	2.2	-	15.5	0.6	1.9	-	-	0.5	3.7	12
13	-	0.2	4.5	1.3	-	-	-	-	-	-	0.1	-	13
14	1.2	-	13.3	5.1	-	3.7	0.4	-	-	1.1	5.3	1.4	14
15	-	2.1	0.3	2.0	-	2.1	-	-	3.8	10.5	2.5	-	15
16	-	-	-	-	3.4	20.8	0.8	-	3.5	4.2	-	-	16
17	1.0	-	-	6.0	3.0	-	-	-	3.8	2.0	-	1.6	17
18	5.5	-	-	1.5	2.7	-	0.7	-	17.0	-	-	-	18
19	-	9.3	-	10.0	-	1.3	-	3.9	15.0	-	-	1.1	19
20	1.3	-	-	5.5	-	8.7	-	1.2	0.3	-	-	-	20
21	-	-	-	0.8	-	-	2.2	-	-	-	-	-	21
22	-	-	-	2.5	-	-	0.4	3.1	-	-	-	1.0	22
23	-	-	-	-	-	-	5.9	1.3	1.0	-	-	0.2	23
24	-	-	3.6	1.0	-	-	-	2.2	-	-	-	7.0	24
25	-	-	-	0.4	3.7	-	12.6	0.2	-	-	-	2.5	25
26	4.2	-	0.3	-	0.2	0.2	-	-	-	-	-	-	26
27	8.3	0.2	-	3.7	-	9.3	0.7	-	-	-	14.0	2.0	27
28	16.3	-	0.7	-	2.1	0.2	0.2	-	-	-	1.0	5.3	28
29	0.8	-	5.5	-	5.0	0.4	0.9	-	-	-	1.2	0.4	29
30	-		-	0.5	1.2	1.5	0.5	-	6.0	-	2.0	12.2	30
31	2.5		-		0.5		2.3	-		7.7		5.2	31
TOTAL	73.9 ✓	16.7 ✓	44.2 ✓	110.4 ✓	43.1 ✓	66.5 ✓	81.1 ✓	31.5 ✓	58.4 ✓	49.0 ✓	27.9 ✓	50.6 ✓	YEAR'S TOTAL 653.3
Days with 0·2 mm. or more	(15)	7 ✓	13 ✓	24 ✓	15 ✓	14 ✓	24 ✓	13 ✓	13 ✓	10 ✓	8 ✓	17 ✓	25.72 173
1·0	10	4	9	20	11	9	13	10	10	10	7	14	125

(44,284). Wt. 21058—215 500. 10/19. Gp.122. A.&E.W.

Copied from 19 3202

F 2469

NUNEATON, ASTLEY VIC

1920

1923-29

FORM A. BRITISH RAINFALL.

16 DEC 192

F ... 0

Kept at Astley V ... Long. 1°32'30"W.

...ation Stockingford

in the County of W ... on 9 a.m.

... in.

by Ivo F.H. ... e Ground 1 ft. — in.

... Sea Level 440 ft.

NOTE.—Full instructions resp... ainfall Organization are given in
"*Rules for Rainfall* ... Square, London, N.W.

Date.	JAN.	FEB.	MA...	...	...	...	...	...	...	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.15	.26	—	.20	—		.30	—	.27	1
2	—	—	—	.12	—	.07	.32	—		.20	—	.13	2
3	.01	.06	—	.37	—	—	.98	—		.20	—	—	3
4	—	—	—	—	—	—	—	.30		.33	—	.01	4
5	—	—	.05	.15	.20	—	.34	.08		.18	—	—	5
6	—	—	.31	.03	.08	—	.65	—		.02	—	.04	6
7	—	—	.05	.13	.02	—		—		—	—	—	7
8	.31	—	—	.40	.13	—		—		—	—	—	8
9	.30	—	—	.38	—	—	—	.61		—	—	—	9
10	.35	.12	.08	.06	—	.01	.07	—		—	.06	—	10
11	.10	—	.03	.29	.48	.30	—	—		—	—	.04	11
12	.12	.06	.05	.14	—	1.40	—	.03		.02	.02	.22	12
13	—	—	.32	.15	—	—	—	—		—	—	—	13
14	—	.03	1.03	.23	—	.07	—	—		—	.15	—	14
15	—	.10	.18	.47	—	—	.01	—		.09	.07	—	15
16	—	—	—	.05	.07	.45	.10	(Aug.16 – Sept.22 inclusive) 2.50		.34	—	—	16
17	—	—	—	.08	.16	—	—			.09	—	.04	17
18	.23	—	—	.15	.05	—	.05			—	—	—	18
19	—	.60	—	.18	—	.08	—			—	—	—	19
20	.03	—	—	.40	—	.20	.05			—	—	.04	20
21	—	—	—	.05	—	—	.21			—	—	.01	21
22	.02	—	—	.12	—	—	.05			—	.01	—	22
23	—	—	—	—	—	—	.18		—	—	—	.35	23
24	—	—	.18	.03	—	—	—		—	—	—	.05	24
25	—	.11	.09	.03	.15	—	.38		—	—	.01	—	25
26	.20	—	.19	—	.03	—	.07		—	—	—	.04	26
27	.83	.03	—	—	.20	.19	.05		—	—	.20	.36	27
28		—	.07	.26	.09	—	—		—	.02	—	—	28
29		—	.15		.70	—	.05		—	—	.12	.39	29
30			—		.10	.10	.02		—	—	.20	.20	30
31			—		.03		—			.35		—	31
Totals	2.50	1.11	2.78	4.42	2.75	2.87	3.78	3.52		2.14	.84	2.19	
Total from Jan. 1	2.50	3.61	6.39	10.81	13.56	16.43	20.21	23.73		25.87	26.71	28.90	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.

R [illegible] 0

Kept at Astley Vicarage Nuneaton.
in the County of Warwickshire.
by Ivo F.H.C. Carr-Gregg

Lat. 52°30' Long. 1°32'30"W.
Nearest Railway Station Stockingford
RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 440 ft.

16 DEC 192

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.15	.26	—	.20	—		.30	—	.27	1
2	—	—	—	.12	—	.07	.32	—		.20	—	.13	2
3	.01	.06	—	.37	—	—	.98	—		.20	—	—	3
4	—	—	—	—	—	—	—	.30		.33	—	.01	4
5	—	—	.05	.15	.20	—	.34	.08		.18	—	—	5
6	—	—	.31	.03	.08	—	.65	—		.02	—	.04	6
7	—	—	.05	.13	.02	—		—		—	—	—	7
8	.31	—	—	.40	.13	—		—		—	—	—	8
9	.30	—	—	.38	—	—	—	.61		—	—	—	9
10	.35	.12	.08	.06	—	.01	.07	—	(Aug. 16 – Sept. 22 inclusive)	—	.06	—	10
11	.10	—	.03	.29	.48	.30	—	—		—	—	.04	11
12	.12	.06	.05	.14	—	1.40	—	.03		.02	.02	.22	12
13	—	—	.32	.15	—	—	—	—		—	—	—	13
14	—	.03	1.03	.23	—	.07	—	—		—	.15	—	14
15	—	.10	.18	.47	—	—	.01	—		.09	.07	—	15
16	—	—	—	.05	.07	.45	.10			.34	—	—	16
17	—	—	—	.08	.16	—	—			.09	—	.04	17
18	.23	—	—	.15	.05	—	.05			—	—	—	18
19	—	.60	—	.18	—	.08	—		2.50	—	—	—	19
20	.03	—	—	.40	—	.20	.05			—	—	.04	20
21	—	—	—	.05	—	—	.21			—	—	.01	21
22	.02	—	—	.12	—	—	.05			—	.01	—	22
23	—	—	—	—	—	—	.18		—	—	—	.35	23
24	—	—	.18	.03	—	—	—		—	—	—	.05	24
25	—	.11	.09	.03	.15	—	.38		—	—	.01	—	25
26	.20	—	.19	—	.03	—	.07		—	—	—	.04	26
27	.83	.03	—	—	.20	.19	.05		—	—	.20	.36	27
28		—	.07	.26	.09	—	—		—	.02	—	—	28
29		—	.15		.70	—	.05		—	—	.12	.39	29
30			—		.10	.10	.02		—	—	.20	.20	30
31			—		.03		—			.35		—	31
Totals	2.50	1.11	2.78	4.42	2.75	2.87	3.78	3.52		2.14	.84	2.19	
Total from Jan. 1	2.50	3.61	6.39	10.81	13.56	16.43	20.21	23.73		25.87	26.71	28.90	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

RADFORD SEMELE
RADFORD HSE
WARWICKSHIRE
1911 - 1915

DL

390

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

04.12

R… …11

Kept at Radford… …5 in.

in the County of War… …ove Ground 1 ft. 2 in.

„ Sea Level 240 ft.

by C. E. H. …

…n { Name
Distance Direction

IMPORTANT N… …and the result entered to the previous day. If an… …universal rule, he is earnestly requested to add the… …year in the space provided for it at the end of… …rement of rain, the selection and pl… …British Rainfall Organization are given ~~in "Rules…~~ …on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04								·05	·02	1
2	·02			·05	·19		·02	·18		·33	·06	·02	2
3					·19			·21		·01	·02		3
4	·04		·10	·02					·07	·11	·25	·20	4
5	·04		·02	·04				·11		·03	·03		5
6	·29		·02								·07	·26	6
7	·01										·18		7
8	·16		·18								·04	·17	8
9	·07		·05								·14	·03	9
10	·03	·15	·42					·03			·02	·30	10
11	·18							·02			·43	·01	11
12	·02	·01	·47						·19		·22		12
13			·08						·38		·03	·47	13
14			·02									·36	14
15		·08	·11								·12	·03	15
16		·01				·09					·31	·07	16
17			·02			·01					·11	·17	17
18		·36								·01		·15	18
19					·01	·26	·02	·02	·09	·09	·11	·04	19
20	·01	·07	·03	·02		·02		·47	·04	·05		·38	20
21		·14	·04					·47		·23		·06	21
22		·01	·04	·01						·15	·01	·34	22
23	·01	·05	·31			·17			·22	·02		·12	23
24		·08	·06	·01	~~{76}~~	·48		·07		·60		·10	24
25		·05	·01	·05		·08		·08		·01		·05	25
26		·08		·27		·01		·18		·19	·17	·15	26
27		·22	·10	·16				·48	·26		·06	·09	27
28		·23		·24		·01		·02			·15	·02	28
29				·01		·21	·08	·06	·34	·20	·02		29
30			·03	·16		·05		·02		·07		·02	30
31			·06		·01					·04			31
Total	·88	1·54	2·21	1·04	1·16	1·39	·12 ~~·04~~	2·42	1·59	2·14	2·60	3·63	TOTAL for year 20·72
No. of Rain Days	12	14	21	12	5	11	~~2~~ 3	15	8	16	22	25	164

9,000, IX. '10.

DL

390

FORM A2. BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAI 11

12

Kept at Radford House, Leamington
in the County of Warwickshire
by C. E. H. Hatherell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 240 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04								·05	·02	1
2	·02			·05	·19		·02	·18		·33	·06	·02	2
3					·19			·21		·01	·02		3
4	·04		·10	·02					·07	·11	·25	·20	4
5	·04		·02	·04				·11		·03	·03		5
6	·29		·02								·07	·26	6
7	·01										·18		7
8	·16		·18								·04	·17	8
9	·07		·05								·14	·03	9
10	·03	·15	·42					·03			·02	·30	10
11	·18							·02			·43	·01	11
12	·02	·01	·47						·19		·22		12
13			·08						·38		·03	·47	13
14			·02									·36	14
15		·08	·11								·12	·03	15
16		·01				·09					·31	·07	16
17			·02			·01					·11	·17	17
18		·36								·01		·15	18
19					·01	·26	·02	·02	·09	·09	·11	·04	19
20	·01	·07	·03	·02		·02		·47	·04	·05		·38	20
21		·14	·04					·47		·23		·06	21
22		·01	·04	·01						·15	·01	·34	22
23	·01	·05	·31			·17			·22	·02		·12	23
24		·08	·06	·01	~~(·76)~~	·48		·07		·60		·10	24
25		·05	·01	·05		·08		·08		·01		·05	25
26		·08		·27		·01		·18		·19	·17	·15	26
27		·22	·10	·16				·48	·26		·06	·09	27
28		·23		·24		·01		·02			·15	·02	28
29				·01		·21	·08	·06	·34	·20	·02		29
30			·03	·16		·05		·02		·07		·02	30
31			·06		·01					·04			31
Total	·88	1·54	2·21	1·04	1·16	1·39	~~·04~~ ·12	2·42	1·59	2·14	2·60	3·63	TOTAL for year 20·72
No. of Rain Days	12	14	21	12	5	11	~~2~~ 3	15	8	16	22	25	164

9,000, IX. '10.

Gx. It ob.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Radford Grove (Radford Semele)

in the County of Warwickshire

by Charles E. G. Hatherell.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 240 ft.

Time of Observation 9 A M.

Nearest Railway Station
Name Leamington
Distance 2 Miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	3·77	1·67	3·49	·18	3·02	4·13	4·78	6·14	·86	2·48	1·61	3.20	TOTAL for year
No. of Rain Days	23	17	25	3	15	24	18	25	9	14	16	22	35,33

NB
the day totals not
filled in as
they can be
already read
in a monthly cards.
C. E. G. H.

8l

336

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at *Radford House*

in the County of *Warwickshire*

by *C. Hatherell*

Rain Gauge { Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02			.12	.02		.05	.11		.08	1
2		.02	.07	.06		.09	.49					.02	2
3	.05		.14		.19	.05	.10	.34	.02		.02	.07	3
4	.08		.50		.21	.41		.02			.20		4
5	.17	.04	.15		.19	.06		.40	.02		.01	.01	5
6	.25	.14	.01		.02	.07		.50	.05			.07	6
7		.07			.07	.35		.20				.02	7
8	.36	.20	.17	.05		.15	.02	.19	.07			.04	8
9	.08		.05	.07		.30		.03				.19	9
10	.02	.02	.02			.14		.05	.01		.20		10
11	.12	.05	.01			.11		.13			.11	.50	11
12	.04	.38	.16		.07		.05				.05	.01	12
13	.01	.02	.01				.03				.03		13
14	.04		.42		.02	.09		.10		.02			14
15	.04	.06	.08		.30	.25		.03				.16	15
16	.60		.21		.03	.03		.05		.08			16
17	.81		.15			.09		.30			.05	.30	17
18	.19		.15					.09		.07	.01	.01	18
19	.20	.04	.05		.02		.11	.35		.01	.01		19
20	.06		.40		.04		.47	.07		.35			20
21	.02	.02	.18		.66		.05	.75		.29			21
22	.46	.13	.01		.62	.09	.27	.30				.05	22
23	.06	.32	.34			.10	1.33	.13		.02	.10	.30	23
24	.07					.60	.01	.15			.01	.16	24
25	.02	.01				.66		.29			.39	.30	25
26		.06	.02			.02	.21	.88		.47	.19	.16	26
27						.13	.11			.63		.22	27
28		.09				.09	.43	.65	.05	.25	.20	.46	28
29			.04			.11	.30	.02	.57	.10	.03	.03	29
30	.02				.22	.02	.09		.02	.07			30
31			.13		.36		.69	.12		.01		.04	31
Total	3.77	1.67	3.49	.18	3.02	4.13	4.78	6.14	.86	2.48	1.61	3.20	TOTAL for year 35.33
No. of Rain Days.	23	17	25	3	15	24	18	25	9	14	16	22	211

W. 8,000, X. '11.

SL ✓ 397

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Esd JSS

Kept at Radford House

in the County of Warwickshire

by C. E. G. Hatherell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·10	·09	·40				·69		·11		1
2	·01	·18	·02	·04	·01		·02		·28	·92	·03		2
3	·02		·13		·66				·01	1·80		·05	3
4	·60	·01			·17		·02			·19	·06	·44	4
5	·02				·01	·05	·08		·03	·35	·09	·01	5
6	·01	·03	·06		·33	·26	·34			·18		·10	6
7		·05			·21	·02	·10			·30	·12	·04	7
8		·05			·13	·11				·09	·02	·01	8
9		·40	·01		·13	·18	·05	·03	·16		·04	·06	9
10	·01		·05	·09	·16			·03			·33		10
11	·73	·01		·31				·12		·30	·39		11
12					·13						·52		12
13	·09		·04	·04					·19		·27		13
14	·05	·02	·44	·02			·74			·08	·02		14
15	·09	·05	·50	·35			·01		·01		·04		15
16	·03	·01	·70	·12					·01		·02		16
17	·14	·03	·05	·11			·12				·02	·02	17
18	·02		·13	·09	·04		·09						18
19	·15		·04	·01	·01		·05		·13			·01	19
20	·45		·16	·04						·20	·15		20
21	·01		·10	·07	·10		·04				·40		21
22	·43		·35					·09	·34				22
23	·01		·01			·04		·08	·02		·03		23
24	·05			·03				·06					24
25		·05		·13						·03		·04	25
26		·06	·04	·13				·10	·02	·18		·18	26
27		·14	·02	·14	·05					·02			27
28	·41		·20	·68	·02					·13		·04	28
29	·02		·32	1·11				·08		·05		·07	29
30	·25									·10	·23		30
31	·01		·05		·03			·08		·03			31
Total	3·62	1·09	3·52	3·60	2·59	·66	1·66	·67	1·89	4·95	3·19	1·07	YEAR'S TOTAL 28·57
Rain Days.	24	14 ~~13~~	22	19	17	6	12	9	12	17	19	13	~~183~~ 184

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

- 2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Radfd House Radford Semele

in the County of Warwickshire

by C. Hatherell

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Leamington

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	3·62	1·09	3·52	3·60	2·59	·66	1·66	·67	1·89	4·95	3·19	1·07	YEAR'S TOTAL 28·51
Rain Days.	24	13	22	19	17	6	12	9	12	17	19	13	183

W. 7,500, XI. ·12

8L

6X 985

382

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Radford House

in the County of Warwickshire

by C. E. G. Hatherell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08			·62	·13			·03	·03	1
2	·02						·05	·27		·03	1·05	·43	2
3			·03	·01	·13		·38	·01			·02		3
4	·20		·02	·20	·02		·02	·19			·30	·34	4
5	·02		·04	·14	·12	·10	·20	·09			·04		5
6		·07		·09	·07	·03	·01	·02		·01	·20	·05	6
7		·08	·38	·05	·11		·14	·12			·02	·04	7
8	·04	·03	·14	·04	·10	·98	·20	·17					8
9	·28	·01	·17	·24	·01	1·37		·09	·05				9
10	·04	·09	·01	·21	·08	·03			·24				10
11		·15	·29	·09	·16	·39					·31	·20	11
12		·03	·11		·02		31		·33		·05	·40	12
13	·01	·11	·19						·04		·10	·29	13
14		·02	·10				·11			·47	·08	·19	14
15	·02	·03	·12					·03	·09	·04	·03	·05	15
16			·02				·04		·03			·01	16
17		·24	·07				·04		·12			·28	17
18	·01	·01					·17		·02			·41	18
19			·02				·03		·02		·05	·02	19
20		·18	·19				·06					·24	20
21		·44	·07			·21		·14		·12		·22	21
22			·05	·03	·20	·02	·03	·08		·26			22
23		·05	·16		·06	·02				·12		·02	23
24	·01	·02	·08		·05		·05			·50	·08		24
25	·07		·05					·27		·30	·04	·25	25
26			·10					·03		·08	·13	·26	26
27	·08									·03	·02	·16	27
28		·08	·09		·12					·12	·05	1·20	28
29	·01		·09		·03					·21	·11		29
30			·05			·03				·03	·34	·26	30
31	·04				·01		·52			·02		·02	31
Total	·85	1·63	2·64	1·18	1·29	3·18	2·98	1·64	·94	2·34	3·05	5·37	YEAR'S TOTAL 2709
Rain Days.	14	17	25	11	16	10	18	14	9	15	20	23	192

W.7,000, XI. 13

6X 9116

GISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - JAN. 1915

at Radford Hall

County of Warwickshire

by C. Hatherell.

Lat. .... Long. ....

Time of Observation 9 AM.

Nearest Railway Station Leamington 2 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	·85	1·63	2·64	1·18	1·29	3·18	2·98	1·64	·94	2·34	3·05	5·37	YEAR'S TOTAL 27·09
Rain Days.	14	17	25 25	11	16	10	18	14	9	15	20	23	192

W.7,000, XI. 13

8L ✓

~~2552~~
372

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Radford House Ex. Dt

in the County of Warwickshire

by C. Hatherell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·16	·09		·24								1
2	·08	·08	·33	·11	·01	·07							2
3	·61	·01	·04	·07	·01		·56						3
4	·02				·09		·49						4
5	·02	·31					·02						5
6	·22	·11		·13			·87						6
7	·04	·25		·05	·03	·42	·24						7
8	·06	·10		·01			·02						8
9	·02	·02		·11									9
10	·34		·08										10
11	·01			·06	·06								11
12	·04	·02		·26	·44								12
13	·01	·33			·89								13
14		·02					·28						14
15	·25			·02	·07		·02						15
16	·02	·33			·20		·70						16
17		·16			·30		·02						17
18		·25	·09										18
19		·01	·01		·07		·20						19
20	·22												20
21	·09	·15					·16						21
22	·10		·21	·08			·28						22
23	·02	·08	·02				·42						23
24			·09	·05		·05	·24						24
25			·02			·39	·11						25
26		·08					·05						26
27		·02					·08						27
28		·26	·01				·03						28
29						·04	·04						29
30	·09	X		·02		·30							30
31	·04	X		X		X	·02		X		X		31
Total	2·44	2·75	·99	·97	2·41	1·27	4·85						YEAR'S TOTAL
Rain Days.	21	20	11	12	12	6	21						

W. 8,000. X. 14.

RUGBY

BILTON GRANGE

WARWICKSHIRE

1911 - 1917, 1919 - 1920

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

2461

REC

Kept at Bilton Gran

in the County of Warw

by W. Southcom

ds Snowden
in.
Ground 1 ft. in.
Sea Level 400 ft.
m
Name Rugby
Distance 3¼ Direction N

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of thi … ment of rain, the selection and placi … ritish Rainfall Organization are given in "*Rules for Rainfall Observers*," … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·02								·01	·04	1
2	·01			·02	·12		·05	·06		·09	·07	·04	2
3					·15			·11		·05	·02	·01	3
4	·04	·01	·11	·07					·05	·06	·27	·14	4
5								·13					5
6	·37		·02								·08	·24	6
7											·12	·05	7
8	·17											·08	8
9	·04										·06	·05	9
10	·19	·12	·36								·01	·28	10
11											·38		11
12			·53					·12	·08		·25	·01	12
13			·02						·30		·02	·38	13
14		·04	·07									·33	14
15		·09	·21								·10	·02	15
16			·01			·03					·22	·08	16
17			·01			·02					·09	·15	17
18		·33				·01				·01	·02	·09	18
19						·20	·07		·05	·07	·24	·02	19
20	·01	·06				·04		·25	·03	·06		·46	20
21		·10						·20		·23	·02	·09	21
22		·01	·04			·25		·26		·10		·32	22
23		·07	·28			·14			·26	·01		·10	23
24		·07	·03			·50		·04	·01	·65		·06	24
25		·06	·02	·06	·89	·06				·13	~~·16~~	·02	25
26		·06		·27		·04		·02			·16	·14	26
27		·12	·08	·07				·39	·21		·03	·08	27
28		·23		·21				·15			·16	·05	28
29				·04		·14	·29	·05	·21	·17			29
30			·01	·09		·01				·07			30
31			·02							·03			31
Total	·85	1·37	1·84	·83	1·16	1·44	·41	1·78	1·20	1·73	2·23	3·33	TOTAL for year 18·17 in.
No. of Rain Days.	8	14	17	8	3	12	3	12	9	14	20	26	146 days

W. 8,000, X. '11.

✓

REG

FORM A2.
BRITISH RAINFALL.
19 JAN 1912
2461

Kept at Bilton Grange, Rugby
in the County of Warwick
by W. Southcomb

RAIN GAUGE
Pattern Symonds Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Rugby
Distance 3¼ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02								·01	·04	1
2	·01			·02	·12		·05	·06		·09	·07	·04	2
3					·15			·11		·05	·02	·01	3
4	·04	·01	·11	·07					·05	·06	·27	·14	4
5								·13					5
6	·37		·02								·08	·24	6
7											·12	·05	7
8	·17											·08	8
9	·04										·06	·05	9
10	·19	·12	·36								·01	·28	10
11											·38		11
12			·53					·12	·08		·25	·01	12
13			·02						·30		·02	·38	13
14		·04	·07									·33	14
15		·09	·21								·10	·02	15
16			·01			·03					·22	·08	16
17			·01			·02					·09	·15	17
18		·33				·01				·01	·02	·09	18
19						·20	·07		·05	·07	·24	·02	19
20	·01	·06				·04		·25	·03	·06		·46	20
21		·10						·20		·23	·02	·09	21
22		·01	·04			·25		·26		·10		·32	22
23		·07	·28			·14			·26	·01		·10	23
24		·07	·03			·50		·04	·01	·65		·06	24
25		·06	·02	·06	·89	·06				·13	~~·16~~	·02	25
26		·06		·27		·04		·02			·16	·14	26
27		·12	·08	·07				·39	·21		·03	·08	27
28		·23		·21				·15			·16	·05	28
29				·04		·14	·29	·05	·21	·17			29
30			·01	·09		·01				·07			30
31			·02							·03			31
Total	·85	1·37	1·84	·83	1·16	1·44	·41	1·78	1·20	1·73	2·23	3·33	TOTAL for year 18·17 in. ✓
No. of Rain Days.	8	14	17	8	3	12	3	12	9	14	20	26	146 days ✓

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

2461

6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bilton Grange, Rugby

in the County of Warwick

by W. H. G. Southcomb

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Rugby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·04	·02		·02	·05		·06	1
2			·02	·07	·02	·05	·38						2
3	·12		·07			·03	·11	·30	·04		·01	·06	3
4	·09		·49		·13	·43		·07			·27		4
5	·15		·19		·11	·11		·32	·03		·01		5
6	·21	·10			·01	·05		·17	·02			·04	6
7		·07			·05	·24	·02	·04				·01	7
8	·30	·21	·13			·10	·05	·62	·02			·05	8
9	·02		·20	·08		·22		·02				·15	9
10		·02	·01			·19					·22		10
11	·12	·04	·01			·07					·20	·39	11
12	·02	·26	·10		·05						·06		12
13		·04				·03					·07		13
14	·02		·51		·05	·05		·03					14
15	·03	·05	·05		·23	·23						·12	15
16	·44		·14		·03	·09		·04		·06	·01		16
17	·53		·07			·10		·18			·02	·27	17
18	·30	·01	·11					·14		·04		·02	18
19	·17	·07	·05		·01		·17	·10					19
20	·07		·29		·05		·67	·23		·34			20
21	·01	·05	·08		·55		·03	·71		·17			21
22	·35	·10			·45	·03	·19	·10		·04		·02	22
23	·07	·28	·27			·26	·18	·52			·12	·30	23
24	·08					·28		·06				·13	24
25						·79		·16			·18	·30	25
26		·09	·02				·52	1·35		·51	·22	·16	26
27						·18				·48		·22	27
28		·07				·07	·23	·47	·06	·25	·18	·49	28
29	·01		·01			·10	·32	·05	·72	·12			29
30					·42	·01	·07		·02	·08			30
31			·07		·18		·44	·19		·01		·03	31
Total	3·11	1·46	2·89	·15	2·34	3·75	3·40	5·87	·93	2·15	1·57	2·82	YEAR'S TOTAL 30·44
Rain Days.	20	15	21	2	15	24	15	22	8	12	13	18	185

W. 7,500, XI. 12

cwd for audit 31·III·14

FORM A.
BRITISH RAINFALL.
23 JAN 1914
2461

REGISTER OF RAINFALL IN 1913

Kept at Bilton Grange, Rugby
in the County of Warwick
by W. H. G. Southcomb

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Rugby
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·09					·73		·07		1
2		·13		·16			·02		·14	·55		·01	2
3	·02		·17		·24				·02	·01		·05	3
4	·62				·08	·01	·01			·24	·07	·33	4
5	·02					·02	·12		·04	·42	·05	·02	5
6		·02	·09		·22	·29	·18			·13		·08	6
7		·10			·08	·03	·20			·35	·04	·02	7
8		·04	·02		·12	·09				·25	·08		8
9		·33	·01	·04	·01	·20	·01	·02	·02		·03	·08	9
10	·02			·14	·02			·09			·28		10
11	·98			·35	·01			·03		·35	·28		11
12					·04						·68		12
13	·06		·05	·03					·01		·21		13
14	·09		·40					·02		·09			14
15	·05	·02	·42	·29			·05						15
16	·06		·64	·07									16
17	·11	·01	·07			·06	·01		·02		·02	·01	17
18			·15	·03			·06				·02		18
19	·09		·09				·03		·14				19
20	·40		·10						·02	·23	·08		20
21	·02		·08	·05	·05		·03				·39		21
22	·42		·23					·11	·30		·01		22
23						·02		·10	·02			·02	23
24	·04			·12									24
25				·07									25
26		·08	·07	·11				·05		·26		18 ·68	26
27		·07	·01	·02	·03								27
28	·43		·31	·27						·15		·06	28
29			·29	·72	·10			·03		·05	·14	·04	29
30	·24									·09			30
31			·04										31
Total	3·67	·80	3·31	2·56	1·00	·72	·72	·45	1·46	3·17	2·45	·90	YEAR'S TOTAL 21·23 21·21
Rain Days.	17	9	20	16	12	8	11	8	11	14	16	12	154

W. 7,500, XI. ·12

[illegible] 2.IV.15 ~~W~~ DL

2461

FORM A.
BRITISH RAINFALL.
21 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bilton Grange, Rugby

in the County of Warwick

by W. H. G. Southcombe

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Rugby

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground One ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09			·22	·18		·01	·02	·05	1
2							·02	·14			·54	·45	2
3			·02		·18		·27	·02			·01		3
4	·36		·02	·20				·23			·34	·22	4
5	·02		·05	·15	·19	·17	·16	·04			·05		5
6		·05		·01	·03						·17	·03	6
7		·07	·37	·01	·09			·10				·03	7
8	·04	·02	·10	·02	·04	1·02	·13	·12					8
9	·37		·28	·28		·94		·05	·01				9
10	·08	·10	·01		·10				·19				10
11		·17	·23	·14	·17	·12					·20	·39	11
12	·02	·01	·10				·10		·24		·02	·25	12
13		·13	·27							·13	·12	·40	13
14		·01	·05				·19			·41	·07	·36	14
15			·17						·03	·02	·02	·06	15
16			·05				·08						16
17	·02	·23	·04						·06			·29	17
18							·25		·08		·05	·43	18
19			·09						·03			·02	19
20			·11				·20					·18	20
21		·33	·09							·07		·14	21
22				~~·10~~	·10	·01	·02	·10		·17			22
23		·14	·05				·01			·04		·02	23
24		·01	·20		·08		·02			·42	·07		24
25	·07		·03		·11		·02	·25		·39	·02	·21	25
26			·13				·01	·14		·07	·12	·24	26
27	·08									·06	·01	·16	27
28		·10	·04		·08					·02	·07	·95	28
29	·01		·07		·04					·27	·12	·02	29
30		×	·02			·09				(·02)	·23	·22	30
31	·03	×		×	·01	×	·35		×		×	·02	31
Total	1·10	1·37	2·59	·90	1·22	2·35	2·05	1·37	·64	2·10 ✓	2·25	5·14	YEAR'S TOTAL 23·08 ✓
Rain Days.	11	13	24	8	13	6	16	11	7	14	19	23	165

W. 8,000: X. 14.

2461

FORM A.
BRITISH RAINFALL.

21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bilton Grange, Rugby

in the County of Warwick

by W. H. G. Southcomb

Lat. ________ Long. ________

Time of Observation 9 a.m.

Nearest Railway Station Rugby

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. ________ in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·12	·01		·19			·05	·07	·08		·03	1
2	·09	·12	·29	·10		·06		·42		·17		·05	2
3	·35		·08	·10			·34	·76				·15	3
4	·08				·01		·12					·58	4
5	·04	·25			·02			·04				·22	5
6	·16	·12		·16			·74	·04				·02	6
7	·04	·25					·05	·08				·22	7
8		·06						·01			·05		8
9	·10			·03							·28	·28	9
10	·03		·05					·02			·06		10
11	·25		·01	·03	·07		·14				·54	·09	11
12	·02			·23	·30			·49			·74		12
13		·39			·75								13
14		·06					·15	·10	·05			·30	14
15	·20			·03	·06		·08	·11		·02	·23	·14	15
16	·01	·25			·10		·80	·04		·02			16
17		·17			·12		·08						17
18		·29	·19										18
19		·03			·03		·20						19
20	·45			·03								·13	20
21	·15	·12					·17					·09	21
22	·08		·16	·02			·20					·07	22
23	·02	·08	·01				·27	~~·6~~	·05	·22		·39	23
24			·04	·06			·21		1·20	·10		·07	24
25			·01	·02		·04	·01		·03	·04		·36	25
26		·09					·03		·03			·28	26
27		·03					·05		·01	·36		·02	27
28		·12	·03			·02	·03	·10	·06	·19		·11	28
29											·15	·06	29
30	·06					2·04				·16	·02	·03	30
31	·07							·03		·24		·09	31
Total	2·35	2·55	·88	·81	1·65	2·16	3·67	2·29	1·50	1·60	2·07	3·78	YEAR'S TOTAL 25·31
Rain Days.	19	17	11	11	10	4	18	14	8	11	8	23	154

W. 8,000. X. 15.

2496

FORM A. BRITISH RAINFALL.

2461

19 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bilton Grange, Rugby

in the County of Warwick

by W. H. G. Southcomb

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Rugby

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·05		·16	·02	·09		·02	·01	·16		1
2	·40		·04		·01				·01	·43	·03		2
3		·44								·16	·03		3
4	·27			·01	·23	·18			·02	·01	·21		4
5	·04				·07	·22	·03			·08	·11		5
6	·04	·14	·12		·06	·03	·45			·11	·33		6
7	·03		·16		·01		·20			·09	·37		7
8			·03		·04						·03	·14	8
9			·05		·18	·14			·02	·02		·09	9
10		·16	·06	·05		·12	·01		·03	·02		·05	10
11	·03	·10	·06	·17	·07	·28			·01			·12	11
12	·03	·08	·08		·35	·06	·08	·01		·05		·02	12
13	·01	·16	·20	·04		·01	·08	·13			·01		13
14		·37		·03	·02					·12			14
15		·24	·50		·04		·10	·33		·02			15
16	·02	·01	·48	·24	·07		·11	·06	·01	·03			16
17	·07	·07		·11			·03	·55	·29	·22			17
18	·05	·09	·03	·03				·25	·18		·79	·03	18
19		·04	·16	·04		·01		·02	·16		·41	·02	19
20	·02		·18					·07			·09	·17	20
21	·01		·19		·01		·03					·52	21
22		·02	·02		·05	·02				·03		·44	22
23	·02	·41		·02				·03		·08	·06	·15	23
24		·34				·16		·05		·05		·15	24
25		·08	·11		·02			·31			·15		25
26		·04	·03			·08		·03		·07	·08		26
27	·03	·04	·70							·10			27
28		·29	·35	·05				·02		·01	·01	·13	28
29		·07				·27		1·11		·20		·05	29
30		×				·01		·02		·17			30
31		×		×		×			×	·12	×	·10	31
Total	1·15	3·19	3·60	·79	1·39	1·61	1·21	2·99	·75	2·20	2·87	2·18	YEAR'S TOTAL 23·93
Rain Days.	16	20	21	11	16	15	11	15	10	23	16	15	189

W. 8,000, VIII. 16

2375
2461

FORM A.
BRITISH RAINFALL

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bilton Grange, Rugby
in the County of Warwick
by W. H. G. Southcomb

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Rugby
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·09				·80	·08		·03	·13	1
2						·38		·08		·02	·04		2
3	·02	·03		·21				·14		·21	·06		3
4		·26	·13					·04	·03	·44		·02	4
5	·12		·06	·13						·04	·12		5
6						·58				·10	·03		6
7	·33		·03			·05				·12			7
8	·63			·13			·31	·14		·34	·16	·18	8
9			·08	·07	·12			·15			·14		9
10	·32		·19	·07	·16			·05			·01		10
11	·04	·02	·09	·29				·13		·21	·02		11
12	·10		·01	·04	·24					·28	·01		12
13				·02				·16	·11		·01		13
14	·05		·01	·04				·05					14
15							·03	·03		·03		·01	15
16	·06	·18	·01	·15		·01	·06		~~·06~~	·06		·16	16
17	·01	·04		·12	·40	·34	·19		·06	·09			17
18	·01	·01		·06	·06	·02	·12	·06	·91	·04			18
19		·27	·09		·06				·04				19
20		·18	·02		·43	·15	·14	·02	·06		·10		20
21		·01	·20		·18	·10	·02	·01			·01	·01	21
22	·01		·02						·01	·17			22
23		·15			·07			·11	·02	·04		·02	23
24		·02				·32		·03		·16	·05		24
25		·02	·03					·01			·03		25
26							·01	·25	·09		·07		26
27					·18	·38		·50				·01	27
28			·05			·30		·12		·02		·02	28
29						·07	·04	·17		·43		·23	29
30	·03	✕					·41					·01	30
31		✕	·03	✕		✕	·04	·05	✕		✕	·06	31
Total	1·73	1·19	1·05	1·42	1·90	2·70	1·37	3·10	1·41	2·80	·89	·86	YEAR'S TOTAL 20·42
Rain Days.	13	12	16	13	10	12	11	22	10	18	16	12	165

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
2461
17 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Bilton Grange, Rugby
in the County of Warwick
by W. H. G. Southcomb

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Rugby
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. .... in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·05	·08		·12		·19			·23	·03	·48	1
2	·13		·04		·04		·24			·22	·16	·04	2
3	·41		·06		·05		·20		·39		·17	·10	3
4	·13		·40				·04	·18	·28		·01	·13	4
5	·01	·16	·11			·03	·01		·15			·10	5
6			·03		·51				·34			·03	6
7	·01		·25										7
8	·17		·06	·24							·01		8
9				·04							·01		9
10			·36	·05						·01	·02	·04	10
11	·11		·28	·03			·33						11
12	·03		·12	·09						·07	·08		12
13	·04			·15		·09	·08			·07		·05	13
14	·44			·05			·08						14
15	·30	·03	·06	·09					·17	·02	·02	·40	15
16	·21	·57									·21		16
17		·40						·26			·16	·02	17
18			·19								·02	·16	18
19	·03	·31	·69			·10	1·02	·10			·01	·01	19
20		·05	·23			·03	·22	·18	·07		·17	·03	20
21		·38	·12			·11	·43	·26			·03	·14	21
22		·36					·02					·48	22
23							·02		·54	·61			23
24				·02			·01			·46	·03	·03	24
25				·04	·24			·01					25
26	·15		·17	·02				·14	·09		·01	·31	26
27	·21		·02	·34				·15			·02	·04	27
28	·08			·03							·05	·19	28
29	·03					·03		·56		·25	·07	·18	29
30				·24		·24		·05		·04	·08	·24	30
31	·01		·07				·07	·03		·04			31
Total	2·79 ✓	2·31 ✓	3·34 ✓	1·43 ✓	·96 ✓	·63 ✓	2·96 ✓	1·92 ✓	2·03 ✓	2·02 ✓	1·37 ✓	3·20 ✓	YEAR'S TOTAL 24·96 ✓
Rain Days.	19 ✓	9 ✓	19 ✓	14 ✓	5 ✓	7 ✓	15 ✓	11 ✓	8 ✓	11 ✓	21 ✓	21 ✓	160 ✓

W, 6,500, VII. 18. w w c

Gad 976 2461

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Bilton Grange Rugby
in the County of Warwick
by W. H. G. Southcomb Esqr.

Lat. — Long. —
Time of Observation 9 a.m.
Nearest Railway Station Rugby. L.N.R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft ... in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18	·27		·20		·04	·36		·12	1
2				·05			·06	·09	·08	·21		·07	2
3	·03	·03		·18			·40		·05	·08			3
4			·02	·16			·02	·32		·19		·03	4
5			·11		·14		·36	·14	·13	·07			5
6			·12		·05		·36						6
7			·03	·15	·01		·02						7
8		·08		·53	·02		·19						8
9		·01		·88			·12	·14					9
10	·20	·09	·07	·05		·03	·09				·04		10
11	·31		·02	·22	·33	·06	·05	·18				·03	11
12			·03	·07		·67					·01	·08	12
13		·02	·16	·05		·01		·05	·02		·01	·01	13
14	·02	·09	·69	·19		·14	·01		·15	·08	·18	·02	14
15			·22	·07		·71			·05	·10	·08		15
16				·03	·10	·81	·02		·19	·15			16
17				·29	·12				·85	·07			17
18	·23			·05	·09		·03	·12	·66				18
19	·02	·17		·39		·04		·08	·03				19
20	·05	·21		·18		·35	·06					·03	20
21	·01			·02				·07				·02	21
22				·10				·06	·02			·03	22
23							·29	·05				·26	23
24			·12	·04				·01				·13	24
25		·05	·02		·12		·51						25
26	·21		·11		·04							·08	26
27	·09	·01	·01	·12		·38	·06				·41	·18	27
28	·60		·01		·09		·04				·08	·03	28
29	·03		·19		·30	·06	·05				·04	·48	29
30	·01	×		·02	·05	·05	·05		·27			·21	30
31	·06	×		×	·01	×	·01		×	·25	×	·02	31
TOTAL	1·87	·76	1·93	4·02	1·74	3·31	3·00	1·31	2·54	1·56	·85	1·83	YEAR'S TOTAL 24·72
Days with ·01 in. or more	14	10	16	23	15	12	22	12	13	10	8	18	173
	6	8	9	20	11	10	16	11	10	10	6	9	126

(44,283). Wt 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L ✓

REG 12

RUGBY
FRANKTON HSE
WARWICK
1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

358a

Kept at Frankton

in the County of Warwic

by R. W. Worswi

in.

ove Ground ft. 7½ in.

„ Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2			·02										2
3													3
4	·06		·10										4
5	·14		·50										5
6			·15										6
7	·07												7
8													8
9	·33		·23										9
10	·03		·05	·21									10
11													11
12	·15												12
13	·04		·11										13
14													14
15	·04		·45										15
16	·05		·08										16
17	·66		·21										17
18	·40		·25										18
19	·25		·15										19
20	·15		·07										20
21	·08		·30										21
22			·22										22
23	·40		·08										23
24	·08												24
25	·08		·30										25
26													26
27													27
28													28
29													29
30	·01												30
31			·12										31
Total	3·02		3·39	·21									TOTAL for year
No. of Rain Days.	18		18	1									

W. 8,000, X. '11

8L

388

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

24 BL

Kept at Frankton House, Rugby

in the County of Warwickshire

by R. W. Worswich

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. 7½ in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2			·02										2
3													3
4	·06		·10										4
5	·14		·50										5
6			·15										6
7	·07												7
8													8
9	·33		·23										9
10	·03		·05	·21									10
11													11
12	·15												12
13	·04		·11										13
14													14
15	·04		·45										15
16	·05		·08										16
17	·66		·21										17
18	·40		·25										18
19	·25		·15										19
20	·15		·07										20
21	·08		·30										21
22			·22										22
23	·40		·08										23
24	·08												24
25	·08		·30										25
26													26
27													27
28													28
29													29
30	·01												30
31			·12										31
Total	3·02		3·39	·21									TOTAL for year
No. of Rain Days.	18		18	1									

W. 8,000, X. '11.

✓

REC

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

RYTON - ON - DUNSMORE

WARWICKSHIRE

1911- 1920

Kept at Ryton - on

in the County of Warw

by Charles B

l shaped

5 in.

round 1 ft. 2 in.

ea Level 260 ft.

M

ame Brandon + Wolston

istance 2½ miles Direction NE

IMPORTANT NOTE. previous day. If an Obse requested to add the readin for it at the end of this the selection and placing Organization are given in " Dr. H. R. Mill, 62, Camd

he result entered to the sal rule, he is earnestly r in the space provided ent of rain, ish Rainfall plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03								.03	.04	1
2					.15		.06		.01	.39	.04	.04	2
3					.22			.35			.03		3
4			.09						.13		.21	.22	4
5				.10				.11		.10			5
6	.37		.04	.02							.10	.37	6
7											.20	.12	7
8	.16		.17								.10	.08	8
9	.07										.07	.05	9
10	.04	.17	.49					.06			.05	.26	10
11	.16							.03			.42		11
12			.58						.33		.26		12
13			.09						.28		.05	.47	13
14		.07	.03									.37	14
15		.09	.06								.11	.03	15
16		.01				.10					.28	.10	16
17											.11	.21	17
18		.34				.06						.23	18
19						.13	.04	.02	.09	.21	.25	.04	19
20		.08						.43	.23			.39	20
21		.14	.03					.28	.02	.25		.15	21
22			.05							.14		.50	22
23		.12	.30			.14	.01		.26	.03		.09	23
24		.10	.04							.62		.13	24
25		.06	.02	.07	.65	.45		.12				.19	25
26		.11		.30		.07				.30	.17		26
27		.17	.11	.13		.03		.43	.20		.07	.09	27
28		.23		.19							.14	.06	28
29				.10		.18	.16	.07	.32	.23			29
30				.03		.09				.06			30
31			.02							.04		.03	31
Total	.80 ✓	1.69 ✓	2.15 ✓	.94 ✓	1.02 ✓	1.25 ✓	.26 ✓	1.90 ✓	1.87 ✓	2.37 ✓	2.69 ✓	4.26 ✓	TOTAL for year 21.20 ✓
No. of Rain Days.	5	13	16	8	3	9	4	10	10	11	19	24	132 ✓

W. 8,000, X. '11.

✓

REC

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

Kept at Ryton-on Dunsmore

in the County of Warwickshire

by Charles Browett

RAIN GAUGE
Pattern Funnel Shaped
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 260 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Brandon & Wolston
Distance 2½ miles Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03								.03	.04	1
2					.15		.06		.01	.39	.04	.04	2
3					.22			.35			.03		3
4			.09						.13		.21	.22	4
5				.10				.11		.10			5
6	.37		.04	.02							.10	.37	6
7											.20	.12	7
8	.16		.17								.10	.08	8
9	.07										.07	.05	9
10	.04	.17	.49					.06			.05	.26	10
11	.16							.03			.42		11
12			.58						.33		.26		12
13			.09						.28		.05	.47	13
14		.07	.03									.37	14
15		.09	.06								.11	.03	15
16		.01				.10					.28	.10	16
17											.11	.21	17
18		.34				.06						.23	18
19						.13	.04	.02	.09	.21	.25	.04	19
20		.08						.43	.23			.39	20
21		.14	.03					.28	.02	.25		.15	21
22			.05							.14		.50	22
23		.12	.30			.14	.01		.26	.03		.09	23
24		.10	.04							.62		.13	24
25		.06	.02	.07	.65	.45		.12				.19	25
26		.11		.30		.07				.30	.17		26
27		.17	.11	.13		.03		.43	.20		.07	.09	27
28		.23		.19							.14	.06	28
29				.10		.18	.15	.07	.32	.23			29
30				.03		.09				.06			30
31			.02							.04		.03	31
Total	.80	1.69	2.15	.94	1.02	1.25	.26	1.90	1.87	2.37	2.69	4.26	TOTAL for year 21.20
No. of Rain Days.	5	13	16	8	3	9	4	10	10	11	19	24	132

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
14 JAN 1913

Kept at Ryton House, Ryton-on-Dunsmore
in the County of Warwickshire
by Charles Browett

Lat. 52.20 N Long. 1.25
Time of Observation 9 AM
Nearest Railway Station Brandon & Wolston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03			.11	.03		.05			.13	1
2			.05	.11	.02	.04	.56						2
3	.10		.04		.20	.07	.18	.41	.04			.10	3
4	.10		.47		.16	.40					.28		4
5	.22	.07	.21		.11	.11		.34	.08				5
6	.34	.14			.05	.16		.10				.05	6
7		.15			.07	.22		.06					7
8	.33	.29	.17	.01		.09	.07	.80				.06	8
9		.08	.05	.13		.28			.10			.22	9
10						.19		.09			.27		10
11	.15										.10	.51	11
12		.29	.11		.13	.12	.09				.06		12
13						.07	07						13
14	.11		.38		.34	.04		.07					14
15	.09	.09	.09		.09	.24		.11		.10		.15	15
16	.80		.22			.05							16
17	.82		.18			.09		.37			.08	.30	17
18	.26		.14					.10		.07		.03	18
19		.06	.04		.06		.13	.78					19
20	.30		.37		.08		.23	.16		.24			20
21		.03	.18		.65		.02	.81		.20			21
22	.45	.12			1.14		.26	.36				.03	22
23	.08	.32	.32			.06	.64	.26			.10	.27	23
24	.10	.02				.30	.04	.07				.15	24
25						.67		.31			.27	.31	25
26		.05	.03				.40	.80		.65	.19	.18	26
27		.01			.02	.13	.18			.63		.23	27
28		.05				.13	.35	.59		.27	.23	.45	28
29						.12	.49	.03	.69	.23			29
30			.03		.30	.07				.12			30
31			.14		.30		1.00	.17					31
Total	4.25	1.77	3.25	.25	3.72	3.76	4.74	6.79	.96	2.51	1.58	3.17	YEAR'S TOTAL 36.75
Rain Days.	15	15	20	3	16	23	17	21	5	9	9	16	169

W. 7,500, XI. '12

1913

April		April 1.26		May		May 2.23	
1	.08	26	.15	1	.16	26	
2	.04	27	.16	2		27	.22
3		28	.49	3	.73	28	
4		29	1.24	4	.12	29	
5		30	.05	5		30	
6			3.35	6	.33	31	.07
7			.52	7	.22		2.52
8			3.87	8	.11		
9				9	.08		
10				10	.11		
Snow 11	.52			11	.21		
12				12	.12		
13				13			
14	.07			14			
15	.55			15			
16	.09			16			
17				17			
18	.14			18	.02		
19				19			
20	.08			20			
21	.04			21	.02		
22				22			
23				23			
24	.07			24			
25	.10			25			
	1.26				2.23		

(This was not added in my book as it was recorded as snow to one side of column)

(This is a correct copy of my book I must have made a wrong transcription in your copy.)

1913

October	
1	
2	1.42
3	.50
4	.15
5	.25
6	
7	.50
8	.71
9	
10	
11	.54
12	
13	
14	.11
15	
16	
17	
18	
19	
20	.20
21	
22	
23	
24	
25	
	4.38

October	4.38
26	.25
27	
28	.10
29	.01
30	.11
31	.03
	4.88

Written 2.4.14

Corr for arith 31.III.14 ~~HG~~ JL Ca. by obsr. 15.IV.14

FORM A. BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ryton-on-Dunsmore

in the County of Warwick

by Charles Browett

Lat. 52° 20′ Long. 1° 20′

Time of Observation 9 AM

Nearest Railway Station Brandon & Wolston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.11	.08	.16				.90		.06		1
2		.10	.04	.04					.16	1.42			2
3	.03		.18		.73				.05	.50			3
4	.72		.01		.12	.04				.15	.12	.48	4
5	.04					.03	.21		.07	.25	.06	.02	5
6		.06	.06		.33	.29	.13					.10	6
7		.12			.22	.05				.50	.15	.03	7
8		.07			.11	.14				.71	.01		8
9		.40	.04		.08	.20			.07		.05		9
10					.11			.03			.32		10
11	.98			.52	.21			.11		.54	.47		11
12					.12			.06			.77		12
13			.08					.02	.01		.25		13
14	.10		.54	.07					.20	.11	.01		14
15		.04	.48	.55				.11			.01		15
16	.10		.87	.09				.09			.01		16
17							.15				.01		17
18			.25	.14	.02				.03		.01		18
19	.26		.13				.10	.09	.23		.13		19
20	.28			.08					.05	.20			20
21			.16	.04	02 .09		.12				.41		21
22	.55		.36					.10	.37				22
23						.05			.04		.02		23
24	.06			.07									24
25				.10									25
26		.15		.15						.25		.36	26
27		.04		.16	.22								27
28	.45			.49						.10			28
29			.53	1.24						.01			29
30	.29			.05						.11	.14		30
31			.05		.07			.09		.03			31
Total	3.96	.98	3.89	3.87	2.52	.80	.71	.70	2.18	4.88	3.01	.99	YEAR'S TOTAL 28.49
Rain Days.	13	8	16	16	14	7	5	9	12	14	19	5	138

3.87

28.49

W.7,000, XI. 13

C7 M2

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9-JAN 1915

Kept at Ryton House. Ryton-on-Dunsmore
in the County of Warwickshire
by Charles Browett

Lat. 52.20 Long. 1.20
Time of Observation 9 A M
Nearest Railway Station Brandon, Wolston NW
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.08			1.22	.14			.04	.05	1
2								.45			.77	.50	2
3			.05		.23		.32						3
4	.27		.03	.21	.15			.14			.41	.29	4
5			.06	.29	.16	.12	.17	.09			.11		5
6		.14		.03	.04						.19	.04	6
7		.11	.33		.13	.15	.06	.07					7
8	.08		.20	.11	.08	1.11	.11	.23					8
9	.32	.09	.20	.20		1.25		.08	.05				9
10	.04		.34	.27	.14	.09			.17				10
11		.12		.17	.21	.08					.22	.46	11
12		.04	.07				.13		.24		.04	.27	12
13		.17	.17						.03	.23	.18	.35	13
14			.12				.12			.30	.09	.28	14
15	.04	.01	.08						.06		.03	.04	15
16			.10				.14		.09				16
17		.24							.10			.32	17
18			.06				.14					.41	18
19			.05				.02						19
20		.18	.20				.30		.05			.18	20
21		.35	.10			.05	.03	.08		.13		.23	21
22					.27			.14		.28			22
23		.06	.12		.12					.12		.03	23
24			.12							.54	.08		24
25	.10		.06				.06	.19		.46	.03	.21	25
26			.07					.12			.22	.28	26
27	.08									.05		.18	27
28		.09	.09							.10	.05	.60	28
29			.11							.23			29
30		×	.06		.04					.01	.40	.63	30
31	.05	×		×	.06	×	.43		×		×	.04	31
Total	.98	1.60	2.79	1.36	1.63	2.85	3.25	1.73	.79	2.45	2.86	5.39	YEAR'S TOTAL 27.68
Rain Days.	8	12	23	8	12	7	14	11	8	11	15	20	149

W. 8,000. X. 14.

ed JS

2564

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ryton House . Ryton-on-Dunsmore

in the County of Warwickshire

by Charles Browett

Lat. 52-20 Long. 1-20 W

Time of Observation 9 AM

Nearest Railway Station Brandon & Wolston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11	.12	.08		.31			.06	.07	.08		.05	1
2	.14	.18	.33	.14		.10		.69	.02	.25		.07	2
3	.46		.03	.12			1.41	.23		.02		.10	3
4					.07		.19					.57	4
5		.30						.07			.02	.31	5
6	.24	.40		.18			.90	.06				.04	6
7	.08	.28		.04	.15	.36	.28	.10				.28	7
8	.04	.10		.04				.05			.06		8
9		.05		.03				.01			.17	.38	9
10	.32		.08					.07			.10		10
11				.07	.07		.22				.71		11
12	.06			.22	.42			.08			.75	.45	12
13		.36			.82								13
14		.03						.07				.11	14
15	.26				.09		.11	.04			.17		15
16	.05	.45			.15		1.03	.14				.02	16
17		.18			.23		.07						17
18		.38	.20					.03					18
19					.09		.16						19
20	.32											.10	20
21	.12	.16					.17					.08	21
22	.16		.20	.12			.54					.13	22
23	.01	.07	.04				.52		.05	.55		.27	23
24						.03	.16		.70	.20		.13	24
25						.11	.08		.17	.08		.44	25
26		.15					.03		.06			.35	26
27		.13					.28			.44		.04	27
28		.13					.02	.09	.08	.11			28
29						.12		.08			.25	.07	29
30		X				.57				.23	.11	.07	30
31	.10	X		X		X		.03	X	.07	X	.17	31
Total	2.47	3.47	.96	.96	2.40	1.29	6.17	1.90	1.15	2.03	2.34	4.23	YEAR'S TOTAL 29.37
Rain Days.	15	17	7	9	10	6	17	17	7	10	9	22	146

W. 8,000. X. 15.

2499

FORM A.
BRITISH RAINFALL

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ryton House Ryton-on-Dunsmore
in the County of Warwickshire
by Charles Browett

Lat. 52.20 N Long. 1.20 W
Time of Observation 9 AM
Nearest Railway Station Brandon & Wolston L.N.W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18		.07			.15	.08				.25		1
2	.41	.02	.06		.24		.06		.03	.46	.08		2
3		.50					.26			.17	.04		3
4	.32	.04			.40	.21			.12	.07	.20		4
5	.05				.11	.30				.07	.13		5
6	.03		.13	.07	.21		.37			.12	.26		6
7	.04		.15			.06	.38			.05	.60	.28	7
8	.02		.06								.05		8
9	.01		.04		.25	.32						.24	9
10		.11	.09	.06		.02							10
11	.05	.20	.06	.13	.09	.29			.06		.82	.25	11
12	.05	.09	.09		.54	.04	.10			.08	.40		12
13		.17	.25				.07	.15			.13		13
14		.55		.16	.03								14
15		.29	.54	.02			.12	.23		.02			15
16		.07	.50	.25	.14		.09	.29		.22			16
17	.09	.08		.10			.03	.11	.31				17
18		.13	.02	.03				.26	.09				18
19	.06	.04	.16	.11					.17			.20	19
20	.03		.28	.04				.08				.15	20
21			.19				.04					.40	21
22		.06	.03		.09							.58	22
23	.03	.27				.05		.07			.08	.15	23
24		.17				.41		.09		.13			24
25		.25	.12		.04			.34		.02	.20		25
26	.01	.09	.05			.07		.06		.10			26
27	.04	.07	.70				.20						27
28		.25	.24	.08						.20		.17	28
29		.10				.26		1.04		.20		.16	29
30		X						.01		.28			30
31		X		X		X			X	.12	X	.12	31
Total	1.42	3.55	3.83	1.05	2.14	2.18	1.80	2.73	.78	2.31	3.24	2.70	YEAR'S TOTAL 27.73
Rain Days.	16	21	21	11	11	12	12	12	6	16	13	11	162

W. 8,000, VIII. 16

Exd

2378

FORM A.
BRITISH RAINFALL
4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ryton-on-Dunsmore
in the County of Warwickshire
by Charles Browett

Lat. 52 20 N Long. 1 20 W
Time of Observation 9 AM
Nearest Railway Station Brandon, Wolston L N W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.05				.76	.17			.23	1
2						.17		.08		.04			2
3		.09		.20				.16		.28			3
4		.17						.08	.04	.35			4
5	.20			.23							.17		5
6			.09			.22				.17			6
7	.47							.30		.10			7
8	.51						.25	.27		.39		.16	8
9			.25					.19			.36		9
10	.46		.28	.32	.53					.24			10
11	.09		.10	.23				.40	.07				11
12	.09				.22	.03				.24		-	12
13				.09				.16	.05				13
14	.06			.04									14
15								.03					15
16	.06	.34		.15		.03	.15			.13		.30	16
17	.02			.14	.50	.27	.30			.10			17
18				.04	.07	.03	.18	.12	.92	.04			18
19		.29	.14	.02	.08	.03			.06				19
20		.20			.29	.15	.22	.04	.06		.08		20
21			.13		.26	.17	.02	.02					21
22								.09		.16		.13	22
23		.15			.10			.21	.02	.05		.09	23
24						.29		.03		.21		.06	24
25		.05									.16		25
26								.35	.17		.12		26
27			.12		.39	.15	.03	.57					27
28						.53		.15					28
29						.27	.08	.05		.47			29
30		X					.34	.21		.02			30
31		X	.12	X		X	.04	.05	X		X		31
Total	1.96	1.29	1.23	1.51	2.44	2.34	1.61	4.32	1.56	2.99	.89	.97	YEAR'S TOTAL 23.11
Rain Days.	9	7	8	11	9	13	10	22	9	16	5	6	125

W. 8,000, IX. 17.

Esc 82

23

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

21 2 18

Kept at Ryton on Dunsmore
in the County of Warwickshire
by Charles Browett

Lat. 52.20 N Long. 1.20 W
Time of Observation 9 A.M.
Nearest Railway Station Brandon + Wolston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		.10		.07						~~.02~~			
1		.22		.11						.02	.17		1
2		.08		.01				.09				.14	2
3		.06			.26			.07	.26		.27	.01	3
4		.01							.45	.04	.52	.13	4
5			.35		.25			.11	.09	.06			5
6		.23		.19						.17			6
7		.05		.04					.09	.05	.15		7
8	.07	.38							.17	.03		.20	8
9				.17		.08	.37		.30	.40		.07	9
10	.14						.28		.07				10
11					.13		.40		.14	.37		.17	11
12			.08		.14		.16					.01	12
13				.03	.04				.19	.02		.06	13
14	.39			.02		.05	.25			.12			14
15	.73			.44			.19		.28			.15	15
16				.49		.19			.02		.08		16
17	.37			.02			.40		.07	.06		.14	17
18	.25					.21	.38		.19			.24	18
19	.22	.17	.12				.12					.44	19
20		.10		.73		.05	.62		.04				20
21	.04			.40			.03		.14	.13		.10	21
22	.15				.23	.03	.08		.26	.11		.35	22
23					.55				.06				23
24							.53		.03		.15		24
25					.01		.08	.26	.05	.05			25
26					.27		.67	.03	.02			.16	26
27			.03				.08	.32			.17	.12	27
28			.25	.02					.16		.19	.08	28
29									.83			.02	29
30		X	.32					.07	.03		.09	.33	30
31		X	.45	X		X		.06	X		X	.02	31
Total	2.36	1.40	1.60	2.74	1.88	.61	4.64	1.01	3.94	1.63	1.79	2.94	YEAR'S TOTAL 26.54
Rain Days.	9	10	7	14	9	6	16	8	23	14	9	20	145

W. 6,500. VII. 18. W W C

2237

9 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ryton House. Ryton-on-Dunsmore
in the County of Warwick
by Charles Browett

Lat. 52.20 Long. 1 20. W
Time of Observation 9 A M
Nearest Railway Station Brandon & Wolston L & N W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.04	.11	.01	.21		.10				.07	.53	1
2	.20	.05	.07				.16	1.11				.04	2
3	1.15		.07		.06		.09	.31			.32	.03	3
4			.44		.01	.11	.16	.12	.09			.22	4
5	.10	.30	.06				.02	.30				.11	5
6	.02		.07		.62				.01		.09		6
7	.02		.21	.02							.03		7
8	.09		.08	.33									8
9			.02										9
10			.45	.04							.03	.19	10
11	.08		.34		.05		.37					.02	11
12	.10		.10	.07		.12				.50	.09	.01	12
13	.22			.17			.11					.05	13
14	.49			.08			.07	.30		.11		.02	14
15	.21		.07	.17								.28	15
16	.27	.82					.04		.35				16
17		.62				.01					.30	.02	17
18			.32	.03					.23		.05	.25	18
19		.43	.95				1.47	.03	.22		.04		19
20	.13		.15			.05	.29	.04	.18		.20	.09	20
21	.58	.59	.09				.38				.05	.20	21
22	.01	.26						.24				.46	22
23						.12	.02			.68		.06	23
24										.50	.05	.02	24
25				.11	.19				.32			.03	25
26	.17		.20					.12	.03			.36	26
27	.20			.40							.07	.02	27
28	.09		.04	.10					.90		.15	.26	28
29	.02			.04		.08			.04		.05	.15	29
30	.02		.21	.18		.25			.02	.25	.09	.27	30
31			.02				.09			.02		.03	31
													YEAR'S TOTAL
TOTAL	4.58	3.11	4.07	1.75	1.14	.74	3.37	2.57	2.39	2.06	1.68	3.72	31.18
Days with ·01 in. or more	21	8	21	14	6	7	14	9	11	6	16	25	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Ryton-on-Dunsmore
in the County of Warwick
by Charles Browett

Lat. 52.20 N Long. 1.20 W
Time of Observation 9 A.M.
Nearest Railway Station Brandon & Wolston L.N.W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.13	.40		.19			.53		.16	1
2				.05			.14	.02	.04	.13		.15	2
3	.03			.20	.02	.03	1.42	.03	.15	.14			3
4				.23	.01		.04	.46		.28		.04	4
5			.20	.02	.14		.51	.24		.14		.09	5
6			.34	.01	.07		.34	.01	.18	.03			6
7	.02		.03	.17	.02		.09						7
8	.53	.11		.63	.03		.27						8
9	.38	.03	.03	.57			.03	.11					9
10	.49	.09	.11	.12	.02		.10				.09		10
11	.22		.04	.13	.48	.15	.05					.02	11
12	.04	.03	.04	.31	.01	1.02	.07	.08			.05	.16	12
13			.27	.10				.04	.04		.01		13
14			1.12	.25		.14			.15	.03	.18		14
15	.06	.13	.17	.20		.24			.15	.35	.08		15
16			.01	.04	.13	.38			.24	.27			16
17				.08	.16		.10		.77	.08		.05	17
18	.19			.35	.07			.17	.53		.02		18
19		.45		.38		.09		.15	.04				19
20				.24		.31						.05	20
21				.03			.11	.09	.02			.02	21
22	.08			.10			.04	.07	.04			.05	22
23							.22	.03				.32	23
24			.16	.03								.11	24
25	.02		.07	.04	.25		.51	.02				.01	25
26		.06	.14	.05		.02	.05					.09	26
27	.26		.05	.10	.08	.39					.22	.28	27
28	.54		.02	.02	.16		.07				.09	.03	28
29	.04		.19	.01	.73	.03	.06				.06	.46	29
30	.02	╳		.04	.05	.07	.04		.36		.10	.39	30
31	.07	╳	.04	╳	.04	╳	.09		╳	.34	╳	.06	31
													YEAR'S TOTAL
TOTAL	2.99	.90	3.03	4.63	2.87	2.87	4.47	1.52	2.71	2.32	.90	2.54	31.75
Days with ·01 in. or more	16	7	18	29	19	12	22	14	13	11	10	19	~~180~~ 190
Days with ·04 in. or more	12	5	14	~~22~~ 23	13	9	20	~~10~~ 9	12	9	8	15	149

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

SELLY OAK
BOURNVILLE
WARWICKSHIRE
1911 – 1920

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

19 11

Snowdon

Kept at Bourn

in the County of

by P. H. Sanders

f top 5 in.

p above Ground 1 ft. 3 in.

„ Sea Level 433½ ft.

9 am.

ation Name Bournville
Distance ¼ m. Direction E.

IMPORTANT ... n., and the result entered to the previous day. If ... st universal rule, he is earnestly requested to add t ... ing year in the space provided for it at the end ... asurement of rain, the selection and ... he British Rainfall Organization are given in ... ee on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					–	–	–	·05	–	–	·04	–	1
2					·15	–	·005	·11	–	·10	·05	·04	2
3					·40	–	–	–	·06	·03	·05	·03	3
4					–	–	–	·04	·04	·13	·24	·21	4
5					–	–	–	·05	–	·06	·025	–	5
6					–	–	–	·025	–	–	·06	·47	6
7					–	–	–	–	–	–	·24	–	7
8					–	–	–	–	–	–	·02	·44	8
9					–	–	–	–	–	–	·44	·09	9
10					–	–	–	·04	–	–	–	·59	10
11					–	–	–	–	–	–	·32	–	11
12					–	–	–	–	·04	–	·33	–	12
13	No records taken	No records taken	No records taken	No records taken	–	–	–	·03	·09	–	·03	·31	13
14					–	–	–	–	–	–	–	·96	14
15					–	–	–	–	–	–	·13	·06	15
16					–	·11	–	–	–	–	·17	·11	16
17					–	·15	–	–	–	–	·24	·29	17
18					–	·18	–	–	–	·09	–	·33	18
19					–	·56	·015	·005	·28	·22	·18	·07	19
20					–	–	–	·16	·14	–	–	·50	20
21					–	–	–	·31	–	·42	–	·09	21
22					–	·09	–	–	–	·24	–	·39	22
23					–	·05	·010	–	·37	·10	–	·21	23
24					–	·38	–	·06	·005	·25	–	·15	24
25					·16	·08	·03	·04	–	·005	–	·06	25
26					·015	·01	–	·09	–	·26	·29	·11	26
27					·02	–	–	·59	·28	–	·025	·13	27
28					–	–	–	–	–	–	·15	·04	28
29					–	·16	·16	·015	·26	·20	·005	·01	29
30					–	·06	–	·215	–	·17	–	–	30
31					–		–	–		·05		–	31
Total					·745	1·83	·220	1·830	1·565	2·325	3·035	5·69	TOTAL for year
No. of Rain Days					5	11	5	15 ~~16~~	10	14 ~~15~~	20	24	

7,000. X. '09.

19 11

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Bournville

in the County of Worcester.

by C. H. Sanders for Cadbury Bros. Ltd.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
„ „ „ Sea Level 433½ ft.

Time of Observation 9 am.

Nearest Railway Station
Name Bournville
Distance ¼ m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					—	—	—	·05	—	—	·04	—	1
2					·15	—	·005	·11	—	·10	·05	·04	2
3					·40	—	—	—	·06	·03	·05	·03	3
4					—	—	—	·04	·04	·13	·24	·21	4
5					—	—	—	·05	—	·06	·025	—	5
6					—	—	—	·025	—	—	·06	·47	6
7					—	—	—	—	—	—	·24	—	7
8					—	—	—	—	—	—	·02	·44	8
9	No records taken	No records taken	No records taken	No records taken	—	—	—	—	—	—	·44	·09	9
10					—	—	—	·04	—	—	—	·59	10
11					—	—	—	—	—	—	·32	—	11
12					—	—	—	—	·04	—	·33	—	12
13					—	—	—	·03	·09	—	·03	·31	13
14					—	—	—	—	—	—	—	·96	14
15					—	—	—	—	—	—	·13	·06	15
16					—	·11	—	—	—	—	·17	·11	16
17					—	·15	—	—	—	—	·24	·29	17
18					—	·18	—	—	—	·09	—	·33	18
19					—	·56	·015	·005	·28	·22	·18	·07	19
20					—	—	—	·16	·14	—	—	·50	20
21					—	—	—	·31	—	·42	—	·09	21
22					—	·09	—	—	—	·24	—	·39	22
23					—	·05	·010	—	·37	·10	—	·21	23
24					—	·38	—	·06	·005	·25	—	·15	24
25					·16	·08	·03	·04	—	·005	—	·06	25
26					·015	·01	—	·09	—	·26	·29	·11	26
27					·02	—	—	·59	·28	—	·025	·13	27
28					—	—	—	—	—	—	·15	·04	28
29					—	·16	·16	·015	·26	·20	·005	·01	29
30					—	·06	—	·215	—	·17	—	—	30
31					—		—	—		·05		—	31
Total					·745	1·83	·220	1·830	1·565	2·325	3·035	5·69	TOTAL for year
No. of Rain Days					5	11	5	15 ~~16~~	10	14 ~~15~~	20	24	

7,000. X. '09.

Cod 7·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

8 FEB 1913

Kept at Bournville

in the County of Warwick 4

by Cadbury Bros Ltd. (P. H. Sanders Observer)

Lat. 52° 25′ 41″ Long. 1° 55′ 52″

Time of Observation 9 am.

Nearest Railway Station Bournville

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 433·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·12	–	–	·18	·09	–	·10	–	–	·13	1
2	–	·015	·105	·01	·03	·16	·42	–	–	–	–	·015	2
3	·07	–	·04	–	·075	·13	·285	·79	·035	–	–	·06	3
4	·13	–	·69	–	·24	1·05	–	·55	–	–	·22	–	4
5	·16	·06	·38	–	·025	·07	–	·21	·025	–	·01	·01	5
6	·30	·20	·005	–	·01	·39	–	·46	·01	–	–	·07	6
7	–	·18	–	–	·08	·18	–	·06	–	–	–	·02	7
8	·35	·225	·34	·05	–	·05	·22	·13	·13	–	–	·06	8
9	·03	·05	·44	·14	–	·18	–	·13	–	–	–	·35	9
10	·03	–	–	·01	–	·15	–	·08	·015	–	·36	(·02)	10
11	·10	·11	–	–	–	·17	–	·015	–	–	·08	·56	11
12	·05	·27	·22	–	·10	·025	–	–	–	–	·02	·01	12
13	·02	·025	–	–	–	–	–	–	–	·005	·025	·005	13
14	·14	–	·565	–	·025	·055	–	·055	·01	–	–	–	14
15	·17	·05	·17	–	·35	·30	–	–	–	–	–	·20	15
16	·59	–	·28	–	·05	·025	–	·10	–	·09	–	–	16
17	1·35	–	·23	–	–	·18	–	·60	–	–	·08	·54	17
18	·22	–	·04	–	–	–	–	·08	–	·025	·03	–	18
19	·15	·09	·03	–	·03	–	·23	·52	–	·04	·015	·005	19
20	·04	–	·18	–	–	–	·06	·05	–	·30	–	–	20
21	–	·01	·36	–	·90	–	–	·44	–	·51	·005	–	21
22	·28	·16	–	–	·96	·30	·23	·36	–	–	–	·16	22
23	·25	·08	·29	–	–	·015	·25	·24	–	–	·07	·09	23
24	·14	·015	·015	–	·005	·23	·025	·04	–	–	–	·36	24
25	–	–	–	–	–	·40	–	·38	–	–	·195	·44	25
26	–	·08	·04	–	–	·04	·33	·70	–	·61	·36	·28	26
27	–	–	–	–	–	·31	·31	–	–	·87	·01	·19	27
28	–	·10	–	–	–	·055	·28	·70	·10	·24	·57	·38	28
29	–	·015	·02	–	–	·18	·20	·025	·40	·20	·05	·045	29
30	·01		·01	–	·06	·165	·04	–	–	·07	(·02)	–	30
31	–		·10		·23		·41	·06		–		·11	31
Total	4·58	1·735	4·67	·21	3·170	4·99	3·38	6·775	·825	2·96	2·12 ✓	4·11 ✓	YEAR'S TOTAL 39·525 ✓
Rain Days.	21	18	23	4	~~16~~ 15	25	15	24	9	11	16 ✓	23 ✓	204

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at Bournville

in the County of ~~Warwick~~ / Worcester

by P. H. Sanders for Cadbury Bros. Ltd

Lat. 52° 25′ 41″ Long. 1° 55′ 52″

Time of Observation 9 am.

Nearest Railway Station Bournville

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 433·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	·01	·19	·21	–	–	–	–	·53	–	·06	–	1
2	·015	·10	·025	·09	–	–	·02	–	·015	·28	·08	–	2
3	·05	–	·15	–	·82	–	–	–	·04	·17	–	·19	3
4	·96	·02	–	–	·21	–	·03	–	–	·06	·05	·38	4
5	·13	·05	–	–	–	·12	·11	–	·03	·73	·09	·015	5
6	·045	·09	·15	–	·27	·40	·87	–	–	·12	–	·17	6
7	–	·13	–	–	·18	·05	·03	–	–	·33	·14	·02	7
8	–	·04	–	–	·13	·17	–	·07	–	·59	–	–	8
9	–	·35	·08	·01	·08	·49	·11	·08	·16	–	·12	·06	9
10	·03	–	–	·16	·03	–	–	·04	–	–	·16	–	10
11	·87	–	–	·39	–	·035	–	·18	–	·05	·59	–	11
12	–	–	–	–	·06	–	–	–	–	–	·43	–	12
13	·07	–	·12	·02	–	–	–	·035	·28	–	·33	–	13
14	·14	–	·67	·06	–	–	–	·10	·01	·14	·02	–	14
15	·06	·07	·80	·70	–	–	–	–	·09	–	·01	·02	15
16	·02	·01	·68	·05	–	–	–	–	·01	–	·01	–	16
17	·03	·01	·09	·24	–	·04	·05	–	·17	–	·01	–	17
18	·005	–	·16	·11	·12	–	·05	–	–	–	·03	–	18
19	·18	–	·09	·04	–	–	·04	–	·14	–	–	–	19
20	·14	–	·38	·11	–	–	·01	–	·02	·01	·24	–	20
21	·01	–	·30	·04	·06	–	·04	·06	–	–	·34	–	21
22	·53	–	·66	–	–	·06	–	·18	·49	–	–	–	22
23	·06	–	·08	–	–	·10	–	·07	·04	–	·04	–	23
24	·14	–	–	·05	–	–	–	·02	–	–	·01	–	24
25	–	–	–	·08	–	–	–	–	·[illegible]3	·01	–	–	25
26	–	·07	–	·74	·02	–	–	·23	·005	·05	–	·28	26
27	–	·04	·03	·41	–	–	–	–	–	·05	–	–	27
28	·39	–	·12	·36	·05	–	–	–	–	·14	–	·07	28
29	–		·46	·51	–	–	–	·08	–	·03	–	·05	29
30	·38		–	–	–	–	–	–	–	·43	·16	–	30
31	·02		·13		–		–	·05		·025		–	31
Total	4·275	·99	5·365	4·38	2·03	1·465	1·36	1·195	2·060	3·215	2·920	1·255	YEAR'S TOTAL 30·510
Rain Days.	22 21	13	20	20	12	9	11	13 days	16, 15	17.	20	10	182

181

W 7,500, XI. 12

cwd for auth 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Bournville

in the County of ~~Worcester~~ Warwick 4

by P. H. Sanders for Cadbury Bros Ltd

Lat. 52° 25' 41" Long. 1° 55' 22"
Time of Observation 9 am.
Nearest Railway Station Bournville
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 432½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·01	–	·03	·80	·27	–	–	·02	·06	1
2	–	–	–	–	–	–	·10	·17	–	·015	·53	·33	2
3	–	–	·02	·04	·18	–	·20	·27	–	–	·11	·02	3
4	·20	–	·07	·19	·04	–	·01	·12	–	–	·71	·55	4
5	·08	–	·09	·20	·08	·07	·33	·025	–	–	·17	·01	5
6	·02	·06	–	–	·10	·03	–	–	–	–	·10	·14	6
7	–	·21	·31	·06	·08	·15	·75	·16	–	–	–	·31	7
8	·02	–	·05	·01	·18	1·00	–	·15	·01	–	–	·17	8
9	·28	–	·11	·27	·04	1·28	–	·07	·04	–	–	–	9
10	·10	·14	·01	·27	·07	·05	–	–	·24	–	–	–	10
11	–	·10	·38	·02	·07	·10	–	–	·01	–	·28	·72	11
12	–	·13	·13	–	–	–	·23	–	·30	–	·06	·28	12
13	–	·21	·22	–	–	–	·04	–	·07	·13	·30	·45	13
14	·01	·13	·11	–	–	–	·025	–	–	·25	·18	·11	14
15	·02	·025	·09	–	–	–	·02	·07	·10	·08	·01	–	15
16	·005	–	·09	–	–	–	·015	–	·19	–	–	–	16
17	·02	·27	·12	–	–	–	·02	–	·10	–	–	·25	17
18	–	–	–	–	–	–	·27	–	·015	–	–	·43	18
19	–	–	·05	–	–	–	·45	–	·15	–	0·8	·10	19
20	–	·57	·07	–	–	·08	·08	–	·06	–	–	·33	20
21	–	·36	·03	–	–	–	·03	–	–	·13	–	·23	21
22	–	·04	·06	–	·55	·04	·03	·20	–	·17	–	–	22
23	–	·03	·17	–	·24	·03	·01	–	–	·05	–	–	23
24	–	·01	·03	·01	·04		·03	·07	–	·08	·10	–	24
25	·10	–	·07	–	–	–	·03	·32	–	·50	·07	·20	25
26	–	–	·10	–	–	–	·04	·15	–	·13	·24	·35	26
27	·06	–	–	–	–	–	–	–	–	·11	·32	·31	27
28	·015	·10	·16	–	·08	–	–	–	–	·15	·17	1·12	28
29	–		·10	–	·12	–	–	–	–	·22	·13	–	29
30	–		·03	–	·01	·11	–	–	–	·03	·36	·80	30
31	·06		–		·01		·32	–		·02		–	31
Total	·99	2·385	2·670	1·08 ~~1·150~~	1·890	2·970	3·830	2·045	1·285	2·065	3·94	7·27	YEAR'S TOTAL 32·42 32·42
Rain Days.	14	15	25	10	16	12	22	13	12	15	19	22	195

W.7,000, XI. 13

REGIS

SELLY. OAK —
BOURNVILLE
WARWICK.
1915

5

FORM A.
BRITISH RAINFALL.

8. JAN 1916

Kept at Bournville
g. 1° 55′ 22″
in the County of Worce
a am.
by P.H. Sanders for
Bournville
5 in.
above Ground 1 ft. 0 in.
„ Sea Level 432½ ft.

IMPORTANT NOTE. … and the result entered to the previous day. If an Obse … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·17	·10	–	·30	–	–	·08	·22	·12	·04	·05	1
2	·08	·16	·32	·13	–	·10	–	·42	–	·29	–	·06	2
3	·97	·04	·04	·08	–	–	1·14	·015	–	–	·01	·17	3
4	·01	·005	–	–	·03	–	·63	–	–	–	–	·83	4
5	–	·72	–	·02	–	·02	–	·06	–	–	–	·37	5
6	·13	·07	–	·26	–	–	·69	·13	–	–	–	·06	6
7	·09	·58	–	·07	·05	·59	·20	·09	–	–	–	·42	7
8	·16	·31	–	–	–	–	–	·03	–	–	·13	–	8
9	·04	·24	–	·15	–	–	–	·005	–	–	·23	·44	9
10	·42	–	·04	·03	–	–	·01	·005	–	–	·03	·06	10
11	·01	–	–	·07	·09	–	·11	–	–	–	·78	·06	11
12	·07	·01	–	·16	·45	–	–	·04	–	·05	1·40	–	12
13	–	·41	–	–	·80	–	–	·02	–	–	–	·07	13
14	·01	–	–	–	–	–	·15	·21	·03	·02	–	·47	14
15	·47	–	–	·005	·08	–	·09	·24	–	–	·14	·22	15
16	·13	·67	–	–	·18	–	1·94	–	–	–	–	·03	16
17	–	·30	–	–	·24	–	–	–	–	–	–	·01	17
18	–	·37	·12	–	–	–	–	–	–	–	–	–	18
19	–	·02	·01	–	·07	–	·16	–	–	–	–	–	19
20	·26	–	–	·09	–	–	–	–	–	–	–	·09	20
21	·24	·03	–	–	–	–	·11	–	–	·03	–	·05	21
22	·07	–	·19	·05	–	–	·25	–	·02	·01	–	·11	22
23	·08	·13	·04	–	–	·20	·80	–	·015	·70	–	·26	23
24	–	–	·02	·06	–	–	·08	–	·21	·28	–	·16	24
25	–	–	–	–	–	·58	·20	–	–	·015	–	·33	25
26	–	·18	–	–	–	–	·27	–	·12	–	–	·37	26
27	–	·10	·005	–	–	–	·20	–	–	·53	–	·13	27
28	–	·23	–	–	–	–	·01	·21	·10	·11	–	–	28
29	–		–	–	–	–	·09	·07	–	–	·10	·06	29
30	·09		–	–	–	·08	·04	–	–	·17	·03	·06	30
31	·06		–				·09	·04		·15		·31	31
Total	3·600	4·745	0·885	1·175	2·290	1·570	7·260	1·665	0·715	2·475	2·890	5·250	YEAR'S TOTAL 34·520
Rain Days.	3·60 20	20	~~10~~ 9	13	10	6	21	~~16~~ 15	7	13	10	26	34·52 17~~2~~0

W.7,000, XI. 13

REGISTER OF RAINFALL 5

FORM A.
BRITISH RAINFALL.

6. JAN 1916

Kept at Bournville

in the County of Worcester Warwick

by C. H. Sanders for Cadbury Bros Ltd.

Lat. 52° 25′ 41″ Long. 1° 55′ 22″

Time of Observation 9 am.

Nearest Railway Station Bournville

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 432 ½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·17	·10	–	·30	–	–	·08	·22	·12	·04	·05	1
2	·08	·16	·32	·13	–	·10	–	·42	–	·29	–	·06	2
3	·97	·04	·04	·08	–	–	1·14	·015	–	–	·01	·17	3
4	·01	·005	–	–	·03	–	·63	–	–	–	–	·83	4
5	–	·72	–	·02	–	·02	–	·06	–	–	–	·37	5
6	·13	·07	–	·26	–	–	·69	·13	–	–	–	·06	6
7	·09	·58	–	·07	·05	·59	·20	·09	–	–	–	·42	7
8	·16	·31	–	–	–	–	–	·03	–	–	·13	–	8
9	·04	·24	–	·15	–	–	–	·005	–	–	·23	·44	9
10	·42	–	·04	·03	–	–	·01	·005	–	–	·03	·06	10
11	·01	–	–	·07	·09	–	·11	–	–	–	·78	·06	11
12	·07	·01	–	·16	·45	–	–	·04	–	·05	1·40	–	12
13	–	·41	–	–	·80	–	–	·02	–	–	–	·07	13
14	·01	–	–	–	–	–	·15	·21	·03	·02	–	·47	14
15	·47	–	–	·005	·08	–	·09	·24	–	–	·14	·22	15
16	·13	·67	–	–	·18	–	1·94	–	–	–	–	·03	16
17	–	·30	–	–	·24	–	–	–	–	–	–	·01	17
18	–	·37	·12	–	–	–	–	–	–	–	–	–	18
19	–	·02	·01	–	·07	–	·16	–	–	–	–	–	19
20	·26	–	–	·09	–	–	–	–	–	–	–	·09	20
21	·24	·03	–	–	–	–	·11	–	–	·03	–	·05	21
22	·07	–	·19	·05	–	–	·25	–	·02	·01	–	·11	22
23	·08	·13	·04	–	–	·20	·80	–	·015	·70	–	·26	23
24	–	–	·02	·06	–	–	·08	–	·21	·28	–	·16	24
25	–	–	–	–	–	·58	·20	–	–	·015	–	·33	25
26	–	·18	–	–	–	–	·27	–	·12	–	–	·37	26
27	–	·10	·005	–	–	–	·20	–	–	·53	–	·13	27
28	–	·23	–	–	–	–	·01	·21	·10	·11	–	–	28
29	–		–	–	–	–	·09	·07	–	–	·10	·06	29
30	·09		–	–	–	·08	·04	–	–	·17	·03	·06	30
31	·06		–				·09	·04		·15		·31	31
Total	3·600	4·745	0·885	1·175	2·290	1·570	7·260	1·665	0·715	2·475	2·890	5·250	YEAR'S TOTAL 34·520
Rain Days.	3·60 20	20	~~10~~ 9	13	10	6	21	~~16~~ 15	7	13	10	26	34·52 17~~2~~0

W.7,000, XI. 18

FORM A. BRITISH RAINFALL. 18 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bournville

in the County of Worcester Warwick

by P. H. Sanders for Cadbury Bros. Ltd.

Lat. 52° 25' 41" Long. 1° 55' 22"

Time of Observation 9 am.

Nearest Railway Station Bournville

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 432½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·01	·06	–	·01	·18	·13	–	–	·07	·22	–	1
2	·33	·06	·20	–	·23	·025	·51	–	·12	·59	·015	–	2
3	–	·62	–	–	·02	·015	–	–	·17	·33	·10	–	3
4	·36	·07	–	·01	·56	·43	–	–	·02	·03	·41	–	4
5	·02	–	–	–	·26	·22	·04	–	–	·07	·42	–	5
6	·03	·18	·12	·04	·32	·06	·48	–	–	·06	·50	–	6
7	·09	–	(·14)	–	·14	·01	·27	–	–	·15	·345	–	7
8	·02	·02	·04	–	·22	·095	–	–	–	·03	·05	·15	8
9	–	–	·025	–	·24	·14	–	–	·015	·085	·01	·28	9
10	–	·32	·09	·09	·025	·085	·01	–	–	·05	–	·02	10
11	·14	·13	·07	·19	·02	·28	–	–	·04	–	–	·005	11
12	·02	·10	·06	–	·27	·005	·15	·015	–	·07	–	·21	12
13	·02	·18	·15	·06	–	–	·13	·44	–	–	–	–	13
14	–	·45	–	·07	·02	–	–	·12	–	·08	–	·01	14
15	–	·21	·62	·01	·10	–	·17	·42	·015	·09	–	–	15
16	–	·04	·09	·22	·03	–	·01	·035	·01	·015	–	–	16
17	·10	·17	–	·19	–	–	–	·15	·32	·20	–	–	17
18	–	·09	·05	·17	–	–	–	·04	·18	·07	·71	–	18
19	·04	·015	·10	·12	–	–	–	·01	·01	–	·43	·16	19
20	·06	–	·31	–	–	–	–	·06	–	–	·095	·02	20
21	–	–	·16	–	·10	–	·09	–	–	–	·02	·14	21
22	–	·01	–	·005	–	·03	–	–	–	·08	–	·24	22
23	·03	·66	–	–	–	–	–	·10	–	·08	·065	·45	23
24	–	·38	–	–	·12	–	–	·11	–	·27	–	·25	24
25	–	·01	·18	–	·02	·025	–	·18	·26	·04	·40	·19	25
26	·04	·15	·03	–	–	·11	–	·08	·17	·13	·09	–	26
27	·015	·15	·88	–	–	·21	·01	·07	·08	·30	–	–	27
28	–	·46	·12	–	–	–	–	–	–	·11	·01	–	28
29	–	·16	–	–	–	·21	–	·73	–	·35	–	·165	29
30	–	☒	–	–	–	·03	–	–	–	·18	–	·14	30
31	–	☒	–	☒	·01	☒	–	·02	☒	·17	☒	–	31
Total	1·415	4·645	3·395	1·175	2·715	2·160	2·000	2·580	1·410	3·695	3·880	2·430	YEAR'S TOTAL 31·500
Rain Days.	16	24	20	12	19	~~18~~ 17	12	16	13	26	17	15	207

W. 8,000. X. 15.

cnd pr pr WD

239

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at Selly Oak, Bournville.
in the County of Warwick,
by Messrs Cadbury Bros, Ltd

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bournville.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 434 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·015	·01	–	·03	–	–	–	–	·18	–	·02	·235	1
2	–	–	–	·12	–	·05	–	·80	·33	–	·02	·03	2
3	·04	·10	–	·005	–	·15	–	·015	–	·33	·05	·005	3
4	·085	·07	·28	·24	–	·005	–	–	–	·60	–	–	4
5	·23	–	·09	·03	–	–	–	·20	–	·09	·18	–	5
6	·015	–	·18	·23	–	–	–	–	·04	·14	·20	–	6
7	·46	–	–	–	–	1·10	–	–	–	·095	·027	–	7
8	·56	–	–	–	–	–	·16	·055	–	·053	·25	·19	8
9	·02	–	·14	·23	–	·04	–	·43	–	·06	·32	–	9
10	·40	–	·36	·13	·36	–	–	1·14	·03	–	–	–	10
11	·175	·015	·03	·12	·37	–		·12	·02	·22	·007	–	11
12	·03	·015	–	·32	·02	–	–	·025	·015	·14	·005	–	12
13	·02	–	·03	–	·38	–	–	–	–	·02	–	–	13
14	·09	–	·10	·075	·05	–	–	·08	·08	·04	–	·005	14
15	·07	–	–	·33	–	–	–	·62	–	·085	–	·12	15
16	·04	·14	–	–	·085	–	·2	·007	–	·17	–	·50	16
17	·005	·07	·015	·145	·015	·15	–	–	–	–	–	–	17
18	·07	·015	–	·09	·57	·55	·39	·31	·26	–	–	–	18
19	·05	·31	·30	·03	·07	–	·35	·07	1·05	·02	–	–	19
20	·01	·20	·005	–	·23	·13	–	–	–	·21	–	–	20
21	·015	·025	·20	·07	·46	·15	·15	·21	·23	·07	·185	–	21
22	·005	–	·025	·02	·03	·10	–	–	–	·285	–	–	22
23	–	·18	–	–	–	·06	–	·31	·02	–	–	–	23
24	·005	–	–	–	·12	–	–	·12	–	·055	·03	–	24
25	–	·085	·15	–	–	·61	·16	·12	–	·01	·05	–	25
26	–	–	·005	–	–	–	–	–	–	–	·33	–	26
27	–	–	·005	–	–	–	–	·35	·22	·37	–	–	27
28	–	·005	·15	–	·74	·05	·31	1·065	–	·025	–	–	28
29	–		·06	–	–	·10	–	·20	–	–	–	·03	29
30	·025		–	–	–	·23	·09	·18	–	–	–	·27	30
31	·06		~~·03~~ ·03		–		·08	·22		–		·007	31
Total	2·385	1·120	2·145	~~2·155~~ 2·125	3·500	3·475	1·89	·18 ~~6·644~~ 6·827	~~2·275~~ 2·295	·02 ~~3·088~~ 3·108	·235 ~~1·674~~ 1·889	(·03) ~~1·392~~ 1·187	YEAR'S TOTAL 31·946
Rain Days.	23 ~~24~~ 23	13 ~~14~~ 13	18 ~~19~~ 18	16 ~~14~~ 15	14	15	9	22	12	22	~~14~~ 15	10 9	~~191~~ 185

W. 8,000, IX. 17.

32

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Cadbury Bros Bournville

in the County of Worcestershire Warwick

by Cadbury Bros Ltd.

Lat. 52° 25' 41" Long. 1° 55' 52" W

Time of Observation 9 am

Nearest Railway Station Bournville ¼ ml E

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 432½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·02	·01	·125	·10	-	-	·09	·005	-	·30	·005	1
2	-	·07	-	·02	-	-	-	·09	-	·02	-	·18	2
3	-	·02	·02	-	·21	-	-	·54	·59	·02	·04	·0051	3
4	·005	·03	-	-	-	-	-	·06	·69	·05	·700	·34	4
5	-	·005	-	·04	-	-	-	·05	·25	·09	-	·005	5
6	-	·21	-	·18	·25	·08	-	-	·13	·11	-	·04	6
7	-	·08	-	·06	·06	·005	-	-	·29	·05	·16	·01	7
8	·01	·18	-	·01	-	-	-	-	·09	·14	-	·02	8
9	·01	·41	-	·19	-	·22	·03	-	·42	·30	-	·02	9
10	·12	·04	-	·02	-	-	·14	-	·06	·07	-	·08	10
11	-	-	·08	·025	·08	-	·19	-	·18	·02	-	·05	11
12	·01	·04	-	-	·11	-	·12	·005	·02	-	-	-	12
13	-	-	-	·005	·32	·025	·02	-	·15	·09	-	·03	13
14	·375	-	-	-	-	·02	·13	-	·20	·16	-	·17	14
15	·665	-	-	·30	-	·04	·32	-	·03	-	·01	·39	15
16	·22	-	-	·59	-	·02	-	·0051	·24	-	·01	·06	16
17	·30	-	-	-	·41	·07	·08	-	·24	·04	-	·13	17
18	·39	-	·14	·005	-	·20	·13	-	·35	-	-	·29	18
19	·01	·04	-	·09	-	-	·06	-	·02	·08	-	·25	19
20	·25	·08	-	·55	-	·04	·02	-	·19	·0051	·01	·10	20
21	·13	-	-	·44	-	·01	·08	-	·29	-	·0051	·075	21
22	·01	-	-	-	·62	·0051	·08	-	·02	·11	-	·43	22
23	-	-	-	-	·82	-	·07	-	·07	-	·01	·01	23
24	·005	·09	-	-	-	-	·05	-	·03	·005	·11	·01	24
25	-	-	-	-	-	·01	·22	·49	-	-	·04	-	25
26	-	-	-	-	-	-	~~·036~~ ·20	·04	·10	·01	·09	·09	26
27	-	·05	·01	-	-	-	·036	·45	·38	-	·13	·14	27
28	-	·11	·30	-	-	·08	-	·01	-	-	·11	·12	28
29	-	X	·125	-	-	-	-	-	·82	-	-	·03	29
30	-	X	·33	-	-	-	-	·05	·04	-	·14	·19	30
31	-	X	·41	X	-	X	-	·07	X	-	X	-	31
Total	2·530	1·475	1·425	2·650	2·980	·825	1·976	1·950	5·895	1·370	1·865	3·270	YEAR'S TOTAL 28·211
Rain Days.	~~16~~ 15	16	9	~~16~~ 15	10	13	18	~~13~~ 12	27	~~18~~ 17	15	~~28~~ 26	~~206~~ 193

W. 8,000, IX. 17.

[illegible] RV 2246

6 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Cadbury Bros. Bournville
in the County of ~~Worcestershire~~ Warwick
by S. R. Hayes

Lat. 52° 25' 41" Long. 1° 55' 52"
Time of Observation 9 am
Nearest Railway Station Bournville ¼ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 432½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	March	April	May	June	**July**	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·415	s ·005	·03	·015	·125	·02	·400	-	·045	·19	·01	·32	1
2	·16	s ·01	·035	-	-	-	·47	-	·14	·01	·095	·005	2
3	partly snow ·67	-	·05	-	·03	·12	·22	-	·12	-	·155	·08	3
4	partly snow ·095	s ·01	·31	-	-	·03	·11	·10	·255	-	·03	·19	4
5	·015	s ·30	-	-	·015	-	·01	-	·29	-	-	·13	5
6	·015	s ·01	·16	·01	·55	-	-	-	-	-	·05	·135	6
7	·21	-	·23	·065	-	-	-	-	-	-	·015	-	7
8	·175	-	·08	·085	-	·06	-	-	-	-	·005	-	8
9	·07	-	·005	·17	-	-	-	-	-	-	-	-	9
10	-	-	·59	·01	-	-	-	-	-	·02	·01	·20	10
11	-	-	·475	-	·04	-	·265	-	-	-	-	-	11
12	·04	-	·19	·11	-	·31	-	-	·025	·05	s ·01	·03	12
13	·21	-	-	·265	-	-	·05	-	·18	·19	-	·02	13
14	·42	·01	-	·14	-	-	·07	-	·22	-	s ·005	·035	14
15	·255	·13	·02	·375	-	-	-	-	-	·09	s ·005	·23	15
16	·095	1·05	-	·005	-	-	-	·35	-	-	·10	·01	16
17	·005	part s ·575	-	-	·02	·03	·015	-	-	-	·115	·01	17
18	-	s ·01	·475	-	-	-	·015	·215	·025	-	·02	·18	18
19	·17	part s ·29	part s 1·22	-	-	·16	1·39	·43	·10	-	-	·005	19
20	·36	·04	s ·315	-	-	-	·085	·10	·10	-	s & R ·40	·09	20
21	·02	·38	s ·05	-	-	·01	·23	·03	·025	-	·02	·15	21
22	-	·34	·005	-	-	-	-	-	·28	-	·005	·55	22
23	-	-	-	-	-	·15	-	·01	-	·90	-	·11	23
24	-	-	-	·035	·05	-	-	-	-	·76	·16	·08	24
25	·15	-	-	·04	·05	·17	-	·605	-	-	·01	·075	25
26	-	-	·21	·105	-	·03	-	·02	·08	-	-	·39	26
27	snow ·13	-	part hail ·065	·41	-	-	-	·29	-	-	·10	·04	27
28	snow ·065	-	s ·02	·015	-	-	-	·625	-	·01	s ·065	·26	28
29	snow ·045		·04	·06	-	·04	-	·01	-	·44	s ·18	·10	29
30	snow ·005		·05	·16	-	·23	-	·08	-	·05	·08	·425	30
31	snow ·01		·01		-		-	-		·005		·02	31
TOTAL	3·805	3·115	4·635	2·075	·880	1·360	3·330	2·865	1·885	2·715	1·645	3·870	YEAR'S TOTAL 32·180
Days with ·01 in. or more	22	13	21	17	8	13	13	13	14	11	19	26	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

143

11910 cnd for hitts. 215

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bournville.
in the County of Worcester Warwick
by Cadbury Bros Ltd.

Lat. 52° 25′ 41″ Long. 1° 55′ 52″
Time of Observation 9 am
Nearest Railway Station Bournville.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 432·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·	·20	·37	·	·25	·	·14	·09	·	·24	1
2	-	-	·	·11	·01	·	·29	·	·03	·25	·	·12	2
3	·05	·07	·	·085	·015	·01	·48	·	·105	·42	·	·005	3
4	·005	·	·01	·135	·005	·	·01	·01	·02	·29	·005	·	4
5	·	·	·04	·05	·25	·	·41	·39	·075	·79	·	·	5
6	·	·005	·405	·015	·06	·	·07	·08	·	·015	·	·02	6
7	·	·	·03	·08	·015	·	·17	·02	·	·	·005	·	7
8	·28	·05	·005	·73	·16	·	·42	·	·	·01	·	·	8
9	·375	·02	·005	·36	·	·	·03	·03	·01	·	·	·	9
10	·36	·08	·11	·015	·	·13	·09	·22	·	·	·08	·	10
11	·09	·	·05	·29	·47	·33	·035	·	·	-	·	·01	11
12	·105	·02	·06	·22	·01	·64	·005	·025	·	·035	·06	·13	12
13	·055	·015	·22	·30	·	·025	·	·57	·005	·	·015	·01	13
14	·015	·	·82	·20	·	·16	·04	·	·225	-	·12	·02	14
15	·005	·10	·10	·335	·	·20	·	·	·03	·015	·10	·	15
16	-	·005	·	·115	·09	·11	·205	·	·045	·46	·	·	16
17	·01	·	·	·005	·16	·005	·	·	·875	·06	·	·015	17
18	·17	·	·	·095	·09	·	·025	·045	·33	·	·	·	18
19	·01	·56	·	·345	·	·06	·	·10	·03	·	·	·	19
20	·01	·10	·	·34	·	·19	·04	·04	·	·	·	·025	20
21	-	·005	·	·05	·	·	·26	·	·01	·01	·	·055	21
22	·045	·	·	·14	·	·	·04	·025	·015	·005	·	·04	22
23	·05	·005	·	·015	·	·	·20	·15	·	·	·	·33	23
24	·01	·	·21	·02	·	·	·	·035	·	·	·	·135	24
25	·01	·005	·04	·06	·08	·	·87	·02	·	·	·	·005	25
26	·20	·	·235	·015	·	·	·085	·05	·	·	·015	·035	26
27	·11	·02	·035	·26	·10	·205	·03	·	·	·	·04	·565	27
28	·815	·	·04	·05	·165	·01	·05	·	·	·	·	·06	28
29	·10	·	·345	·	·775	·015	·06	·	·	·	·15	·42	29
30	·02		·005	·08	·045	·14	·	·	·25	·	·20	·21	30
31	·05		·06		·01		·	·		·45		·02	31
Total	2·950	1·060	2·825	4·715	2·880	2·230	4·165	1·810	2·195	2·900	·79	2·470	Year's Total 30·99 ~~30·690~~
Days with ·01 in. or more	22 23	10 13	17 19	28 29	18	14 15	23	16	15 16	13	8 10	17 18	215 ~~204~~
Days with ·04 in. or more	15	6	14	23.	13	10	18.	9.	8	8	7.	11.	142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SELLY OAK
SOUTH HILL
WARWICKSHIRE

1914 - 1920

---

8 - JUN 1915

FORM A.
BRITISH RAINFALL.

REGIS

Kept at South Hill, … no … Oak Mid

in the County of ~~Worcester~~ Warwick … 5 in.

by Wm. Littleboy … round - ft. 9 in.

… ea Level abt 450 ft.

IMPORTANT NOTE.- … result entered to the previous day. If an Obser… …al rule, he is earnestly requested to add the reading … n the space provided for it at the end of this pa… …t of rain, the selection and placing of … Rainfall Organization are given in "R… …ication to Dr. H. R. Mill, 62, Camden …

Jan. 1, following.

Date	Jan.	Feb.	March.	Apr		June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				01		01	72	30			01	04	1
2							04	10		01	51	27	2
3			02	03	17		22	23			07	01	3
4	17		06	16	02		02	08			70	51	4
5	04	05	07	15	08	05	29	01			15	01	5
6	03	17			10	02					10	12	6
7			31	02	06	12	56	02			01	30	7
8	02		04	01	20	83	04	25	01			18	8
9	25		11	20	04	1.31		06	03				9
10	10	08		16	05	06			17				10
11		10	35	10	06	10			01		24	.61	11
12		11	11				21		29		01	35	12
13		19	20				02		05	10	30	40	13
14		10	10				03			26	15	10	14
15	03		05				02	07	10	08		02	15
16			08				01		12				16
17	02	24	10				02		10			18	17
18							28					41	18
19			03				42		14		06	10	19
20		53	02			07	06		03			31	20
21		33	05				01			10		24	21
22		02	05		41	05	01	18		16			22
23		01	15		26	02				02			23
24			01	01	02		04	07		10	09		24
25	06		05				02	25		44	05	17	25
26			08				03	20		11	20	30	26
27	05		01							10	01	28	27
28	01	08	13		06					09	42	76	28
29			10		10					20	10		29
30		X	02		03	08				02	33	69	30
31	05	X		X	01	X	30		X	02	X		31
Total	0.83	2.01	2.30	0.85	1.67	2.72	3.37	1.82	1.05	1.81	3.51	6.36	YEAR'S TOTAL 28.30
Rain Days.	12	13	25	10	16	12	22	13	11	15	19	23	191

W. 8,000. X. 14.

REGIS

FORM A.
BRITISH RAINFALL.

8 - JUN 1915

Kept at South Hill, Selly Oak
in the County of ~~Worcester~~ Warwick 4
by Wm Littleboy

Lat. Long.
Time of Observation 7.30 a.m
Nearest Railway Station Selly Oak Mid
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level abt 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				01		01	72	30			01	04	1
2							04	10		01	51	27	2
3			02	03	17		22	23			07	01	3
4	17		06	16	02		02	08			70	51	4
5	04	05	07	15	08	05	29	01			15	01	5
6	03	17			10	02					10	12	6
7			31	02	06	12	56	02			01	30	7
8	02		04	01	20	83	04	25	01			18	8
9	25		11	20	04	1.31		06	03				9
10	10	08		16	05	06			17				10
11		10	35	10	06	10			01		24	61	11
12		11	11				21		29		01	35	12
13		19	20				02		05	10	30	40	13
14		10	10				03			26	15	10	14
15	03		05				02	07	10	08		02	15
16			08				01		12				16
17	02	24	10				02		10			18	17
18							28					41	18
19			03				42		14		06	10	19
20		53	02			07	06		03			31	20
21		33	05				01			10		24	21
22		02	05		41	05	01	18		16			22
23		01	15		26	02				02			23
24			01	01	02		04	07		10	09		24
25	06		05				02	25		44	05	17	25
26			08				03	20		11	20	30	26
27	05		01							10	01	28	27
28	01	08	13		06					09	42	76	28
29			10		10					20	10		29
30		✕	02		03	08				02	33	69	30
31	05	✕		✕	01	✕	30		✕	02	✕		31
Total	0.83	2.01	2.30	0.85	1.67	2.72	3.37	1.82	1.05	1.81	3.51	6.36	YEAR'S TOTAL 28.30
Rain Days.	12	13	25	10	16	12	22	13	11	15	19	23	191

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at South Hill, Selly Oak
in the County of Worcester Warwick
by William Littleboy

Lat. Long.
Time of Observation 7.30 a m
Nearest Railway Station Selly Oak
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16	15	08		27			10	17	07	02	04	1
2	12	14	27	10		09		42		33		05	2
3	82	02	06	11			52	01				16	3
4		01			02		1.29					78	4
5	01	60				02		05				37	5
6	10	14		25			67	10				03	6
7	06	50		06	01	65	18	08				40	7
8	12	25						01			06		8
9	05	29		15							23	40	9
10	36			02			01				02	04	10
11			04	06	07		10				74	03	11
12	06			14	35			04		05	1.34		12
13		39			81			02					13
14	01						16	16	03	01		38	14
15	40				06		02	18			12	30	15
16	06	47			18		1.87					02	16
17		34			24		02					01	17
18		34	10										18
19		01	01		06		13						19
20	23			07			02					06	20
21	20	01					10			02		04	21
22	03		16	04			12			01		09	22
23	07	13	05			18	1.00		02	70		24	23
24			01	05			06		21	25		15	24
25			02			57	13			01		33	25
26		15					26		11			37	26
27		09					22			47		06	27
28		12					01	22	06	07			28
29						01	10	03			07	05	29
30	07	X				09	02			20	04	02	30
31	04	X		X		X	05	03	X	13	X	30	31
Total	2.97	4.15	0.80	1.05	2.07	1.61	7.06	1.45	0.60	2.32	2.64	4.72	YEAR'S TOTAL 31.44
Rain Days.	19	19	10	11	10	7	23	14	6	13	9	25	166

W. 8,000. X. 15.

✓ [illegible] 2516

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at South Hill, Selly Oak

in the County of Worcester Warwick

by William Littleboy

Lat. ______ Long. ______

Time of Observation 9 a.m. (10 a.m. Summer time)

Nearest Railway Station Selly Oak

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ______ ft. 9 in.

" " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10		06			13	12			12	20		1
2	28	07	20		21	02	48		10	51	02		2
3		56			01	01			16	31	08		3
4	30	05		01	57	29			01	02	47		4
5	03				25	32	03			05	28		5
6	06	14	12	03	31	04	45			05	43		6
7	01		13		13		20			12	30	13	7
8			03		20	08				10	05	24	8
9	09		03		22	13					01	01	9
10		30	08	08	02	07	02		01	03			10
11	01	10	07	17	01	29			02			20	11
12	02	07	05	01	23		15			05			12
13			13	05			10	39					13
14		67		05				06 ~~39~~		06			14
15		18	61	01	11		14	45 ~~06~~	01	07			15
16		03	08	18	03		01	02 ~~45~~		01			16
17	08	14		16				10 ~~02~~	30	20			17
18		07	04	12				02 ~~10~~	16	06	72	21	18
19	03	01	10	11				~~02~~	01		35		19
20	04		31	01				06			06	10	20
21			16		09		07	~~06~~				25	21
22				01	01	02				07	01	51	22
23	02	75	01					09		05	06	20	23
24		43		01	10			10 ~~09~~		28		18	24
25		04	18		02			18 ~~10~~	25	02	36		25
26	03	19				13		06 ~~18~~	16	13	07		26
27	03	14	72			13		06 ~~06~~	06	18			27
28		53	29					~~06~~		12		16	28
29		14				19		68		32		11	29
30		X				02		00 ~~68~~		18			30
31		X		X		X		02	X	16	X	17	31
Total	1.13	4.61	3.40	1.01	2.52	1.87	1.77	2.29	1.25	3.27	3.47	2.47	YEAR'S TOTAL 29.06
Rain Days.	15	20	20	15	17	15	11	14	12	25	16	13	193

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.
4 JAN 1918

Kept at South Hill Selly Oak
in the County of Worcester Warwick
by William Littleboy

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bournville (Mid)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			03	09		04		75	31		02	11	1
2						12		01			02	02	2
3	02	07		26		01		07		29	05		3
4	05	01	17	02				19	03	60			4
5	20		08	18						08	15		5
6	01		25			1.14				11	15		6
7	42									07	02		7
8	60			18			14	53		51	23	19	8
9			18	10	22		01	1.00	02	04	30		9
10	45		30	09	68			11		01			10
11	15	01	02	29				03	02	21	01		11
12	01	01			34					15	01		12
13	00		02	06	01			07	09	01		01	13
14	05		10					66				02	14
15	01				08		27	02		03		08	15
16	01	14		44		16	01					60	16
17		01	01	05	56	47	39	28	27	08			17
18		01		04	08		※ (33)	04	1.04	07			18
19	05	30	36		16	11							19
20		18			32	17	14	31	21		10		20
21		01	18	02	15	06		04		02	05		21
22			02			05		24	02	21			22
23		15			13			10		06			23
24						48	12	12		24	02	01	24
25		07	14							01	04		25
26								32	24	06	29		26
27					71	04	34	97				03	27
28		01	13			06		16				27	28
29			04			27	09	22		36		01	29
30	01	X					06	22		02	04		30
31		X	02	X		X		13	X		X	02	31
Total	2.04	0.98	2.05	1.82	3.44	3.18	190	6.59	2.25	3.24	1.50	1.37	YEAR'S TOTAL 3036 x
Rain Days.	14	13	17	13	12	14	11	24	10	22	16	12	178

※ This is the record at the Midland Institute. We had an accident with our gauge

30.36 x

W. 8,000, IX. 17.

Exd. E.F.E.

33

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2. 1. 19

Kept at South Hill, Selly Oak

in the County of Worcester warwick

by William Littleboy

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Selly Oak

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level abt 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01	03		15	10				01	01	32		1
2		07		02				09		02			2
3		01	01		21			71	26	01	04		3
4		04	01	03				66	1.07		67	33	4
5				19	25			05	25	11			5
6		18	01	06					10	01		03	6
7	01	07			05	09			32	17	16		7
8	01	15		10					14	08	01		8
9		40		13		22	03		40	35		02	9
10	13			02			17		07	07		08	10
11					05		15		19	02		06	11
12	01	05	09	01	13		12		01				12
13					28		01		14	02		04	13
14	35					04	15		19	20		15	14
15	60			20		03	31		05			34	15
16	09			65		02			25			05	16
17	29				40	07	06		19	05		11	17
18	38					19	18		33			27	18
19	06	04	15	09			06		01	08		20	19
20	21	08		75		04	03		20	01		12	20
21	15			40	00	01	08		24			05	21
22	02				53	01	07		02	21		38	22
23	02				90		10		06		05	04	23
24	01	07					04		03		08	02	24
25						01	24	46					25
26							24	03	10	01	12	07	26
27		05					03	42	31		09	11	27
28		11	35			07		01			15	10	28
29			00					01	77			02	29
30			46					05	03		14	18	30
31			41					07					31
Total	2.35	1.35	1.49	2.80	2.90	0.80	2.07	1.96	5.74	1.43	1.83	2.77	YEAR'S TOTAL 27.49
Rain Days.	16	14	8	14	10	12	18	11	27	17	11	22	180

W. 8,000, IX. 17.

142

FORM B.
BRITISH RAINFALL

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1918

At Lodge Hill Cemetery

In the County of Warwickshire 4

Rain Gauge

Diameter of Funnel 5 in.

Height of Top — *Above Ground* 1 ft. 2 in.

Height of Top — *Above Sea Level* 540 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	2·52	·60	15	13
FEB.	1·64	·43	9	15
MAR.	1·69	·47	31	7
APR.	2·82	·80	21	13
MAY	2·47	·70	23	10
JUNE	·95	·35	9	11
JULY	2·14	·31	15	15
AUG.	1·86	·48	25	10
SEPT.	6·52	·77	30	26
OCT.	1·46	·26	8	15
NOV.	2·04	·80	4	9
DEC.	3·22	·37	4	22
Total	29·33	745		166

Signed Wm Garden

[*Please fill in the other side also.*

W. 16,000. ix.17.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
—	—	—

How was height above sea level ascertained?

Ordnance Map.

State pattern and maker of Gauge, if known.

—

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
House	25 ft	15 yds	E

In order that the position may be accurately entered on a map please mention

Latitude 52′ 5″ N.

Longitude 1′ · 8″ W.

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Selly Oak	1 mile	N.E.
Church	St. Mary's	600 yds	E

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

166

29·33

S+R

248

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

2 JAN 20

Kept at Laith Hill Selly Oak

in the County of Worcester

by Wm Littleboy

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Bournville

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38		03	03	10		40		02	19	01	20	1
2	15	08			07		49		14	01	09	10	2
3	60		08		03		23		13		16	08	3
4	07		32			14	07	07	23		02	16	4
5		28					03		32			12	5
6	02		07	01	54							12	6
7	25		25		01						05		7
8	18		02	15		05							8
9	05			14							01		9
10			51	03						01		20	10
11	01		35		05		25						11
12	03		28	12		28			02	05	04	02	12
13	14			13			03		10	20		01	13
14	45			28			10		32	02		03	14
15	12	15		32						09		24	15
16	22	1.01		03				30			09		16
17	01	65				02	01				11	01	17
18			49				01	23	01			17	18
19	10	29	1.23			09	1.43	27	11		03		19
20	40	05	30			06	19	26	10		38	09	20
21	01	38	11			01	20	02				13	21
22		34	01				03		31		01	50	22
23						15		02		76		15	23
24				03						92	15	08	24
25	14				10	20		60			01	06	25
26			18	11		02		03	08			38	26
27	18		04	45							05	03	27
28	05		01	01				84				25	28
29				07		05		06		41	19	10	29
30			07	10		22		09		03	07	40	30
31							05					04	31
TOTAL	3.56	3.23	4.35	2.01	0.90	1.29	3.52	2.79	1.89	2.69	1.47	3.67	YEAR'S TOTAL 31.37
Days with ·01 in. or more	21	9	18	16	7	12	15	12	13	11	17	25	176

3.52

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2247

Form B.1.

METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.

To be filled and returned to
THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1
Copies of this form will be supplied with pleasure.

19 FEB 20

RAINFALL IN 1919.

NOTE.—Records taken in millimetres should not be entered on this form.

At Lodge Hill Cemetery

In the County of Warwick

Rain Gauge Diameter of Funnel 5" in.

Height of Top *Above Ground* 1 ft 2 in

Above Sea Level 540 ft.

PLEASE FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches	Inches	Date.	
JAN.	3.90	.63	3	20
FEB.	2.88	.85	17	11
MAR.	4.28	.75	20	18
APR.	2.16	.37	27	11
MAY	.86	.53	6	6
JUNE	1.32	.34	12	10
JULY	3.59	1.45	19	12
AUG.	2.72	.55	28	12
SEPT.	2.03	.31	22	12
OCT.	2.80	1.04	23	10
NOV.	1.53	40	20	15
DEC.	4.01	62	22	20
Total	3208	815		157

Signed Thos Garden

Titles

[Please fill in the other side also.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
-	-	-

How was height above sea level ascertained? Ordnance Map

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
House	25'	15 yds	East

In order that the position may be accurately entered on a map please mention

Latitude 52' - 5" N.

Longitude 1' 8" W

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Selly Oak	1 mile	N E
Church	St Mary's	600 yds	E

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

(ss) (66052) Wt. 21958/218 15,000 10-19 W B & L

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at South Hill, Selly Oak

in the County of Birmingham (Warwickshire)

by William Littleboy

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Bournville

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level abt 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				36	32		34		06	10	45	25	1
2				12	01		30		12	20		10	2
3	05	06		15	01		44	01	12	40		01	3
4				15			01	36	01	32			4
5			05	04	24		20	07	07	34			5
6			39	01	07		28	02		42		01	6
7	01		03	08	01		18						7
8	24	06		60	17		36	02					8
9	35	01		51			16	21					9
10	34	07	09	01		01	10				08		10
11	11		04	20	46	45	03						11
12	10	01	15	31		64	02	90				15	12
13	06	01	22	34		02			01	04		03	13
14	01		78	18		16	03		17		13		14
15		08	18	35		20			09	01	09		15
16			01	12	05	14	19		04	01			16
17	01				15		02	01	80	44		01	17
18	14			05	05		02	14	35	10			18
19	04	45		40		05		04	02				19
20		16		31		21	03					01	20
21	01			07			25	02	01			05	21
22	04			14			03	03		01		04	22
23							18	15				31	23
24	01		20	04				01				12	24
25			04	05	06		82	06					25
26	18		23	01			12				01	04	26
27	10	03	04	25	13	20					03	53	27
28	26		04	04	13	01	02					05	28
29	08		35		79	02	03				13	41	29
30	01	╳		08	11	05	06		25		20	22	30
31	05	╳		╳	01	╳			╳		╳	02	31
TOTAL	2.70	0.94	2.84	4.97	2.77	2.16	4.22	2.05	2.12	2.39	1.12	2.36	YEAR'S TOTAL 30.64
Days with ·01 in. or more	21	10	16	27	17	13	25	15	14	12	8	18	196
Days with ·04 in. or more	15	6	14	24	13	9	15	8	10	9	6	12	141

SOLIHULL

SOLIHULL
CEMETERY
WARWICK
1915 - 1916

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGIST

Kept at Cemetery, So

°45'43"W.

a.m

in the County of Warwic

Solihull. G-W-R.

Gauge 5 in.

by Edw. P. Corrall. m.s

ve Ground 1 ft. 0 in.

Sea Level 502 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·12	0·15	0·11	·	0·29	·	·	0·06	0·05	·	0·03	0·07	1
2	0·19	0·21	0·27	0·13	·	0·10	·	0·26	·	0·42	·	0·06	2
3	0·73	0·02	0·02	0·06	·	·	·	0·13	·	·	·	0·18	3
4	·	·	·	·	0·04	·	0·73	·	·	·	·	0·76	4
5	0·01	0·50	·	0·01	·	·	·	0·06	·	·	·	0·51	5
6	0·12	0·19	·	0·24	·	·	0·65	0·12	·	·	·	0·08	6
7	0·06	0·47	·	0·05	1·48	·	0·24	0·09	·	·	·	0·40	7
8	0·09	0·27	·	0·02	·	0·14	·	0·02	·	·	0·10	·	8
9	0·04	0·24	·	0·17	·	·	·	0·01	·	·	0·17	0·39	9
10	0·40	·	0·06	0·04	·	·	·	0·05	·	·	0·10	0·01	10
11	·	·	·	0·06	0·11	·	0·23	·	·	·	0·76	0·06	11
12	0·06	·	·	0·10	0·46	·	·	0·43	·	0·06	1·46	·	12
13	·	0·38	·	·	0·77	·	·	·	·	·	·	0·06	13
14	0·02	·	·	·	0·01	·	0·15	0·36	0·03	0·02	·	0·45	14
15	0·38	·	·	·	0·09	·	0·14	0·04	·	·	0·17	0·25	15
16	0·03	0·66	·	·	0·19	·	1·93	0·01	·	·	·	0·02	16
17	·	0·22	·	·	0·27	·	·	·	·	·	·	0·03	17
18	·	0·35	0·05	·	·	·	·	·	·	·	·	·	18
19	·	0·01	0·01	·	0·08	·	0·11	·	·	·	·	·	19
20	0·25	·	·	0·09	·	·	·	·	·	·	·	0·08	20
21	0·13	0·02	·	·	·	·	0·15	·	·	0·04	·	0·03	21
22	0·09	·	0·18	0·04	·	·	0·25	·	·	·	·	0·09	22
23	0·04	0·09	0·04	·	·	0·11	0·66	·	·	0·51	·	0·25	23
24	·	·	0·04	0·07	·	·	0·06	·	0·30	0·24	·	0·15	24
25	·	·	0·01	·	·	0·31	0·25	·	·	·	·	0·37	25
26	·	0·17	·	·	·	·	0·25	·	0·10	·	·	0·34	26
27	·	0·10	·	·	·	·	0·12	·	·	0·48	·	0·19	27
28	·	0·14	·	·	·	·	·	0·22	0·12	0·07	·	0·01	28
29	·	·	·	·	·	0·03	0·08	0·03	·	·	0·11	0·06	29
30	0·08	×	·	·	·	0·17	0·04	0·01	·	0·16	0·10	0·08	30
31	0·05	×	·	×	·	×	0·07	0·08	×	0·14	×	0·27	31
Total	2·89	4·19	0·79	1·08	3·79	0·86	6·11	1·98	0·60	2·14	3·00	5·25	YEAR'S TOTAL 32·68
Rain Days.	19	18	10	13	11	6	18	17	5	10	9	27	163

W. 8,000, X. 15.

SOLIHULL

FORM A.
BRITISH RAINFALL.
27 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cemetery Solihull

in the County of Warwick

by Edw. P. Currall M.Sc. A.M.I.C.E.

Lat. 52° 25' 12" N Long. 1° 45' 43" W.

Time of Observation 9 a.m

Nearest Railway Station Solihull. G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 502 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·12	0·15	0·11	·	0·29	·	·	0·06	0·05	·	0·03	0·07	1
2	0·19	0·21	0·27	0·13	·	0·10	·	0·26	·	0·42	·	0·06	2
3	0·73	0·02	0·02	0·06	·	·	·	0·13	·	·	·	0·18	3
4	·	·	·	·	0·04	·	0·73	·	·	·	·	0·76	4
5	0·01	0·50	·	0·01	·	·	·	0·06	·	·	·	0·51	5
6	0·12	0·19	·	0·24	·	·	0·65	0·12	·	·	·	0·08	6
7	0·06	0·47	·	0·05	1·48	·	0·24	0·09	·	·	·	0·40	7
8	0·09	0·27	·	0·02	·	0·14	·	0·02	·	·	0·10	·	8
9	0·04	0·24	·	0·17	·	·	·	0·01	·	·	0·17	0·39	9
10	0·40	·	0·06	0·04	·	·	·	0·05	·	·	0·10	0·01	10
11	·	·	·	0·06	0·11	·	0·23	·	·	·	0·76	0·06	11
12	0·06	·	·	0·10	0·46	·	·	0·43	·	0·06	1·46	·	12
13	·	0·38	·	·	0·77	·	·	·	·	·	·	0·06	13
14	0·02	·	·	·	0·01	·	0·15	0·36	0·03	0·02	·	0·45	14
15	0·38	·	·	·	0·09	·	0·14	0·04	·	·	0·17	0·25	15
16	0·03	0·66	·	·	0·19	·	1·93	0·01	·	·	·	0·02	16
17	·	0·22	·	·	0·27	·	·	·	·	·	·	0·03	17
18	·	0·35	0·05	·	·	·	·	·	·	·	·	·	18
19	·	0·01	0·01	·	0·08	·	0·11	·	·	·	·	·	19
20	0·25	·	·	0·09	·	·	·	·	·	·	·	0·08	20
21	0·13	0·02	·	·	·	·	0·15	·	·	0·04	·	0·03	21
22	0·09	·	0·18	0·04	·	·	0·25	·	·	·	·	0·09	22
23	0·04	0·09	0·04	·	·	0·11	0·66	·	·	0·51	·	0·25	23
24	·	·	0·04	0·07	·	·	0·06	·	0·30	0·24	·	0·15	24
25	·	·	0·01	·	·	0·31	0·25	·	·	·	·	0·37	25
26	·	0·17	·	·	·	·	0·25	·	0·10	·	·	0·34	26
27	·	0·10	·	·	·	·	0·12	·	·	0·48	·	0·19	27
28	·	0·14	·	·	·	·	·	0·22	0·12	0·07	·	0·01	28
29	·	·	·	·	·	0·03	0·08	0·03	·	·	0·11	0·06	29
30	0·08	✕	·	·	·	0·17	0·04	0·01	·	0·16	0·10	0·08	30
31	0·05	✕	·	✕	·	✕	0·07	0·08	✕	0·14	✕	0·27	31
Total	2·89	4·19	0·79	1·08	3·79	0·86	6·11	1·98	0·60	2·14	3·00	5·25	YEAR'S TOTAL 32·68
Rain Days.	19	18	10	13	11	6	18	17	5	10	9	27	163

W. 8,000. X. 15.

ext of

REGISTER OF RAINFALL IN 19 16

FORM A.
BRITISH RAINFALL.
22. JAN 1917

Kept at Solihull Cemetery
in the County of Warwick
by Lieut E. E. Curvall RNVR

Lat. 52°25′12″N Long. 1°49′30″W
Time of Observation 9 a.m.
Nearest Railway Station Solihull
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 502 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·05		·02	·15	·20				·23		1
2	·32	·05	Snow ·11		·33		·33		·15	·50	·01		2
3		·60		0·05	·03				·20	·35	·06		3
4	·34	·06		0·03	·51	·22			·02	·10	·25		4
5	·02				·21	·35	·24			·09	·25		5
6	·02	·15	Snow ·08	0·05	·16	·03	·44			·04	·45		6
7	·08		Snow ·10		·18	·01	·17			·26	·16		7
8	·02	·04	Snow ·06		·14	·02					·12	·30	8
9			·02		·25	·20				·08	·04	·12	9
10		·32	·05	·07	·03	·17			·08		·02		10
11	·10	·12	·06	·16		·22				·01		·25	11
12	·02	·08	·08	·02	·39		·10	·04		·05			12
13	·02	·17	·25	·05			·10	·18					13
14		·28		·06				·07		·15			14
15		·23	·63		·10		·15	1·07		·06			15
16		·04	·17	·17	·03			·08					16
17	·11	Snow ·14		·24				·12	·40	·16			17
18	·01	·09	·08	·08				·04	·15	·04	·75	·03	18
19	·04	·04	·10	·10							·38		19
20	·05		·28					·07			·14	·11	20
21			·16		·11		·06					·38	21
22						·04				·04		·42	22
23	·05	Snow ·25						·12		·08	·08	·35	23
24		Snow ·11						·08		·24			24
25			·13					·21	·20	·09	·33		25
26	·06	Snow ·11				·08			·07	·09		·06	26
27	·02	Snow ·07	Snow 1·30			·35	1·50	·07		·08			27
28		Snow ·17	Snow ·15							·10		·15	28
29		Snow ·15				·24		·77		·55		·12	29
30		X			·02	·03				·13			30
31		X		X		X		·03	X	·09	X	·15	31
Total	1·39	3·27	3·86	1·08	2·51	2·11	3·29	2·95	1·27	3·38	3·27	2·44	YEAR'S TOTAL 30·82
Rain Days.	17	21	19	12	15	14	10	14	8	23	15	12	180

W. 8,000. X. 15.

Entd 2.XII.14

FORM A. BRITISH RAINFALL.

3 - JAN 1912

2472

SOLIHULL, MARSH COTTAGE

1911 - 20

RE

43" N.

Kept at Marsh Cottag

ull G.W.R. 1¼ mile

in the County of Warw

in.

by Edward Percy

ound 1 ft. 0 in.

Level 420 ft.

IMPORTANT NOTE. result entered to the previous day. If an Obser rule, he is earnestly requested to add the reading the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·	·	·	·	·02	·	·	·01	·02	1
2	·02	·	·	·03	0·15	·	·03	·02	·	·11	·03	·02	2
3	·	·	·	·	·27	·	·	·13	·	·	·02	·02	3
4	·03	·01	·14	·10	·	·	·	·02	·10	·25	·20	·25	4
5	·	·	·	·	·	·	·	·01	·	·02	·02	·	5
6	·45	·	·05	·	·	·	·	·01	·	·	·05	·32	6
7	·01	·	·	·	·	·	·	·	·	·	·21	·10	7
8	·09	·	·15	·	·	·	·	·	·	·	·02	·34	8
9	·08	·	·05	·	·	·	·	·	·	·	·20	·17	9
10	·03	·10	·43	·	·	·	·	·12	·	·	·05	·33	10
11	·20	·	·	·	·	·	·	·	·	·	·31	·	11
12	·01	·	·46	·	·	·	·	·	·09	·	·45	·	12
13	·	·	·	·	·	·	·	·	·16	·	·01	·36	13
14	·	·08	·	·	·	·	·	·	·	·	·01	·67	14
15	·	·04	·03	·	·	·	·	·	·	·	·14	·06	15
16	·	·	·	·	·	·10	·	·	·	·	·11	·16	16
17	·	·	·02	·	·	·05	·	·	·	·	·19	·23	17
18	·	·42	·	·02	·	·25	·	·	·	·03	·	·26	18
19	·	·03	·	·	·	·23	·08	·02	·25	·14	·15	·03	19
20	·02	·06	·	·	·	·01	·	·30	·04	·08	·	·30	20
21	·	·19	·04	·03	·	·	·	·52	·	·37	·	·14	21
22	·	·	·	·02	·	·04	·	·14	·	·16	·	·33	22
23	·	·12	·33	·	·	·10	·	·	·30	·03	·	·18	23
24	·	·07	·	·	·	·42	·	·05	·	·33	·	·	24
25	·	·04	·	·05	·	·06	·	·	·01	·	·	·12	25
26	·	·	·	·27	·	·01	·	·02	·	·23	·	·12	26
27	·	·25	·10	·18	·17	·	·	·27	·21	·	·18	·08	27
28	·	·24	·	·18	·	·	·	·	·	·	·06	·04	28
29	·		·	·	·	·12	·12	·	·27	·17	·06	·	29
30	·		·	·02	·02	·08	·	·15	·	·10	·01	·02	30
31	·		·08		·		·		·	·08		·	31
Total	0·94	1·65	1·90	0·90	0·61	1·47	0·23	1·80	1·43	2·10	2·49	4·67	YEAR'S TOTAL 20·19
Rain Days.	10	13	13	10	4	12	3	15	9	14	22	25	150

W.7,000, XI. 13

Ent'd 2·XII·14

RE

FORM A.
BRITISH RAINFALL.

3 - JAN 191

Kept [illegible]t Marsh Cottage, Solihull
in the County of Warwick 4
by Edward Percy Burrall

Lat. 52°24'34" N Long. [illegible]43" W.
Time of Observation 9 a.m
Nearest Railway Station Solihull G.W.R. ½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·	·	·	·	·02	·	·	·01	·02	1
2	·02	·	·	·03	0·15	·	·03	·02	·	·11	·03	·02	2
3	·	·	·	·	·27	·	·	·13	·	·	·02	·02	3
4	·03	·01	·14	·10	·	·	·	·02	·10	·25	·20	·25	4
5	·	·	·	·	·	·	·	·01	·	·02	·02	·	5
6	·45	·	·05	·	·	·	·	·01	·	·	·05	·32	6
7	·01	·	·	·	·	·	·	·	·	·	·21	·10	7
8	·09	·	·15	·	·	·	·	·	·	·	·02	·34	8
9	·08	·	·05	·	·	·	·	·	·	·	·20	·17	9
10	·03	·10	·43	·	·	·	·	·12	·	·	·05	·33	10
11	·20	·	·	·	·	·	·	·	·	·	·31	·	11
12	·01	·	·46	·	·	·	·	·	·09	·	·45	·	12
13	·	·	·	·	·	·	·	·	·16	·	·01	·36	13
14	·	·08	·	·	·	·	·	·	·	·	·01	·67	14
15	·	·04	·03	·	·	·	·	·	·	·	·14	·06	15
16	·	·	·	·	·	·10	·	·	·	·	·11	·16	16
17	·	·	·02	·	·	·05	·	·	·	·	·19	·23	17
18	·	·42	·	·02	·	·25	·	·	·	·03	·	·26	18
19	·	·03	·	·	·	·23	·08	·02	·25	·14	·15	·03	19
20	·02	·06	·	·	·	·01	·	·30	·04	·08	·	·30	20
21	·	·19	·04	·03	·	·	·	·52	·	·37	·	·14	21
22	·	·	·	·02	·	·04	·	·14	·	·16	·	·33	22
23	·	·12	·33	·	·	·10	·	·	·30	·03	·	·18	23
24	·	·07	·	·	·	·42	·	·05	·	·33	·	·	24
25	·	·04	·	·05	·	·06	·	·	·01	·	·	·12	25
26	·	·	·	·27	·	·01	·	·02	·	·23	·	·12	26
27	·	·25	·10	·18	·17	·	·	·27	·21	·	·18	·08	27
28	·	·24	·	·18	·	·	·	·	·	·	·06	·04	28
29	·		·	·	·	·12	·12	·	·27	·17	·06	·	29
30	·		·	·02	·02	·08	·	·15	·	·10	·01	·02	30
31	·		·08		·		·		·	·08		·	31
Total	0·94	1·65	1·90	0·90	0·61	1·47	0·23	1·80	1·43	2·10	2·49	4·67	YEAR'S TOTAL 20·19
Rain Days.	10	13	13	10	4	12	3	15	9	14	22	25	150

W.7,000, XI. 13

2:XII.14

FORM A.
BRITISH RAINFALL.

3-JAN 1913

REGISTER OF RAINFALL IN 1912.

Ex. H.b.

4

Kept at Marsh Cottage Solihull

in the County of Warwick

by Edward Percy Currall

Lat. 52° 24' 54" N. Long. 1° 45' 43" W.

Time of Observation 9 a.m.

Nearest Railway Station Solihull G.W.R. 1¼ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·02.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·06	·	·	0·18	0·14	·	·01	·	·	0·15	1
2	·	·03	·10	·	·01	·27	·51	·	·	·	·	·02	2
3	·07	·	·02	·	·15	·10	·13	·76	·04	·	·	·04	3
4	·13	·	·63	·	·12	·67	·	·14	·	·	·20	·	4
5	·11	·06	·36	·	·04	·13	·	·25	·06	·	·01	·	5
6	·31	·15	·01	·	·01	·35	·	·28	·03	·	·	·06	6
7	·	·12	·	·	·07	·17	·	·10	·	·	·	·02	7
8	·31	·19	·28	·	·	·06	·18	·17	·09	·	·	·	8
9	·02	·04	·21	0·15	·	·45	·	·07	·	·	·	·35	9
10	·	·01	·01	·	·	·18	·	·08	·	·	·30	·	10
11	·14	·03	·	·	·	·10	·	·	·	·	·03	·50	11
12	·03	·34	·17	·	·16	·06	·	·	·	·	·05	·01	12
13	·01	·05	·	·	·	·	·03	·	·	·	·	·	13
14	·18	·	·35	·	·01	·10	·05	·05	·	0·02	·	·	14
15	·25	·05	·11	·	·38	·25	·	·07	·	·	·	·20	15
16	·42	·	·19	·	·05	·10	·	·	·	·07	·03	·	16
17	·62	·01	·27	·	·	·10	·	·57	·	·	·05	·50	17
18	·32	·	·05	·	·	·	·	·16	·	·02	·	·	18
19	·20	·06	·02	·	·	·01	·30	·65	·	·03	·02	·	19
20	·05	·	·15	·	·01	·	·20	·17	·	·27	·	·	20
21	·	·01	·37	·	·	·	·	·50	·	·36	·	·01	21
22	·30	·12	·01	·	1·03	·17	·26	·25	·	·01	·	·08	22
23	·22	·13	·29	·	·60	·	·50	·35	·	·	·10	·28	23
24	·17	·02	·01	·	·02	·22	·13	·04	·	·	·	·17	24
25	·	·	·	·	·	·46	·	·15	·	·	·25	·28	25
26	·	·06	·03	·	·	·	1·02	·77	·	·49	·23	·39	26
27	·	·	·01	·	·	·18	·18		·	·97	·	·17	27
28	·	·	·	·	·	·06	·17	·56	·06	·25	·37	·50	28
29	·	·12	·	·	·	·09	·40	·02	·41	·10	·04	·05	29
30	·		·02	·	·15	·10	·	·	·01	·04	·	·	30
31	·		·12	·	·12		·56	·04	·	·		·09	31
Total	3·86	1·60	3·85	0·15	2·93	4·56	4·76	6·20	0·71	2·63	1·68	3·87	YEAR'S TOTAL 36·80
Rain Days.	19	19	25	1	16	24	16	23	8	12	13	20	196

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL
3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Marsh Cottage. Solihull
in the County of Warwick
by Edward Percy Currall

Lat 52° 24' 54" N Long 1° 45' 43" W.
Time of Observation 9 a.m.
Nearest Railway Station Solihull G.W.R. 1½ miles
Diameter of Rain Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·01	·18	·14	·	·	·	·	·55	·	·08	·	1
2	·01	·09	·	·05	·	·	·01	·	·07	·24	·07	·	2
3	·10	·	·25	·	·83	·	·	·	·04	·01	·	·	3
4	·73	·01	·	·	·22	·	·01	·	·	·04	·04	0·45	4
5	·07	·03	·	·	·	·11	·08	·	·05	·62	·07	·01	5
6	·01	·06	·10	·	·27	·22	·80	·	·	·01	·	·10	6
7	·	·10	·	·	·24	·02	·08	·	·	·40	·04	·02	7
8	·	·03	·	·	·10	·20	·	·	·	·25	·	·	8
9	·	·30	·02	·	·04	·35	·19	·08	·11	·	·14	·04	9
10	·	·	·02	·08	·09	·	·	·05	·	·	·26	·	10
11	·80	·	·	·32	·	·04	·	·04	·	·10	·50	·	11
12	·	·	·	·	·08	·	·	·	·	·	·65	·	12
13	·10	·	·07	·	·	·	·	·	·22	·	·18	·	13
14	·14	·	·60	·03	·	·	·	·07	·	·12	·	·	14
15	·04	·14	·45	·36	·	·	·	·01	·06	·	·10	·	15
16	·03	·	·70	·03	·	·	·	·	·01	·	·01	·	16
17	·05	·03	·	·08	·	·	·02	·	·08	·	·	·01	17
18	·	·	·12	·10	·03	·	·	·	·01	·	·04	·	18
19	·10	·	·12	·01	·01	·	·08	·	·17	·	·	·	19
20	·14	·	·13	·07	·	·	·	·	·	·04	·16	·	20
21	·03	·	·21	·02	·10	·	·06	·01	·	·	·33	·	21
22	·44	·	·42	·	·	·	·	·07	·48	·	·	·	22
23	·02	·	·03	·	·	·10	·	·05	·03	·	·01	·	23
24	·10	·	·	·	·	·	·	·01	·	·	·	·	24
25	·	·	·	·05	·	·	·	·	·02	·	·	·	25
26	·	·03	·02	·42	·	·	·	·13	·	·09	·	·34	26
27	·	·	·	·38	·	·	·	·	·	·05	·	·01	27
28	·35	·	·14	·28	·03	·	·	·	·	·11	·	·03	28
29	·		·26	·62	·	·	·	·10	·	·03	·	·08	29
30	·38		·01	·	·	·	·	·76	·	·19	·10	·	30
31	·01		·07		·		·	·04	·			·	31
Total	3·67	0·83	3·92	3·04	2·04	1·04	1·33	1·42	1·90	2·30	2·78	1·09	YEAR'S TOTAL 25·36
Rain Days.	21	11	20	17	12	7	9	13	14	15	17	10	166

W. 7,500, XI. 12

Ex JL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 JAN 1915

Kept at Marsh Cottage Solihull

in the County of Warwick 4

by Mr. E. P. Currall M.Sc.

Lat. 52°24'54" N. Long. 1°45'43" W.

Time of Observation 9 a.m.

Nearest Railway Station Solihull

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	0·01	.	0·02	0·57	0·10	.	.	.	0·04	1
2	.	.	.	0·04	.	.	0·01	0·33	.	0·02	0·56	0·37	2
3	.	.	0·02	0·03	0·13	.	0·40	0·05	.	.	0·01	0·01	3
4	0·22	.	0·04	0·21	0·05	.	.	0·15	.	.	0·38	0·45	4
5	0·05	.	0·10	0·17	0·15	0·06	0·33	0·05	.	.	0·19	0·01	5
6	.	0·07	.	.	0·06	0·01	.	.	.	.	0·10	0·11	6
7	.	0·12	0·28	.	0·08	1·06	0·08	0·02	.	.	0·01	0·16	7
8	0·02	.	0·05	.	0·13	0·35	0·05	0·25	0·02	.	.	0·06	8
9	0·25	.	0·14	0·27	.	1·27	.	0·05	0·04	.	.	.	9
10	0·07	0·08	0·01	0·16	0·13	0·05	.	.	0·15	.	.	.	10
11	.	0·06	0·32	0·27	0·05	0·14	.	.	0·01	.	0·23	0·36	11
12	0·01	0·06	0·06		.	0·01	0·31	.	0·25	.	.	0·25	12
13	.	0·20	0·23	.	.	.	.	.	0·04	0·25	0·32	0·38	13
14	.	0·05	0·07	.	.	.	0·07	.	.	0·37	0·13	0·11	14
15	0·03	.	0·05	.	.	.	0·07	0·02	0·06	0·05	0·03	0·03	15
16	.	.	0·03	.	.	.	0·10	.	0·16	.	.	.	16
17	0·01	0·22	0·09	.	.	.	0·02	.	0·13	.	.	0·31	17
18	.	.	0·03	.	.	.	0·13	.	.	.	.	0·46	18
19	.	.	0·08	.	.	.	0·55	.	0·08	.	.	0·05	19
20	.	0·17	0·02	.	.	0·04	0·37	.	.	.	.	0·20	20
21	.	0·31	0·04	.	.	0·02	0·27	.	.	0·08	.	0·30	21
22	.	0·03	0·03	.	0·50	.	0·04	0·21	.	0·34	.	.	22
23	.	0·03	0·12	.	0·18	.	0·01	.	.	0·04	.	.	23
24	.	.	0·03	0·01	0·02	.	0·07	0·08	.	0·06	0·09	.	24
25	0·09	.	0·05	.	.	.	0·03	0·15	.	0·35	0·03	0·16	25
26	.	.	0·02	.	.	.	0·02	0·07	.	0·10	0·12	0·27	26
27	0·04	.	.	.	.	.	.	.	.	0·03	.	0·21	27
28	0·01	0·08	0·11	.	.	.	.	.	.	0·10	0·16	1·10	28
29	.	.	0·10	.	0·05	.	.	.	.	0·38	0·11	.	29
30	.	×	0·02	.	0·03	0·08	.	.	.	0·01	0·38	0·50	30
31	0·03	×	.	×	0·02	×	0·25	.	×	0·01	×	.	31
Total	0·83	1·48	2·14	1·17	1·58	3·11	3·75	1·53	0·94	2·19	2·85	5·90	YEAR'S TOTAL 27·47
Rain Days.	12	13	26	9	14	12	21	13	10	15	16	23	184

W. 8,000. X. 14.

ca + RS. 2575

FORM A. BRITISH RAINFALL.

21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Marsh Cottage. Solihull

in the County of Warwick

by Edw. P. Corrall M.Sc. A.M.I.C.E.

Lat. 52°24'54" N. Long. 1°45'43" W.

Time of Observation 9 a.m.

Nearest Railway Station Solihull G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·09	0·11	0·11	·	0·33	·	·	0·06	0·08	0·05	0·02	0·20	1
2	0·10	0·16	0·20	0·07	·	0·10	·	0·25	·	0·27	·	0·03	2
3	0·64	0·01	0·05	0·08	·	·	1·06	0·33	·	·	·	0·15	3
4	0·01	·	·	·	0·01	·	1·00	·	·	·	·	0·70	4
5	·	0·33	·	·	0·08	·	·	0·03	·	·	·	0·40	5
6	0·13	0·26	·	0·22		·	0·65	0·11	·	·	·	0·07	6
7	0·05	0·44	·	0·06	0·75	0·11	0·32	0·09	·	·	·	0·38	7
8	0·08	0·25	·	0·02	·	·	·	0·01	·	·	0·05	·	8
9	0·03	0·21	·	0·15	·	·	·	·	·	·	0·20	0·31	9
10	0·40	·	0·05	0·03	·	·	·	0·01	·	·	0·10	·	10
11	·	·		0·06	0·09	·	0·25	·	·	·	0·71	0·08	11
12	0·05	·		0·14	0·42	·	·	0·33	·	0·03	1·75	·	12
13	·	0·30		·	0·70	·	·	·	·	·	·	·	13
14	·	·		·	·	·	0·10	0·35	0·03	·	·	0·40	14
15	0·27	·		·	0·08	·	·	0·02	·	·	0·16	0·20	15
16	0·04	0·55	·	·	0·17	·	1·87	0·01	·	·	·	·	16
17	·	0·16	0·01	·	0·20	·	·	·	·	·	·	·	17
18	·	0·31	0·17	·	·	·	·	·	·	·	·	·	18
19	·	0·02	·		0·07	·	0·07	·	·	·	·	·	19
20	0·24	·	·	0·08	·	·	·	·	·	·	·	·	20
21	0·12	0·06	·	·	·	·	0·15	·	·	·	·	0·15	21
22	0·07	·	0·11	0·01	·	·	0·19	·	·	·	·	0·06	22
23	0·04	0·07	0·03	·	·	·	0·65	·	·	0·55	·	0·20	23
24	·	·	0·03	0·04	·	·	0·05	·	0·40	0·28	·	0·18	24
25	·	·	0·02	·	·	0·55	0·39	·	·	0·04	·	0·30	25
26	·	0·15		·	·	·	0·15	·	0·07	·	·	0·37	26
27	·	0·08	·	·	·	·	0·08	·		0·42	·	0·05	27
28	·	0·14	·	·	·	·	0·01	0·25	0·10	0·02	·	·	28
29	·	·	0·03	·	·	0·02	0·06	·	·	·	·	0·06	29
30	0·07	✕	·	·	·	0·57	0·08	·	·	0·15	·	0·06	30
31	0·05	✕	·	✕	·	✕	0·02	·	✕	0·13	✕	0·25	31
Total	2·48	3·60	0·81	0·96	2·90	1·35	7·15	1·85	0·68	1·94	2·99	4·60	YEAR'S TOTAL 31·31
Rain Days.	18	18	11	12	11	5	19	13	5	10	7	21	150

W. 8,000. X. 15.

WD/

2514

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

22. JAN. 1917

Kept at Solihull
in the County of Warwick
by Lieut E. F. Currall R.N.V.R.

Lat. 52°24'54"N Long. 1°45'43" W
Time of Observation 9 a.m
Nearest Railway Station Solihull G.W.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·05			·12	·10				·20		1
2	·38	·03	·14		·32		·25		·03	·51	·01		2
3		·52					·15		·11	·13	·05		3
4	·28	·08			·50	·23				·16	·27		4
5	·02				·18	·37				·03	·21		5
6		·15		·05	·31		·17			·03	·40		6
7	·10		·30			·02	·38			·28	·10		7
8	·01		·07		·05		·31				·06	·30	8
9			·03		·33	·34			·01	·08		·12	9
10		·25	·06	·06		·10			·02		·01		10
11	·07	·15	·07	·13	·02	·18			·03	·05		·25	11
12	·02	·05	·17	·01	·33					·04			12
13		·15	·28	·04			·10	·02	·01	·01			13
14		·65		·06	·01		·17	·23		·15	·01		14
15		·18	·70	·02	·10			·20		·05			15
16	·01	·02	·22	·16	·03		·15	·75					16
17	·07	·08		·21			·10	·12	·24	·16			17
18		·10	·04	·05			·01	·04	·16	·03	·76	·08	18
19	·05	·05	·16	·10				·03	·07		·40		19
20	·04		·33					·01			·13	·12	20
21			·15		·03			·05				·36	21
22					·09		·03			·03		·57	22
23	·03	·60								·08	·07	·16	23
24		·35						·06		·23		·16	24
25			·13		·12			·11	·03	·08	·30	·01	25
26	·03					·07		·12	·12	·10	·03		26
27	·03	·25	1·44			·12		·07	·02	·06			27
28		·45	·45				1·65	·20		·11		·14	28
29		·12				·23				·31		·10	29
30		×			·03	·02		·93		·13			30
31		×		×	·01	×			×	·09	×	·15	31
Total	1·23	4·23	4·79	0·89	2·46	1·80	3·57	2·94	0·85	2·93	3·01	2·52	YEAR'S TOTAL 31·22
Rain Days.	15	19	18	11	16	11	13	15	12	24	16	13	183

W. 8,000, VIII. 16

2340

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

19 FEB 1918

Kept at Marsh Cottage Solihull

in the County of Warwick

by E. G. Currall. M.Sc.

Lat. 52° 24' 54" Long. 1° 45' 43" W

Time of Observation 9 a.m

Nearest Railway Station Solihull

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·01	·03		·05		·73	·35		·01	·23	1
2						·20		·02		·02			2
3		·07		·13				·21		·33			3
4	·02	·01	·11					·18		·40			4
5	·16		·04	·30				·02	·03	·10	·08		5
6			·10			·35				·12	·07		6
7	·38									·05			7
8	·50						·19	·45		·45	·20	·30	8
9			·12	·08	·14			·38	·04	·01	·27		9
10	·36		·25	·09	·22			·12					10
11	·07	·01	·02	·18				·08		·20			11
12	·11	·02			·22			·03		·20			12
13	·03		·01					·48	·07				13
14			·20	·31				·21				·02	14
15	·01				·04		·17					·01	15
16	·03	·13				·02	·01			·07		·52	16
17				·03	·43	·30	·33	·12	·08	·07			17
18	·01			·03	·09	·02	·26	·06	·76	·03			18
19	·06	·26	·13		·52	·06							19
20	·04	·13	·10		·28	·08	·04	·03	·11		·02		20
21		·02	·14		·25	·02		·04		·02	·03		21
22			·02			·06		·08	·01	·13			22
23		·15			·07			·16		·06			23
24						·55	·04	·08		·22	·03		24
25		·05	·04								·04		25
26								·60	·20	·02	·17		26
27					·40	·03	·33	·70					27
28			·03			·11		·11					28
29			·02			·44	·02	·16		·57		·25	29
30		✕					·15	·21		·06			30
31		✕	·09	✕		✕		·01	✕		✕		31
Total	1·80	0·85	1·43	1·18	2·66	2·29	1·54	5·27	1·65	3·13	0·92	1·33	YEAR'S TOTAL 24·05
Rain Days.	14	10	17	9	11	14	10	25	9	20	10	6	155

W. 8,000, IX. 17.

113

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
119.9

Kept at Marsh Cottage Solihull
in the County of Warwickshire
by E. G. Currall

Lat. 52°24'54" N. Long. 1°45'43" W
Time of Observation 9 a.m.
Nearest Railway Station Solihull
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·35

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·18	·03						·02		1
2		·04		·13				·06		·05	·02	·20	2
3					·11			·16	·39	·02			3
4		·03	·04					·04	·63		·48	·18	4
5					·22			·04	·12	·13			5
6		·18		·17					·03	·01		·03	6
7	·04	·08		·08	·03	·10	·01		·06	·18	·15	·01	7
8	·02	·12							·16	·03		·03	8
9		·35		·06		·26	·10		·34	·30			9
10	·08			·30			·33		·06	·03		·09	10
11				·02	·07		·15		·13	·01		·04	11
12		·03	·07		·12		·03		·03			·01	12
13				·01	·10	·05	·01		·13	·01		·04	13
14	·33					·01	·10		·16	·17		·10	14
15	·60			·22			·20		·02			·44	15
16	·10			·57		·09	·01	·01	·20			·01	16
17	·33				·02	·16	·10		·08	·04		·10	17
18	·41					·11	·18		·28			·17	18
19	·05	·04	·15	·09			·03			·07		·14	19
20		·09		·74		·01	·60		·19			·08	20
21	·08			·30	·58		·04		·27			·07	21
22	·06				·20		·05		·02	·08		·40	22
23	·02				·75		·15		·08			·02	23
24		·08					·06		·02		·10		24
25						·05	·15	·36		·01	·04		25
26							·13	·02	·02		·06	·08	26
27		·04				·01	·20	·32	·21		·05	·13	27
28		·12	·27			·05					·13	·13	28
29									·78			·01	29
30		X	·40					·07	·02		·14	·20	30
31		X	·35	X		X		·06	X		X		31
Total	2·12	1·21	1·28	2·87	2·23	0·90	2·63	1·14	4·43	1·14	1·19	2·71	YEAR'S TOTAL 23·85
Rain Days	12	13	6	13	11	11	20	10	25	15	10	24	179

W: [illegible]

22.4.44

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Marsh Cottage, Solihull

in the County of Warwick

by Capt. E. F. Currall R.A.F

Lat. 52° 24' 54" N Long. 1° 45' 43" W

Time of Observation 9 a.m.

Nearest Railway Station Solihull G.W.R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·01	·05		·10	·04	·37			·13	·06	·30	1
2	·17	·02					·09		·10	·08	·10	·12	2
3	·85		·07		·02	·09	·25		·15		·15	·11	3
4	·07		·38			·08	·10	·06	·20		·03	·19	4
5		·24					·02	·01	·20			·15	5
6	·01		·06		·38							·10	6
7	·05		·22										7
8	·10		·04	·13		·05							8
9	·02			·05							·05	·18	9
10			·50	·02							·02	·01	10
11			·36		·02		·26					·01	11
12			·18	·07		·20				·03	·04	·02	12
13	·15			·12			·02		·05	·03		·03	13
14	·44			·25			·09		·19			·22	14
15	·38	·07		·13							·06		15
16	·11	1·00		·02			·02	·17			·07	·02	16
17	·05	·62				·02					·12	·17	17
18			·35					·18					18
19	·24	·20	1·15			·12	1·75	·21	·05			·18	19
20	·19	·05	(·27)				·18	·24	·08		·40		20
21	·03	·36	·10			·01	·24				·06	·09	21
22		·30							·24			·50	22
23						·12				·30	·01	·15	23
24				·03						·75	·07	·06	24
25	·13			·03	·08	·10		·20			·02	·05	25
26			·16	·06				·03	·05			·38	26
27	·13		·01	·36		·03		·09			·10	·06	27
28	·02			·02				·15				·25	28
29	·09		·02	·02		·07		·02		·47	·35	·13	29
30	·01	✕	·16	·12		·22		·06		·05	·09	·34	30
31	·04	✕		✕		✕	·05		✕	·02	✕	·03	31
TOTAL	3·63	2·87	4·08	1·43	0·60	1·15	3·44	1·42	1·31	1·86	1·80	3·85	YEAR'S TOTAL 17·44
Days with ·01 in. or more	22	10	17	15	5	13	13	12	10	9	18	26	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ind. VI B

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Marsh Cottage Solihull
in the County of Warwick
by E. J. Currall. M.C. Capt. late R.A.F.

Lat. 52°24'54" N. Long. 1°45'43" W
Time of Observation 9 am
Nearest Railway Station Solihull G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1,

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01		·31		·09		·02	·12		·20	1
2				·13	·02		·35		·08	·13		·13	2
3	·01	·07		·18	·03	·02	·75		·10	·24		·01	3
4	·01		·01	·16				·40		·40			4
5			·06	·05	·17		·27	·06	·13	·50			5
6			·22	·05	·08		·30		·01	·09		·03	6
7			·06	·15			·14						7
8	·50	·07		·55	·12		·62						8
9	·33	·02		·36			·04	·18					9
10	·38	·13	·06	·01		·03	·10				·06		10
11	·10			·10	·45	·25	·01						11
12	·08	·02		·30		1·03	·02	·30		·03		·15	12
13	·06	·01	·29	·17				·02	·05		·01	·03	13
14	·02	·01	·80	·27		·45	·03		·13		·10		14
15		·11	·05	·43		·30	·01		·11	·04	·14		15
16				·16	·05	·18	·10		·06	·45			16
17				·01	·11		·06	·01	·70	·07		·03	17
18	·20	·01		·12	·13		·08	·18	·45				18
19	·05	·25		·30				·04	·05				19
20	·02	·40		·40		·25	·01						20
21				·05			·36	·03	·03			·07	21
22	·04			·10			·05	·04	·02				22
23							·27	·11				·30	23
24	·02		·18	·02							·02	·10	24
25		·09	·08	·02	·17		·68	·02		·02		·01	25
26	·15	·01	·20	·03			·10			·01	·01	·05	26
27	·02		·05	·18	·10	·10	·01				·10	·35	27
28	·75		·15	·04	·26		·03					·10	28
29	·10	·02	·01		·55		·06				·13	·45	29
30	·01	×	·03	·08	·05	·02	·03		·33		·23	·18	30
31	·09	×	·13	×	·02	×			×	·40	×	·11	31
Total	2·94	1·22	2·39	4·42	2·62	2·63	4·57	1·39	2·27	2·50	0·80	2·30	Year's Total 30·05
Days with ·01 in. or more	20	14	17	28	16	10	26	12	15	13	9	17	197
Days with ·04 in. or more	13	7	13	22	13	7	18	8	11	10	6	12	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S made 1

2450 SOUTHAM

STOCKTON HOUSE

1916 - ~~30~~17.

8 JAN 1917

Altitude 400

NE RA,

OLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Geo. B. Blyth

Time of Observation 9.15

YEAR

1916

At Stockton House

County Warwickshire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	·03	—	·03	—	—	·08	·11	—	—	·05	·17	—
2	·47	—	·04	—	·15	·13	·02	—	·02	·53	·02	—
3	—	·46	—	—	·03	—	—	—	·14	·16		—
4	·25	·02	—	—	·23	·20	·02	—	·01	·02		—
5	·06	—	—	—	·11	·42	·20	—	—	·07	·75	—
6	·03	·13	·06	·13	·10	·14	·41	—	—	·14		—
7	·04	—	·15	—	·01	·02	·40	—	—	·04		·14
8	·01	—	·09	—	·19	·01	—	—	—	—	·01	·14
9	—	—	·02	—	·13	·22	—	—	—	—	—	—
10	—	·20	·07	·04	—	—	—	—	·04	·01	—	·07
11	·02	·08	·08	·12	·08	·41	—	—	·01	—	—	—
12	·01	·01	·10	·01	·46	·03	·07	·02	—	·07	—	—
13	—	·20	·24	·05	—	—	·14	·18	—	[illegible]	—	—
14	—	·42	—	·04	·01	—	—	—	—	·02	—	—
15	—	·28	·62	—	·07	—	·10	·09	·01	·04	—	—
16	—	·01	·45	·18	·11	—	·12	·25	—	—	—	—
17	·06	·10	—	·15	—	—	·02	·71	·36	·23	—	—
18	—	·06	·02	·03	—	·01	—	·25	·05	·01	·78	—
19	·02	·04	·21	·12	—	·01	—	·02	·22	—	·35	·02
20	·02	—	·30	·10	—	—	—	·01	—	—	·31	·32
21	·01	—	·27	·20	·09	—	·80	—	—	—	—	·18
22	—	·01	—	·01	·01	·02	—	—	—	·01	—	·36
23	·01	·02	—	·01	—	—	—	·04	—	·08	·05	·26
24	—	·27	—	·02	·01	·22	—	·11	—	·07	—	·13
25	—	·26	·11	—	·02	·07	—	·31	—	—	·14	·05
26	—	·14	·04	—	—	—	—	·29	—	·07	·02	—
27	·03	·20	·09	—	—	—	·16	·04	·01	·10	—	—
28	—	·21	·93	—	—	—	—	—	·02	·02	—	·14
29	—	·10	—	—	—	·29	—	1·04	—	·19	—	·04
30	—		—	—	—	·04	—	·01	—	·18	—	—
31	—		—		·01		—	·01		·03		·14
Totals	1·07	3·14	3·92	1·21	1·84	2·32	2·57	3·43	·89	~~2·02~~ 2·14	2·60	2·07
	15	21	20	15	18	17	13	16	11	22	13	13

93



MONTHLY TOTALS

27·15

27·05

S made 1

8 JAN 1917

RAINFALL CHART.

Altitude 400

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Geo. B. Blyth

Time of Observation 9.15

YEAR 1916

At Stockton House

County Warwickshire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	·03	—	·03	—	—	·08	·11	—	—	·05	·17	—
2	·47	—	·04	—	·15	·13	·02	—	·02	·53	·02	—
3	—	·46	—	—	·03	—	—	—	·14	·16		—
4	·25	·02	—	—	·23	·20	·02	—	·01	·02		—
5	·06	—	—	—	·11	·42	·20	—	—	·07	·75	—
6	·03	·13	·06	·13	·10	·14	·41	—	—	·14		—
7	·04	—	·15	—	·01	·02	·40	—	—	·04		·14
8	·01	—	·09	—	·19	·01	—	—	—	—	·01	·14
9	—	—	·02	—	·13	·22	—	—	—	—	—	—
10	—	·20	·07	·04	—	—	—	—	·04	·01	—	·07
11	·02	·08	·08	·12	·08	·41	—	—	·01	—	—	—
12	·01	·01	·10	·01	·46	·03	·07	·02	—	·07	—	—
13	—	·20	·24	·05	—	—	·14	·18	—	[illegible]	—	—
14	—	·42	—	·04	·01	—	—	—	—	·02	—	—
15	—	·28	·62	—	·07	—	·10	·09	·01	·04	—	—
16	—	·01	·45	·18	·11	—	·12	·25	—	—	—	—
17	·06	·10	—	·15	—	—	·02	·71	·36	·23	—	—
18	—	·06	·02	·03	—	·01	—	·25	·05	·01	·78	—
19	·02	·04	·21	·12	—	·01	—	·02	·29	—	·35	·02
20	·02	—	·30	·10	—	—	—	·01	—	—	·31	·32
21	·01	—	·27	·20	·09	—	·80	—	—	—	—	·18
22	—	·01	—	·01	·01	·02	—	—	—	·01	—	·36
23	·01	·02	—	·01	—	—	—	·04	—	·08	·05	·26
24	—	·27	—	·02	·01	·22	—	·11	—	·07	—	·13
25	—	·26	·11	—	·02	·07	—	·31	—	—	·14	·05
26	—	·14	·04	—	—	—	—	·29	—	·07	·02	—
27	·03	·10	·09	—	—	—	·16	·04	·01	·10	—	—
28	—	·21	·98	—	—	—	—	—	·02	·02	—	·14
29	—	·10	—	—	—	·29	—	1·04	—	·19	—	·04
30	—		—	—	—	·04	—	·01	—	·18	—	—
31	—		—		·01		—	·01		·03		·14
Totals	1·07	3·14	3·92	1·21	1·82	2·32	2·57	3·43	·89	[illegible] 2·14	2·60	2·07
	✓ 15	✓ 21	✓ 20	✓ 15	✓ 18	✓ 17	✓ 13	✓ 16	11	22	✓ 13	✓ 13

93



MONTHLY TOTALS

27·15

27·15

191

2369

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
3 JAN 1918

Kept at Stockton House
in the County of Warwick
by Geo. B. Blyth

Lat. 52.16 Long. 1.23
Time of Observation 9.30 a.m
Nearest Railway Station Napton & Stockton
Diameter of Funnel of Rain Gauge 6" in.
Height of top of Gauge above Ground 1' ft. 4" in.
" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.01				.71	.08		.05		1
2						.21		.06		.01	.04	.05	2
3		.04		.13				.14		.34	.05		3
4		.13	.01					.03		.59			4
5	.12		.04	.11					.02		.08		5
6			.07			.21 .27				—	.05		6
7	.44		.01			.03				.64		.03	7
8	.34			.16			.31	.15	.01		.10	.11	8
9	.02		.65	.01	.17		.01	.13	.01	—	.14		9
10	.02		.15	.04	.16			.04			.01		10
11	.14		.11	.25				.14	.12 .12	.20	.02		11
12	.10		.02	.01	.11	.21			.01	.31	.01		12
13			.02	.02				.20	.04	.01			13
14	.09		.01	.04				.16					14
15	.02			.01				.18		.03		.05	15
16	.04	.26		.17	.56	.01				.06		.23	16
17		.06		.09		.03	.23	.01	.07	.13			17
18		.01		.15	.05	.02	.16	.04	1.10	.03			18
19		.21	.11		.02	.01			.02				19
20		.18			.41	.06			.01				20
21			.11		.18	.22	.02	.01					21
22			.02					.05	.01	.07			22
23		.13			.10			.12	.02	.06		.03	23
24		.02	.01			.19		.06		.19			24
25		.02	.05					.01					25
26		.01						.33	.09		.10		26
27					.08	.11	.01	.50					27
28			.14			.66		.10				.03	28
29						.05	.07	.08		.37		.28	29
30	.02	✕					.46	.27		.01		.01	30
31		✕	.04	✕		✕	.02	.05	✕		✕	.03	31
Total	1.35	1.07	1.57	1.20	1.84	2.02	1.29	3.57	1.61	3.05	.65	.85	YEAR'S TOTAL 20.07
Rain Days.	11	11	17	14	10	14	9	24	14	18	11	10	163

W. 8,000, IX. 17.

1.46

Dl

380

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGIS

SPARKHILL

WARWICKSHIRE

1914 – 1920.

Kept at Sparkhill

in the County of Worcest

by D. H. Owen

in.

round ft. in.

ea Level ft.

IMPORTANT NOTE.– e result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading in the space provided for it at the end of this p nt of rain, the selection and placing o h Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camde

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.01	1.05	.11				.04	1
2				.08		.01	.01	.23		.03	68	.48	2
3			.03	.04	17		.29	.12			.07	.01	3
4	.19		.05	.17	.01		.01	.07			.56	.55	4
5	.08		.12	.18	.06	.05	.31	.03			.19	.01	5
6	.02	.08			.07	.02					.10	.18	6
7		.16	.28	.02	.06	.19	.43	.01			.01	.21	7
8	.01	.01	.05	.04	.16	.67	.06	.26	.03			.14	8
9	.29		.12	.26		1.28		.04	.02				9
10	.11	.11	.01	.15	.14	.06			.12				10
11		.09	.36	.18	.03	.07			.02		.22	.53	11
12		.13	.07			.01	.32		.27		.01	.29	12
13	.01	.20	.30				.01		.05	.09	.24	.32	13
14	.01	.07	.09				.04		.01	.23	.10	.20	14
15	.03	.01	.05				.04	.03	.03	.05	.07	.04	15
16			.06				.09		.11				16
17	.02	.22	.12				.01		.13			.17	17
18			.02				.02		.01			.54	18
19			.04				.56		.15		.05	.09	19
20		.44	.01			.01	.41					.21	20
21		.52	.05			.04	.01			.12		.34	21
22		.04	.06		.55	.02	.04	.21		.15		.01	22
23		.03	.14		.40	.01	.02			.04			23
24			.01	.02			.06	.09		.12	.06	.02	24
25	.06		.07		.01		.03	.21		.48	.05	.15	25
26			.03				.04	.29		.11	.19	.36	26
27	.05		.02							.02	.01	.30	27
28	.01	.08	.08		.04					.19	.51	1.19	28
29			.14		.06					.24	.13	.01	29
30			.02		.03	.12				.02	.30	.70	30
31	.04				.01		.29			.02		.03	31
Total	.93	2.19	2.40	1.14	1.80	2.57	4.15	1.70	.95	1.91	3.55	7.12	YEAR'S TOTAL 30.41
Rain Days.	14	15	27	10	15	15	23	13	12	15	19	27	205

W.7,000, XI. 13

Dl 380

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Sparkhill
in the County of ~~Worcestershire~~ Warwick
by D. H. Owen

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·01	1·05	·11				·04	1
2				·08		·01	·01	·23		·03	68	·48	2
3			·03	·04	·17		·29	·12			·07	·01	3
4	·19		·05	·17	·01		·01	·07			·56	·55	4
5	·08		·12	·18	·06	·05	·31	·03			·19	·01	5
6	·02	·08			·07	·02					·10	·18	6
7		·16	·28	·02	·06	·19	·43	·01			·01	·21	7
8	·01	·01	·05	·04	·16	·67	·06	·26	·03			·14	8
9	·29		·12	·26		1·28		·04	·02				9
10	·11	·11	·01	·15	·14	·06			·12				10
11		·09	·36	·18	·03	·07			·02		·22	·53	11
12		·13	·07			·01	·32		·27		·01	·29	12
13	·01	·20	·30				·01		·05	·09	·24	·32	13
14	·01	·07	·09				·04		·01	·23	·10	·20	14
15	·03	·01	·05				·04	·03	·03	·05	·07	·04	15
16			·06				·09		·11				16
17	·02	·22	·12				·01		·13			·17	17
18			·02				·02		·01			·54	18
19			·04				·56		·15		·05	·09	19
20		·44	·01			·01	·41					·21	20
21		·52	·05			·04	·01			·12		·34	21
22		·04	·06		·55	·02	·04	·21		·15		·01	22
23		·03	·14		·40	·01	·02			·04			23
24			·01	·02			·06	·09		·12	·06	·02	24
25	·06		·07		·01		·03	·21		·48	·05	·15	25
26			·03				·04	·29		·11	·19	·36	26
27	·05		·02							·02	·01	·30	27
28	·01	·08	·08		·04					·19	·51	1·19	28
29			·14		·06					·24	·13	·01	29
30			·02		·03	·12				·02	·30	·70	30
31	·04				·01		·29			·02		·03	31
Total	·93	2·19	2·40	1·14	1·80	2·57	4·15	1·70	·95	1·91	3·55	7·12	YEAR'S TOTAL 3041
Rain Days.	14	15	27	10	15	15	23	13	12	16	19	27	205

W.7,000, XI. 13

82

2584
370

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Sparkhill

in the County of Worcestershire Warwickshire

by D. H. Owen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	17	·13		·28			·06	05	·06	·02	·08	1
2	·04	·12	·22	·05		·09		·36		·33		·01	2
3	·89	·01	·09	·12			·31	17		·01		·21	3
4		·01			·03		1·14	·01				82	4
5	·01	49				·01		·04				·38	5
6	·08	·20		26			·70	·09				·09	6
7	·08	·49		·06	·74	·02	·16	·11	—			·34	7
8	·10	·21		·02				·01			·05		8
9	·05	·20		·17				·01	—		23	·44	9
10	·36		·01	·03				·01		·01	·12	·03	10
11	·01		·04	·06	·08		·09		—		·73	·02	11
12	·04			·12	·38		—	·03	—	·03	1·46	·07	12
13	·02	·44			·99					·01	·06		13
14	·01	·01					·15	·12	·04	·02		·34	14
15	·39			·01	·09		·04	·05			·14	·33	15
16	·08	·49			·18		1·91	·01				·02	16
17		·36	·01		·27		·06			·01		·02	17
18		·36	·14							·01	·01		18
19		·02			·06		·09						19
20	·26			·08			·02			—		·05	20
21	·16	·01					·10			·02		·03	21
22	·03		·13	·04			·12		·02			·07	22
23	·09	·09	·07			·10	·60		·04	·45		·23	23
24			·01	·09			·04		·28	27		·16	24
25			·04			·32	·15		·01	·01		·30	25
26		·17					·22		·11			·21	26
27		·11					·13		·01	48		·31	27
28		·17					·01	·15	·07	·09			28
29							10	·15	·02		·08	·07	29
30	·07	╳				·49	·03	·01		·08	·04	·03	30
31	·07	╳		╳		╳	·06	·04	╳	·17	╳	·26	31
Total	3·00	4·13	·89	1·11	3·10	1·03	6·23	1·43	·65	2·06	2·94	4·92	YEAR'S TOTAL 31·49
Rain Days.	21	20	11	13	10	6	22	18	10	17	11	26	185

W. 8,000. X. 14.

8L

2520 ~~338~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
30 JAN 1917

Kept at Sparkhill, Birmingham

in the County of Warwickshire

by D. H. Owen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground — ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec.	*Date.*
1	3·7		1·5		·6	3·5	3·6				5·3		1
2	7·8	1·1	4·9		6·4		7·0		1·8	14·0	·5		2
3	·1	15·2	·1	·3	·2		·1		3·4	3·4	2·1		3
4	8·7	1·5		·3	13·4	9·0			·9	6·5	5·7		4
5	·3	·1			4·8	12·4	2·2			1·4	10·6		5
6	·1	4·1	1·6	·9	8·2	·3	8·4			1·8	12·0		6
7	2·3	·3	5·2		2·7	·3	8·5			4·8	6·2	3·9	7
8	·2		1·7		1·5	2·3	·1			·1	1·5	5·1	8
9	·3	·3	·6		8·0	3·9			·4	2·5		2·5	9
10		3·6	1·3	2·1	·4	5·1	·5		·4	·8	·2	·4	10
11	2·8	7·0	1·8	3·5	·2	4·9			1·6			4·4	11
12	1·0	1·4	1·7	1·5	6·2	·1	2·1	·3	·1	1·2		·2	12
13	·5	4·3	5·9	1·7	·1		2·0	6·8		·2	·1		13
14		13·0	·3	1·7				2·7		1·7	·2		14
15		4·7	13·6	·1	·3		3·3	12·3	·2	1·1			15
16	·1	·4	5·9	4·3	3·0		·5	1·4	·4				16
17	2·1	2·6	·2	4·6	·1		·2	1·8	6·1	4·0		·3	17
18	·1	3·5	·2	2·6				·6	5·5	1·1	16·2	·4	18
19	1·1	·5	3·8	2·2		·3		·3	2·2		14·3	3·4	19
20	1·0	·3	9·0	·2				1·1			3·2	2·5	20
21	·1		4·1		1·0		1·8				·1	8·0	21
22		·5	·2		1·6	·5				1·5	·1	9·4	22
23	·8	22·7						2·1		1·8	1·5	7·8	23
24		10·1		·3				2·5		1·5		4·3	24
25		·6	3·8		3·2			5·4	2·5	7·9	7·7	·3	25
26	·7	3·6	·4			2·0		1·0	3·5	2·5	1·0	·1	26
27	·8	2·9	29·5			8·3	10·6	1·7	1·1	11·2		·2	27
28		11·4	10·5			·1				1·2		3·9	28
29		4·6				4·5		16·6		8·7		3·3	29
30					·3	·7				6·1		·1	30
31	·1				·3			·6		4·0		4·3	31
Total	34·7	120·3	107·8	26·3	62·5	58·2	50·9	57·2	30·1	91·0	88·5	64·8	YEAR'S TOTAL 792·3
Rain Days.	16	25	23 ~~24~~	14	19	15 ~~17~~	13	16	14	24 ~~25~~	16	19	214

W. 8,000. X. 15

8L

Ese Df

2398
~~324~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sparkhill, Birmingham

in the County of Warwickshire

by D. H. Owen

Lat. ______ Long. ______

Time of Observation Summer time

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	
1	·6		·4	1·6		1·5		20·0	9·6		·4	6·4	1
2	·2			·9		7·2		·5		·1	·6	1·6	2
3	·5	·7		4·0		·2		3·2		·5	·6	·5	3
4	·7	1·4	5·7	·2				2·1		19·6		·1	4
5	5·3		1·8	5·4				·1	1·5	3·0	4·7		5
6	·4		3·2			11·3				·2	3·8		6
7	10·0					2·2				5·1	·1	·1	7
8	18·9			5·0		·2	4·5	16·9		12·6	5·2	5·4	8
9	·2		4·1	3·2	2·1		·1	19·1	·6	·1	7·7	·3	9
10	9·2		7·2	1·6	15·8			3·4		·6			10
11	2·7	·3	2·7	5·2				·4	·3	5·4	·2		11
12	1·9	·3	·2	·1	6·9			·4		4·0	·2	·2	12
13	·6	·2	·7	·6	1·0			3·6	2·8	·2	·1		13
14	·4		3·0	6·9				11·1				·4	14
15	·5			·1	1·6		3·3	1·2		·7		·6	15
16	·7	3·3		3·9		·5				·5		17·5	16
17	·1	·3	·3	1·0	12·4	16·1	3·0	7·1	5·5	1·8			17
18	·2	·5		1·4	1·5		14·1	4·5	21·5	1·3		·2	18
19	1·0	4·4	4·1	·1	12·5	1·8			2·5				19
20	·3	7·2	3·5		11·1	1·8	1·4	17·6	8·8		·4		20
21	·2	·8	3·7	·1	7·1	12·7		1·8		·4	1·8		21
22	·1	·3	·4			1·8		1·4		4·8	·1		22
23		4·3			3·2			4·4	·3	2·1			23
24		·4				9·3	4·7	2·2		6·7	1·2	·3	24
25		1·2	2·0					·1		·2	2·6		25
26		·1	·1			·6		8·2	5·4	·9	6·6		26
27					11·7	1·3	11·0	23·8	·1	·1	·1		27
28		·1	2·1			4·3		3·3			·1	·5	28
29			1·5			9·8	2·2	4·0		9·8		7·1	29
30	·2	✕					2·3	4·6		·7		·3	30
31		✕	2·4	✕		✕		1·8	✕	·1	✕	·5	31
Total	54·9	25·8	49·1	41·3	86·9	82·6	46·6	166·8	58·9	81·5	36·5	42·0	YEAR'S TOTAL 772·9
Rain Days.	21 ~~23~~	15	19 ~~20~~	14	12	17	9	25 ~~27~~	11 ~~12~~	22 ~~26~~	14 ~~19~~	15 ~~17~~	19~~6~~4

W. 8,000, VIII. 16

8L

~~8L~~

37
~~305~~

FORM A.
BRITISH RAINFALL.

22. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Sparkhill

in the County of Warwickshire

by D. H. Owen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1	·3	·3		5·5	3·1				0·5	0·1	7·0	2·8	1
2	·1	1·3		·9				2·7		1·1	1·5	5·0	2
3		·1	0·6	·2	3·2			6·1	7·6	0·5	1·4	0·2	3
4	·2	·8			0·1			2·2	25·9	0·3	17·5	6·9	4
5		·3	·3		5·8			1·9	7·5	3·2		0·3	5
6	·1	4·8	·2	5·2		0·4			0·6	0·5		0·9	6
7	·2	2·5	·2	2·3	0·8	2·2			1·2	3·6	0·8	0·2	7
8	·5	4·7							4·6	1·2	3·8	0·6	8
9	·8	9·5		2·0		7·0	1·1		8·7	9·0	0·1	0·3	9
10	1·9	·5		6·7			4·1		3·4	0·9		2·1	10
11	·8	·2		·6	1·4		3·0		3·7	0·7	0·1	1·1	11
12	·4	1·1	1·7		2·5		5·7		1·0			0·3	12
13	·1		·1	·2	5·0				3·9	0·2		0·8	13
14	9·6		·1		0·1	2·7	2·2		2·1	5·6		2·5	14
15	17·6			4·0	0·2		7·2		3·5			11·7	15
16	3·0			15·2		0·9		0·3	6·1		0·2	0·4	16
17	8·7			·1	9·1	1·1	1·4	0·1	4·2	1·5	0·1	3·5	17
18	8·5					3·3	4·1		9·4			6·3	18
19	1·3	·3	4·4	3·0			1·1		0·3	2·0		4·5	19
20	6·8	2·9		17·4		0·5	16·5		3·7	0·3	0·3	2·9	20
21	2·1			11·7	3·1	0·3	1·5		7·2		0·1	0·3	21
22	·3			·1	8·0	0·2	1·6			1·8	0·1	12·0	22
23	·6				23·1		2·4		1·7		0·4	1·8	23
24		2·1			0·1		1·1	0·1	1·0		3·0		24
25						1·0	4·3	9·4			1·0		25
26		·1					2·9	1·0	4·4	0·3	2·0	2·3	26
27		2·2	·1			0·2	0·3	9·2	7·5		1·9	4·6	27
28		3·6	9·6			0·6					3·8	3·0	28
29								0·2	20·6		0·1	0·6	29
30	·1		9·4					3·5	1·2		1·9	5·5	30
31	·2		8·1					0·6					31
Total	64·2	37·3	34·8	75·1	65·6	20·4	60·5	37·3	141·5	32·8	47·1	83·4	YEAR'S TOTAL 700·0
Rain Days.	19 ~~20~~	16 ~~16~~	9 ~~12~~	14	12	13	17	11 ~~13~~	26	7 ~~18~~	15	28	197

W. 8,000, IX. 17.

Dl

2252
~~281~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Sparkhill

in the County of Warwickshire

by D. H. Owen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	m.m	
1	11·8	0·2	0·7	0·2	2·7	8·8	11·1		0·1	3·8	·4	6·7	1
2	3·9	0·5	0·6		1·5		1·7		3·8	0·8	1·8	3·4	2
3	20·2		1·6		1·0	1·5	5·8		5·4		4·4	3·2	3
4	1·6		8·5			3·3	2·0	2·5	8·9		·6	5·9	4
5	0·3	8·7	0·1		0·2		0·7	0·3	7·7			3·4	5
6	0·7		1·8	0·3	12·2						·2	2·2	6
7	4·5		6·5	0·2	0·3						1·4		7
8	4·1		0·7	3·6		1·4							8
9	1·7		0·3	1·2									9
10			13·5	0·6							·3	6·1	10
11	0·1		11·5		0·8		6·8					·3	11
12	0·5		6·4	3·9		6·6			0·5	2·5	·7	·5	12
13	3·4			6·1		0·1	0·6		1·7	5·5		·3	13
14	12·8	0·2		6·2			1·9		8·1	0·8	·1	1·1	14
15	3·3	2·3	0·3	5·2						0·5	·6	7·1	15
16	5·8	24·6		0·7			0·1	5·3			1·8	·3	16
17	1·2	16·8				0·8	0·5				3·5	·2	17
18		0·4	9·5				0·3	5·9	0·2			4·6	18
19	1·5	5·9	30·1			2·8	34·2	7·9	1·5		1·6	·1	19
20	10·0	1·8	6·7			1·8	5·3	7·0	2·3		15·1	·2	20
21	0·7	9·4	2·3			0·3	5·7	0·5			·8	7·4	21
22		9·4					0·4		6·9		·1	14·3	22
23		0·1				3·3		0·3		15·5		4·3	23
24				0·8						23·4	3·3	2·1	24
25	2·8	0·1		0·9	2·7	4·0		16·2			·6	1·8	25
26	1·8		5·0	1·6		0·5		0·6	1·7		·2	10·0	26
27	3·5		0·8	11·3		0·3		0·6			·3	1·2	27
28	1·3		0·5	0·1				21·3				6·5	28
29	1·0		0·4	0·8		1·6		1·6		10·8	8·2	2·4	29
30	0·1	×	2·7	2·7		5·2		1·1		0·9	2·4	11·0	30
31	0·3	×	1·0	×		×	0·8		×		×	1·2	31
Total	98·9	80·4	111·5	46·4	21·4	42·3	77·9	71·1	48·8	64·5	48·4	107·8	YEAR'S TOTAL 819·4
Rain Days.	~~24~~ 26	12	22	17	8	15	15	14	12	10	20	27	196

W, 6,500, VII. 18. W W C

~~W C~~ Cmdly B 2163

FORM A/2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sparkhill (MO)
in the County of ~~Worcestershire~~ Warwickshire
by D. H. Owen

Lat 52° 27' N Long 1° 51' W
Time of Observation 7h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	5·7	10·2	-	8·4	-	1·4	1·7	0·2	7·6	1
2	-	-	-	2·4	0·7	-	12·2	-	2·1	6·5	-	3·8	2
3	1·4	1·8	-	3·3	0·5	0·8	16·5	0·1	2·3	9·5	-	0·3	3
4	0·1	-	-	3·3	-	-	0·2	10·3	0·3	9·4	-	-	4
5	-	-	1·2	1·0	5·1	-	7·6	1·5	3·6	11·8	-	-	5
6	-	-	7·9	1·2	1·7	-	5·2	-	-	3·3	-	0·9	6
7	-	0·1	1·4	2·1	0·1	-	5·0	-	-	-	-	0·1	7
8	11·1	1·3	-	15·5	3·7	-	7·8	-	-	0·4	-	-	8
9	8·9	0·2	-	10·9	-	-	1·4	4·7	0·3	0·2	-	-	9
10	7·4	3·1	1·8	0·7	-	1·0	3·0	-	-	-	1·3	0·2	10
11	6·6	0·3	0·9	2·4	12·3	7·7	0·9	0·2	-	-	0·1	0·1	11
12	2·2	0·2	1·8	7·9	-	33·3	0·9	7·2	-	0·8	0·1	4·6	12
13	1·6	0·5	6·2	7·1	0·1	0·1	-	0·2	0·2	-	1·3	0·5	13
14	0·4	0·4	21·8	5·3	-	8·1	0·5	-	4·4	0·4	2·6	-	14
15	-	2·3	8·7	12·3	-	9·5	-	-	1·4	0·8	4·8	-	15
16	-	0·1	0·3	2·8	2·8	2·1	4·1	-	1·9	14·1	-	-	16
17	-	-	-	-	4·0	-	0·9	0·2	24·5	3·1	-	0·3	17
18	4·6	-	-	1·9	2·5	-	0·5	3·5	11·0	-	-	0·1	18
19	1·7	7·8	-	10·7	-	1·2	-	1·8	0·8	-	-	0·1	19
20	0·3	9·6	-	11·6	-	5·3	1·2	-	0·1	-	0·1	-	20
21	-	-	-	1·0	-	-	6·2	0·7	0·3	-	-	1·6	21
22	1·1	-	-	3·3	-	-	1·0	2·5	0·3	0·2	0·3	0·2	22
23	0·1	-	-	-	-	-	3·8	3·1	-	0·2	0·2	8·4	23
24	0·3	-	5·7	0·7	-	-	-	0·3	-	-	-	3·3	24
25	0·2	0·8	1·3	1·0	0·3	-	17·9	0·2	-	-	-	0·1	25
26	6·1	0·3	6·0	0·6	0·2	-	3·1	-	0·1	0·2	0·1	0·6	26
27	3·0	0·4	0·1	5·2	2·6	4·8	-	-	-	0·2	1·5	14·2	27
28	24·0	-	1·6	1·2	8·9	-	0·8	-	0·1	0·1	0·3	1·1	28
29	2·8	-	10·2	-	6·9	-	1·0	-	-	0·1	4·5	11·0	29
30	-		0·1	1·9	2·0	1·6	1·0	-	6·1	-	6·6	3·5	30
31	1·8		1·1		0·3		-	-		12·8		3·6	31
TOTAL	85·7 ✓	29·2 ✓	78·1 ✓	123·0 ✓	64·9 ✓	75·5 ✓	111·1 ✓	36·5 ✓	61·2 ✓	75·8 ✓	24·0 ✓	66·2 ✓	YEAR'S TOTAL 831·2
Days with 0·2 mm. or more	19 ✓	14 ✓	16 ✓	27 ✓	17 ✓	11 ✓	25 ✓	14 ✓	16 ✓	18 ✓	11 ✓	18 ✓	206
+1	15	6	14	24	12	10	18	8	10	9	7	11	144

(24,284). Wt 25,958—2 (S) 500. 10/19. Gp.138. [illegible] & E.W.

copied from 19 3203

WD and 27.IV.12

REG 11

STRATFORD - UPON - AVON

WARWICK

1911-1915, 1917

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

Kept at Stratford a

in the County of Warw

by Rev H. Wils

12 in.

ove Ground 6 ft. in.

„ Sea Level 150 ft.

ans

Name Stratford on a. G.W.R

Distance 1 mile Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.020		0.090	0.050			0.065			0.350	0.070		1
2	0.010				0.110			0.010			0.015		2
3				0.075	0.170		0.010	0.220		0.250	0.070	0.035	3
4	0.015		0.135					0.040			0.005		4
5	0.020		0.010	0.015					0.050	0.070	0.270	0.160	5
6	0.134		0.030					0.080		0.015		0.010	6
7	0.040			0.010							0.070	0.210	7
8	0.180		0.130								0.170	0.080	8
9	0.080										0.010	0.020	9
10	0.010	0.190	0.330								0.030	0.095	10
11	0.140							0.090				0.510	11
12			0.320								0.490		12
13			0.010						0.225		0.240		13
14			0.020						0.480	0.010	0.040	0.420	14
15		0.040	0.020 Sleet									0.520	15
16											0.050		16
17			0.040			0.050					0.275	0.040	17
18		0.390									0.150		18
19		0.010		0.010		0.060		0.080		0.020		0.140	19
20		0.090				0.720	0.155		0.045	0.160	0.130	0.010	20
21		0.170	0.010					0.060	0.080	0.015		0.420	21
22			0.010					0.250		0.245		0.070	22
23		0.080	0.010			0.075				0.055			23
24		0.080	0.370			0.120			0.300			0.150	24
25		0.105				0.330		0.080		0.450		0.120	25
26		0.075		0.015	0.130	0.070		0.020		0.010		0.080	26
27		0.200		0.220						0.155	0.150	0.150	27
28		0.220	0.120	0.375				0.400	0.270		0.050	0.150	28
29				0.180						0.160	0.140		29
30				0.005		0.220	0.140	0.050	0.370	0.150	0.020		30
31			0.020		0.020			0.280		0.100		0.020	31
	-	·09	·05	-	-	~~·065~~	-	-	~~350~~	~~·070~~	-	-	
Total	~~0.649~~ ·63	~~1.650~~ 1.74	~~1.675~~ 1.63	~~0.955~~ ·91	~~0.430~~ ·43	~~1.645~~ 1.71	~~0.370~~ ·30	~~1.660~~ 1.66	~~1.820~~ 2.17	~~2.215~~ 1.94	~~2.445~~ 2.37	~~3.410~~ 3.41	TOTAL for year ~~18.924~~ 18·90
No. of Rain Days.	~~10~~ 9	~~12~~ 13	17✓	~~10~~ 9	4✓	~~8~~ 9	~~4~~ 3	13✓	~~8~~ 9	16✓	~~19~~ 18	21✓	~~142~~ 141

W. 8,000, X. '11.

✓ WD and. 27.IV.12

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Stratford on Avon

in the County of Warwick

by Rev H. Wilson

RAIN GAUGE
Pattern
Diameter of top 12 in.
Height of top above Ground 6 ft. in.
" " " Sea Level 150 ft.

Time of Observation 9 am

Nearest Railway Station
Name Stratford on A. G.W.R
Distance 1 mile Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.020		0.090	0.050			0.065			0.350	0.070		1
2	0.010				0.110			0.010			0.015		2
3				0.075	0.170		0.010	0.220		0.250	0.070	0.035	3
4	0.015		0.135					0.040			0.005		4
5	0.020		0.010	0.015					0.050	0.070	0.270	0.160	5
6	0.134		0.030					0.080		0.015		0.010	6
7	0.040			0.010							0.070	0.210	7
8	0.180		0.130								0.170	0.080	8
9	0.080										0.010	0.020	9
10	0.010	0.190	0.330								0.030	0.095	10
11	0.140							0.090				0.510	11
12			0.320								0.490		12
13			0.010						0.225		0.240		13
14			0.020						0.480	0.010	0.040	0.420	14
15		0.040	0.020 3 wet									0.520	15
16											0.050		16
17			0.040			0.050					0.275	0.040	17
18		0.390									0.150		18
19		0.010		0.010		0.060		0.080		0.020		0.140	19
20		0.090				0.720	0.155		0.045	0.160	0.130	0.010	20
21		0.170	0.010					0.060	0.080	0.015		0.420	21
22			0.010					0.250		0.245		0.070	22
23		0.080	0.010			0.075				0.055			23
24		0.080	0.370			0.120			0.300			0.150	24
25		0.105				0.330		0.080		0.450		0.120	25
26		0.075		0.015	0.130	0.070		0.020		0.010		0.080	26
27		0.200		0.220						0.155	0.150	0.150	27
28		0.220	0.120	0.375				0.400	0.270		0.050	0.150	28
29				0.180						0.160	0.140		29
30				0.005		0.220	0.140	0.050	0.370	0.150	0.020		30
31	-	·09	0.030 ·05	-	0.020 -	·065	-	0.280 -	350	0.100 ·010	-	0.020 -	31
Total	~~0.149~~	~~1.650~~	~~1.675~~	~~0.955~~	~~0.430~~	~~1.645~~	~~0.370~~	~~1.660~~	~~1.820~~	~~2.215~~	~~2.445~~	~~3.410~~	TOTAL for year ~~18.924~~
	·63	1·74	1·63	·91	·43	1·71	·30	1·66	2·17	1·94	2·37	3·41	18·90
No. of Rain Days.	~~10~~ 9	~~12~~ 13	17	~~10~~ 9	4	~~8~~ 9	~~4~~ 3	13	~~8~~ 9	16	~~19~~ 18	21	~~142~~ 141

W. 8,000, X. '11.

Entd 13.XI.13

Cor. for WD. 13.XI.13

REGISTER OF RAINFALL IN 1912

26 SEP 1913

FORM A. BRITISH RAINFALL.

Ex. H.J.B.

Kept at Stratford-on-Avon.

in the County of Warwickshire.

by F. D. Spencer, 33. High Street.

~~Lat.~~ Long.

Time of Observation 9 a.m.

Nearest Railway Station G. W. Rabout ½ mile away, in W.N.W. direction

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2¼ in.

" " " " Sea Level 134. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·16	—	·24	—	·77	·09	—	—	·06	1
2	—	—	—	—	—	·15	·09	—	—	·15	—	—	2
3	—	—	·05	—	—	·44	·53	—	·05	—	—	·10	3
4	·08	—	—	—	·09	·10	·03	·60	—	—	—	—	4
5	·08	—	·36	—	·19	·53	—	—	—	—	·27	—	5
6	·18	—	·30	—	·13	·03	—	·25	—	—	—	—	6
7	·22	·18	·19	—	—	·13	·10	·56	—	—	—	—	7
8	—	—	—	—	·12	·47	—	·17	·06	—	—	·03	8
9	·20	·17	·10	·03	—	—	—	·15	—	—	—	·17	9
10	·03	·04	·14	—	—	·53	—	—	—	—	·15	—	10
11	—	—	—	—	—	·08	—	—	—	—	·10	·49	11
12	·11	·06	—	—	—	·09	—	—	—	—	·02	—	12
13	·04	·52	·17	—	·09	—	—	—	—	—	·01	—	13
14	—	·04	—	—	—	—	·03	·06	—	—	—	—	14
15	·04	—	·33	—	·45	·02	—	·10	—	—	—	·15	15
16	·07	·10	·17	—	·06	·28	—	—	—	—	·01	—	16
17	·86	—	·12	—	—	·06	—	·05	—	·08	·05	·31	17
18	·93	—	·34	—	—	·09	—	·32	—	—	·01	—	18
19	·28	—	·13	—	—	—	—	·05	—	—	—	—	19
20	·15	·07	—	—	—	—	·16	·22	—	—	—	—	20
21	·05	—	·28	—	·58	—	·20	·06	—	·27	—	—	21
22	·06	·13	·15	—	·88	—	—	·90	—	·29	—	·02	22
23	·49	·34	—	—	—	·21	·27	·24	—	—	·05	·35	23
24	·07	—	·35	—	—	·17	·29	·11	—	—	—	·07	24
25	—	—	—	—	—	·22	·14	·09	—	—	·27	·46	25
26	—	—	—	—	—	·62.	—	·45	—	—	·13	·13	26
27	—	·06	—	—	—	—	·41	·82	—	·45	—	·19	27
28	—	—	—	—	—	·10	·22	—	—	·50	·16	·46	28
29	—	—	—	—	—	·12	·42	·56	—	·18	—	·02	29
30	—		—	—	—	·19.	·24	·03	·45	·31	—	—	30
31	—	—	·16	—	·05 ·34	—	·10 ·77	·09	—	·13	·06	·08.	31
Total	~~3·94.~~ 3·94	~~1·71.~~ 1·71	~~3·18~~ 3·34	~~·19~~ ·03	~~2·64~~ 2·88	~~4·87~~ 4·63	~~3·23~~ 4·00	~~6·56~~ 5·88	~~·65~~ ·56	~~2·36~~ 2·36	~~1·23~~ 1·29	~~3·09~~ 3·03	YEAR'S TOTAL 33·65
Rain Days.	18.	11.	15	2	10	22	15	21	4	9	12	16	155

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Stratford - on - Avon

in the County of Warwickshire

by F. D. Spencer. M. P. S.

Lat. — Long. —

Time of Observation 9 a.m.

Nearest Railway Station G. W. R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2⅜ in.

" " " " Sea Level 134. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·02	·05	·07	—	—	—	—	1·11	—	·03	—	1
2	·01	·15	—	—	—	—	—	—	·18	·87	·03	—	2
3	—	—	·08	—	·73	—	—	—	—	·01	—	·07	3
4	·74	—	—	—	·15	—	·09	—	—	·07	·04	·35	4
5	·02	—	—	—	—	·01	·02	—	·03	·50	·05	—	5
6	—	·01	—	—	·30	·20	·46	—	—	·18	—	·19	6
7	—	·04	—	—	·20	—	·15	—	—	·10	·10	—	7
8	—	·02	—	—	·12	·05	—	—	·15	·32	—	—	8
9	—	·32	—	—	·05	·09	·22	·02	—	—	·04	·07	9
10	—	—	—	·03	—	—	—	·08	—	—	·24	—	10
11	·78	—	—	·35	·03	—	—	—	—	·06	·51	—	11
12	—	—	—	—	·08	—	—	—	·18	—	·57	—	12
13	·02	—	·03	·02	—	—	—	—	—	—	·26	—	13
14	·07	—	·28	·01	—	—	·21	·02	·15	·10	—	—	14
15	·03	·16	·52	·16	—	—	—	—	—	—	·07	—	15
16	·08	—	·72	·09	—	·30	—	—	·07	—	·03	—	16
17	·10	—	·07	·13	—	·01	·18	—	—	—	—	—	17
18	·02	—	·15	·08	·01	—	·05	—	·10	—	—	—	18
19	·18	—	·13	·10	·05	—	—	—	—	—	—	—	19
20	·35	—	·17	·11	—	—	·01	—	—	·16	·10	—	20
21	—	·01	·04	·10	·12	—	—	—	·38	—	·33	—	21
22	·45	—	·33	—	—	·01	·10	·04	·03	—	—	—	22
23	·02	—	—	—	—	·02	—	—	—	—	—	—	23
24	·03	—	—	·02	—	—	—	·06	·02	—	·01	—	24
25	—	—	—	·05	—	—	—	—	—	·03	—	—	25
26	—	·07	·02	·15	—	—	—	—	—	·12	—	—	26
27	—	—	·01	·10	—	—	—	·10	—	—	—	·33	27
28	·64	—	·14	·30	—	—	—	—	—	·13	—	—	28
29	—		—	·64	—	—	—	·09	—	·02	—	—	29
30	·25		—	—	—	—	—	—	—	·11	·13	—	30
31	·20		·1		·16		—	·05				—	31
Total	4·05	·80	2·87	2·51	2·00	·69	1·49	·45	2·40	2·78	2·54	1·01	YEAR'S TOTAL 23·59
Rain Days.	19.	9.	16.	18.	12.	8.	10.	8.	11.	15.	16.	5.	147

W. 7,500, XI. 12

Exc D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

27 APR 1915

Kept at Stratford-on-Avon
in the County of Warwick
by O. G. Wright Esq

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Great Western
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·18.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02.	·03.	·04.	—	—	·34.	·29.	—	—	·04	·48	1
2	—	—	·02.	—	·02	—	·09	·48.	—	—	·45	—	2
3	—	—	·08.	·04.	·10	—	·45	·03	—	—	·01.	—	3
4	·21.	—	·04.	—	·025	—	·01.	·10	—	—	·43.	·33.	4
5	—	—	·07.	·20	·20	·03	·275	—	—	—	·15	—	5
6	·02.	—	—	~~·05~~	·04	·09	—	—	—	—	·13	—	6
7	—	—	·37.	·04.	·15	·01.	·10	·10	—	—	·15	·04.	7
8	·02.	·11	·16.	·23.	·10	·8.	·04.	·13.	—	—	—	·03	8
9	·29.	—	·25.	·17.	·04	1·09	—	·07.	·04	—	—	—	9
10	·06.	·10	—	·23.	·085.	—	—	—	·25.	—	—	—	10
11	—	·12.	·23.	·11	·12.	·32.	·05	—	—	—	·18	·39.	11
12	—	·05.	·15.	—	—	—	·80	—	·37.	—	·09.	—	12
13	—	·10	·13.	—	—	—	—	—	·07.	·07	·06	·40	13
14	—	·02	·08.	—	—	—	·05.	—	—	·40	·04.	·08.	14
15	·02.	·03.	·08.	—	—	—	—	—	·02	·02.	·06	·01	15
16	—	—	·06.	—	—	—	—	—	—	—	—	—	16
17	—	·15	·06.	—	—	—	—	—	·07.	—	—	·20	17
18	—	—	·015.	—	—	·01.	·1.	—	—	—	—	·37.	18
19	—	—	·09.	—	—	—	·55.	—	·03	—	·08	—	19
20	—	·09.	·15	—	—	—	—	—	·04.	—	—	·16.	20
21	—	—	—	—	—	·11.	—	·09	—	·13	—	·27.	21
22	—	·22.	·05.	~~·02~~.	·215.	—	—	·06.	—	·16.	—	—	22
23	—	·03	·03.	—	·10	·01.	·69.	—	—	·06	—	—	23
24	—	·08.	·06.	—	·18	—	·1	—	—	·1	·07	·22	24
25	·12.	—	·05.	—	—	—	·04.	·22	—	·215	·04.	·16.	25
26	—	—	·09.	—	—	—	·09	·03	—	·08	·13	·07.	26
27	·06	—	·02.	—	—	—	—	—	—	·04.	—	·45.	27
28	—	·08.	·06.	—	·09.	—	—	—	—	·64.	·10	1·33.	28
29	—	—	·06.	—	·03	—	—	—	—	·18.	·08	—	29
30	—	✕	·02.	—	—	—	—	—	—	·04	·04.	·3.	30
31	—	✕	—	✕	—	✕	·39	—	✕	—.	✕	—.	31
Total	·80	1·20	2·505	1·13.	1·495.	2·44	4·165	1·60	·89	1·545.	2·33	5·59.	YEAR'S TOTAL 25·42.
Rain Days.	8	14.	27.	10	15.	9.	14.	11.	8.	13.	19.	18.	169.

W. 8,000. X. 14.

2545

FORM A.
BRITISH RAINFALL.
3 MAY 1916

REGISTER OF RAINFALL IN 1915.

Kept at Stratford-on-Avon
in the County of Warwickshire.
by J. J. Spencer.

Lat. 52° 11' N. Long. 1° 44' W.
Time of Observation 9 a.m.
Nearest Railway Station Gt. Western
Diameter of Funnel of Rain Gauge 8. in.
Height of top of Gauge above Ground 1 ft. 2. in.
" " " " Sea Level 134. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·19.	·07.	·08	—	—	—	·01.	·01.	·09	·01.	·08	1
2	·11	·09	·34.	—	·18.	—	—	·26	—	·39	—	·06	2
3	·82.	·02.	·06.	—	—	—	1·32.	·29	—	—	—	·16	3
4	—	—	—	—	—	—	·39.	—	—	—	—	·55	4
5	—	·30	—	·10	·08.	—	—	·06	—	—	—	·16	5
6	·22.	·20.	—	·14.	—	—	·50	—	—	—	—	·09.	6
7	·05	·27.	—	·04	·80.	—	·19.	·05.	—	—	—	·18.	7
8	·08.	·13.	—	·05	—	·06.	·04.	·03	—	—	·03.	—	8
9	·10	—	·03	·12.	—	—	—	·03.	—	—	·13	·38.	9
10	·19.	—	—	—	—	—	—	·01.	—	—	—	—	10
11	·04.	—	—	·02.	·08.	—	—	—	—	—	·86	—	11
12	—	·04.	—	·06	·48.	—	—	·12	—	·02	·81.	—	12
13	—	·38.	—	·18	·93.	—	—	·03.	—	—	—	·01.	13
14	—	·02	—	—	—	—	·11	·27.	·09	—	—	·30	14
15	·30	—	—	—	·05.	—	—	·01.	—	·01	·15	·09.	15
16	·07.	·30	—	—	·11	—	·73.	·09.	—	—	—	·02.	16
17	—	·15	—	—	·37.	—	—	—	—	—	—	—	17
18	—	·15.	·10.	—	—	—	—	—	—	—	—	—	18
19	—	·03	—	—	·09.	—	·20.	—	—	—	—	—	19
20	·18	—	—	—	—	—	—	—	—	—	·01.	·09.	20
21	·36	·20.	—	—	—	—	·15.	—	—	·09.	—	·05	21
22	·02	—	·27.	·04	—	—	·33.	—	·01.	—	—	·08.	22
23	—	·10	·04.	·02	—	·03	·16	—	·04.	·53.	—	·36	23
24	—	—	·14.	—	—	·01.	·48.	—	·32	·58.	—	·06	24
25	—	—	—	·03	—	·88.	·09	—	·14.	·03.	—	·36	25
26	—	·11.	—	—	—	—	·09.	—	·01.	—	—	·37.	26
27	—	—	—	—	—	—	·14.	—	—	·52.	—	·01.	27
28	—	·23	—	—	—	·04	·01.	·11.	·10	·02	—	—	28
29	—	—	—	—	—	·04	·69.	·08.	—	—	·06	·02	29
30	—	✕	—	·02.	—	·38.	·11	—	—	·11	·07.	·01.	30
31	—	✕	—	✕	—	✕	·02.	·04.	✕	·46	✕	·16	31
Total	2·72.	2·91	1·05	·90	3·17.	1·44	5·75	1·49.	·72	2·85.	2·13	3·65	YEAR'S TOTAL 28·78.
Rain Days.	14.	18.	8.	13.	10.	7.	19.	16	8.	12	9.	23.	157.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Stratford-on-Avon
in the County of Warwick
by J. J. Spencer

Lat.
Long.
Time of Observation 9 a.m.
Nearest Railway Station G. W. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·09		·01		·43	·10		·07	·03	1
2						·14		·24		·01	·01	·07	2
3	·03			·17				·13		·18	·02		3
4		·07	·50	·14				·10		·30			4
5	·27		·05						·09	·09	·09		5
6			·23			·07				·04	·12		6
7	·41		·17					·01		·28			7
8	·68		·09	·13		·02	·30	·59		·32	·09	·14	8
9	·02		·17	·06	·25		·03	·31	·02	·02	·18		9
10	·30		·24	·31	·44			·08		·01			10
11	·15		·12						·11	·17			11
12	·07		·02	·21				·10		·19	·03		12
13				·07		·01		·21	·05				13
14	·02		·14	·05				·03				·01	14
15	·07							·01		·02		·61	15
16	·08	·20		·42		·06	·11			·02			16
17	·01			·04	·83	·14	·27	·13	·06	·08			17
18				·02	·05	·04	·12		1·17		·03		18
19	·01	·39	·20	·01		·06			·05				19
20		·03	·10		·38	·02	·06		·03		·04		20
21	·03	·01	·09		·08	·17				·02			21
22			·42					·03		·16		·03	22
23		·36			·02			·09		·05			23
24						·14		·06		·17			24
25		·14	·23					·01		·01			25
26						·12		·23	·09		·24		26
27			·02		·40	·05	·01	·43					27
28			·19			·38		·13		·02		·04	28
29			·04.			·47.	·14	·27.		·54			29
30	·02						·24	·25		·02		·39	30
31	·02.						·02	·07					31
Total	2·21	1·20	3·02	1·72	2·75	1·90	1·30	3·94	1·77	2·42	·92	1·22	YEAR'S TOTAL 24·67
Rain Days.	17	7	18	13	8	16	10	23	10	22	11	8	163

W. 8,000, IX. 17.

STRATFORD-UPON-AVON
KING EDWARD VI SCHOOL
WARWICK.
1912 – 1915.

REGIS

13.
2
2

FORM A2.
BRITISH RAINFALL.
JAN 1913

Kept at King Edward VI S
Stratfo

in the County of W

by R J Hirons

Association

5 in.

Ground 1 ft. – in.

Sea Level ft.

m .

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·08	–	·02	·14	–	·03	1
2							·53	–	–	–	–	–	2
3							·02	·56	·05	–	–	·07	3
4							–	·01	–	–	·20	–	4
5							–	·24	·02	–	–	·01	5
6							·07	·54	–	–	–	–	6
7							–	·17	–	–	–	–	7
8							·03	·15	·05	–	–	·02	8
9							–	–	–	–	–	·14	9
10							–	·04	–	–	·14	–	10
11							–	·02	–	–	·10	·50	11
12							–	–	–	→	·02	–	12
13							·03	·08	–	–	·01	–	13
14							–	·10	–	·02	–	–	14
15							–	·01	–	–	–	·14	15
16							–	·05	–	·07	·01	–	16
17							·16	·31	–	–	·05	·33	17
18							–	·06	–	·01	–	–	18
19							·21	·23	–	–	–	–	19
20							–	·09	–	·29	–	–	20
21							·20	·87	–	·73	–	–	21
22							–	·21	–	–	–	·02	22
23							·26	·09	–	–	·05	·32	23
24							·31	·43	–	–	–	·11	24
25							·11	·81	–	–	·23	·41	25
26							·41	·99 ·99	–	·40	·11	·10	26
27							·63	–	–	·47	–	·17	27
28								·51	·03	·16	·12	·44	28
29							·23	·03	·51	·38	·03	·02	29
30							·11	·01	–	·12	–	~~·0~~	30
31							·75	·09		–		·07	31
Total							4·14	6·72	·68	2·79	1·07	2·90	TOTAL for year
No. of Rain Days.							18	26	6	11	12	17	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 2

13.

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at King Edward VI School
Stratford-upon-Avon
in the County of Warwick
by R J Hirons

RAIN GAUGE
Pattern British Association
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.

Time of Observation 9 Am.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·08	–	·02	·14	–	·03	1
2							·53	–	–	–	–	–	2
3							·02	·56	·05	–	–	·07	3
4							–	·01	–	–	·20	–	4
5							–	·24	·02	–	–	·01	5
6							·07	·54	–	–	–	–	6
7							–	·17	–	–	–	–	7
8							·03	·15	·05	–	–	·02	8
9							–	–	–	–	–	·14	9
10							–	·04	–	–	·14	–	10
11							–	·02	–	–	·10	·50	11
12							–	–	–	–	·02	–	12
13							·03	·08	–	–	·01	–	13
14							–	·10	–	·02	–	–	14
15							–	·01	–	–	–	·14	15
16							–	·06	–	·07	·01	–	16
17							·16	·31	–	–	·05	·33	17
18							–	·06	–	·01	–	–	18
19							·21	·23	–	–	–	–	19
20							–	·09	–	·29	–	–	20
21							·20	·87	–	·73	–	–	21
22							–	·21	–	–	–	·02	22
23							·26	·09	–	–	·05	·32	23
24							·31	·43	–	–	–	·11	24
25							·11	·81	–	–	·23	·41	25
26							·41	·99 ·99	–	·40	·11	·10	26
27							·63	–	–	·47	–	·17	27
28								·51	·03	·16	·12	·44	28
29							·23	·03	·51	·38	·03	·02	29
30							·11	·01	–	·12	–	~~0~~	30
31							·75	·09		–		·07	31
Total							4·14	6·72	·68	2·79	1·07	2·90	TOTAL for year
No. of Rain Days.							18	26	6	11	12	17	

W. 8,000, X. '11.

✓ 6X9M7

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
9 - JAN 1914

Kept at King Edward VI Grammar School

in the County of Warwick

by R. T. Hirons

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Station { Name G.W.R.
Distance 500 yds Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03.	·05	·02	·11	—	—	—	1·02.	—	·03	—	1
2	—	·16.	·01	·01	—	—	—	—	·17	·75	·03	—	2
3	—	—	·12	—	·84	—	—	—	—	·02	—	·06	3
4	·64	—	—	—	·03	—	·07	—	—	·18	·03	·30	4
5	—	—	—	—	—	·03	·06	—	·03	·38	·04	—	5
6	—	·02	·04	—	·27	·31	·46	—	—	—	—	·17	6
7	—	·06	—	—	·20	·03	·16	—	—	·09	·10	·01	7
8	—	·02	—	—	·09	·08	—	·02	—	·29	—	—	8
9	—	·31	·03	—	·03	·16	·20	·13	·14	—	·02	·05	9
10	—	—	—	·04	·01	—	—	·06	—	—	-·24 ·50	—	10
11	·75	·01	—	·35	·03	—	—	·07	—	·05	↙ ·50	—	11
12	—	—	—	—	·08	—	—	—	—	—	↙ ·22	—	12
13	·03	·01	·04	·02	—	—	—	·02	·17	—	↙ —	—	13
14	·05	—	·32	·03	—	—	·18	·06	—	·09	↙ ·06	—	14
15	·02	·16	·75	·24	—	—	—	—	·14	—	↙ ·02	—	15
16	·06	—	·35	·08	—	·27	—	—	·01	—	↙	—	16
17	·10	·01	·13	·17	—	·03	·15	—	·06	—	—	·01	17
18	·01	—	·07	·10	·03	—	·07	—	—	—	—	—	18
19	·16.	—	·05	·01	·05	·02	—	—	·10	—	—	—	19
20	·32	—	·15	·12	—	—	·02	—	—	·25	·12	—	20
21	~~·43~~	·01	·05	·10	·11	—	·13	—	—	—	·28	—	21
22	·43	—	·34	—	—	·02	—	·04	·37	—	—	—	22
23	·02	—	·01	—	—	·05	—	·07	·02	—	·01	—	23
24	·03	—	—	·02	—	—	—	—	—	—	—	—	24
25	—	—	—	·06	—	—	—	·11	—	·03	—	·01	25
26	—	·24	·02	·14	—	—	—	—	—	·11	—	·24	26
27	—	·01	·01	·09	—	—	—	—	—	—	—	·02	27
28	·56	—	·16	·27	·01	—	—	—	—	·10	—	—	28
29	—		·20	·61	—	—	—	·08	—	·01	—	—	29
30	·22.		—	—	—	—	—	—	—	·10	·16	·06	30
31	·02.		·06.		·25.		—	·08	—	—		—	31
Total	3·42.	1·05	2·96	2·48	2·14	1·00	1·50	·74	2·23	2·45	2·36	·93	TOTAL for year 2326
No. of Rain Days.	16	13	21	19	15	10	10	11	11	14	16	10	166

W. 8,000, X. '11.

cor fr author 2.IV.15 W DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at King Edward VI School, Stratford-on-Avon
in the County of Warwick
by E. T. Hirons.

Lat. 52°. 12' N Long. 1° 41' W
Time of Observation 9 A.M.
Nearest Railway Station Stratford Midland Jn.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0½ in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·07	—	—	·34	·24	—	—	—	—	1
2	—	—	·02	—	·01	—	·10	·47	—	—	·04	·43	2
3	·01	—	·07	·04	·08	—	·39	·04	—	—	·01	—	3
4	·20	—	·03	·13	·02	—	·01	·08	—	—	·41	·28	4
5	—	—	·07	·07	·23	·03	·26	—	—	—	·10	—	5
6	·01	·03	—	·03	·04	·09	·01	—	—	—	·12	·04	6
7	—	·07	·35	·02	·13	·01	·10	·12	—	—	—	·03	7
8	·02	·01	·16	·19	·08	·75 ~~+·02~~	·04	·07	—	—	—	·02	8
9	·28	—	·22	·16	·02	1·02	—	·06	·03	—	—	—	9
10	·04	·09	—	·23	·07	—	—	—	·23	—	—	—	10
11	—	·12	·20	·08	·10	·32	·07	—	—	—	·17	·34	11
12	—	·04	·13	—	—	—	·82	—	·35	—	·03	} —	12
13	—	·08	·12	—	—	—	·02	—	·05	—	·06	·70	13
14	·02	·03	·07	—	—	—	·06	—	—	·07	·06	·08	14
15	·01	·02	·08	—	—	—	—	—	·01	·40	·04	—	15
16	—	—	·04	—	—	—	—	—	—	—	—	—	16
17	—	·14	·06	—	—	—	—	—	·04	—	—	·26	17
18	—	—	·01	—	—	·01	·44	—	—	—	—	·32	18
19	—	—	·08	—	—	—	·63	—	·01	—	—	·01	19
20	—	·08	·12	—	—	·07	·02	—	·02	—	·08	·13	20
21	—	·20	·03	—	—	·03	—	·08	—	—	—	·30	21
22	—	·01	·01	—	·21	—	—	·05	—	·13	—	—	22
23	—	·03	·02	—	·08	—	·18	—	—	·06	—	—	23
24	—	·06	·02	—	·15	—	·07	—	—	·10	—	—	24
25	·09	—	·05	—	—	—	·03	·20	—	·21	·02	·22	25
26	—	—	·08	—	—	—	·10	·05	—	·08	·10	·16	26
27	·06	—	·02	—	—	—	—	—	—	·04	—	·07	27
28	—	·08	·04	—	·07	—	—	—	—	·04	·09	1·25	28
29	—	X	·05	—	·02	—	—	—	—	·18	·05	—	29
30	—	X	·01	—	—	—	—	—	—	·04	·33	·26	30
31	—	X	—	X	—	X	·36	—	X	·04	X	—	31
Total	·74	1·09	2·17	1·02	1·31	2·33	4·05	1·46	·74	1·39	1·71	4·90	YEAR'S TOTAL 22·91
Rain Days.	10	16	28	10	15	9	20	11	8	12	16	18	173

W. 8,000. X. 14.

2544

W8

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
10 FEB 1916

Kept at King Edward VI's Grammar School Stratford-on-Avon
in the County of Warwickshire
by Edgar T. Hirons

Lat. 52°·11′22″ N Long. 1° 41′ 6″
Time of Observation 9·15 A.M.
Nearest Railway Station S. M. J. Ry.
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 0¼ in.
" " " " Sea Level 132 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·12	·23	—	·17	—	—	—	·01	·10	·01	·08	1
2	·11	·02	·07	·07	—	·08	—	·24	—	·31	—	—	2
3	·81	·08	·34	·06	—	—	1·28	(·29)	—	—	—	·16	3
4	—	—	·06	—	·02	—	·37	—	—	—	—	·51	4
5	—	·26	—	—	·05	—	—	·06	—	—	—	·20	5
6	·21	—	—	·11	—	—	·49	·01	—	—	—	·09	6
7	·04	·24	—	·02	1·08	—	·19	·06	—	—	—	·11	7
8	·08	·11	—	·04	—	—	·04	·02	—	—	·03	—	8
9	·09	—	—	·10	—	—	—	·03	—	—	·10	·36	9
10	·17	—	·04	·01	—	—	—	—	—	—	·01	—	10
11	—	—	—	·05	·08	—	—	—	—	—	·83	—	11
12	·03	·05	—	·17	·44	—	·01	·12	—	·02	·67	·06	12
13	—	·35	—	—	·82	—	—	·03	—	—	—	·03	13
14	—	·01	—	—	—	—	·10	·23	·09	·01	—	·30	14
15	·29	—	—	·02	—	—	—	·01	—	—	·14	·09	15
16	·03	·26	—	—	·15	—	·73	·08	—	—	—	·01	16
17	—	·11	—	—	·35	—	—	—	—	—	—	·01	17
18	—	·12	·11	—	—	—	—	—	—	—	—	—	18
19	—	·02	—	—	·29	—	·20	—	—	—	—	—	19
20	·17	—	—	—	—	—	—	—	—	—	—	·08	20
21	·13	·19	—	—	—	—	·15	—	—	—	—	·05	21
22	·12	—	·27	·02	—	—	·33	—	—	·08	—	·03	22
23	·01	·09	·03	—	—	·02	·16	—	·01	·46	—	·39	23
24	—	—	·13	·03	—	—	·48	—	·31	·52	—		24
25	—	—	—	—	—	·83	·09	—	·14	·03	—	·34	25
26	—	—	—	—	—	—	·09	—	·01	—	—	·34	26
27	—	·11	—	—	—	—	·14	—	—	·48	—	—	27
28	—	—	—	—	—	·04	·02	·05	·10	·02	—	—	28
29	—		—	—	—	·04	·67	·11	—	—	·07	·02	29
30	·05		—	·01	—	·38	·01	—	—	·10	·09	·07	30
31	—		—		—		·02	·02		·44		·14	31
Total	2·49	2·14	1·28	·71	3·25	1·39	5·57	1·27	·67	2·57	1·95	3·47	YEAR'S TOTAL 26·76
Rain Days.	16	16	9	13	10	6	20	15	7	12	9	23	155

W. 8,000. X. 14.

2443 STRATFORD-ON-AVON
MILCOTE, SEWAGE P.S.
1919 - ~~30~~ 20.

78271'0

1921

GH SURVEYOR'S OFFICE
7 MAY 20
TFORD-UPON-AVON

2443

at Se... Stratford upon Avon

Date	Jan	Feby	Mar								Nov.	Dec	Date
1	·19	·03			·12	·01	·25			·21		·43	1
2	·18		·05		·02		·18		·52	·01	·08	·01	2
3	·18		·10		·05		·08		·15		·10	·21	3
4	1·18		·42			·29	·05		·16		·04	·08	4
5	·11	·29	·25					·05	·24			·14	5
6			·03		·23				·07			·12	6
7	·01		·29		·10								7
8	·06		·05	·29									8
9	·10		·03	·05									9
10			·42	·08								·08	10
11	·04		·29	·02	·01		·31			·01	·10		11
12			·07	·07		·12				·06			12
13	·12			·05					·09	·15			13.
14	·39			·24			·04		·05	·04			14
15	·32		·03	·26						·09			15
16	·18	·18						·09			·11		16
17		·59		·01			·07				·10		17
18			·32					·14					18
19	·14	·28	·13			·07	·16	·27	·03		·04		19
20	·27	·08	·22				·17	·22	·15		·14	·07	20
21		·35	·03			·03	·34				·01	·15	21
22		·19					·02		·24			·43	22
23						·05		·02		·60	·02	·03	23
24										·33	·05	·10	24
25	·12	·02		·09	·03	·06		·16				·03	25
26	·02		·15	·10		·01		·07	·12			·27	26
27	·32		·06	·50				·48				·07	27
28	·14		·04					·48			·06	·28	28
29	·03							·01		·17	·20	·27	29
30	·02			·19		·21	·03	·02		·04		·21	30
31										·01			31
	4·12	2·01	2·98	1·94	0·56	0·85	1·64	2·01	1·82	1·72	1·08	2·98	Years Total 23·71
	21	9	19	13	7	9	12	12	11	12	13	18	156

GH SURVEYOR'S OFFICE
7 MAY 20
STRATFORD-UPON-AVON.

2443

Register of Rainfall in 1919

at Sewage Disposal Works, Milcote Nr Stratford upon Avon

Date	Jan	Feby	Mar	Apl	May	June	July	Aug	Sep	Oct.	Nov.	Dec	Date
1	·19	·03			·12	·01	·25			·21		·43	1
2	·18		·05		·02		·18		·52	·01	·08	·01	2
3	·18		·10		·05		·08		·15		·12	·21	3
4	1·18		·42			·29	·05		·16		·04	·08	4
5	·11	·29	·25					·05	·24			·14	5
6			·03		·23				·07			·12	6
7	·01		·29		·10								7
8	·06		·05	·29									8
9	·10		·03	·05									9
10			·42	·08								·08	10
11	·04		·29	·02	·01		·31			·01	·10		11
12			·07	·07		·12				·06			12
13	·12			·05					·09	·15			13.
14	·39			·24			·04		·05	·04			14
15	·32		·03	·25						·09			15
16	·18	·18						·09			·11		16
17		·59		·01			·07				·10		17
18			·32					·14					18
19	·14	·28	·13			·07	·16	·27	·03		·04		19
20	·27	·08	·22				·17	·22	·16		·14	·07	20
21		·35	·03			·03	·34				·01	·15	21
22	·	·19					·02		·24			·43	22
23						·05		·02		·60	·02	·03	23
24										·33	·05	·10	24
25	·12	·02		·09	·03	·06		·16				·03	25
26	·02		·15	·10		·01		·07	·12			·27	26
27	·32		·06	·50				·48				·07	27
28	·14		·04					·48			·06	·28	28
29	·03							·01		·17	·20	·27	29
30	·02			·19		·21	·03	·02		·04		·21	30
31										·01			31
	4·12	2·01	2·98	1·94	0·56	0·85	1·64	2·01	1·82	1·72	1·08	2·98	Years Total 23·71
	21	9	19	13	7	9	12	12	11	12	13	18	156

Section **A** for the entry of Daily Observations

Station No. 2443

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~19

Kept at STRATFORD-ON-AVON MILCOTE P.S.

in the County of WARWICKSHIRE

COPY

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	19	03			12	01	25			21		43		1
2	18		05		02		18		52	01	08	01		2
3	18		10		05		08		15		13	21		3
4	118		42			09	05		16		04	08		4
5	11	29	25					05	24			14		5
6			03		3 29				07			12		6
7	01		29		10									7
8	06		05	29										8
9	10		03	05										9
10			42	08								08		10
11	04		29	02	01		31			01	10			11
12			07	07		12				06				12
13	12			05					09	15				13
14	39			24			04		05	04				14
15	32		03	25						09				15
16	18	18						09			11			16
17		59		01			01				10			17
18			32					14						18
19	14	28	13			07	16	27	03		04			19
20	27	08	22				17	22	15		14	07		20
21		35	03			03	34				01	15		21
22		19					02		24			43		22
23						05		02	[illegible]	60	02	03		23
24										33	05	10		24
25	12	02		·09	03	06		16				03		25
26	02		15	10		01		07	12			27		26
27	32		06	50				48				07		27
28	14		04					48			06	28		28
29	03	X						01		17	20	27		29
30	02	x		19		21	03	02		04		21		30
31		x		x		x			x	01	x			31
TOTAL	4·12	2·01	2·98	1·94	·56	·85 6	1·64	2·01	1·82	1·72	1·08	2·98	Year's Total 23·71	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

2136

26 APL 1921

2443

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Pumping Station
in the County of Warwick.
by F. W. Jones A.M.I.C.E.

Lat. .... Long. 9 am
Time of Observation ....
Nearest Railway Station Stratford-upon-Avon S.M.J.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19	·24		·11		·08	·18		·08	1
2			·02	·05			·21	·04	·07	·05		·06	2
3		·01		·03	·03		·50	·06	·12	·14			3
4				·15				·30	·05	·15			4
5			·15	·07	·20		·60	·09	·07	·72			5
6			·22		·09		·21			·02			6
7				·23			·08						7
8	·18	·08		·55	·07		·36						8
9	·28			·48			·03	·02					9
10	·30	·09	·09				·10						10
11	·21		·02	·08	·56	·25	·06				·02		11
12	·05		·04	·07		1·47		·33			·01		12
13			·10	·10				·01					13
14			1·08	·16		·25			32		·15		14
15		·14	·55	·21		·26			15	·22	·06		15
16				·17	·04	·16	·08		14	·32	·05		16
17				·14	·09				85	·06		·07	17
18	·24			·49	·09		·02	·28	1·22				18
19	·02	·22		·12		·10	·03	·07					19
20	·02	·18		·25		·28							20
21				·02			·01	·02					21
22				·13				·14	·01			·13	22
23							·30	·03	·02			·28	23
24			·11	·02							·02	·11	24
25		·05	·02	·02			·55	·01					25
26	·21		·16	·02	·27		·10					·05	26
27	·13			·17		·37					·04	·20	27
28	·61		·09	·06	·23								28
29	·04		·01		·02		·10				·09	·52	29
30	·02	✕		·06		·10	·08		·30		·11	·15	30
31	·05	✕	·08	✕		✕	·02		✕	·42	✕	·08	31
TOTAL	2·36	·77	2·74	4·04	1·93	3·24	3·55	1·40	3·40	2·28	·55	1·73	YEAR'S TOTAL 27·99
Days with ·01 in. or more	14	7	15	26	12	9	20	13	13	10	9	11	159
Days with ·04 in. or more	11	6	11	21	10	9	15	8	11	9	6	11	128

λ

REG

STRATFORD-ON-AVON
SHOTTERY HALL

WARWICKSHIRE

1911 – 1920

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Sottery

in the County of Warw

by R b Can

in.

und ft.

Level

me

stance Direction

IMPORTANT NOTE.- e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·015		·095					·020			·030		1
2				·090	·120			·260		·315	·065	·040	2
3				·005					·025	·010	·010		3
4	·020		·135	·010				·085	·040	·085	·225	·135	4
5	·050		·025	·020						·025	·010		5
6	·180		·015	·180							·080	·250	6
7	·020										·150		7
8	·205		·135								·015	·115	8
9	·085		·015					·100			·030	·115	9
10		·190	·315									·370	10
11	·150										·005		11
12			·500						·140		·470	·045	12
13									·440		·230	·300	13
14			·045		·015						·045	·410	14
15		·035	·020										15
16						·065					·080	·066	16
17			·030								·260	·190	17
18		·380		·010		·070				·105	·150	·150	18
19		·010				·590	·160	·015	·070	·150		·020	19
20		·090	·020					·040	·090	·050	·140	·390	20
21	·015	·140						·245		·285		·065	21
22			·025			·070				·045		·345	22
23		·085	·350			·285			·280	·060		·140	23
24		·095		·015		·340		·065		·415		·135	24
25		·095	·035	·030	·125	·060						·085	25
26		·130		·220				·025		·150	·140	·145	26
27		·175	·100	·335				·370	·280		·055	·160	27
28		·200		·175			·050	·010			·140		28
29				·035		·220	·125	·030		·135			29
30			·035	·015	·025	·070		·320	·350	·100		·020	30
31			·045							·55			31
Total	·740	1·625	1·940	1·140	·285	1·770	·335	1·585	1·715	1·985	2·330	[illegible] 3·685	TOTAL for year 19·135
No. of Rain Days.	9	12	18	12	4	9	3	13	9	15	19	22	145

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at [illegible]ttery Hall

in the County of Warwick

by Rb Carter

Rain Gauge: Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·015		·095					·020			·030	[illegible]	1
2				·090	·120			·260		·315	·065	·040	2
3				·005					·025	·010	·010	[illegible]	3
4	·020		·135	·010				·085	·040	·085	·225	·135	4
5	·050		·025	·020						·025	·010	[illegible]	5
6	·180		·015	·180							·050	·250	6
7	·020										·150		7
8	·205		·135								·015	·115	8
9	·085		·015					·100			·030	·115	9
10		·190	·315									·370	10
11	·150										·005		11
12			·500						·140		·470	·045	12
13									·440		·230	·300	13
14			·045		·015						·045	·410	14
15		·035	·020										15
16						·065					·080	·066	16
17			·030								·260	·190	17
18		·380		·010		·070				·105	·150	·150	18
19		·010				·590	·160	·015	·070	·150		·020	19
20		·090	·020					·040	·090	·050	·140	·390	20
21	·015	·140						·245		·285		·065	21
22			·025			·070				·045		·345	22
23		·085	·350			·285			·280	·060		·140	23
24		·095		·015		·340		·065		·415		·135	24
25		·095	·035	·030	·125	·060						·085	25
26		·130		·220				·025		·150	·140	·145	26
27		·175	·100	·335				·370	·280		·055	·160	27
28		·200		·175			·050	·010			·140		28
29				·035		·220	·125	·030		·135			29
30			·035	·015	·025	·070		·320	·350	·100		·020	30
31			·045							·55	[illegible]		31
Total	·740	1·625	1·940	1·140	·285	1·770	·335	1·585	1·715	1·985	2·330	[illegible] 3·685	TOTAL for year 19·135
No. of Rain Days.	9	12	18	12	4	9	3	13	9	15	19	22	145

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL. 2 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex S.C.

Kept at Shottery

in the County of Warwick

by R. C. Carter

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·010				·130	·125	·020	·025	·140		·070	1
2		·020	·065	·025		·315	·560						2
3	·065		·025		·100	·100	·025	·720	·050				3
4	·145		·370		·170	·570		·035			250	·095	4
5	·210	·050	·280		·115	·040		·260	·025			·025	5
6	·200	·060	·105			·070	·090	·700			·020		6
7		·110			·130	470		·200					7
8	·270	·115	·080	·040		·050	·030	·150	·075				8
9	·040	·020	·130			·670		·010			·010	·185	9
10		·020		·020		·070		·090					10
11	·120	·055				·115		·020			·260	·570	11
12	·040	·500	·175		·090						·030		12
13		·085				·060	·040	·160		·025	·020		13
14	·060		·340		·050	·255		·100					14
15	·060	·050	·150		·330			·020				170	15
16	·960		·115		·095	·060		·060		·070	·015		16
17	1·020		·140			·095		·305			·060	·360	17
18	·290		·095					·050					18
19	·100	·090			·020		·170	·330					19
20	·050		·250				·160	·085		·340			20
21		·040	·125		·860			·870		310			21
22	·570	·105			·950	·090	·260	·240				·040	22
23	·140	·300	·325			·150	·590	·180			·070	·335	23
24	·060					240	·180	·080				·100	24
25						·720		·440			·290	·430	25
26		·080					·410	·740		·530	·150	·115	26
27						·090	·180	·010		·550	~~[illegible]~~	·200	27
28		·070				·310	·430	·570	·030	·220	·130	·410	28
29		·020				·140	·245	·040	·350	·320			29
30	·055		·010		·070	·055	·100	·020	·015	·150			30
31			·160		·285		·840	·100				·100	31
Total	4·455	1·800	2·940	·085	3·265	4·830	4·435	6·605	·570	+2·655	1·305	3·205	YEAR'S TOTAL 36·150
Rain Days.	19	19	18	3	13	23	17	29	7	10	12	15	185

W. 7,500, XI. '12

✓ ~~31.111.14~~ 31.111.14 W DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 - JAN 1914

Kept at Shottery

in the County of Warwick

by R. Clarke

Lat. Long.

Time of Observation As usual

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·060	·025	·060	·070	·065				1·200				1
2	·010	·190					·015		·160	·980	·030		2
3			·115		·740						·035	·070	3
4	·750				·135		·045					·350	4
5	·020					·050	·065		·030	·460	·040		5
6		·025	·075		·300	·270	·560			·190	·065	·185	6
7		·060			·250	·025	·140			·090	·115		7
8		·030			·090	·100				·255			8
9		·310			·025	·160	·420	·135	·150		·030	·075	9
10				·040				·065			·240		10
11	·620			·360	·075			·035		·070	·500		11
12					·060						540		12
13	·030	·010	·050	·025	·010			·035	·180		·250		13
14	·060		350	·030			·140	·070		·095			14
15	·050	·160	·570	·295					·150		·080		15
16	·065		·760	·065		·200			·055		·030		16
17	125		·075	·135		·060	·160						17
18	·015		·170	·095	·125		·080						18
19	·140		·090		·070		·040		100				19
20	·330		·060	·110			·020			·190	·100		20
21	·010	·020	·060	·160	·140		·130				·300		21
22	·450		340					·030	·400				22
23	·020					·090		·080	·025			·050	23
24	·045			·025				·025					24
25		·020		·065					·025	·020			25
26		·045	·030	·170				·115		·120		·235	26
27				·070									27
28	·580		·210	·285	·015					·120		·040	28
29	·010		·225	·560				·090		·025		·035	29
30	·250									·100	·155		30
31	·025		·090		·200			·050		·010			31
Total	3·665	·915	3·330	2·510	2·200	·955	1·835	·730	2·505	2·725	2·510	1·04 1·04	YEAR'S TOTAL 24·92 24·920
Rain Days.	21	11	17	17	1~~7~~5	~~15~~ 8	~~8~~ 12	~~11~~ 11	11	14	~~12~~ 15	8	~~24~~ 160

160 ✓

W.7,000, XI. 13

Cmd. 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Shottery Hall

in the County of Warwick

by R. C. Carter

Lat. ________ Long. ________

Time of Observation as usual

Nearest Railway Station ________

Diameter of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.025	.080			.375	.365			.030	.170	1
2			.030		.030	.010		.520			.430	.500	2
3			.100	.040	.095		.090	.050					3
4	.200		.030	.170	.250		.380	.080			.500	.370	4
5	.025		.080	.120		.020	.025				.230		5
6		.035		.060	.035	.080	.265				.105	.050	6
7		.085	.360	.040	.155		.090	.100				.035	7
8	.030		.300	.195		.830	.010	.120				.020	8
9	.300		.060	.175	.060	1.080		.080	.085				9
10	.050	.110		.220	.060				.250				10
11		.105	.230	.070	.100	.335	.060				.180	.360	11
12		.100	.160				.890		.380		.010	.235	12
13		.050	.160				.040		.065	.080	.090	.370	13
14		.035	.095				(.03)			.350	.045	.090	14
15		.030	.130					.010	.025		.075		15
16			.020						.010				16
17		.155	.080						.045			.230	17
18			.020			.015	.150		.010			.355	18
19			.205				.590		.010		.070	.025	19
20		.100	.020			.090			.050			.160	20
21		.250	.020			.040		.075		.120		.300	21
22		.020			.280		.015	.065		.200		.020	22
23		.035	.035		.115		.165			.065			23
24			.060		.245					.090	.030		24
25	.140	.085	.055					.235		.250	.055	.220	25
26			.100				.260			.075	.140	.200	26
27	.060		.010							.030		.100	27
28		.090	.045		.060					.035	.070	1.410	28
29			.065		.035					.215	.070		29
30		×	.020							.045	.280	.280	30
31	.025	×		×		×			×		×		31
Total	830	1.285	2.515	1.170	1.520	2.500	3.435	1.700	.930	1.555	2.410	5.500	YEAR'S TOTAL 25.35
Rain Days.	8	15	27	10	13	9	16	11	10	12	17	21	169

W. 8,000. X. 14.

exMc

2566

FORM A.
BRITISH RAINFALL.
8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Snotteny Hall

in the County of Warwick

by Reginald Carter

Lat. .... Long. ....

Time of Observation as usual

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·070

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·160	·140	·070	·070	·180			·025	·010	·230		·060	1
2	·110	·080	·280	·110		·075		·160		·290		·040	2
3	·820	·020	·060				1·440	·240				·150	3
4					·025		·330					·550	4
5		·220			·110			·060				·140	5
6	·220	·250		·140			·480	·020				·070	6
7	·065	·240		·030	1·780	·035	·225	·060				·180	7
8	·095	·140		·040			·070	·020			·040		8
9	·070			·120				·035			·100	·350	9
10	·240	·030	·045	·030									10
11	·010			·010	·085						·820		11
12				·220	·500			·135		·020	·710	·040	12
13		·420			1·010			·025			·165		13
14							·200	·250	·085			·070	14
15	·310			·035	·060		·010					·330	15
16	·035	·295			·160		·690					·020	16
17		·140			·380								17
18		·130	·065										18
19		·020	·020		·115		·210					·010	19
20	·190									·075		·085	20
21	·160	·200		·035			·150					·060	21
22	·080		·250				·455					·080	22
23	·045	·100	·070				·180		·050	·440		·035	23
24			·130	·030		·015	·660		·275	·610		·075	24
25						·950	·090		·150			·360	25
26							·055		·010			·330	26
27							·150			·500			27
28		·280				·040	·015	·050					28
29	·055						·500	·105			·080	·030	29
30		✕				·080	·020	·040		350	·130	·010	30
31		✕		✕		✕	·035		✕	·200	✕	·160	31
Total	2·665	2·705	·990	·870	4·405	1·195	5·965	1·225	·580	2·715	2·045	3·235	YEAR'S TOTAL
Rain Days.	16	16	9	12	11	6	20	14	6	9	7	23	28·5957 149

W. 8,000. X. 15.

card for [illegible]

2479

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Shottery Hall
in the County of Warwick
by R. C. Carter

Lat. .... Long. ....
Time of Observation As usual
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·070		·030		·030	·055	·100			·150	·110		1
2	·450		·055		·200	·040	·025		·020	·540	·290		2
3		·430								·180	·060		3
4	·210			·085	·465	·150				·010	·150		4
5	·030	·045			·215	·050	·260			·055	·330		5
6	·020	·190	·050	·070	·115	·300	·440				·110		6
7			·135		·015	·025	·160			·195	·200	·140	7
8					·240						·450	·120	8
9	·020		·035		·135	·195	·400					·035	9
10		·250	·050		·025	·095	·015		·050	·030			10
11		·065	·040	·190	·085	·235			·010			·380	11
12	·030	·045	·090	·020	·510		·210			·060			12
13		·215	·130	·040			·205	·140		·005			13
14		·410	·590		·035		·110	·045		·055			14
15	·025	·335	·230	·020	·150		·065	·305		·015			15
16	·015			·210	·085			·225		·055			16
17	·060	·185		·065				·090	·310	·310			17
18		·045	·010	·055				·040	·055		·650		18
19	·020		·150	·180					·100		·205	·060	19
20	·025		·450								·090	·320	20
21			·405		·050		·180					·430	21
22		·035		·015	·050	·020						·370	22
23	·030	·340						·080			·055	·310	23
24		·230			·105	·420		·055		·400		·145	24
25		·070	·085					·300	·180		·175		25
26		·060	·100			·080		·025	·150	·110			26
27	·045	·070	·790			·100	·035	·020	·015				27
28		·390	·390			·090		·930					28
29		·070	·010			·240				·340		·075	29
30		✕								·220			30
31		✕		✕		✕			✕	·100	✕	·140	31
Total	1·050	3·480	3·825	·950	2·510	2·095	2·205	2·255	·890	2·830	2·875	2·525	YEAR'S TOTAL 27·49
Rain Days.	14	19	20	11	17	15	13	12	9	18	13	12	27·490

W. 8,000, VIII. 16

173

2363

FORM A.
BRITISH RAINFALL
5 JAN

REGISTER OF RAINFALL IN 1917

Kept at Shottery Hall.
in the County of Warwick
by R. C. Carter

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·040	·035		·060		·600	·080			·120	1
2						·140		·625			·020		2
3	·040			·190				·120		·320			3
4		·070	·210					·070		·100	·110		4
5	·210		·030	·135					·065	·075			5
6			·180			·030				·090	·110		6
7	·340							·070		·150	·075		7
8	·530	·030		·130		·050	·240	·600		·330	·100	·180	8
9	·015		·115	·115	·290		·060	·340	·030		·180		9
10	·320		·180	·250	·320			·080					10
11	·150		·150	·210				·420	·110	·160			11
12				·030	·110			·100		·215			12
13				·065				·180	·035				13
14	·020		·110										14
15	·015									·025			15
16		·200					·420					·750	16
17				·290	·670	·100	·300	·020	·500	·095			17
18				·030	·040	·025	·070		1·250				18
19		·405	·340			·035			·015				19
20	·010	·200	·020		·370		·120	·010	·020		·040		20
21			·100		·080	·240				·025	·035		21
22			·150					·070		·155			22
23		·235			·030			·165		·040			23
24			·010			·120				·180	·035		24
25		·095	·040							—			25
26					·580	·105		·280	·070		·240	—	26
27							·020	·500					27
28			·190			·600		·070				·105	28
29						·320	·140	·320		·360		·300	29
30							·165	·250		·025			30
31	·035		·050					·065		·050		·035	31
Total	1·685	1·235	1·915	1·480	2·490	1·825	1·535	4·355	2·175	2·395	·945	1·490	YEAR'S TOTAL 23.525
Rain Days.	11	7	16	11	9	12	9	21	9	17	10	6	138

W. 8,000, IX. 17.

10·50

~~W. 1806~~ Cor. for auth.

8

REGISTER OF RAINFALL IN 19‘8

FORM A. BRITISH RAINFALL. 2.1.19

Kept at Shottery Hall

in the County of Warwick

by R. C. Carter

Lat. Long.

Time of Observation as usual

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·030		·050	·03[illegible]						·200		1
2		·090						·210		·040		·130	2
3		·030			·095			·050	·500		·095	·020	3
4		·050	·025						·090		·360	·040	4
5		·070		·030	·300				·200	·020			5
6		·190				·025			·030				6
7	·040	·125			·085				·045	·130			7
8	·030	·150							·110		·170	·100	8
9		·015		·140			·190		·200	·520		·035	9
10	·075			·050		·260	·230		·080	·140		·150	10
11				·050	·035		·080		·110	·015		·040	11
12					·195		·170		·020			·	12
13							·040		·070			·080	13
14	·200						·250		·480	·220		·015	14
15	·900			·[illegible]00			·225		·010			·120	15
16	·220			·590		·050	·020		·215			·050	16
17	·040			·065			·220	·020	·110	·050		·065	17
18	·390					·290	·120		·850			·500	18
19		·090	·250	·085			·290		·010	·100		·140	19
20	·065	·100		1·270		·020			·090	·030		·010	20
21							·065		·230			·370	21
22	·230				·590		·150		·070	·170		·020	22
23	·050				·640	·025			·140				23
24		·165					·010		·020		·150		24
25							·180	·270		·025	·060		25
26							·380	·025	·020			·090	26
27		·070						·260	·340	·030	·250	·080	27
28		·090	·160								·060	·070	28
29			·100						1·250			·030	29
30		X	·240						·025			·080	30
31		X	·175	X		X		·025	X	·020	X	–	31
Total	2·240	1·265	·950	2·930	1·970	·670	2·620	·860	~~5·515~~ 5·315	1·510	1·345	2·235	YEAR'S TOTAL 23·91
Rain Days.	11	14	6	11	8	6	16	7	26	14	8	22	149

W, 6,500, VII. 18. w w c

W. 18526 coop. auth

18 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Shottery Hill

in the County of Warwick

by R. Carter

Lat. As usual Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·220		·040		·115	·015	·270		·010	·230		·420	1
2	·200		·020				·070		·800			·010	2
3			·080		·080	·120	·170		·115		·230		3
4	·980		·450			·090	·120	·035	·240		·030	·270	4
5	·100	·310	·250						·190			·180	5
6	·010		·140		·310							·050	6
7			·170	·040									7
8	·150		·100	·260									8
9			·030	·040									9
10	·025		·400	·035						·030	·030	·090	10
11	·035		·240		·010		·310			·020		·015	11
12	·020			·040		·130				·100	·050		12
13	·150			·060					·085	·130		·010	13
14	·380			·260			·035			·040			14
15	·340	·050	·020	·250						·050		·220	15
16	·250	·780		·015				·110			·080		16
17	·010	·580									·110		17
18			~~[illegible]~~					·140					18
19	·050	·400	·260			·100	1·540	·200	·010				19
20	·4[illegible]0	·090	1·300				·186	·260	·140		·030	·160	20
21		·410	·280			·050	·010				·120	·105	21
22		·150							·250			·450	22
23								·020		·570		·050	23
24				·020		·035				·200	·070	·070	24
25	·130			·050	·030			·185					25
26	·050	·020	·150	·120		·045		·100	·130			·300	26
27	·250		·055	·340				·960				·080	27
28	·060		·030	·010								330	28
29	·040									·170	·270	280	29
30				·195		·200		·035			·015	200	30
31			·025				·040			·050			31
TOTAL	3·860	2·790	4·040	1·735	·645	·785	2·645	2·045	1·970	~~1·570~~ 1·590	·835 1·035	3·290	YEAR'S TOTAL 21·33 25·910
Days with ·01 in. or more	21	9	19	15	5	9	10	11	10	11	11	19	3 150

(44,283) Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Shottery Hall

in the County of Warwick

by R. C. Carter

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·320

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·180	·290		·090		·070	·160	·080		1
2							·150	·045	·030	·050	·060		2
3				·070	·040				·100	·095			3
4				·115			·050	·320	·030	·120			4
5			·190	·050	·220		·620	·070	·070	·720			5
6			·220		·060		·120			·015			6
7		·060		·210			·050	trace					7
8	·180		·070	·700	·070		·210						8
9	·280			·350			·100	·020					9
10	·460			·010		·030	·060				·020		10
11	·030	·060		·060	·480	·300	·045						11
12	·040	·020	·020	·050		·950	·030	·310			·015		12
13			·190	·060								·030	13
14			1·020	·200		·170			·330		·120		14
15		·100	·040	·180		·260			·130	·130			15
16				·150	·030	·140	·085		·120	·360	·050		16
17				·080	·100				·840	·095		·015	17
18	·210			·500			·020	·270	·810				18
19				·050			·020	·070	·030				19
20		·400		·220		·400						·010	20
21								·140					21
22								·035				·480	22
23				·150			·300					·090	23
24			·090	·020								·060	24
25		·050	·030				·630					·210	25
26	·220		·140	·025	·040		·110						26
27	·100		·020	·160	·005	·350	·015				·050		27
28	·630		·050	·040	·040								28
29	·020			·020	·200	·010	·030				·080	·600	29
30				·050	·005	·080	·140		·430		·085	·150	30
31	·045		·050				·015			·390			31
TOTAL	2·215	·690	2·130	3·700	1·580	2·690	2·890	1·280	2·990	2·135	·560	1·645	YEAR'S TOTAL 24·505
Days with ·01 in. or more	11	6	13	25	12	10	21	9	12	10	9	9	147
Days with ·04 in. or more	9	5	10	21	10	8	15	7	9	9	7	6	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

-8 JUL 1912

STRATFORD - ON - AVON

SNITTERFIELD

WARWICKSHIRE

1911 — 1920

Kept at S

11.

p 8 in.

bove Ground 1 ft. 6 in.

in the County of

„ Sea Level 274 ft.

8 am.

by The Corporatio

R

n Name Stratford-upon-Avon
Distance miles 3 Direction South.

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the ; year in the space provided for it at the end of urement of rain, the selection and pl British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·31	·11	-	-	-	-	-	-	-	-	1
2	-	-	·08	-	-	-	-	·03	-	-	·03	-	2
3	-	-	-	·09	·14	-	·07	-	-	·24	·05	-	3
4	-	-	-	-	·22	-	·04	·44	-	-	-	-	4
5	-	-	·05	-	-	-	-	-	·08	·14	·24	·20	5
6	-	-	-	-	-	-	-	·09	-	·03	-	-	6
7	·31	-	·05	-	-	-	-	-	-	-	-	·22	7
8	-	-	-	-	-	-	-	-	-	-	·25	-	8
9	·18	-	·08	-	-	-	-	-	-	-	·05	·25	9
10	·18	-	·03	-	-	-	-	-	-	-	·09	·52	10
11	·03	·21	·50	-	-	-	-	·08	-	-	-	·45	11
12	·24	-	-	-	-	-	-	-	-	-	·61	-	12
13	-	-	·59	-	-	-	-	-	·35	-	·23	-	13
14	-	-	-	-	-	-	-	-	·60	-	·05	·41	14
15	-	-	-	-	-	-	-	-	-	-	-	·49	15
16	-	·05	-	-	-	-	-	-	-	-	·10	-	16
17	-	-	-	-	-	·07	-	-	-	-	·33	·07	17
18	-	-	·08	-	-	-	-	-	-	-	·14	·25	18
19	-	·42	-	-	-	·06	-	-	-	-	-	-	19
20	-	-	-	-	-	·65	·10	-	-	·19	·17	·59	20
21	-	·12	·03	-	-	-	-	-	·09	-	-	-	21
22	-	·15	-	-	-	-	-	·36	-	-	-	-	22
23	-	-	-	-	-	·08	-	-	-	-	-	·38	23
24	-	·07	·47	-	-	·28	-	-	·35	-	-	·16	24
25	-	·11	-	-	-	·31	-	·02	-	·52	-	·18	25
26	-	·07	-	-	·15	·10	-	-	-	-	-	-	26
27	-	·10	-	·28	-	-	-	-	-	·21	·14	·20	27
28	-	·39	11	·26	-	-	-	·47	·33	-	·11	·21	28
29	-		-	·24	-	-	-	-	-	·28	·17	-	29
30	-		-	-	-	·22	·22	-	·33	-	-	-	30
31	-		-		-		-	·08		·06		-	31
Total	0·94	1·69	2·38	0·98	0·51	1·77	0·43	1·61	2·13	1·67	2·46	4·58	TOTAL for year 21·45
No. of Rain Days.	5	10	12	5	3	8	4	8	7	8	16	15	101

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 JUL 1912

REGISTER OF RAINFALL IN 1911.

Kept at Snitterfield

in the County of Warwick

by The Corporation of Stratford-upon-Avon
Roden Dixon

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 274 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Stratford-upon-Avon
Distance 3 miles Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·31	·11	-	-	-	-	-	-	-	-	1
2	-	-	·08	-	-	-	-	·03	-	-	·03	-	2
3	-	-	-	·09	·14	-	·07	-	-	·24	·05	-	3
4	-	-	-	-	·22	-	·04	·44	-	-	-	-	4
5	-	-	·05	-	-	-	-	-	·08	·14	·24	·20	5
6	-	-	-	-	-	-	-	·09	-	·03	-	-	6
7	·31	-	·05	-	-	-	-	-	-	-	-	·22	7
8	-	-	-	-	-	-	-	-	-	-	·25	-	8
9	·18	-	·08	-	-	-	-	-	-	-	·05	·25	9
10	·18	-	·03	-	-	-	-	-	-	-	·09	·52	10
11	·03	·21	·50	-	-	-	-	·08	-	-	-	·45	11
12	·24	-	-	-	-	-	-	-	-	-	·61	-	12
13	-	-	·59	-	-	-	-	-	·35	-	·23	-	13
14	-	-	-	-	-	-	-	-	·60	-	·05	·41	14
15	-	-	-	-	-	-	-	-	-	-	-	·49	15
16	-	·05	-	-	-	-	-	-	-	-	·10	-	16
17	-	-	-	-	-	·07	-	-	-	-	·33	·07	17
18	-	-	·08	-	-	-	-	-	-	-	·14	·25	18
19	-	·42	-	-	-	·06	-	-	-	-	-	-	19
20	-	-	-	-	-	·65	·10	-	-	·19	·17	·59	20
21	-	·12	·03	-	-	-	-	-	·09	-	-	-	21
22	-	·15	-	-	-	-	-	·36	-	-	-	-	22
23	-	-	-	-	-	·08	-	-	-	-	-	·38	23
24	-	·07	·47	-	-	·28	-	-	·35	-	-	·16	24
25	-	·11	-	-	-	·31	-	·03	-	·52	-	·18	25
26	-	·07	-	-	·15	·10	-	-	-	-	-	-	26
27	-	·10	-	·28	-	-	-	-	-	·21	·14	·20	27
28	-	·39	11	·26	-	-	-	·47	·33	-	·11	·21	28
29	-		-	·24	-	-	-	-	-	·28	·17	-	29
30	-		-	-	-	·22	·22	-	·33	-	-	-	30
31	-		-		-		-	·08		·06		-	31
Total	0·94	1·69	2·38	0·98	0·51	1·77	0·43	1·61	2·13	1·67	2·46	4·58	TOTAL for year 21·45
No. of Rain Days.	5	10	12	5	3	8	4	8	7	8	16	15	101

W. 8,000, X. '11.

Cor. for WD. 11. VI. 13.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

14 MAY 1913

Kept at Snitterfield

in the County of Warwick

by The Corporation of Stratford-upon-Avon

Lat. Long.
Time of Observation 8 am.
Nearest Railway Station Stratford-upon-Avon
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·05)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	–	–	·18	–	·30	–	1·25	·12	·02	–	–	1
2	–	–	–	–	–	·39	·12	–	·02	·16	–	·04	2
3	–	–	–	·03	–	·32	·57	–	–	–	–	–	3
4	·07	–	–	–	·15	·11	·25	·60	–	–	–	·10	4
5	·13	–	·49	–	·20	·60	–	·13	–	–	·23	–	5
6	·17	–	·30	–	·21	·08	–	·82	·02	–	–	–	6
7	·28	–	·03	–	·04	·12	·17	·70	–	–	–	·04	7
8	·49	·27	·05	–	·11	·40	–	·22	–	–	–	–	8
9	–	·20	·12	·03	–	·21	–	·25	·07	–	–	·04	9
10	·15	·03	·13	·03	–	·72	–	·02	–	–	–	·21	10
11	–	–	–	–	–	·03	–	·08	–	–	·21	–	11
12	·19	·09	–	–	·11	·04	–	·28	–	–	·11	·68	12
13	·19	·48	·23	–	–	·04	–	–	–	–	·12	–	13
14	·09	·05	–	–	–	–	·03	–	–	–	–	–	14
15	·09	–	·37	–	–	·07	–	·07	–	–	–	–	15
16	·07	·10	·25	–	·49	·34	–	–	–	–	–	·22	16
17	1·32	–	·20	–	–	·12	–	·10	–	·12	–	–	17
18	·16	–	·27	–	–	·14	–	·47	–	–	·09	·34	18
19	–	–	·10	–	–	–	–	·04	–	·03	–	–	19
20	·25	·09	·05	–	–	–	–	·39	–	–	·03	–	20
21	·05	–	·24	–	·04	–	·41	·09	–	·28	–	–	21
22	–	·04	·14	–	·85	–	–	1·00	–	·31	–	–	22
23	·17	·13	·03	–	1·25	·25	·23	·16	–	–	–	·03	23
24	·28	·37	·48	–	–	·15	·36	·46	–	–	·08	·04	24
25	·10	–	–	–	–	·31	·31	·27	–	–	–	·13	25
26	–	–	–	–	–	·95	–	·14	–	–	–	·50	26
27	–	·06	–	–	–	–	·52	1·38	–	·76	·15	·12	27
28	–	–	–	–	–	·11	·11	–	–	·73	–	·24	28
29	–	–	–	–	–	·27	·37	·64	·05	·32	·15	·59	29
30	–		–	–	–	·10	·35	·23	·46	·32	·04	–	30
31	–		–		·07		–	–		·16		–	31
	–	–	·18	–	·30	–	1·25	·12	·02	–	–	(·05)	YEAR'S TOTAL
Total	~~4·25~~ 4.25	~~1·91~~ 1·91	~~3·48~~ 3·66	~~0·29~~ ·09	~~3·55~~ 3·85	~~6·17~~ 5·87	~~3·80~~ 5·05	~~9·29~~ 8·16	~~0·74~~ ·64	~~3·31~~ 3·29	~~1·21~~ 1·21	~~3·32~~ 3·37	~~41·30~~ 41·35
Rain Days.	18	12	~~17~~ 18	~~4~~ 3	~~11~~ 12	~~24~~ 23	~~13~~ 14	24	6	~~11~~ 10	10	16 ~~15~~	~~165~~ 166

W. 7,500, XI. 12

Ca. for W.D. 25.V.14

FORM A.
BRITISH RAINFALL.

22 MAY 1914

REGISTER OF RAINFALL IN 1913.

Exe Mf.

Kept at Snitterfield.
in the County of Warwick
by The Corporation of Stratford-upon-Avon.

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Startford-upon-Avon.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	–	–	·15	–	·19	–	–	–	–	·04	·16	1
2	–	·03	·08	·12	·05	–	–	–	·07	–	·03	–	2
3	–	·23	–	–	–	–	–	–	1·50	2·60	·02	–	3
4	–	–	·11	–	·72	–	–	–	·29	0·3	–	·06	4
5	·93	–	–	–	·40	–	–	–	–	0·3	·05	·32	5
6	–	–	–	–	–	·10	·10	–	–	·45	–	–	6
7	–	·02	·08	–	·34	·21	·43	–	–	–	–	·18	7
8	–	·10	–	–	·32	·03	·39	–	–	·25	·11	–	8
9	–	·04	–	–	·16	·08	–	–	–	·90	·08	–	9
10	–	·48	–	–	·03	·23	–	·11	·16	–	·07	–	10
11	–	–	–	·07	–	–	–	·08	–	–	·30	–	11
12	·68	–	–	·48	·07	–	–	·10	–	·07	·48	–	12
13	–	–	–	–	·12	–	–	–	–	–	·80	–	13
14	–	·03	·03	–	–	–	–	–	·27	–	·22	–	14
15	·08	–	·50	·03	–	–	·30	·07	–	·12	·10	–	15
16	·04	·14	·60	·22	–	–	–	–	·13	–	·08	–	16
17	·07	–	·47	·22	–	–	–	–	–	–	·02	–	17
18	·15	–	·19	·20	–	·16	·18	–	–	–	–	–	18
19	·03	–	·04	·07	·12	–	–	–	·07	–	–	–	19
20	·22	–	·22	–	·03	–	·11	–	·15	–	–	–	20
21	·38	–	·08	·14	–	–	–	–	–	·21	–	–	21
22	–	–	·13	·11	–	–	·09	–	–	–	·49	–	22
23	·48	–	·37	–	–	–	–	·04	·40	–	–	–	23
24	·02	–	–	–	–	·07	–	·05	·10	–	·03	–	24
25	·03	–	–	–	–	–	–	·05	–	–	–	–	25
26	–	–	–	·08	–	–	–	–	–	·05	–	–	26
27	–	·09	·03	·24	–	–	–	·15	–	–	–	·26	27
28	–	–	–	·13	·14	–	–	–	–	–	–	–	28
29	·57		·22	·31	–	–	–	–	–	–	–	–	29
30	–		·23	·65	–	–	–	·09	–	–	–	–	30
31	·27		–		–		–	–		·37 ·X·		–	31
	–	–	·15	–	·19	–	–	–	–	·04	·16	–	YEAR'S TOTAL
Total	~~4·08~~ 3·95	~~1·16~~ 1·16	~~3·38~~ 3·53	~~3·22~~ 3·07	~~2·50~~ 2·69	~~1·07~~ ·88	~~1·60~~ 1·60	~~·74~~ ·74	~~3·14~~ 3·14	~~5·08~~ 5·12	~~2·92~~ 3·64	~~0·98~~ ·82	~~29·84~~ 29·74
Rain Days.	~~15~~ 14	9	17 ~~16~~	~~16~~ 15	~~12~~ 13	~~8~~ 7	7	9	10	~~11~~ ? 12	16	~~5~~ 4	~~134~~ 133

·X· On Monday Oct 27/13 The Gauge glass was broken consequently this reading represents the Rainfall from Monday morning until Friday morning when new Glass was substituted.

W.7,000 XI. 12.

wd fr ante 2.IV.15
WD 9.IV.15

W.D. written 6.IV.15

REGISTER OF RAINFALL IN 1914.

5 - MAR 1915

FORM A. BRITISH RAINFALL.

Kept at Snitterfield.

in the County of Warwick

by R. Dixon A.M.I.C.E. Borough Surveyor.

Lat. 52°-13'-30" Long. 1°-42'

Time of Observation 8 a.m.

Nearest Railway Station Stratford-upon-Avon.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 274. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.12	-	-	-	-	.33	-	-	-	.55	1
2	-	-	-	-	-	-	.55	.35	-	-	-	.03	2
3	.03	-	-	-	-	-	-	.78	-	-	.60	.55	3
4	-	-	.06	.04	.15	-	.68	-	-	-	-	-	4
5	.20	-	.03	.29	-	-	-	.18	-	-	.49	.45	5
6	-	-	.11	.19	.25	.04	-	-	-	-	.11	-	6
7	-	.04	-	-	.06	.07	-	-	-	-	.15	.04	7
8	-	.07	.42	-	.13	.10	-	-	-	-	-	.05	8
9	.05	.04	.17	.04	.13	.68	-	.34	-	-	-	-	9
10	.32	-	.28	.21	-	1.68	-	.10	.03	-	-	-	10
11	.10	.13	-	.13	.12	-	-	-	.27	-	-	-	11
12	-	.11	.35	.30	.10	.40	-	-	.03	-	.35	.45	12
13	-	.10	.15	-	-	-	.62	-	.44	-	-	.25	13
14	-	.13	.23	-	-	-	-	-	.08	-	.12	.57	14
15	-	.03	.10	-	-	-	-	-	-	.50	.08	.13	15
16	-	-	.08	-	-	-	-	-	.10	-	.17	-	16
17	-	-	.08	-	-	-	-	-	.12	-	-	-	17
18	-	.20	.08	-	-	-	.03	-	-	-	-	.23	18
19	-	-	-	-	-	-	.19	-	-	-	-	.60	19
20	-	-	.08	-	-	-	.63	-	-	-	.09	-	20
21	-	.12	.13	-	-	.09	-	-	-	-	-	.10	21
22	-	.29	.05	-	-	-	-	.20	-	.13	-	.39	22
23	-	-	.05	-	.26	-	-	-	-	.33	-	.04	23
24	-	.03	.07	-	.16	-	.04	-	-	.05	-	-	24
25	-	.04	.13	-	.17	-	-	.19	-	.19	.07	-	25
26	.13	-	.07	-	-	-	-	.05	-	.50	.05	.30	26
27	-	-	.07	-	-	-	.07	-	-	.10	.21	.25	27
28	.06	-	.06	-	-	-	-	-	-	-	-	.14	28
29	-	-	.05	-	.22	-	-	-	-	-	.09	.71	29
30	-	╳	.09	-	.03	-	-	-	-	.32	.09	.17	30
31	-	╳	.06	╳	-	╳	-	-	╳	.04	╳	.32	31
	–	.12	–	–	–	–	.33	–	–	–	.55	–	YEAR'S TOTAL
Total	0.89	~~1.33~~	~~3.17~~	1.20	1.78	3.06	~~2.81~~	~~2.52~~	1.07	2.16	~~2.67~~	~~6.32~~	28.98
		1.45	3.05				3.14	2.19			3.22	5.77	28.98
Rain Days.	7	~~13~~ 14	~~26~~ 25	7	12	7	~~8~~ 9	~~9~~ 8	7	9	~~14~~ 15	~~21~~ 20	~~140~~

W. 8,000. X. 14.

Impd corrected by WD 12.10.16. Exd 98 2530

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Snitterfield.

in the County of Warwick.

by Corporation of Stratford-upon-Avon.

Lat. 52°-13′-30″ N. Long. 1°·42′

Time of Observation 8 am.

Nearest Railway Station Stratford-upon-Avon.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·19

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·28	–	–	–	–	–	·05	–	·15	·13	1
2	·19	·20	·11	–	·28	–	–		·07	·10	–	·14	2
3	·07	·11	·45	·10	–	·10	–	·23	–	·52	–	·06	3
4	1·03	–	·03	–	–	–	1·50	·11	–	·02	–	·23	4
5	–	–	·03	–	·03	–	·38	–	–	–	–	·78	5
6	–	·22	–	–	·04	–	–	·08	–	–	–	·25	6
7	·30	·50	–	–	–	–	·63	–	–	–	–	·10	7
8	·07	–	–	–	·19	·03	·25	·11	–	–	–	·24	8
9	·08	·17	–	–	–	–	–	–	–	–	–	–	9
10	·11	–	–	·13	–	–	–	–	–	–	·20	·45	10
11	·31	·07	–	–	–	–	–	·08	–	–	·06	–	11
12	–	–	–	·08	·10	–	–	–	–	–	·96	–	12
13	·03	–	–	·23	·50	–	–	·21	–	–	1·25	·03	13
14	–	·43	–	–	1·00	–	–	–	–	–	–	–	14
15	–	–	–	–	–	–	·17	·59	·09	–	–	·60	15
16	·30	·03	–	·05	·06	–	·03	–	–	–	·16	·05	16
17	·03	·28	–	–	·24	–	·72	–	–	–	–	–	17
18	–	·23	–	–	·30	–	·04	–	–	–	–	·03	18
19	–	·20	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	·15	–	·19	–	–	–	–	–	20
21	·17	·03	–	–	–	–	–	–	–	·10	–	·09	21
22	·11	·22	–	–	–	–	·17	–	–	–	–	·06	22
23	·18	–	·29	–	–	–	·75	–	–	–	–	·12	23
24	–	·08	·05	·03	–	·17	·12	–	·06	·50	–	·43	24
25	–	–	·13	–	–	–	·36	–	·39	·72	–	·14	25
26	–	–	·02	–	–	·75	·14	–	·13	·08	–	·14	26
27	–	–	–	–	–	–	·05	–	–	–	–	·40	27
28	–	·09	–	–	–	–	·11	–	–	·41	–	·08	28
29	–		–	–	–	–	·13	–	·10	·16	–	–	29
30	–	X	–	–	–	–	·16	·30	–	–	·12	·04	30
31	–	X	–	X	–	X	–	–	X	·12	X	·05	31
Total	– ~~2.98~~ 2.98	·28 ~~2.86~~ 3.14	– ~~1.30~~ 1.11	– ~~0.62~~ ·62	– ~~2.89~~ 2.89	– ~~1.05~~ 1.05	– ~~5.90~~ 5.90	·05 ~~1.71~~ 1.76	·08 ~~0.89~~ ·84	·55 ~~2.73~~ 3.28	·13 ~~3.30~~ 2.88	·19 ~~4.63~~ 4.69	YEAR'S TOTAL ~~30.95~~ 31.14
Rain Days.	14	~~15~~ 16	~~9~~ 8	6	11	4	18	~~8~~ 9	~~7~~ 6	~~10~~ 11	~~7~~ 6	23.	132

W. 8,000. X. 15.

E&d C 35

2484

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
5 JUN 1917

Kept at Snitterfield
in the County of Warwick
by The Corporation of Stratford-upon-Avon

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Stratford-upon-Avon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	–	·22	–	–	·10	·11	–	–	–	·30	–	1
2	·18	–	–	–	·24	–	·07	–	·03	·30	·10	–	2
3	·72	–	·09	–	–	–	–	–	–	·54	–	–	3
4	–	·59	–	·06	·58	·26	–	–	·03	·31	·22	–	4
5	·31	·04	–	–	–	·10	·47	–	–	·08	·34	–	5
6	·04	–	–	·07	–	·18	–	–	–	–	·32	–	6
7	–	·23	–	–	·17	·03	·56	–	–	·03	·48	–	7
8	·02	–	–	–	·04	–	–	–	–	–	–	–	8
9	·03	–	·08	–	·34	–	–	–	–	–	–	·21	9
10	–	–	–	–	–	·16	–	–	–	·04	–	·03	10
11	–	·17	·05	·09	·10	·27	–	–	·05	–	–	·35	11
12	–	·25	·06	·15	–	–	·26	–	–	·12	–	–	12
13	–	·10	·08	·03	·58	–	·33	·29	–	–	–	–	13
14	·02	·29	·15	–	·05	–	–	·03	–	·07	–	–	14
15	–	·03	–	–	·03	–	·18	·35	–	·02	–	–	15
16	–	·65	·74	·27	·25	–	·09	–	–	·02	–	–	16
17	–	·09	·33	·06	–	–	–	·25	–	·36	–	–	17
18	·12	·17	–	·10	–	–	–	–	·06	·06	·68	–	18
19	·02	·12	·03	·25	–	–	–	·03	–	–	·34	–	19
20	–	·03	·07	·06	–	–	–	–	–	–	·12	·55	20
21	–	–	·46	–	–	–	–	–	–	–	·02	·22	21
22	–	–	·61	–	·12	·02	·28	–	–	–	–	–	22
23	·04	–	–	–	–	–	–	·10	–	·08	·07	·19	23
24	–	–	–	–	–	–	–	·08	–	·48	–	·17	24
25	·03	·11	–	–	·12	·35	·05	–	–	–	·25	–	25
26	–	–	·13	–	–	·07	–	·41	·38	·17	·02	·16	26
27	–	·06	·06	–	–	·10	–	–	–	–	–	–	27
28	·03	·06	·28	–	–	–	–	–	·03	·04	–	–	28
29	–		–	–	–	·35	–	1·32	–	·23	–	–	29
30	–	X	·03	–	–	–	–	–	–	·26	–	10	30
31	–	X	–	X	–	X	–	–	X	·15	X	23	31
Total	1·75	299	3·47	1·14	2·62	1·99	2·40	2·86	0·58	3·36	3·26	2·21	YEAR'S TOTAL 28·63
Rain Days.	13	16	17	10	12	12	10	9	6	19	13	10	147

W. 8,000, VIII. 16

RAINFALL JANUARY 1st 1917 = NIL

2368

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Snitterfield
in the County of Warwick
by The Corporation of Stratford upon Avon

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Stratford upon Avon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05	·05		·05			·19				1
2						·09						·04	2
3				·21				·20					3
4										·31			4
5	·28		·14	·12		·11			·12	·30	·10		5
6			·17			·12				·12	·11		6
7	·55									·29			7
8	·66			·18		·04	·19	·70		·45		·25	8
9				·13							·02		9
10			·24	·13	·68			·12					10
11	·41		·11	·24	·10			·18					11
12			·05		·06			·14		·33	·03		12
13			·03					·37					13
14			·15					·14					14
15										·02			15
16	·05	·32		·15			·19			·02		·49	16
17		·02				·05	·37	·02	·08	·11			17
18					·06		·12	·03	1·54				18
19		·38	·12		·78					·02			19
20		·32	·09		·12	·04	·11						20
21											·03		21
22					·03			·10		·18			22
23			·10							·09			23
24		·05	·03			·18		·03		·25	·04		24
25		·08	·07				·06						25
26						·04		·35	·12		·21		26
27					·60		·03	·66					27
28			·28					·17		·03		·05	28
29						·41	·15	·08		·48		·30	29
30							·25			·03			30
31													31
Total	1·95	1·17	1·63	1·21	2·43	1·43	1·47	3·29	2·05	3·03	·54	1·13	YEAR'S TOTAL 21·33
Rain Days.	5	6	14	8	8	10	9	15	5	16	7	5	~~108~~

W. 8,000, IX. 17.

Rainfall Jany 1/18. = Nil.

11

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

10 5. 19

Kept at Snitterfield
in the County of Warwick
by Borough Surveyor of Stratford-upon-Avon

Lat. ……… Long. ………
Time of Observation 9 am
Nearest Railway Station S.-upon-A.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·09	-	-	-	-	-	-	-	-	·35	-	1
2	-	·19	-	-	-	-	-	·20	-	-	·04	·20	2
3	-	·06	-	-	·14	-	-	·06	·59	-	·12	-	3
4	-	·06	·04	-	-	-	-	-	·17	-	·48	·07	4
5	-	·14	-	-	·45	-	-	-	-	-	-	≠	5
6	-	·24	-	·15	-	-	-	-	·22	-	-	·05	6
7	-	-	-	·03	·09	-	-	-	·10	·11	-	-	7
8	-	·05	-	-	-	-	-	-	·25	·27	·24	·08	8
9	-	·30	-	·15	-	·33	29	-	·29	·45	-	-	9
10	-	-	-	·18	-	-	·27	-	·05	-	-	·26	10
11	-	-	-	-	·05	-	-	-	·29	-	·03	·09	11
12	-	-	·14	-	·19	-	·19	-	-	·08	-	-	12
13	-	-	-	-	·10	-	·07	-	·16	-	-	·07	13
14	·28	-	-	-	-	-	·33	-	·58	40	-	·04	14
15	1·16	-	-	-	-	-	·26	-	·03	-	-	·15	15
16	-	-	-	·58	-	·19	·03	-		-	-	-	16
17	-	-	-	·92	-	-	·31	-	·07	-	-	·10	17
18	·55	-	-	·08	-	·34	-	-	·88	-	-	·50	18
19	-	·09	·20	-	-	-	·40	-		-	-	-	19
20	·06	·14	-	·09	-	-	·53	-	·09	-	-	·07	20
21	·24	-	-	·50	-	-	·06	-	·28	·03	-	·07	21
22	·08	-	-	·65	·70	-	·28	-	15	·21	-	·45	22
23	-	-	-	-	-	-	·03	-	07	-	-	·45	23
24	-	·18	-	-	-	-	-	-	-	-	·24	-	24
25	-	-	-	-	-	-	-	·39		·03	-	-	25
26	-	-	-	-	-	-	·39	·07		·03	·17	-	26
27	-	-	-	-	-	-	·22	·33	·10	-	·15	17	27
28	-	-	·22	-	-	-	-	-	·03	-	-	15	28
29	-		·48	-	-	-	-	-	1·45	-	-	-	29
30	-	X	-	-	-	-	-	-	-	-	·14	14	30
31	-	X	·28	X	-	X	-	-	X	-	X	-	31
Total	2·37	1·54	1·36	3·33	1·72	0·86	3·66	1·05	5·85	1·61	1·96	3·10	YEAR'S TOTAL 28·41
Rain Days.	6	11	6	10	7	3	15	5	20	9	10	18	120

W. 8,000, IX. 17.

cor for WD from May 1st + for amt by obsr

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Snitterfield WW

in the County of Warwick

by Borough Surveyor to the Stratford-upon-Avon Corporation

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Stratford-upon-Avon.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to ~~THE~~ SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

J. W. Jones CE

Jan. 1, following. (—)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35		·10	-	-	·01	·25	·05	-	-	-	·04	1
2	-	-	-	-	·21	-	·27	-	-	-	-	·48	2
3	·28	-	·12	-	·13	-	·36	-	·15	-	-	·05	3
4	·35	-	·59	-	-	·29	·08	-	·18	-	·31	·15	4
5	·12	-	·26	-	-		·12	-	·21	-	·04	·21	5
6	·05	·13	-	-	·35			-	·35	-	-	·22	6
7	·05	·17	·36	-	·16			-	-	-	-	·08	7
8	·14	-	·07	·30	-			-	-	-	·06	-	8
9	·03	-	·03	-	-			-	-	-	-	-	9
10	-	-	·03	·19	-			-	-	-	-	-	10
11	·09	-	·58	-	-			-	-	-	-	·15	11
12	-	-	·38	-	-	·12	·33	-	-	-	-	-	12
13	·35	-	-	·15	-		-	-	-	·07	-	-	13
14	·56	-	-	·20	-		-	-	-	·16	·14	·05	14
15	·39	-	·10	·16	-		·11	-	·17	·12	-	-	15
16	-	·83	-	-	-		-	-	-	·05	-	·33	16
17	-	·40	-	·03	-		-	·35	-	-	·10	-	17
18	-	·05	·33	-	-		-	-	-	-	·14	·02	18
19	·10	·50	1·22	-	-	·07	·17	·23	-	-	-	·14	19
20	·75	-	-	-	-	-	~~1·75~~	·33	·07	-	·05	-	20
21	·03	·65	-	-	-	·10	·26	·31	·14	-	·20	-	21
22	-	·14	-	-	-	·04	·75	-	-	-	·02	·15	22
23	-	-	-	-	·03	-	·13	-	·55	-	-	·48	23
24	-	-	-	-	-	·08	-	-	-	·54	-	·12	24
25	·20	-	-	·14	-	-	-	-	-	·49	·07	·06	25
26	·03	-	·19	·10	-	·06	-	·32	-	-	-	·05	26
27	-	-	-	·48	-	-	-	·08	·14	-	-	·41	27
28	-	-	-	-	-	-	-	-	-	-	-	·18	28
29	·35		-	-	-	-	-	·16	-	-	-	·42	29
30	-		-	·26	-	-	-	-	-	·26	·17	·26	30
31	-		-		-		-	-		·03		·31	31
TOTAL	4·22	2·87	4·35	2·01	·01 ~~0·88~~ ·89	·25 ~~0·44~~ 1·01	·05 ~~2·83~~ ~~4·41~~ 2.63	- ~~1·83~~ 1.78	- 1·96	- 1·72	·04 ~~1·30~~ 1.34	~~4·36~~ 4.32	YEAR'S TOTAL ~~30·68~~ 29.10
Days with ·01 in. or more	18	8	14	10	~~5~~ 6	8	11	~~8~~ 7	9	8	~~11~~ 12	~~22~~ 21	132

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6 29 10

ask for Jan Apr July Nov

WRR

ordly Obs

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

25 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Snitterfield

in the County of Warwick

by F. W. Jones A.M.I.C.E.

old gauge

Lat. ...... Long. ......
Time of Observation 9 a. m.
Nearest Railway Station Stratford-upon-Avon G. W. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·09		·11			·30	·68	·13	1
2				·27	·44					·20		·10	2
3							·26	·12	·16	·04		·13	3
4				·10			·82		·14	·12			4
5			·24	·10				·45	·03	·21			5
6				·07	·20		·52	·09	·10	·75			6
7			·27		·12		·46			·03			7
8				·20			·08						8
9	·30			·71	·06		·35						9
10	·35	·10		·59			·07						10
11	·36		·08				·17				·04		11
12	·31	·09		·14	·57	·17	·05						12
13	·06		·11	·08		·73	·03	·25			·03		13
14			·26	·12								·06	14
15			·87	·19		·11			·34		·23		15
16		·12	·25	·28		·05			·26	·29	·06		16
17				·10	·05	·15			·26	·43	·04		17
18				·16	·11				·60	·10		·03	18
19	·24			·57			·13 ~~·40~~	·29	·93				19
20	·08	·15		·17		·12	·08 ~~·60~~	·07					20
21	·02	·20		·29		·39							21
22								·02					22
23				·23				·15	·05			·13	23
24			·25				·50	·04				·49	24
25			·15	·04								·12	25
26		·08		·05	·07		·67				·08		26
27	·23		·20				·32					·09	27
28	·13		·04	·16		·41	·04					·26	28
29	·69		·08		·25							·07	29
30		✕	·08		·02						·15	·74	30
31		✕		✕		✕	·12		✕		✕	·25	31
TOTAL	2·77	·74	2·63	·09 ~~4·62~~ 4·71	– ~~1·98~~ 1·89	·11 ~~2·13~~ 2·24	~~4·78~~ ~~4·73~~ 4·67	1·48	~~·30~~ ~~2·87~~ ~~2·90~~ 3·17	·68 ~~4·47~~ 3·85	·13 ~~1·31~~ ·76	– ~~4·60~~ 2·47	YEAR'S TOTAL 3·38 ~~30·36~~
Days with ·01 in. or more	11	6	12	~~21~~ 22	~~11~~ 10	~~8~~ 9	~~18~~ 17	9	~~10~~ 11	10	8	~~13~~ 12	137
Days with ·04 in. or more	10	6	12	~~21~~ 22	~~10~~ 9	~~8~~ 9	~~17~~ 16	8	~~9~~ 10	9	7	~~12~~ 11	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

26 APL 1921

Kept at Snitterfield.
in the County of Warwick.
by F. W. Jones A.M.I.C.E

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Stratford upon Avon. G. W. R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
„ „ „ „ Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·32

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·10			·26	·45	·10	1
2										·16		·08	2
3							·21	·11	·14	·03		·08	3
4							·64		·12	·09			4
5								·34	·03	·17			5
6							·40	·08	·09	·59			6
7							·36			·03			7
8							·07						8
9							·28						9
10							·06						10
11							·14				·03		11
12					·52	·14	·04						12
13						·57	·02	·23			·01		13
14												·05	14
15						·09			·28		·19		15
16						·04			·21	·24	·05		16
17						·14			·21	·36	·03		17
18					·13				·62	·09		·03	18
19							·10	·24	·74				19
20						·09	·06	·06					20
21						·33							21
22								·02					22
23								·11	·05			·10	23
24							·41	·03				·56	24
25												·11	25
26					·06		·55				·06		26
27							·26					·07	27
28						·32	·04					·21	28
29					·20							·06	29
30		✕			·02						·11	·61	30
31		✕		✕		✕	·11		✕		✕	·19	31
TOTAL					·93	1·72	3·85	1·22	2·49	2·02	·93	2·25	YEAR'S TOTAL
Days with ·01 in. or more					5	8	18	9	10	10	8	13	
Days with ·04 in. or more					4	8	17	7	9	8	5	12	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Snitterfield

in the County of Warwick

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·11		–				1
2									–				2
3							·26		·16				3
4							·82		·14				4
5							–		·03				5
6							·52		·10				6
7							·46		–				7
8							·08		–				8
9							·35		–				9
10							·07		–				10
11							·17		–				11
12							·05		–				12
13							·03		–				13
14							–		–				14
15							–		·34				15
16							–		·26				16
17							–		26				17
18							–		60				18
19							·13 10		·93				19
20							·08 ·60		–				20
21						?	–		–				21
22							–		–				22
23							–		·05				23
24							·50		–				24
25							–		–				25
26							67		–				26
27							·32		–				27
28							·04		–				28
29							–		–				29
30		✕					–		–				30
31		✕		✕		✕	·12		✕		✕		31
TOTAL							4·73		2·90				YEAR'S TOTAL
Days with ·01 in. or more					adds to		5·27	and	2·87				
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Attach to A1

BOROUGH OF STRATFORD-UPON-AVON.

TEL. No. 25.

F. W. JONES. A.M.I.C.E.
BOROUGH SURVEYOR.

Borough Surveyor's Office.
Stratford-upon-Avon.

METEOROLOGICAL OFFICE
BRITISH RAINFALL ORGANIZATION.
Recd .... Ansd ....
A. C. ~~S.~~ M.
Temp. File .... Perm. File ....
Exd. ....

April 1st. 1921.

Dear Sir,

RAINFALL OBSERVATIONS SNITTERFIELD 1920.

I have examined the original from which our records were copied into Form A1 and find that my Clerk inadvertantly crossed the reading for 19th. July with that for the New Gauge, and the reading for 20th. July was also crossed in a similar manner and in addition it was entered as ·6 when it should have been ·08.

The readings for 1920 are taken from the old rainfall gauge, the new rainfall gauge having been fixed in the middle of the year (June 10th. 1920) therefore I thought that you would prefer to have the whole years readings from the old gauge.

Sent 11.IV.21

If you will let me have some spare forms I will send you the readings of the new gauge for comparison as and from June 10th. 1920.

All readings are entered from the day of observation.

The reading for January 1st. was Nil.

We have kept our entries all on the day of observation to prevent confusion to the man on the Gathering Ground who is somewhat illiterate and these are copied direct to the Statistic Book in the Office in order to agree exactly with the original Chart received from the Gathering Ground.

When making up next years form I will give instructions for each entry to be entered to the previous day as you desire.

Yours faithfully,

F. W. Jones

Borough Surveyor.

Carle Salter Esq.
62 Camden Square,
London. N.W.1.

[illegible]
referred 6.IV.15

REGIS

Kept at Studley Coll
in the County of War
by E. H. Ek

STUDLEY COLLEGE

WARWICKSHIRE

1914 – 15, 17 – 1920.

FORM A.
BRITISH RAINFALL.
29 JAN 1915
451

m.
tudley & Astwood Bank
5 in.
Ground ft. 9 in.
Sea Level 235 ft.

IMPORTANT NOTE previous day. If an Obs requested to add the readi for it at the end of this the selection and placing Organization are given in Dr. H. R. Mill, 62, Camden Square, London, N.W.

he result entered to the rsal rule, he is earnestly in the space provided ent of rain, ish Rainfall pplication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·04	-	·02	·64	·45	-	-	·03	·05	1
2	-	-	·01	-	·01	-	·07	·01	-	·01	·63	·31	2
3	-	-	·05	·02	·13	-	·28	·07	-	-	·10	·12	3
4	·24	-	·06	·18	·10	-	·05	·05	-	-	·58	·45	4
5	·02	-	·10	·21	·30	·02	·43	-	-	-	·11	-	5
6	·02	·07	·01	·06	·06	·07	·01	·01	-	-	·38	·25	6
7	-	·14	·31	·12	·25	·06	·08	·11	-	-	·21	·02	7
8	·03	-	·10	·09	·16	·67	-	·12	-	-	·13	·45	8
9	·27	-	·17	·31	·05	1·013	-	·05	·05	-	·28	·20	9
10	·07	·12	·03	·26	·09	·04	·07	-	-	-	·32	·25	10
11	-	·07	·30	·09	·14	·14	·18	-	·20	-	·13	-	11
12	·01	·08	·13	-	·01	-	-	-	·29	-	·12	·50	12
13	-	·11	·23	-	-	-	-	-	·05	·10	·25	·24	13
14	·01	·05	·10	-	-	-	·01	-	-	·26	·32	·34	14
15	·01	·01	·09	-	-	-	-	-	·18	-	·21	·09	15
16	-	-	·06	-	-	-	·05	-	·12	-	-	·01	16
17	-	·18	·12	-	-	-	·21	-	·14	-	-	·02	17
18	-	·01	·01	-	-	-	·21	-	·01	-	-	·19	18
19	-	-	·11	-	-	-	-	-	·04	-	·05	·41	19
20	-	·2	·06	-	-	·10	·55	-	-	-	·02	·06	20
21	-	·37	·03	-	-	·02	·01	·20	-	·13		·20	21
22	-	·013	·03	-	·35	·07	·03	·09	-	·10		·19	22
23	-	·03	·11	-	·01	-	·01	-	-	·10		-	23
24	-	-	·05	-	·01	-	-	·05	-	·05	·05	-	24
25	·1	-	·06	-	-	-	·07	·29	-	·34	·06	·17	25
26	-	-	·31	-	-	-	·06	·03	-	·06	·11	·25	26
27	·05	-	·01	-	-	-	-	-	-	-	·05	·11	27
28	-	·09	·20	-	·01	-	-	-	-	-	·09	·30	28
29	-	-	·05	-	·09	-	-	-	-	·14	·05	·01	29
30	-	✕	·03	-	·01	·06	·33	-	-	·24	·45	·50	30
31	·05	✕	-	✕	·01	✕	·30	-	✕	·06	✕	·01	31
Total	·88	1·56	2·93	1·38	1·79	2·30	3·65	1·53	1·08	1·59	4·73?	5·70?	YEAR'S TOTAL 29·12?
Rain Days.	12	15	29	10	18	12	21	13	9	12	24	27	202

W. 8,000. X. 14.

[illegible] referred 6.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
29 JAN 1915
1451

Kept at Studley College
in the County of Warwickshire
by E. H. Ekins

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Studley & Astwood Bank
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·04	-	·02	·64	·45	-	-	·03	·05	1
2	-	-	·01	-	·01	-	·07	·01	-	·01	·63	·31	2
3	-	-	·05	·02	·13	-	·28	·07	-	-	·10	·12	3
4	·24	-	·06	·18	·10	-	·05	·05	-	-	·58	·45	4
5	·02	-	·10	·21	·30	·02	·43	-	-	-	·11	-	5
6	·02	·07	·01	·06	·06	·07	·01	·01	-	-	·38	·25	6
7	-	·14	·31	·12	·25	·06	·08	·11	-	-	·21	·02	7
8	·03	-	·10	·09	·16	·67	-	·12	-	-	·13	·45	8
9	·27	-	·17	·31	·05	1·013	-	·05	·05	-	·28	·20	9
10	·07	·12	·03	·26	·09	·04	·07	-	-	-	·32	·25	10
11	-	·07	·30	·09	·14	·14	·118	-	·20	-	·13	-	11
12	·01	·08	·13	-	·01	-	-	-	·29	-	·12	·50	12
13	-	·11	·23	-	-	-	-	-	·05	·10	·25	·24	13
14	·01	·05	·10	-	-	-	·01	-	-	·26	·32	·34	14
15	·01	·01	·09	-	-	-	-	-	·18	-	·21	·09	15
16	-	-	·06	-	-	-	·05	-	·12	-	-	·01	16
17	-	·18	·12	-	-	-	·21	-	·14	-	-	·02	17
18	-	·01	·01	-	-	-	·21	-	·01	-	-	·19	18
19	-	-	·11	-	-	-	-	-	·04	-	·05	·41	19
20	-	·2	·06	-	-	·10	·55	-	-	-	·02	·06	20
21	-	·37	·03	-	-	·02	·01	·20	-	·13		·20	21
22	-	·013	·03	-	·35	·07	·03	·09	-	·10		·19	22
23	-	·03	·11	-	·01	-	·01	-	-	·10		-	23
24	-	-	·05	-	·01	-	-	·05	-	·05	·05	-	24
25	·1	-	·06	-	-	-	·07	·29	-	·34	·06	·17	25
26	-	-	·31	-	-	-	·06	·03	-	·06	·11	·25	26
27	·05	-	·01	-	-	-	-	-	-	-	·05	·11	27
28	-	·09	·20	-	·01	-	-	-	-	-	·09	·30	28
29	-		·05	-	·09	-	-	-	-	·14	·05	·01	29
30	-	X	·03	-	·01	·06	·33	-	-	·24	·45	·50	30
31	·05	X	-	X	·01	X	·30	-	X	·06	X	·01	31
Total	·88	1·56	2·93	1·38	1·79	2·30	3·65	1·53	1·08	1·59	4·73?	5·70?	YEAR'S TOTAL 29·12?
Rain Days.	12	15	29	10	18	12	21	13	9	12	24	27	202

W. 8,000. X. 14.

Copy

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

1915

Kept at Studley College
in the County of Warwickshire
by Miss E. H. Ekins

Lat.................. Long..................
Time of Observation..................
Nearest Railway Station..................
Diameter of Rain Gauge.................. in.
Height of top of Gauge above Ground.................. ft.................. in.
" " " " Sea Level.................. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

November | December

Date	~~Jan.~~ Studley	~~Feb.~~	~~March.~~ Hewell	~~April.~~ Ragley	~~May.~~	~~June.~~	~~July.~~	~~Aug.~~ Studley	Sept.	~~Oct.~~ Hewell	~~Nov.~~ Ragley	~~Dec.~~	Date.
1								·05		·05	·11		1
2								·31		·44	·30		2
3								·12		·02	-		3
4								·45		·42	·41		4
5								-		-	-		5
6	·38		·16	-				·25		·08	·07		6
7	·21?		·02	-				·02?		·25	-		7
8	·13?		-	-				·45?		·12	·10		8
9	·28?		-	-				·20?		-	-		9
10	·32?		·01	-				·25?		-	-		10
11	·13		·27	·13									11
12	·12		·05	-									12
13	·25		·07	·12									13
14	·32		·12	·09									14
15	·21		·06	-									15
16	-		-	·08									16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25								·17		·21	·26		25
26								·25		·32	·26		26
27								·11		·18	·12		27
28							?1·30 →	·30 ?		1·12	1·38		28
29								·01		-	-		29
30								·50		·62	·52		30
31								·01		-	~~·12~~		31
Total													YEAR'S TOTAL
Rain Days.													

For comparison.

For comparison

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL
7 FEB 1916
451

Kept at Studley College
in the County of Warwickshire
by

Lat. 52·15 N Long. 1·53 W
Time of Observation 9 a.m.
Nearest Railway Station Studley & Astwood Bank
Diameter of Funnel of Rain Gauge 5 in in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·15	·07	-	·03	-	-	·41	·03	-	-	·14	1
2	·24	·13	·23	·13	-	-	·86	·21	·15	·05	-	·7	2
3	·75	·03	·01	·08	·02	·16	·55	·08	-	·35	-	·12	3
4	·01	-	-	-	-	-	-	·02	-	-	-	-	4
5	·11	·35	-	-	-	-	·18	·65	-	-	-	·02	5
6	·27	·21	-	·19	-	-	·67	·36	-	-	-	·15	6
7	·17	·22	-	·05	·65	·2	·35	·25	-	-	-	·12	7
8	·12	·12	-	·01	-	-	·03	·1	-	-	·8	·35	8
9	·08	·09	·01	·1	-	-	·08	·07	-	-	·12	-	9
10	·29	-	-	·05	-	-	-	-	-	-	·4	-	10
11	·01	-	-	·01	·1	-	·09	·02	-	-	·75	-	11
12	·07	·04	-	·1	·39	-	·2	·21	-	·04	·05	·13	12
13	·01	·35	-	-	·3	-	·18	·02	-	-	-	not read	13
14	-	-	-	-	-	-	·12	·03	-	·01	·17	+	14
15	·25	-	-	-	-	-	·08	·18	·2	·01	-	·65	15
16	·07	·36	-	-	-	-	·31	·01	-	-	-	-	16
17	-	·16	-	·01	·34	-	·02	-	-	-	-	·04	17
18	-	·31	-	-	-	-	·05	-	-	-	-	-	18
19	-	·01	·09	-	·1	-	·32	-	·	-	-	-	19
20	·18	-	-	-	-	-	·21	-	-	·	-	·08	20
21	·15	-	-	-	-	-	·16	-	-	·07	-	·04	21
22	·06	·01	·2	·05	-	·01	·12	-	-	·01	-	·11	22
23	·01	·11	·05	-	-	·06	·18	-	·06	·87	-	·35	23
24	-	-	·01	·05	-		·26	-	·2	·53	-	·13	24
25	-	-	-	-	-	·65	·38	-	·01	·02	-	·32	25
26	-	·01	-	-	-	·01	·15	-	-	-	-	·34	26
27	-	·01	·01	-	-	·03	·19	-	-	·43	-	·02	27
28	-	·26	·01	-	-	·08	·04	-	·10	-	-	-	28
29	-		-	-	-	·1	·39	-	·02	-	·8	·04	29
30	-	X	-	·02	·	·06	·1	·15	-	·16	·90	·04	30
31	·05	X	-	X	·	X	·25	-	X	·39	X	·18	31
Total	~~2·99~~ 3·02	2·93	·69	·85	1·93	1·36	6·52	2·77	·77	2·94	3·99	~~3·07~~ 4·67	YEAR'S TOTAL 31·84
Rain Days.	20	19	10	13	8	10	28	16	8	13	8	22?	175?

W. 8,000. X. 15.

BRITISH RAINFALL FOR A. 2457

REGISTER OF RAINFALL IN 1917

Kept at Studley College

in the County of Warwickshire

by the Students

Lat. Long.

Time of Observation 8. 30 a.m.

Nearest Railway Station Studley & Astwood Bank

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·02	·06	·04	–	·08	–	·54	·03	–	·04	·15	1
2	·02	–	–	–	–	·30	–	–	·10	–	·04	·06	2
3	–	·06	–	·14	–	·07	–	·30	–	–	·03	·03	3
4	–	·03	·16	–	–		–	·07	–	·17	–	·01	4
5	·26	·01	·07	·21	–		–	–	–	·33	(·44)		5
6	·45	–	·28	–	–	·75	–	–	·04	·37	·09		6
7	·55	·01	–	–	–	·01	–	–	–	·08	–	·06	7
8	·07	–	·21	·12	–		·23	·52	·01	–	·13	·20	8
9	–	–	·31	·11	·17		·01	·58	–	·15	·3		9
10	·34	–	·09	·07	–		–	·04	·02	·02	·01		10
11	·14		–	·26	–		–	·13	·05	–	·01		11
12	·02		·01	·03	·28		–	·10	–	–	·01		12
13	–		·10	·02	·04		–	·17	·05	–	–		13
14	–		·28		–		–	–	–	–	–		14
15	·02	·01	–	·08	–		·83	·10	–	–	–		15
16	–	·10	–	·20	–		·06	–	–	·07	–		16
17	·07	·03	–	·07	–	·06	·30	·03	·07	·05	–	·74	17
18	–	·05	·01	–	·71	·07	·31	·07	(1·25)	–	–	·01	18
19	·07	·30	·27	–	·06	·06	–	·01	·10	·07	–	·02	19
20	·01	·09	·04	–	·05	·07	·19	–	–	·02	·5		20
21	·07	·02		–	·61	·15		·05	·07	·23	·47		21
22	–	–		–	·07		·07	·05	–	–	–		22
23	·01	·18		–	·01		–	·28	–	·17	–	·02	23
24	–	·02		–	·08	·18	–	·05	–	–	–		24
25	–	·06	not recorded (40)	–	–	·07	–	–	–	·07	·03	·02	25
26		–		–	–		–	·33	–	·04	·05		26
27	·07	–		–	–	·03	·15	·77	–	–	·35		27
28	·01	–		–	1·88	·15	–	·46	–	–	–	·02	28
29	–			–	·01	·49	·04	·19	–	·47	–	·27	29
30	–	✕		–	·01	–	·10	·37	–	·01	–	·07	30
31	·07	✕	·28	✕	·07	✕	–	·04	✕	–	✕	·07	31
Total	1·89	·99	(2·57)	1·35	2·99	2·36	2·23	4·83	~~·48~~ (1·73)	2·14	2·50	1·63	YEAR'S TOTAL ~~(25·96)~~
Rain Days.	17	15	(17)	12	14	15.	11	23	10	16	15	15.	~~(180)~~

(27.21)
(181)

W. 8,000, IX. 17.

~~No. 770~~ Cor. for auth.

13

FOR A. BRITISH RAINFALL. 2451 31 5.

REGISTER OF RAINFALL IN 1918

Kept at Studley College

in the County of Warwickshire

by Students (under Miss Ekins)

Lat. 52 Long. 1·5

Time of Observation 9 a.m.

Nearest Railway Station Studley & Astwood Bank

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 235' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·005/	·007	·13	·11	·09	–	–	–	–	–	·19	–	1
2	–	·008	–	·09	–	–	–	·3	·05	·03	·01	·12	2
3	–	·006	·01	–	·16	–	–	·05	–	·01	·04	·03	3
4	–	·009	–	–	–	–	–		·06	–	·39	·02	4
5	–	–	–	·025	·3	–	–	·06	·5	·04	–	·01	5
6	·008	·24	·005/	·12	–	·05	–	–	–	·15	–	–	6
7	·005	·13	–	·025	·16	·01	–	–	·07	·15	·16	·01	7
8	·008	·1	–	–	–	–	–	–	·04	·02	–	·03	8
9	·005/	·3	–	·11	–	·31	·05	–	–	·48	–	·03	9
10	·03	·005	–	·09	–	–	·38	–	·4	·03	–	·1	10
11	–	–	–	·02	·05	–	·48	–	·1	·03	–	·09	11
12	·01	·03	·1	–	·28	–	·23	–	·7	–	–	–	12
13	–	·01	–	·02	·16	–	·04	–	·2	·02	–	·06	13
14	·25	–	–	–		–	·06	–	·17	·21	–	·07	14
15	·4	–	–	·38		·04	·23		·8	–	·005/	·33	15
16	–	–	–	·62	–	·06	–		–	–	–	–	16
17	·2	–	–	·06	·08	·16	·09	·08	·03	·02	–	·07	17
18	·5	–	–	–	–	·19	·18	–	·35	–	–	·33	18
19	·05	·06	·07	·02	–	–	·1	·06	·025	·06	–	·03	19
20	·12	·1	–	·57	–	·02	·18	–	·05	–	–	·07	20
21	·08	–	–	·67	·01	–	·06	–	·37	–	–	·06	21
22	·06	–	–	·005	·26	·005/	·14	–	·05	·07	–	·07	22
23	·009	–		–	·75	·02	·07	–	·01	–	–	·02	23
24	·008	·13	–	–	–	–	·29	–	·03	–	·12	·04	24
25	–	–	–	–	–	·03	·22	–	–	·02	·03	–	25
26	–	–	–	–	–	–	·28	·4	·04	–	·1	–	26
27	–	–	–	·01	–	·02	·08	1·3	·14	·01	·18	–	27
28	–	·05	·21	–	–	·005	–	·43	–	–	·1	·18	28
29	–	~~·15~~	·05	–	–	–	–	·005/	–	–	–	·33	29
30	–		·39	–	–	–	–	–	·05	·008	·13	·5	30
31	–		·29		–		–	–		–		·15	31
Total	1·77	~~1·21~~ 1·19	~~1·16~~ 1·26	~~2·84~~ 2·94	2·03	·93	3·16	~~1·25~~ 1·52	~~3·82~~ 4·24	1·86	1·46	~~2·3~~ 2·75	YEAR'S TOTAL ~~18·29~~
Rain Days.	~~17~~ 16	~~15~~ 14	9	~~7~~ 16	11	~~13~~ 12	18	9	22	~~7~~ 16	12	24	~~184~~ 179

W. 6,500, VII. 18. W W O ~~·005 is counted as one, & less than ·005 is not counted or recorded.~~ 24·61

W R 2227

2451

APR 2

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Studley College

in the County of Warwickshire

by

Lat. 52° 15' N. Long. 1° 53' W

Time of Observation 9 a.m.

Nearest Railway Station Studley & Astwood Bank

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·46		·05	·07		·2	·04		·25	·07	·38	1
2	·7		·07		·06		·29		·27	·07	·08	·01	2
3	–		·01		·1		·07		·15		·12	·16	3
4	·15		·08				·17	·15	·32		·07	·11	4
5	·24		·33			·18	·15	·15	·22			·22	5
6	·13		·01		·52							·01	6
7	x	·36	·09	·07	·05						·07		7
8	x		·21	·14									8
9	x		·08	·06		·07							9
10			·01	·07						·07		·21	10
11	x		·43	·07	·06							·01	11
12			·31	·08			·31			·15		·03	12
13	x		·1	·18		·16				·15		·01	13
14	x	·07	·01	·24					·10	·1		·08	14
15	x not read.		·07	·26						·01		·25	15
16	x							·10			·10		16
17	x	·84									·1		17
18		·35	·43			·07					·01	·15	18
19	x	·2	1·03					·24	·11		·07		19
20	x	·47	·81						·11		·13	·08	20
21	x 1·88	·07	·01						·07		·01	·10	21
22	·02	·43	·07				·46		·3			·47	22
23	-	·15				·02				·85	·07	·11	23
24	-			·01		·07				·42	·05	·14	24
25	-			·14	·06			·32		·07			25
26	-	·07	·14	·23		·06						·32	26
27	-	·07	·01	·26				·22			·01	·10	27
28	-		·01	·07				·5			·01	·29	28
29	-			·07				·07		·38	·18	·27	29
30	-	×		·1		·07				·01	·05	·28	30
31	-	×		×		×			×		×	·02	31
TOTAL	3·35	3·30	4·20	1·80	·92	·52	1·59	1·73	1·59	2·~~4~~5	·96	3·81	YEAR'S TOTAL 26·22
Days with ·01 in. or more	(18)	12	22	17	7	8	7	9	9	12	17	24	(162)

2·35

26·12

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

2143

2451

FORM A. BRITISH RAINFALL.

27 APL 1921

REGISTER OF RAINFALL IN 1920

Kept at Studley College
in the County of Warwickshire
by E H Elkins

Lat. 52 Long. 1·5
Time of Observation 9 a.m.
Nearest Railway Station Studley & Astwood Bank
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·12	·33	·03	·29	-	·11	·48	-	·12	1
2	-	-	·09	·06	-	-	·13	·04	·05	·14	-	·07	2
3	-	·04	-	·08	·02	-	·85	·01	·15	·23	-	-	3
4	·03	-	-	·10	·02	-	·01	-	·05	1·17	-	-	4
5	-	-	·08	·01	·19	-	·37	·37	·12	·05	-	-	5
6	-	-	·18	·02	·10	-	·22	·07	-	-	-	·05	6
7	-	-	-	·15	-	-	·17	-	-	·01	-	-	7
8	·26	·05	-	·50	-	-	·09	-	-	-	-	-	8
9	·30	-	-	·28	-	-	·15	·05	·05	-	-	-	9
10	·51	·09	·07	·03	·05	-	·05	-	-	-	·08	-	10
11	·06	-	·02	·23	·48	·25	·07	·01	-	-	-	-	11
12	·07	-	·05	·26	·03	·77	·02	·50	-	-	·03	-	12
13	-	·02	·30	·16	-	·10	-	-	-	-	·02	-	13
14	·01	-	·59	·25	-	·06	·01	-	·23	·01	·15	-	14
15	-	·13	(·58)	·43	·11	·15	-	-	·30	·03	·04	-	15
16	-	-	·01	·13	·13	·05	·09	-	-	·45	·10	-	16
17	-	-	-	-	·16	-	·03	-	·73	·10	-	·06	17
18	·18	-	-	·02	-	-	-	·19	·47	-	-	-	18
19	·50	·28	-	·31	-	·09	-	·03		-	-	-	19
20	·01	·09	-	·36	-	·25	-	-	-	-	-	-	20
21	-	-	-	·02	-	-	·15	-	·01	·01	-	·02	21
22	·02	-	-	·13	-	·01	·01	·09	·01	-	-	·10	22
23	-	·01	-	-	-	-	·38	-	-	-	-	·09	23
24	-	-	·17	·06	-	-	-	·09	-	-	-	·30	24
25	·01	·10	·12	·04	-	-	·81	-	-	-	-	·12	25
26	·15	-	·20	·11	-	-	·22	-	-	-	·02	-	26
27	·10	·01	·05	-	-	·27	·01	-	-	-	-	·40	27
28	·75	-	·03	-	·69	-	·03	-	-	-	-	·32	28
29	·10	-	(·53)	-	·05	·02	·08	-	-	-	·12	·25	29
30	·01		·05	·05	-	·07	·03	-	·30	-	·27	·18	30
31	·04		-		-		·02	-		·40		·20	31
Total	3·11	·82	2·92	3·91	2·36	2·12	4·29	1·39	2·58	3·08	·83	2·28	YEAR'S TOTAL 29·69
Rain Days.	18	10	17	25	13	13	25	11	13	12	9	14	180

W. 8,000. X. 14.

+·04 12 7 14 20 10 10 16 7 11 8 6 13 134

SUTTON COLDFIELD
THE PARK

WARWICKSHIRE

1911 - 1920

2489

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

REC

Kept at Sutton Park

in the County of War

by H. Har

odon

in.

round 1 ft. – in.

ea Level 370·5 ft.

M

ame Sutton Coldfield

istance 300 yds irection E

IMPORTANT NOTE. he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·04	–	–	–	–	·03	–	–	–	–	1
2	·02	–	–	·02	·15	–	·08	·14	–	·06	·07	·04	2
3	–	–	–	–	·21	–	–	–	–	·05	·04	·06	3
4	·03	·01	·10	·03	–	–	–	·03	–	·18	·26	·15	4
5	·06	–	·02	·04	–	–	–	·04	·03	·01	–	–	5
6	·26	–	·04	·02	–	–	–	–	–	·03	·01	·30	6
7	·04	–	–	–	–	–	–	·02	–	–	·18	–	7
8	·09	–	·17	–	–	–	–	–	–	–	·04	·39	8
9	·05	–	·01	–	–	–	–	–	–	–	·50	28	9
10	·02	·05	·18	–	–	–	–	–	–	–	–	·63	10
11	11	–	–	–	–	–	–	–	–	–	·25	–	11
12	–	–	·45	–	–	–	–	–	–	–	·31	–	12
13	–	–	·03	–	–	–	–	–	·11	–	·01	–	13
14	–	·02	–	–	–	–	–	–	–	–	–	·72	14
15	–	·05	·01	–	–	–	–	–	–	–	·03	·08	15
16	–	–	–	–	–	·10	–	–	–	·01	·11	·09	16
17	–	–	·01	–	–	·43	–	–	–	–	·10	·23	17
18	–	·22	–	–	–	·07	–	–	–	·03	·02	·24	18
19	–	·01	–	–	–	·39	·18	–	·19	·16	·09	·06	19
20	–	·08	–	·03	–	–	–	·38	·09	·01	–	·32	20
21	–	·24	–	–	–	–	–	·40	–	·33	–	·04	21
22	–	–	–	·05	–	–	–	–	–	15	·01	·35	22
23	–	·12	·29	·14	–	·02	–	–	·35	·06	–	·14	23
24	–	·07	–	·21	–	·38	–	–	–	·25	–	·07	24
25	–	·06	–	·09	·16	·05	·14	·02	–	–	–	·01	25
26	–	·13	–	·21	–	·03	–	·10	–	·23	·26	·16	26
27	–	·31	·09	·03	–	–	–	·32	–	–	·06	·09	27
28	–	·15	–	·02	–	·04	–	–	–	–	·16	·01	28
29	–	X	–	–	–	·16	·14	–	·18	·16	–	·01	29
30	–	X	·01	·05	–	·05	–	–	–	09	–	–	30
31	–	X	–	X	·32	X	–	–	X	–	X	–	31
Total	0.68	1.52	1.45	0.94	0.84	1.72	0.54	1.48	0.95	1.81	2.51	4.47	TOTAL for year ✓ 18·91
No. of Rain Days.	9	14	14	13	4	11	4	10	6	16	19	23	143

W. 8,000, X. '11.

REC

2489
FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at *Sutton Park. Sutton Coldfield*

in the County of *Warwick* 4

by *H. Harlond.* per W. [illegible] C.E.

Rain Gauge
Pattern *Snowdon*
Diameter of top *5* in.
Height of top above Ground *1* ft. *—* in.
" " " Sea Level *370.5* ft.

Time of Observation *9. AM*

Nearest Railway Station
Name *Sutton Coldfield*
Distance *300 yds* Direction *E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.04	–	–	–	–	.03	–	–	–	–	1
2	.02	–	–	.02	.15	–	.08	.14	–	.06	.07	.04	2
3	–	–	–	–	.21	–	–	–	–	.05	.04	.06	3
4	.03	.01	.10	.03	–	–	–	.03	–	.18	.26	.15	4
5	.06	–	.02	.04	–	–	–	.04	.03	.01	–	–	5
6	.26	–	.04	.02	–	–	–	–	–	.03	.01	.30	6
7	.04	–	–	–	–	–	–	.02	–	–	.18	–	7
8	.09	–	.17	–	–	–	–	–	–	–	.04	.39	8
9	.05	–	.01	–	–	–	–	–	–	–	.50	28	9
10	.02	.05	.18	–	–	–	–	–	–	–	–	.63	10
11	11	–	–	–	–	–	–	–	–	–	.25	–	11
12	–	–	.45	–	–	–	–	–	–	–	.31	–	12
13	–	–	.03	–	–	–	–	–	.11	–	.01	–	13
14	–	.02	–	–	–	–	–	–	–	–	–	.72	14
15	–	.05	.01	–	–	–	–	–	–	–	.03	.08	15
16	–	–	–	–	–	.10	–	–	–	.01	.11	.09	16
17	–	–	.01	–	–	.43	–	–	–	–	.10	.23	17
18	–	.22	–	–	–	.07	–	–	–	.03	.02	.24	18
19	–	.01	–	–	–	.39	.18	–	.19	.16	.09	.06	19
20	–	.08	–	.03	–	–	–	.38	.09	.01	–	.32	20
21	–	.24	–	–	–	–	–	.40	–	.33	–	.04	21
22	–	–	–	.05	–	–	–	–	–	15	.01	.35	22
23	–	.12	.29	.14	–	.02	–	–	.35	.06	–	.14	23
24	–	.07	–	.21	–	.38	–	–	–	.25	–	.07	24
25	–	.06	–	.09	.16	.05	.14	.02	–	–	–	.01	25
26	–	.13	–	.21	–	.03	–	.10	–	.23	.26	.16	26
27	–	.31	.09	.03	–	–	–	.32	–	–	.06	.09	27
28	–	.15	–	.02	–	.04	–	–	–	–	.16	.01	28
29	–	X	–	–	–	.16	.14	–	.18	.16	–	.01	29
30	–	X	.01	.05	–	.05	–	–	–	09	–	–	30
31	–	X	–	X	.32	X	–	–	X	–	X	–	31
Total	0.68	1.52	1.45	0.94	0.84	1.72	0.54	1.48	0.95	1.81	2.51	4.47	TOTAL for year 18.91
No. of Rain Days.	9	14	14	13	4	11	4	10	6	16	19	23	143

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL
2 JAN 1913
2489

Kept at Sutton Park, Sutton Coldfield
in the County of Warwick 4
by Henry Harlond.

Lat. 52.33.28 N Long. 1.49.42 W.
Time of Observation 9. AM
Nearest Railway Station Sutton Coldfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 370.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	—	—	.27	.11	—	.02	—	—	15	1
2	—	.02	.05	.06	—	.15	.50	—	—	—	—	02	2
3	.06	—	.01	—	.03	.11	—	.95	.02	—	—	05	3
4	.18	—	.61	—	.18	.91	—	.22	—	—	.29	—	4
5	.12	.04	.28	—	.11	.19	—	.26	.07	—	.02	01	5
6	.36	.15	—	—	.01	.10	—	.37	.06	—	—	05	6
7	—	.13	—	—	.03	.11	—	.03	.14	—	—	01	7
8	.28	.21	.23	.01	—	.19	.08	.04	—	—	—	.02	8
9	.05	.03	.28	.19	—	.23	—	.14	.02	—	—	37	9
10	—	—	—	—	—	.10	—	.12	—	—	.33	—	10
11	.09	.10	—	—	—	.13	—	.02	—	—	.07	49	11
12	.06	.31	.15	—	.02	.02	—	—	—	—	.03	01	12
13	—	.02	—	—	—	—	.04	—	—	.02	—	—	13
14	.14	—	.42	—	—	.05	—	—	—	—	—	—	14
15	.20	.07	.09	—	.34	.21	—	.14	—	—	—	.12	15
16	.54	—	.12	—	.02	.10	—	.50	—	.11	.01	—	16
17	1.42	—	.22	—	—	.13	—	.03	—	—	.10	.66	17
18	.18	—	.03	—	—	—	—	.41	—	.05	.01	.02	18
19	.25	.11	.01	—	.04	—	.37	.09	—	.02	—	—	19
20	.06	—	.13	—	—	—	.04	.53	—	.22	—	—	20
21	—	—	.11	—	.76	—	—	—	—	.35	.02	—	21
22	.12	.06	—	—	—	.08	.33	.43	—	—	—	34	22
23	.17	.04	.25	—	—	—	.34	.37	—	—	.09	.02	23
24	.15	—	.04	—	—	.17	—	.06	—	—	—	24	24
25	—	—	—	—	—	.37	—	.71	—	—	.17	38	25
26	—	.15	.03	—	—	—	.70	.65	—	.67	.27	14	26
27	—	—	—	—	—	.22	.22	—	—	.71	—	13	27
28	—	.04	—	—	—	.04	.09	.56	.03	.12	.64	33	28
29	—	.02	—	—	—	.76	.12	.04	.33	.14	.13	.02	29
30	—	×	—	—	.26	.03	.02	—	—	.07	—	—	30
31	—	×	.07	×	.18	×	.43	.11	×	—	×	.03	31
Total	4.43	1.50	3.24	0.26	1.98	4.67	3.39	6.78	0.69	2.48	2.18	3.61	YEAR'S TOTAL 35.21
Rain Days.	18	16	20	3	12	23	14	23	8	11	14	22	184

W. 7,500, XI. 12

BRITISH RAINFALL FORM A.

2489

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept ~~at~~ Sutton Park, Sutton Coldfield

in the County of Warwick 4

by H Harland

Lat. 52° 33′ 28″ Long. 1° 49′ 42″

Time of Observation 9 AM

Nearest Railway Station Sutton Coldfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 370.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.07	.02	–	–	–	–	.54	–	.04	–	1
2	.01	.08	–	08	–	–	–	–	–	.02	.10	–	2
3	–	–	.17	–	.98	–	–	–	.02	.10	–	.05	3
4	.85	.02	.02	–	.12	–	.02	–	.02	.02	.04	–	4
5	.08	.01	–	–	.34	.21	–	–	.04	1.21	–	.03	5
6	–	.01	.13	–	.10	.15	1.23	–	–	.04	–	.12	6
7	–	.09	–	–	.11	.09	.06	–	–	.48	.09	.02	7
8	–	.02	–	–	.08	.30	–	.06	–	.42	–	–	8
9	–	.24	07	–	.03	55	.06	–	.02	–	.09	.07	9
10	–	–	–	.22	–	–	–	.05	–	–	.22	–	10
11	.84	–	–	40	.09	–	–	.05	–	.20	.43	–	11
12	–	–	–	–	–	–	–	–	–	–	.55	–	12
13	.05	–	.14	.01	–	–	–	.02	.18	–	.25	–	13
14	.09	.01	.67	02	–	–	–	–	–	.11	.03	–	14
15	–	.11	.62	.38	–	–	–	–	.15	–	.02	–	15
16	.03	.01	.23	.03	–	–	–	–	.06	–	.01	–	16
17	.02	.03	.52	.11	–	.07	.02	–	.11	–	.01	–	17
18	–	–	.19	.05	.03	–	.03	–	–	–	–	–	18
19	.13	–	05	.03	–	–	.01	–	–	–	–	–	19
20	.08	–	08	.07	–	–	–	–	.20	.01	.11	–	20
21	–	–	.13	–	.03	–	.03	.04	–	–	.22	–	21
22	.64	–	76	–	–	.05	–	.48	.48	–	–	–	22
23	.01	–	–	–	–	.09	–	.15	.05	–	.03	–	23
24	.14	–	–	.05	–	–	–	.06	–	–	–	–	24
25	–	–	–	.02	.06	–	–	–	.02	–	–	–	25
26	–	.09	–	.54	–	–	–	.11	–	.06	–	.27	26
27	–	.03	.05	.32	–	–	–	–	–	.02	–	–	27
28	39	–	.12	.34	.06	–	–	–	–	.13	–	.07	28
29	.01	X	.37	71	–	–	–	.11	–	02	–	–	29
30	.43	X	–	–	.06	–	–	–	–	–	.06	–	30
31	–	X	.10	X	–	X	–	–	X	–	X	–	31
Total	3.80	0.75	4.49	3.40	2.09	1.51	1.46	1.13	1.89	2.84	2.30	0.63	YEAR'S TOTAL 26.29
Rain Days.	16	13	19	18	13	8	8	10	13	14	17	7	156

W.7,000, XI. 13

~~W~~ D8

2489

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Sutton Park, Sutton Coldfield
in the County of Warwick 4
by H. Harlond.

Lat. 52°.33.28" N Long. 1°.49.42"
Time of Observation 9. A.M
Nearest Railway Station Sutton Coldfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 370-5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.04	–	–	.02	.68	.18	–	–	–	–	1
2	.09	–	–	.03	–	–	.02	.52	–	.03	.50	.25	2
3	–	–	.05	.03	.08	–	.27	.03	–	–	.10	–	3
4	.21	–	.03	.12	.04	–	–	.14	–	–	.63	.41	4
5	.05	–	.15	.15	.02	.06	35	–	–	–	.26	–	5
6	–	.04	–	.08	.04	.02	–	–	–	–	.08	.07	6
7	–	.11	.42	15	15	.16	.14	.13	–	–	–	.11	7
8	.10	–	.01	.01	15	.63	.02	.10	.05	–	–	.06	8
9	.36	–	.08	.16	.03	1.10	–	.05	.09	–	–	–	9
10	.07	.13	.01	.19	.15	–	–	–	.13	–	–	–	10
11	–	.08	.21	–	.05	.05	–	–	–	–	.29	.59	11
12	–	.14	.13	–	–	–	.35	–	.32	–	.06	.30	12
13	.01	.12	.14	–	–	–	.02	–	.04	.15	.31	.40	13
14	–	.06	.08	–	–	–	.03	–	.02	.31	.14	15	14
15	.04	–	.08	–	–	–	–	.04	.01	.01	–	–	15
16	–	–	.05	–	–	–	.27	–	.06	–	–	–	16
17	–	.12	.12	–	–	–	.01	–	.04	–	–	.19	17
18	–	–	–	–	–	.96	.19	–	–	–	–	.45	18
19	–	–	–	–	–	–	.13	–	.19	–	.03	.06	19
20	–	.40	.02	–	–	05	.11	–	–	–	–	.09	20
21	–	.43	.02	–	–	–	–	.03	–	.07	–	.54	21
22	–	.01	–	–	.55	.05	–	.17	–	.11	–	–	22
23	–	.03	.10	–	25	–	.03	–	–	.05	–	–	23
24	–	–	.03	.03	.05	–	.07	.10	–	.07	.08	–	24
25	.07	–	.01	–	–	–	.07	.21	–	.33	.04	.14	25
26	–	–	.07	–	–	–	.01	.20	–	.14	.15	.33	26
27	04	–	–	–	–	–	–	–	–	–	.32	.22	27
28	–	.06	.09	–	–	–	–	–	–	.03	.16	1.02	28
29	–		05	–	.08	–	–	–	–	25	.14	–	29
30	–		02	–	–	.13	–	–	–	.03	.35	56	30
31	–		–		.01		.22	–		.01		–	31
Total	1.04	1.73	2.01	0.95	1.65	3.23	2.99	1.90	0.95	1.59	3.64	5.94	YEAR'S TOTAL 27.62
Rain Days.	10	13	24	10	14	11	19	13	10	14	17	19	174

W. 8,000. X. 14.

2595
2489

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sutton Park, Sutton Coldfield
in the County of Warwick
by H. Harland.

Lat. 52° 33' 28" N Long. 1° 49' 42" W
Time of Observation 9. A.M.
Nearest Railway Station Sutton Coldfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 370·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·20	·07	–	·40	–	–	·07	·02	·09	·01	·05	1
2	·10	·08	·24	·10	–	·11	–	·25	·09	·35	–	·06	2
3	·92	·02	–	·09	–	–	·93	·21	–	·01	–	·20	3
4	·02	–	–	–	·04	–	·56	·14	–	–	–	·94	4
5	–	·36	–	–	–	·04	–	·06	–	–	–	·30	5
6	·08	·17	·05	·24	–	–	·75	–	–	–	–	·07	6
7	·15	·43	–	·03	·06	·10	·18	·14	–	–	–	27	7
8	·08	·17	–	·04	–	–	–	·05	–	–	·05	–	8
9	·03	·10	–	15	–	–	–	–	–	–	·32	·47	9
10	·32	–	·01	·02	–	–	–	–	–	–	·23	·01	10
11	–	–	–	·05	·24	–	·22	–	–	–	·81	·12	11
12	·08	–	–	·11	·36	–	–	·52	–	·05	1.11	–	12
13	–	·55	–	–	·81	–	–	–	–	–	·06	·04	13
14	–	–	–	–	–	–	·05	·22	–	·02	–	·28	14
15	·23	–	–	–	·09	–	·20	·11	·06	–	·09	·14	15
16	·04	·47	–	–	·21	–	1.92	·03	–	–	–	·02	16
17	–	·36	–	–	·16	–	–	–	–	–	–	·02	17
18	–	·16	–	–	–	–	·01	–	–	–	·02	–	18
19	–	·02	·11	–	·03	–	·17	–	–	–	–	–	19
20	·19	–	–	–	–	–	–	–	–	–	–	·07	20
21	·12	–	–	–	–	–	·16	–	–	02	–	·05	21
22	·18	–	·36	·18	–	·03	·24	–	·02	–	–	·07	22
23	·02	·05	·03	–	–	–	·06	–	·03	·47	–	·24	23
24	–	–	·02	·06	–	·03	–	–	–	·11	–	·14	24
25	–	–	–	–	–	·32	·06	–	–	·02	–	·32	25
26	–	·11	–	–	–	–	·24	–	·02	–	–	·37	26
27	–	·03	–	–	–	–	·12	–	–	·39	–	·15	27
28	–	·12	–	–	–	–	–	·37	·03	·04	–	–	28
29	–		–	–	–	–	·04	·01	–	–	·09	·10	29
30	·05		–	–	–	·04	–	·04	–	·15	·02	·05	30
31	·06		–		–		·10	–		·06		·32	31
Total	2.83	3.40	0.89	1.07	2.40	0.67	6.01	2.22	0.27	1.78	2.81	4.87	YEAR'S TOTAL 29.22
Rain Days.	18	17	8	11	10	7	18	14	7	13	11	26	160

W. 8,000. X. 14.

2531

2489

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Sutton Park. Sutton Coldfield

in the County of Warwick

by H. Harlond.

Lat. 52° 33′ 22″ N. Long. 1° 49′ 42″ W

Time of Observation 9 A.M

Nearest Railway Station Sutton Coldfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 370·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·02	·10	—	—	—	·11	—	—	·04	·16	—	1
2	·20	·03	·17	—	·27	·06	·16	—	—	·67	·10	—	2
3	—	·43	—	—	·01	·01	·13	—	·07	·26	·09	—	3
4	·25	·03	—	—	·49	·12	—	—	·09	·11	·32	—	4
5	·01	—	—	—	·14	·16	·04	—	·01	·10	·22	—	5
6	·09	·15	·15	·01	·34	·03	·41	—	—	·04	·44	—	6
7	·13	—	·19	—	·11	·02	·19	—	—	·07	·18	—	7
8	·02	—	·05	—	·07	—	—	—	—	·05	·07	—	8
9	—	·01	·03	—	·26	·02	—	—	—	—	·01	·40	9
10	—	—	·09	·11	·02	·09	·04	—	—	·03	—	·03	10
11	·06	·40	·07	·19	—	·38	—	—	·07	—	—	·22	11
12	·07	04	·13	·03	·24	—	·07	—	—	·06	—	·01	12
13	—	·14	·32	—	—	—	·01	·17	·02	—	—	—	13
14	—	·68	—	·10	·05	—	—	·66	—	·05	—	—	14
15	—	·27	·72	·02	·12	—	—	·05	·03	·04	—	—	15
16	·01	·02	·20	·25	—	—	·11	·05	—	·02	—	—	16
17	·07	·11	—	·19	—	—	·02	·20	·26	·18	—	—	17
18	—	·12	·04	·12	—	—	—	·02	·25	·02	·74	·14	18
19	·03	·10	·19	·01	—	—	—	·02	·13	—	·32	—	19
20	·02	—	·52	—	—	—	—	·05	—	—	·12	·08	20
21	—	—	·10	·02	·09	—	·08	—	—	—	—	·25	21
22	—	—	—	—	·02	—	—	—	—	·06	·01	·42	22
23	—	·40	—	—	—	—	—	·10	—	·03	·05	·27	23
24	—	·63	—	—	—	—	—	—	—	·26	—	·18	24
25	—	·18	·19	—	·09	—	—	·1[illegible]	·04	·02	·24	—	25
26	·05	·11	·02	—	—	·08	—	·11	·02	13	·05	—	26
27	—	·17	·75	—	—	·44	—	·22	·02	·31	—	—	27
28	—	·43	·35	—	—	—	—	·02	·02	·09	—	·16	28
29	—	·14	—	—	—	·27	—	—	—	·29	—	18	29
30	—	X	—	—	—	·09	—	·45	—	·16	—	—	30
31	—	X	—	X	—	X	—	—	X	·20	X	21	31
Total	1·12	4·61	4·38	1·05	2·32	1·77	1·37	2·22	1·03	3·29	3·12	2·55	YEAR'S TOTAL 28·83
Rain Days.	14	22	20	11	15	13	12	14	13	25	16	13	188

W. 8,000, VIII. 16

2408 2489

FORM A.
BRITISH RAINFALL.
8. JAN

REGISTER OF RAINFALL IN 1917

Kept at Sutton Park. Sutton Coldfield

in the County of Warwick

by Henry Harland

Lat. 52° 33.22" N. Long. 1° 49. 42" W.

Time of Observation 9 A M

Nearest Railway Station Sutton Coldfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 370.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	–	–	.13	–	.08	–	.94	.07	–	.02	.10	1
2	.01	–	–	–	–	.16	–	.04	.28	.06	.03	.09	2
3	.06	.10	–	.25	–	.01	–	.07	–	.25	.08	–	3
4	.20	–	.23	.01	–	–	–	.06	–	.42	–	–	4
5	.02	–	.09	.09	–	–	–	.02	–	–	.05	–	5
6	.42	–	–	–	–	.57	–	–	–	.07	.14	.02	6
7	.71	–	–	–	–	.03	–	–	–	.12	.03	.04	7
8	–	–	–	13	–	–	.06	.44	–	34	.15	.27	8
9	–	–	.18	.09	.09	–	–	.30	.02	.02	.17	–	9
10	.26	–	.23	.09	1.28	–	–	.18	.06	.01	–	–	10
11	.38	–	.06	.19	–	–	–	–	–	.11	–	–	11
12	.23	–	–	.08	.49	–	–	.04	.02	.21	–	–	12
13	–	–	–	.03	–	–	–	.21	.08	.01	–	.02	13
14	.06	–	.09	.06	–	–	–	.33	–	–	–	–	14
15	.02	–	–	–	–	–	.31	.11	–	.02	–	.11	15
16	.03	.20	–	.12	–	–	.02	.03	–	–	–	.20	16
17	.03	–	.02	.10	.33	.21	.25	.52	.15	.05	–	–	17
18	–	.02	–	.04	.12	–	.40	.03	.86	.06	–	–	18
19	.04	.30	.24	–	.03	.15	–	–	.01	–	–	–	19
20	–	.22	–	–	.32	.11	–	43	.05	–	.09	–	20
21	–	.05	.15	–	.14	.06	–	.07	–	–	.03	–	21
22	–	–	.01	–	–	.06	–	.23	.06	.23	–	–	22
23	–	.15	–	–	.08	–	–	.04	–	.18	–	.09	23
24	–	–	.01	–	–	.47	.02	.11	–	.50	.11	.15	24
25	–	.04	.11	–	–	–	–	.01	–	–	.30	–	25
26	–	–	–	–	–	.03	–	.28	.26	.05	–	–	26
27	–	–	.01	–	.10	.32	.46	.80	–	–	–	–	27
28	–	–	.06	–	–	.09	–	.10	–	–	–	.06	28
29	–		.01	–	–	.23	.11	.03	–	.31	–	.32	29
30	–		–	–	–	–	.12	.23	–	.06	.02	–	30
31	–		02		–		.03	.28		.02		.05	31
Total	2.51	1.08	1.52	1.41	2.98	2.58	1.78	5.93	1.92	3.10	1.22	1.52	YEAR'S TOTAL 27.55
Rain Days.	15	8	16	14	10	15	10	27	12	21	13	13	174

W. 8,000, IX. 17.

131

End. E. F. E.

48

2489

FORM A.
BRITISH RAINFALL.
9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Sutton Park, Sutton Coldfield

in the County of Warwick

by N. Harland.

Lat. 52°33'22" N Long. 1°49'42" W

Time of Observation 9 A.M

Nearest Railway Station Sutton Coldfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 370.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	–	–	.12	.10	–	–	–	.02	–	.35	.03	1
2	–	.04	.02	.15	–	–	–	.09	–	.03	–	.14	2
3	–	.03	–	–	.31	–	–	.91	–	.02	.03	–	3
4	.03	.02	–	–	–	–	–	.09	.34	.04	.43	.26	4
5	–	–	–	.02	.12	–	–	11	.24	.05	–	–	5
6	–	.09	.02	.14	–	.09	–	–	.03	.14	–	.02	6
7	–	.06	–	.06	.03	.08	–	–	.29	.24	.15	–	7
8	–	.08	–	–	–	–	–	–	.07	.10	–	.02	8
9	.05	.42	–	.20	–	.17	.03	–	.37	.33	–	.01	9
10	.13	–	–	.11	–	–	.15	–	.06	.04	.03	.05	10
11	–	.02	–	.04	–	–	.11	–	.29	.01	–	.10	11
12	–	.03	.06	–	.16	–	.20	–	.01	–	–	–	12
13	–	–	–	.01	.14	.02	–	–	.15	.05	–	.03	13
14	.34	–	–	–	–	.05	.27	–	.15	.16	–	.15	14
15	.23	–	–	.16	–	–	.26	–	.08	–	–	.21	15
16	–	–	–	.39	–	.06	–	–	.27	–	–	.01	16
17	.27	–	–	–	.07	.04	.06	–	.54	.06	–	.13	17
18	.41	–	–	–	–	.04	.22	–	.60	.01	–	.41	18
19	.03	.05	.13	.12	–	–	.08	–	–	.10	–	.47	19
20	.23	.07	–	.68	–	.04	.22	–	.12	–	.02	.09	20
21	.10	–	–	.45	–	–	.11	–	.41	–	–	.12	21
22	–	–	–	–	.28	–	.07	–	–	.05	–	.38	22
23	.05	–	–	–	.57	–	.09	–	.07	–	.02	–	23
24	–	–	–	–	–	–	.10	.02	.03	–	.20	.03	24
25	–	.06	–	–	–	.03	.08	.28	–	–	.02	–	25
26	–	–	–	–	–	–	.07	–	.05	.01	.11	.06	26
27	–	.06	–	–	–	–	.03	.05	.25	–	.13	.15	27
28	–	.11	.28	–	–	–	–	.38	–	–	.19	.19	28
29	–		.02	–	–	–	–	–	.77	–	–	.05	29
30	–		.40	–	–	–	–	–	05	–	.22	.10	30
31	–		.25		–		–	.02		–		–	31
Total	1.90	1.14	1.18	2.65	1.78	0.62	2.15	1.95	5.26	1.44	1.90	3.21	YEAR'S TOTAL 25.18
Rain Days.	12	14	8	14	9	10	17	9	24	17	13	24	171

W. 6,500. VII. 18. W W C

E4 R2

2489

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sutton Park, Sutton Coldfield
in the County of Warwick
by H. Harland.

Lat. 52°33'22"N. Long. 1.49.42 W
Time of Observation 9. A.M.
Nearest Railway Station Sutton Coldfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 370.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.04	.03	—	.31	—	.41	—	.03	.28	.10	.26	1
2	.12	.01	.05	—	—	—	.06	—	.12	.08	.07	.01	2
3	.75	—	.03	—	.02	.10	.37	—	.17	—	.21	.09	3
4	.06	—	.33	—	—	.06	—	.45	.15	—	.03	.24	4
5	.02	.34	—	0.10	—	—	—	—	.35	—	—	.11	5
6	.01	—	.17	—	.50	—	—	—	—	—	.03	.08	6
7	.13	—	.11	—	—	—	—	—	—	—	—	—	7
8	.18	—	.03	.11	—	.03	—	—	—	—	—	—	8
9	.04	—	—	.10	—	—	—	—	—	—	—	—	9
10	—	—	.43	.03	—	—	—	—	—	—	—	.15	10
11	.03	—	.54	—	—	—	.23	—	—	—	—	—	11
12	—	—	.25	.03	—	.41	—	—	.04	.06	.05	—	12
13	.17	—	—	.15	—	—	.07	—	.19	.20	—	.03	13
14	.29	—	—	.18	—	—	.07	—	.15	.04	—	.02	14
15	.22	.11	.02	.32	—	—	—	—	—	.05	—	.22	15
16	.05	.72	—	.01	—	—	—	—	—	—	.13	—	16
17	.09	.89	—	—	—	.03	.06	.01	—	—	—	—	17
18	—	—	.41	—	—	—	.03	—	.02	—	—	.25	18
19	.12	.24	1.10	—	—	.13	1.43	.26	.05	—	—	—	19
20	.22	.08	.20	—	—	.04	.22	.28	.20	—	.10	.10	20
21	.03	.35	.08	—	—	—	.26	.19	.01	—	.35	.22	21
22	—	.23	—	—	—	.01	—	.01	.29	—	.08	72	22
23	—	—	—	—	—	.20	—	.12	—	.90	—	—	23
24	—	—	—	.10	.06	—	—	.05	—	.62	.02	.10	24
25	.15	—	—	—	.10	—	—	—	—	—	.07	—	25
26	—	—	.19	—	—	.03	—	.36	—	—	.02	.30	26
27	.16	—	—	.40	—	.01	—	.04	—	—	—	—	27
28	—	—	.03	.01	—	—	—	.09	—	—	—	.29	28
29	.10	×	.03	.04	—	.10	—	.76	—	.57	—	.14	29
30	—	×	.33	.11	—	.16	—	.04	—	.04	.12	.26	30
31	—	×	—	×	—	×	—	—	×	.01	×	.02	31
TOTAL	3.24	3.01	4.36	1.69	0.99	1.31	3.21	2.66	1.77	2.85	1.38	3.61	YEAR'S TOTAL 30.08
Days with ·01 in. or more	21	10	19	14	5	13	11	13	13	11	14	20	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2nd 970

5 JAN 1921
2489

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sutton Park, Sutton Coldfield
in the County of Warwick
by Henry Harlond

Lat. 52.33.22 Long. 1.49.42
Time of Observation 9. AM
Nearest Railway Station Sutton Coldfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 370.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·14	·25	—	·20	—	·07	·08	—	·26	1
2	—	—	—	·10	·02	—	·43	—	·09	·22	—	·09	2
3	·04	·10	—	·14	·03	·03	·73	—	·11	·44	—	—	3
4	—	—	·04	·15	—	—	·02	·27	·01	·35	—	—	4
5	—	—	—	·05	·19	—	·29	·04	·34	·41	—	—	5
6	—	—	·29	·02	·02	—	·10	—	—	·01	—	·05	6
7	—	—	·03	·08	·02	—	·20	—	—	—	—	—	7
8	·33	·05	—	·68	·17	—	·51	—	—	—	—	—	8
9	·36	—	—	·24	—	—	·05	·24	—	—	—	—	9
10	·31	·07	·05	·06	—	—	·09	—	—	—	·06	—	10
11	·09	—	·04	·11	·53	·19	·03	—	—	·03	—	·02	11
12	·07	·02	—	·21	—	1·02	·05	·36	—	—	·06	·15	12
13	·05	·06	·16	·32	—	—	—	—	—	·35	·04	—	13
14	·03	·01	·63	·14	—	·15	·02	—	·21	·50	·11	—	14
15	—	·07	·39	·25	—	·05	—	—	·15	—	—	—	15
16	—	—	—	·15	·04	·36	·18	—	·03	—	—	—	16
17	—	—	—	—	·09	—	·01	—	·65	·05	—	·02	17
18	·20	—	—	·04	—	—	·04	·06	·32	—	—	—	18
19	—	·45	—	·28	—	·10	—	·02	·02	—	—	—	19
20	·05	·46	—	·40	—	·17	—	—	—	—	—	·01	20
21	—	—	—	·03	—	—	·24	·04	·01	—	—	·05	21
22	·04	·01	—	·14	—	—	—	·07	—	—	—	—	22
23	—	—	·02	—	—	—	·14	·08	—	—	—	·37	23
24	·03	—	·21	·03	—	—	—	·02	—	—	—	·10	24
25	—	·03	·17	·06	—	·01	·43	·02	—	—	—	·01	25
26	·22	—	·14	·04	—	—	·06	—	—	—	·03	·03	26
27	·12	—	·04	·09	·29	·25	—	—	—	—	·07	·44	27
28	·76	—	·06	·05	·23	·02	·04	—	—	—	—	·09	28
29	·23	—	·40	—	·33	·06	·06	—	—	—	·14	·43	29
30	—		—	22	·03	·08	—	—	·23	—	·20	·11	30
31	07		·05		·02		·03	—		·41		·03	31
TOTAL	3·00	1·33	2·72	4·22	2·26	2·49	3·95	1·22	2·24	2·85	0·71	2·26	YEAR'S TOTAL 29·25
Days with ·01 in. or more	17	11	16	27	15	13	23	11	13	11	8	17	182
Days with ·04 in. or more	15	7	14	24	9	10	18	8	9	9	7	11	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2460.

STRETT-ON. DUNSMORE

1914 - ~~30~~20.

1922-25

REG

FORM A.
BRITISH RAINFALL

4 JAN 1915

Kept at Stretton - o ... M ... don & Wolston L.N.W.

in the County of Warw ... 5 in.

by Mr. Lister - Kay ... Ground ft. 8½ in.

Sea Level 290? ft.

IMPORTANT NOT ... he result entered to the previous day. If an Ob ... sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										2			1
2											63	40	2
3												30	3
4											38		4
5											10		5
6											24		6
7													7
8													8
9									2				9
10									21				10
11											20	51	11
12									25		4	25	12
13										26	12	40	13
14									12	33	8	30	14
15												3	15
16									5				16
17									9		2	25	17
18											4	40	18
19									2		4		19
20									2	12		26	20
21										20			21
22													22
23										14			23
24										44	7		24
25										34	16	41	25
26										5		26	26
27										6	2	10	27
28											8	108	28
29										25	13		29
30										4	34	21	30
31												3	31
Total	.50	1.52	2.12	1.29	1.38	2.41	2.13	1.38	78	22.5	2.69	5.19	YEAR'S TOTAL 23.64
Rain Days.	6	11	16	7	12	6	12	10	8	12	17	16	~~133~~

W.7,000, XI, 13

REG

FORM A.
BRITISH RAINFALL

JAN 15

Kept at Stretton - on - Dunsmore
in the County of Warwick
by Mr. Lister - Kaye

Lat. .... Long. ....
Time of Observation 9. A M
Nearest Railway Station Brandon & Wolston L.N.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 8½ in.
" " " " Sea Level 290? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										2			1
2											63	40	2
3												30	3
4											38		4
5											10		5
6											24		6
7													7
8													8
9									2				9
10									21				10
11											20	51	11
12									25		4	25	12
13										26	12	40	13
14									12	33	8	30	14
15												3	15
16									5				16
17									9		2	25	17
18											4	40	18
19									2		4		19
20									2	12		26	20
21										20			21
22													22
23										14			23
24										44	4		24
25										34	16	41	25
26										5		26	26
27										6	2	10	27
28											8	108	28
29										25	13		29
30										4	34	21	30
31												3	31
Total	.50	1.52	2.12	1.29	1.38	2.41	2.13	1.38	78	2.25	2.69	5.19	YEAR'S TOTAL 23.64
Rain Days.	6	11	16	7	12	6	12	10	8	12	17	16	~~133~~

W.7,000, XI. 13

2563

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Stretton-on-Dunsmore (Manor House)
in the County of Warwick
by Mr. Lister-Kaye

Lat. Long.
Time of Observation 9. AM
Nearest Railway Station Brandon & Wolston L. N. W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	9	14	7		24			2	8	9		4	1
2	8	14	33	13				82	3	23		6	2
3	58		3	11		9	73	22				10	3
4					7		39					61	4
5		31						7				30	5
6		34		17			~~92~~					16	6
7	23	27	1	3	43		9	12				17	7
8	9	11				34					11		8
9	5	3		5							20	35	9
10	28		7					18			11	1	10
11	4			4	8		23				69	17	11
12				25	41			10			73		12
13		37			83								13
14									4			39	14
15	25				8		10	14				8	15
16	5	40			13		~~91~~	6		2	23	1	16
17		15			22		8						17
18		28	19					3					18
19		1			7		15						19
20	37			5								11	20
21	14						19					8	21
22	14		20	6			47					9	22
23	3	27	2				53		7	52		30	23
24			3	6		6	30		77	22		12	24
25		6				9	2		19	4		40	25
26		10					5		5			34	26
27		12	1			15	15			54		6	27
28						2	9	14	9				28
29						27	2	4			16	5	29
30	8	X				38				26	7	5	30
31	7	X		X		X	2	4	X	21	X	14	31
Total	2.57	3.10	·96	·95	2.56	1.40	5.44	1.98	1.32	2.13	2.30	4.19	YEAR'S TOTAL 28.90
Rain Days.	16	16	10	10	10	8	19	13	8	9	8	24	151

W. 8,000. X. 14.

2498

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Manor House Stretton on Dunsmore

in the County of Warwick

by Mrs Lister Kaye

Lat. 1°25 Long. 52°20

Time of Observation 9 am

Nearest Railway Station Brandon Wolston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8½ in.

" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10		3			5	7				17		1
2	45		6		23		5			45	6		2
3		60	8				25		40	21	4		3
4	31	4	10		37	19	2		2	3	23		4
5	5				10	30				8	20		5
6		18		8	29	1	41			5	16		6
7	4		10		2		27			14	66	18	7
8	2		14		3						6	18	8
9			5		23	53						6	9
10		19	8	6					8				10
11	4	12	7	18	9	35			1		1	21	11
12	5	8	13	1	60	4	11			10		2	12
13		17	23	2	2		9	16					13
14		42		7									14
15		18	65	2	7		11	29		6			15
16			44	25	9		11	11		5			16
17	8	11		10			2	5	29	20			17
18	1	9	3	3				27	25		94	6	18
19	7		17	10				3	15		47		19
20	4		32	2				8			7	37	20
21			18	4			8					42	21
22		11	3		8						2	51	22
23	4	38		2				7		10	7	31	23
24		31		2		57		8		5		14	24
25		9	12		3			40			18		25
26	2		5			6		5		10	4		26
27	4	8	75				4			18			27
28		30	28	5						4		16	28
29		10			11	22		1·11		20			29
30		╳						1		21			30
31		╳		╳		╳			╳	23	╳	15	31
Total	1·36	3·55	4·09	1·07	2·36	2·32	1.63	2·71	1·20	2.48	3.38	2·77	YEAR'S TOTAL 28·92
Rain Days.	15	18	22	16	15	10	13	13	7	18	16	13	176

W. 8,000. X. 15.

2377

FORM A.
BRITISH RAINFALL
8. JAN 1944

REGISTER OF RAINFALL IN 1917

Kept at Manor House Stretton-on-Dunsmore
in the County of Warwick
by Mr. Lister-Kaye

Lat. 1°25 Long. 52°20
Time of Observation 9. A.M
Nearest Railway Station Brandon & Wolston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				5				72	21		2		1
2	3					21		9		1	4		2
3		11		18				15		22	5		3
4		13	13					4		44			4
5	14			21					4	5	12		5
6						18				20	7		6
7	43							14		7		19	7
8	48			8			31	18		40	18	13	8
9			18	9	20		2	16	1		12		9
10	45		21	10	31			6			1		10
11	7		8	25				19	8	23	3		11
12					10	2				23	1		12
13	5	2				1		15	7				13
14	10			12				3					14
15	2						22	2		6			15
16	8	12		15						7		30	16
17				13	50	25	39		5	10			17
18					8		10		~~91~~	4			18
19	4	47	11		4	2			2				19
20		16			28	12	23	2	9		5		20
21			13		28	32	1			2			21
22			11					6	3	17			22
23					10			35		6			23
24		4				35				22			24
25		2									6		25
26								30	15		17		26
27					19		3	59					27
28			12			19		11					28
29						60	6	9		54		35	29
30		X					36	21				5	30
31	2	X	3	X		X	2	10	X		X		31
Total	1.91	1.07	1.10	1.36	2.08	2.27	1.75	3.76	1.66	3.13	.93	1.02	YEAR'S TOTAL 22.04
Rain Days.	12 11	8	9	10	10	11	11	21	11	18	13	5	139

W. 8,000, VIII. 16 2.98 4.08 5.44 7.52 9.[illegible] 11.54 15.30 [illegible] 20.09 21.0[illegible]

W ML corr by own stats

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Manor House
Stretton-on-Dunsmore
in the County of Warwick
by Mr. Lister-Kaye

Lat. 1.25 Long. 52°20
Time of Observation 9. A M
Nearest Railway Station Brandon & Wolston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		10		4						2	18	1	1
2		16		9						5	6	11	2
3		9	2		21			7	31	3	20		3
4		4	3					2	35		46	9	4
5		1		5	28			11	11	4			5
6		15		12		2				3	14	3	6
7		11		3	3	6			5	17			7
8	9	2							27	4		6	8
9		19		16		23	35		32	38		10	9
10	9	(03)		3			30		7	26		9	10
11					8		24		10	11		7	11
12		8			12		25		2			1	12
13	37	1			8				14	7		7	13
14							17		20	12		6	14
15	80			15		3	20		6			18	15
16	13			87		9			6	2			16
17	16			6			41			(08)		10	17
18	44					19	23		66			24	18
19	4	9	16				7		3	7		43	19
20		9		51		3	45		12	5		3	20
21	4			57		2	3		24			6	21
22	14				27	1	6		6	11		39	22
23	5				58		11		8			2	23
24		11					28		4			2	24
25					2	4	5	35		5			25
26							67	3	6			13	26
27		8				5	3	35	14		30	10	27
28		12	24					2				9	28
29									106		19	3	29
30		X	33					4			7	36	30
31		X	44	X		X		3	X		X		31
Total	2.35	1.48	1.22	2.68	1.67	.77	3.90	1.02	4.57	1.70	1.60	2.87	YEAR'S TOTAL 25.83
Rain Days.	11	17	6	12	9	11	17	9	23	18	8	24	165

W. 8,000, IX. 17.

2236

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Manor House Stretton-on-Dunsmore
in the County of Warwick
by Mr. Leslie-Kaye

Lat. 1.25 Long. 52. 20
Time of Observation 9. AM
Nearest Railway Station Brandon & Wolston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 295 ft.

JAN

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	36		11		12		15			30	13	50	1
2	17		2		5		10		1.30	15	8	5	2
3	125		2		10	2	16		33		16	11	3
4			55			7	9		8			18	4
5		25	10				1	8	34				5
6	6		4		59								6
7	2		24										7
8			7	26									8
9	9		1	10									9
10			42	5								10	10
11	10		43	1	3		39						11
12	8		4	10		10				14	8	1	12
13	15			20			7		1	12		2	13
14	63			10			10		24	1	3	1	14
15	19	10		13									15
16	27	75		1			3	50			21		16
17		59									4	2	17
18			25					20				22	18
19	4	32	104			9	144	15			7		19
20	54	15	23			3	37	18	2	-	28.		20
21	4	51	7				40		2		5	18	21
22		30							22			43	22
23						9	2			57			23
24				9						70		6	24
25	16				33			23					25
26	2	1	17	15				3	10			37	26
27	25			43							17		27
28	5							76				27	28
29			2			3		8		29	6	16	29
30		X	18	26		26		2		4	5	29	30
31		X		X		X	8		X	3	X	3	31
Total	4.47	2.98	4.01	1.89	1.22	.69	3.41	2.23	2.66	2.35	1.41	3.01	YEAR'S TOTAL 30.33
Rain Days.	19	9	19	13	6	8	14	10	10	10	13	18	149

W. 8,000, IX. 17.

W M L [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 192

Kept at Manor House
Stretton-on-Dunsmore
in the County of Warwick
by Mr. Lisle-Kaye

Lat. 1.25 Long. 52. 20
Time of Observation 9. A.M
Nearest Railway Station Brandon & Wolston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				12	39	3	23		6	28	31	13	1
2				5			7	2	9	38			2
3		2		17			61	2	8				3
4				19			3	3	3			11	4
5			21	6	12		55	25	9	21		2	5
6			45		8		14	22		20			6
7			2	14			7						7
8	46	5		60	4		27						8
9	37	1		80			8	17					9
10	33	10	14			3	14				6		10
11	21	2	3	27	49	9	7	6					11
12		1	4	8		100	5				3	14	12
13			18	10		15		7	4		8		13
14		1	50	25		23		2	18	1	12		14
15	2	11	48	20		38	1		28	32			15
16		1		4	8		2		24	42			16
17				12	13		5	10	56	5			17
18	21			18	6				66				18
19		16		33		3	14	17	03				19
20		18		23		34							20
21	4			4				9					21
22				12			11	9				13	22
23							9	4				28	23
24			16	1			20	1				12	24
25		8	8	8	10		56						25
26	22		14	2			2					16	26
27	12			13		45	7				21	20	27
28			3	1	8		8				17	8	28
29			18	3	57						5	38	29
30		☒			6	2	6		33		9	22	30
31		☒		☒		☒	2		☒		☒	10	31 27.56
TOTAL	198	76	264	437	220	275	376	146	~~236~~ 266	187	104	207	YEAR'S TOTAL ~~27.26~~
Days with ·01 in. or more	9	12	14	26	12	11	25	15	13	8	8	13	166
	8	6	11		12	7	20	10	11	7	7	12	133

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

made ✓

REC 911

TANWORTH - IN - ARDEN

WARWICK

1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Tanwort

in the County of War

by Francis

...nd, funnel (Georg...)

...p 6 in.

...bove Ground 4 ft. 0 in.

„ Sea Level 504 ft.

9-am.

Name Danzey GWR.
Distance 1ml Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07					·03				·04	1
2					·19		·04	·24					2
3				·10	·44						·20		3
4		·05							·20	·36		·35	4
5	·75		·20										5
6*			·09	·05				·10		·01	·23	·50	6
7			·23								·31		7
8			·03									·42	8
9*			·77										9
10		·16						·19				·30	10
11													11
12	·25		·73						·11		1·50		12
13								·10	·21			·45	13
14		·06	·09	·10								·73	14
15		·05	·09								·37		15
16												·65	16
17						·25							17
18		·36				·23					·43		18
19						·40	·10		·26				19
20		·14						·29	·03			1·42	20
21		·31	·05					·46		1·15			21
22		·05				·25							22
23		·08	·36		~~[illegible]~~								23
24				·03		1·08		·09	·50	·44			24
25				·07									25
26				·42	·21					·29		·82	26
27		·60	·14	·09				·57	·26		·40		27
28		·34					·21						28
29				·20		·20			·53	·24			29
30				·27						·24			30
31			·14					·11		·09			31
Total	1·00	2·40	2·99	1·33	·84	2·41	·35	2·12	2·12	2·82	3·44	5·68	TOTAL for year in 27·50.
No. of Rain Days.	4	11	13	9	3	7	~~2~~ 3	10	9 ~~8~~	13	13	19	~~113~~ 113 wet days 114

W. 8,000, X. '11. 6th & 9th only wet. in Jan.

Vmade

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Tanworth-in-Arden

in the County of Warwick.

by Francis Davies.

RAIN GAUGE
Pattern Round funnel (Greof. ...)
Diameter of top 6 in.
Height of top above Ground 4 ft. 0 in.
" " " Sea Level 504 ft.

Time of Observation 9-am.

Nearest Railway Station
Name Danzey GWR.
Distance 1 ml Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07					·03				·04	1
2					·19		·04	·24					2
3				·10	·44						·20		3
4		·05							·20	·36		·35	4
5	·75		·20										5
6*			·09	·05				·10		·01	·23	·50	6
7			·23								·31		7
8			·03									·42	8
9*			·77										9
10		·16						·19				·30	10
11													11
12	·25		·73						·11		1·50		12
13								·10	·21			·45	13
14		·06	·09	·10								·73	14
15		·05	·09								·37		15
16												·65	16
17						·25							17
18		·36				·23					·43		18
19						·40	·10		·26				19
20		·14						·29	·03			1·42	20
21		·31	·05					·46		1·15			21
22		·05				·25							22
23		·08	·36										23
24				·03		1·08		·09	·50	·44			24
25				·07									25
26				·42	·21					·29		·82	26
27		·60	·14	·09				·57	·26		·40		27
28		·34					·21						28
29				·20		·20			·35	·24			29
30				·27						·24			30
31			·14					·11		·09			31
Total	1·00	2·40	2·99	1·33	·84	2·41	·35	2·12	2·12	2·82	3·44	5·68	TOTAL for year in 27·50.
No. of Rain Days.	4	11	13	9	3	7	3	10	9 ~~8~~	13	13	19	~~113~~ wet days 114

W. 8,000, X. '11. 6th & 9th only wet. in Jan.

Form A. 1. **METEOROLOGICAL** … **NIZATION.**

REGIST… .

WARWICK
THE LAWN GDNS
WARWICK
1920

12 MAR 1921

Kept at The Lawn Gardens, … …wick T.G.K.

in the County of Warwick … …uge 5 in.

by David Cooper … …round 1 ft. … in.

„ „ Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.10	0.39		0.25	0.05		0.35		0.15	1
2				0.07	0.01		0.13		0.05	0.08		0.14	2
3		0.03	0.02	0.09			0.81	0.40	0.10	0.12			3
4	0.02			0.16	0.02		0.04	0.08	0.12	0.20		0.02	4
5		0.03	0.14	0.03	0.19		0.44		0.04	0.37		0.02	5
6		0.04	0.27	0.02	0.09		0.37	0.03	0.09	0.04		0.01	6
7				0.16	0.03		0.16					0.02	7
8		0.08		0.60	0.06		0.45			0.02			8
9	0.22	0.03		0.43			0.10	0.09					9
10	0.46	0.12	0.12	0.02	0.		0.16		0.02		0.03		10
11	0.48	0.04	0.03	0.15	0.48	0.22	0.08				0.00	0	11
12	0.30	0.02	0.04	0.37	0.03	1.02	0.10	0.24		0.04	0.04	0.05	12
13	0.04	0.02	0.24	0.16				0.15	0.03	0		0.08	13
14	0.	0.03	0.60	0.21		0.31	0.02		0.04	0.03	0.19		14
15	0.03	0.01	0.54	0.27		0.03			0.15	0.80	0.07		15
16		0.14		0.06	0.14	0.34	0.08		0.25	0.31	0.05		16
17				0.22	0.13	0.07	0.03		0.46	0.14		0.04	17
18	0.32			0.13	0.07	0.36	0.11	0.20	0.76			0.02	18
19	0.05	0.12		0.21			0.02	0.09	0.02		0.02	0.01	19
20	0.02	0.26		0.31			0.03					0.08	20
21				0.03			0.02	0.03					21
22	0.03			0.14			0.41	0.11	0.04				22
23								0.06				0.30	23
24			0.12	0.06							0.02	0.15	24
25	0.02	0.04	0.05	0.01	0.10	0.02	0.69					0.14	25
26	0.21		0.15	0.07	0.16	.	0.25				0.02	0.25	26
27	0.11		0.03	0.15	0.02	0.44	0.01		0.02		0.12	0.08	27
28	0.75		0.05		0.24	0.03	0.10				0.02	0.08	28
29	0.04		0.10	0.05	0.21	.06	0.12		0 07		0.10	0.28	29
30	0.02	✕	0.02		0.02	0.07	0.03		0 28		0.08	0.25	30
31	0.05	✕		✕	0.02	✕	0.01		✕	0.42	✕	06	31
Total	3.17	1.01	2.52	3.98	2.41	2.91	5.02	1.53	3.09	2.92	0.76	2.43	**Year's Total** 31.75
Days with ·01 in. or more	18	(15)	14	27	19	12	27	12	17	13	12	24	209
Days with ·04 in. or more	(12)	(8)	12	22	12	8	19	10	13	11	7	15	149

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

12 MAR 1921

Kept at The Lawn Gardens, Warwick
in the County of Warwickshire
by David Cooper.

Lat. 52½ Long. 1½
Time of Observation 9. am.
Nearest Railway Station Warwick G.W.R.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.10	0.39		0.25	0.05		0.35		0.15	1
2				0.07	0.01		0.13		0.05	0.08		0.14	2
3		0.03	0.02	0.09			0.81	0.40	0.10	0.12			3
4	0.02			0.16	0.02		0.04	0.08	0.12	0.20		0.02	4
5		0.03	0.14	0.03	0.19		0.44		0.04	0.37		0.02	5
6		0.04	0.27	0.02	0.09		0.37	0.03	0.09	0.04		0.01	6
7				0.16	0.03		0.16					0.02	7
8		0.08		0.60	0.06		0.45			0.02			8
9	0.22	0.03		0.43			0.10	0.09					9
10	0.46	0.12	0.12	0.02	0.		0.16		0.02		0.03		10
11	0.48	0.04	0.03	0.15	0.48	0.22	0.08				0.00	0	11
12	0.30	0.02	0.04	0.07	0.03	1.02	0.10	0.24		0.04	0.04	0.05	12
13	0.04	0.02	0.24	0.16				0.15	0.03	0		0.08	13
14	0.	0.03	0.66	0.21		0.31	0.02		0.09	0.03	0.19		14
15	0.03	0.01	0.54	0.27		0.03			0.15	0.80	0.07		15
16		0.14		0.06	0.14	0.34	0.08		0.25	0.31	0.05		16
17				0.22	0.13	0.07	0.03		0.96	0.14		0.04	17
18	0.32			0.13	0.07	0.36	0.11	0.20	0.76			0.02	18
19	0.05	0.12		0.21			0.02	0.09	0.02		0.02	0.01	19
20	0.02	0.26		0.31			0.03					0.08	20
21				0.03			0.02	0.03					21
22	0.03			0.14			0.41	0.11	0.04				22
23								0.06				0.30	23
24			0.12	0.06							0.02	0.15	24
25	0.02	0.04	0.05	0.01	0.10	0.02	0.69					0.14	25
26	0.21		0.15	0.07	0.16		0.25				0.02	0.25	26
27	0.11		0.03	0.15	0.02	0.44	0.01		0.02		0.12	0.08	27
28	0.75		0.05		0.24	0.03	0.10				0.02	0.08	28
29	0.04		0.10	0.05	0.21	.06	0.12		0 07		0.10	0.28	29
30	0.02	☒	0.02		0.02	0.07	0.03		0 28		0.08	0.25	30
31	0.05	☒		☒	0.02	☒	0.01		☒	0.42	☒	06	31
TOTAL	3.17	1.01	2.52	3.98	2.41	2.91	5.02	1.53	3.09	2.92	0.76	2.43	YEAR'S TOTAL 31.75
Days with ·01 in. or more	(18)	(15)	14	27	19	12	27	12	19	13	12	24	209
Days with ·04 in. or more	(12)	(8)	12	22	12	8	19	10	13	11	7	15	149

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Entd 13.XI.13

FORM A2. BRITISH RAINFALL.

19 OCT 1912

2452

REGIST 11

—

2452 — 451550

WARWICK CASTLE GDNS
MILL ST.

1911 – 1990

AB
1916

Kept at Warwick Castle

in the County of Warwick

by H. F. Smale

ological (7 thirt 8 in.

e Ground — ft. 11 in.

Sea Level 197·1 ft.

a.m.

Name Warwick G.W.Ry.

Distance 1156 yds Direction N.E.

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer versal rule, he is earnestly requested to add the reading at ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·02	—	—	—	—	—	—	—	0·03	—	1
2	—	—	—	0·03	0·12	—	—	0·29	—	0·35	0·03	0·03	2
3	—	—	—	—	0·20	—	—	0·06	—	—	—	—	3
4	0·02	—	0·08	—	—	—	—	—	0·10	0·10	0·30	0·15	4
5	—	—	—	—	—	—	—	0·10	—	0·01	—	—	5
6	0·32	—	0·03	0·02	—	—	—	—	—	—	0·06	0·35	6
7	—	—	—	—	—	—	—	—	—	0·02	0·15	—	7
8	0·14	—	0·15	—	—	—	—	—	—	—	0·02	0·10	8
9	—	—	—	—	—	—	—	—	—	—	0·14	0·18	9
10	0·08	0·15	0·52	—	—	—	—	0·10	—	—	—	0·18	10
11	0·20	—	0·45	—	—	—	—	—	—	—	0·50	—	11
12	—	—	—	—	—	—	—	—	—	—	0·21	—	12
13	—	—	0·05	—	—	—	—	—	0·50	—	0·02	0·43	13
14	—	—	0·01	—	—	—	—	—	—	—	—	0·37	14
15	—	0·05	0·09	—	—	—	—	—	—	—	0·14	—	15
16	—	—	—	—	—	0·11	—	—	—	—	0·27	0·14	16
17	—	—	—	—	—	—	—	—	—	—	0·11	0·15	17
18	—	0·42	—	0·02	—	0·03	—	—	—	—	—	0·16	18
19	—	—	—	—	—	0·33	—	—	0·12	0·12	0·20	0·03	19
20	—	0·09	—	—	—	—	—	0·42	0·08	—	—	0·30	20
21	—	0·15	—	—	—	—	—	0·41	—	0·28	—	0·19	21
22	—	—	0·02	—	—	0·04	—	—	—	0·15	0·01	0·20	22
23	—	0·05	0·40	—	—	0·51	—	—	0·20	—	—	0·14	23
24	—	0·07	—	—	0·29	0·30	—	0·07	—	0·56	—	0·10	24
25	—	0·03	—	—	—	0·02	—	0·01	—	—	—	0·05	25
26	—	0·07	—	0·24	—	—	—	0·10	—	0·20	0·12	0·14	26
27	—	0·23	0·10	0·10	—	—	—	0·36	0·21	—	—	0·09	27
28	—	0·26	—	0·21	—	—	—	—	—	—	—	—	28
29	—		—	—	—	0·18	0·12	—	0·30	0·19	0·15	—	29
30	—		—	0·23	—	0·02	—	0·04	—	0·07	—	0·01	30
31	—		0·07		—		—	—		0·03		—	31
Total	0·76	1·57	1·99	0·85	0·61	1·54	0·12	1·96	1·51	2·08	2·46	3·49	TOTAL for year 18·94
No. of Rain Days.	5.	11	13	7	3	9	1	11	7	12	17	21	117.

W. 8,000, X. '11.

Entd. 13.XI.13

FORM A2. BRITISH RAINFALL.

19 OCT 1912

2452

REGISTER OF RAINFALL IN 1911

Kept at Warwick Castle Gardens

in the County of Warwick

by H. F. Smale

RAIN GAUGE
Pattern Meteorological (7 thin
Diameter of top 8 in.
Height of top above Ground — ft. 14 in.
" " " Sea Level 197·1 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Warwick G.W.Ry.
Distance 1156 yds Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·02	—	—	—	—	—	—	—	0·03	—	1
2	—	—	—	0·03	0·12	—	—	0·29	—	0·35	0·03	0·03	2
3	—	—	—	—	0·20	—	—	0·06	—	—	—	—	3
4	0·02	—	0·08	—	—	—	—	—	0·10	0·10	0·30	0·15	4
5	—	—	—	—	—	—	—	0·10	—	0·01	—	—	5
6	0·32	—	0·03	0·02	—	—	—	—	—	—	0·06	0·36	6
7	—	—	—	—	—	—	—	—	—	0·02	0·15	—	7
8	0·14	—	0·15	—	—	—	—	—	—	—	0·02	0·10	8
9	—	—	—	—	—	—	—	—	—	—	0·14	0·18	9
10	0·08	0·15	0·52	—	—	—	—	0·10	—	—	—	0·18	10
11	0·20	—	0·45	—	—	—	—	—	—	—	0·50	—	11
12	—	—	—	—	—	—	—	—	—	—	0·21	—	12
13	—	—	0·05	—	—	—	—	—	0·50	—	0·02	0·43	13
14	—	—	0·01	—	—	—	—	—	—	—	—	0·37	14
15	—	0·05	0·09	—	—	—	—	—	—	—	0·14	—	15
16	—	—	—	—	—	0·11	—	—	—	—	0·27	0·14	16
17	—	—	—	—	—	—	—	—	—	—	0·11	0·15	17
18	—	0·42	—	0·02	—	0·03	—	—	—	—	—	0·16	18
19	—	—	—	—	—	0·33	—	—	0·12	0·12	0·20	0·03	19
20	—	0·09	—	—	—	—	—	0·42	0·08	—	—	0·30	20
21	—	0·15	—	—	—	—	—	0·41	—	0·28	—	0·19	21
22	—	—	0·02	—	—	0·04	—	—	—	0·15	0·01	0·20	22
23	—	0·05	0·40	—	—	0·57	—	—	0·20	—	—	0·14	23
24	—	0·07	—	—	0·29	0·30	—	0·07	—	0·56	—	0·10	24
25	—	0·03	—	—	—	0·02	—	0·01	—	—	—	0·05	25
26	—	0·07	—	0·24	—	—	—	0·10	—	0·20	0·12	0·14	26
27	—	0·23	0·10	0·10	—	—	—	0·36	0·21	—	—	0·09	27
28	—	0·26	—	0·21	—	—	—	—	—	—	—	—	28
29	—		—	—	—	0·18	0·12	—	0·30	0·19	0·15	—	29
30	—		—	0·25	—	0·02	—	0·04	—	0·07	—	0·01	30
31	—		0·07		—		—	—		0·03		—	31
Total	0·76	1·57	1·99	0·85	0·61	1·54	0·12	1·96	1·51	2·08	2·46	3·49	TOTAL for year 18·94
No. of Rain Days.	5.	11	13	7	3	9	1	11	7	12	17	21	117.

W. 8,000, X. '11.

Ex J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

2452

Kept at Warwick Castle Gardens

in the County of Warwick

by H.F. Smale (head Gardener).

RAIN GAUGE
Pattern Meteorological
Diameter of top 8 in.
Height of top above Ground — ft. 14 in.
" " " Sea Level 196·8 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Warwick G.W.
Distance 1507 yds. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	0·07	0·09	—	0·03	0·08	—	—	1
2	—	—	0·06	0·06	—	0·17	0·35	—	—	—	—	—	2
3	0·05	—	0·11	—	0·45	0·07	0·04	0·40	0·01	—	—	0·15	3
4	0·08	—	0·42	—	0·16	0·40	—	0·16	—	—	0·27	—	4
5	0·13	—	0·15	—	0·09	0·08	—	0·32	0·03	—	—	—	5
6	0·22	0·17	—	—	0·03	0·24	—	0·51	0·01	—	—	0·03	6
7	—	0·10	—	—	0·11	0·31	—	0·10	—	—	—	—	7
8	0·36	0·18	0·15	—	—	0·09	—	0·25	0·03	—	—	0·02	8
9	0·05	0·02	0·11	0·10	—	0·41	—	—	—	—	—	0·16	9
10	0·12	~~0·05~~	—	—	—	0·03	—	0·09	—	—	0·20	—	10
11	—	0·05	—	—	—	0·03	—	—	—	—	0·15	0·56	11
12	0·03	0·36	0·16	—	0·10	—	0·02	—	—	—	0·06	—	12
13	—	—	—	—	—	—	0·04	—	—	—	—	—	13
14	0·05	—	0·35	—	—	0·08	—	0·08	—	—	—	—	14
15	0·07	0·07	0·06	—	0·35	0·26	—	—	—	—	—	0·18	15
16	0·79	—	0·22	—	0·02	0·04	—	0·07	—	—	—	—	16
17	~~1·50~~	—	0·12	—	—	0·09	—	0·3	—	—	0·06	0·21	17
18	1·50	—	0·11	—	—	—	—	0·0	—	0·06	—	—	18
19	0·18	0·02	0·03	—	—	—	0·12	0·53	—	—	0·01	—	19
20	—	—	0·25	—	0·04	—	0·20	0·12	—	0·29	—	—	20
21	0·09	0·03	0·17	—	1·10	—	—	0·64	—	0·28	—	—	21
22	0·40	0·15	—	—	1·02	0·25	0·20	0·31	—	—	—	0·02	22
23	0·09	0·27	0·33	—	—	0·10	0·47	0·19	—	—	—	0·30	23
24	0·05	—	—	—	—	0·52	—	0·05	—	—	0·08	0·13	24
25	—	—	—	—	—	0·66	—	0·22	—	—	0·29	0·40	25
26	—	0·10	—	—	—	—	0·57	0·96	—	0·55	0·26	0·13	26
27	—	—	—	—	—	0·12	—	—	—	0·57	—	0·22	27
28	—	0·04	—	—	—	0·24	0·49	0·63	0·04	0·25	0·20	0·44	28
29	—	—	0·02	—	—	0·05	0·32	0·03	0·40	0·24	—	—	29
30	—		—	—	0·18	—	—	—	0·02	0·10	—	—	30
31	—		0·18		0·20		0·96	0·09		—		0·06	31
Total	4·26	1·56	3·00	0·16	3·85	4·31	3·87	6·16	0·57	2·42	1·58	3·01	34·75 TOTAL for year
No. of Rain Days.	18	13	18	2	13	22	13	22	8	9	10	15	162

W. 8,000, X.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914
2452

REGISTER OF RAINFALL IN 1913

Kept at Warwick Castle Gardens

in the County of Warwick

by H. F. Smale.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Warwick G. W. Ry

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0·10	·07	·34				1·15		·03	~~·05~~	1
2		·18							·16	1·20	·01		2
3	·01		0·15		·78				·01	·18		·05	3
4	·70				·03		·03			·08	·05	·44	4
5						·02	·04			·45	·07	·01	5
6		·04	0·10		·27	·26	·54		·02	·19		·13	6
7		·06			·24	·02	·13			·21	·14	·02	7
8		·04			·09	·12				·09			8
9		·34			·06	·19	·10	·02	·12		·04	·05	9
10				·05	·10			·03			·20		10
11	·55			·39				·04		·25	·52		11
12					·11				·01		·75		12
13	·10		0·03						·20		·30		13
14			0·38	·02			·32	·01		·07	·03		14
15	·03	·08	0·51	·38			·27				·02		15
16	·03		0·70	·08							·01		16
17	·11		0·03	·12		·02	·10		·05				17
18			0·18	·04	·05		·07				·02		18
19	·16		0·03				·04		·09				19
20	·32		0·04	·07						·17	·09		20
21			0·10	·06	·09		·03				·46		21
22	·43		0·23					·07	·35				22
23						·05		·07	·03		·02		23
24	·04							·02					24
25				·07									25
26		·08	0·02	·10	·01			·09		·15			26
27				·09	·09								27
28	·51	·02	0·15	·52						·05			28
29			0·32	·85				·08				·33 Snow.	29
30	·27		0·02							·11	·19		30
31			0·05		·12			·05		·03			31
Total	3·27	0·84	3·14	2·91	2·38	0·68	1·67	0·48	2·19	3·23	2·95	1·03	YEAR'S TOTAL 24·77
Rain Days.	13.	8	18	15	14	7	11	10	11	14	18	7	146

W. 7,500, XI. ·12

BRITISH RAINFALL
FORM A.

2 - JAN 1915

2452

REGISTER OF RAINFALL IN 1914

Exc DL

Kept at Warwick Castle Gardens
in the County of Warwickshire 4
by H. F. Smale.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Warwick G. W. Ry
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	0·07	·	·	0·31	0·31	·	·	0·02	0·05	1
2	·	·	·	·	·	·	0·03	0·37	·	0·02	0·72	0·36	2
3	·	·	0·02	0·02	0·12	·	0·40	0·01	·	·	·	·	3
4	0·20	·	·	0·22	0·01	·	0·01	0·06	·	·	0·38	0·34	4
5	0·02	·	0·05	0·22	·	0·06	0·18	·	·	·	0·03	·	5
6	·	0·05	·	0·08	0·18	0·02	·	·	·	·	0·08	0·03	6
7	0·01	0·09	0·34	0·03	0·16	0·03	0·05	0·09	·	·	·	0·04	7
8	0·02	·	0·09	0·02	0·09	0·79	·	·	·	·	·	·	8
9	0·25	·	0·24	0·17	0·03	1·18	·	0·30	0·05	·	·	·	9
10	0·04	0·06	·	0·25	0·07	·	·	·	0·19	·	·	·	10
11	·	0·11	0·30	0·12	0·12	0·21	·	·	·	·	0·30	0·56	11
12	·	0·02	0·11	·	·	·	0·33	·	0·29	·	0·03	0·34	12
13	·	0·12	0·16	·	·	·	·	·	0·05	0·10	0·08	0·36	13
14	·	0·01	0·05	·	·	·	0·10	·	·	0·40	0·08	0·09	14
15	0·03	·	0·09	·	·	·	·	0·01	0·11	0·01	·	0·02	15
16	·	·	0·02	·	·	·	0·01	·	0·03	·	·	·	16
17	·	0·17	0·05	·	·	·	·	·	0·07	·	·	0·24	17
18	·	·	·	·	·	·	0·10	·	·	·	·	0·39	18
19	·	·	0·05	·	·	·	0·10	·	0·05	·	0·03	·	19
20	·	0·07	0·20	·	·	0·03	·	·	·	·	·	0·32	20
21	·	0·25	0·04	·	·	·	·	0·21	·	0·12	·	0·15	21
22	·	0·01	0·03	0·02	0·19	0·01	0·03	0·09	·	0·25	·	·	22
23	·	0·03	0·06	·	0·03	·	0·01	·	·	0·14	·	·	23
24	·	0·02	0·12	·	0·25	·	·	·	·	0·21	0·07	·	24
25	·	·	0·05	·	·	·	0·04	0·26	·	0·45	0·03	0·29	25
26	·	·	0·03	·	·	·	·	0·02	·	0·06	0·19	0·20	26
27	0·12	·	·	·	·	·	·	·	·	0·14	0·01	0·11	27
28	·	0·07	0·11	·	0·21	·	·	·	·	·	0·05	1·44	28
29	·	·	0·08	·	0·02	·	·	·	·	0·15	0·09	·	29
30	·	·	·	·	·	·	·	·	·	0·03	0·41	0·21	30
31	·	·	·	·	0·02	·	0·36	·	·	0·01	·	0·02	31
Total	0·69	1·08	2·29	1·22	1·50	2·33	2·06	1·73	0·84	2·09	2·60	5·56	YEARS TOTAL 23·99
Rain Days.	8	14	22	11	14	8	15	11	8	14	17	20	162

W. 7,500, XI. 12

2553

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915.

Kept at Warwick Castle Gardens

in the County of Warwick

by H. T. Smale,

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Warwick G. W. Ry. 2452
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.12.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.10	0.16.	0.12	-	0.23.	-	-	-	0.03	0.03	0.01	0.16	1
2	0.12	0.09	0.31	0.07	-	0.08	-	0.32.	-	-	-	0.07.	2
3	0.62	-	0.02	0.06	0.01.	-	1.18	0.72	-	0.34	-	0.11	3
4	-	-	-	-	0.08	-	0.18	0.02	-	-	-	0.59.	4
5	0.01	0.22	-	-	0.27.	-	0.12.	0.05	-	-	0.01	0.27.	5
6	0.19.	0.07.	-	0.10.	-	-	0.84	0.01	-	-	-	0.03.	6
7	0.04	0.25	-	0.04	0.15	0.09.	0.11	0.06	-	-	-	0.25	7
8	0.05.	0.12.	-	-	-	-	-	0.03	-	-	0.07.	-	8
9	0.02	0.02.	-	0.12.	-	-	-	-	-	-	0.13.	0.36	9
10	0.30.	-	0.05	-	-	-	-	0.02	-	-	0.03.	-	10
11	-	-	-	0.05.	0.06	-	0.01	-	-	-	0.73.	-	11
12	0.03.	0.03.	-	0.15	0.51	-	-	0.17.	-	-	0.91	0.40.	12
13	-	0.37.	-	-	0.90.	-	-	-	-	-	-	-	13
14	-	-	-	-	-	-	0.08	-	0.05.	0.01	-	0.13.	14
15	-	-	-	0.01.	0.06	-	0.02	0.01	-	-	-	0.12	15
16	0.27.	0.36	-	-	0.20.	-	0.83.	0.04	-	-	-	0.01	16
17	-	0.20.	-	-	0.25	-	0.01	-	-	-	-	0.01	17
18	-	0.21	0.13.	-	-	-	-	-	-	-	-	-	18
19	-	-	-	-	-	-	0.16	-	-	-	0.18	-	19
20	0.12.	-	-	-	0.09.	-	-	-	-	-	-	0.08	20
21	0.08.	0.19.	-	-	-	-	0.20.	-	-	0.05.	-	0.07.	21
22	0.12.	-	0.21	0.01.	-	-	0.77.	-	0.01	-	-	0.10.	22
23	-	-	0.02	-	-	-	0.43	-	0.03	-	-	0.38	23
24	-	0.10.	0.10.	0.03.	-	-	0.10.	-	0.53.	0.96	-	0.10	24
25	-	-	-	-	-	0.43	0.06	-	0.10.	0.03.	-	0.34	25
26	-	-	-	-	-	-	0.04	-	0.01	-	-	0.36	26
27	-	0.02	-	-	-	0.01.	0.10.	-	-	0.46.	-	0.02.	27
28	-	0.25	-	-	-	-	-	0.23.	0.07.	0.06.	-	-	28
29	-	-	-	-	-	0.17.	0.02	0.04	-	-	0.14	-	29
30	0.05	✕	-	-	-	1.10	-	-	-	0.11.	-	0.07.	30
31	0.02	✕	-	✕	-	✕	0.01	0.03.	✕	0.11.	✕	0.11	31
Total	2.04	2.67	0.96	0.64	2.81.	1.88	5.27	1.75.	0.83	2.14	2.21	4.14	YEAR'S TOTAL 27.34
Rain Days.	16	16	8	10	12.	6	20	14	8	10	9.	23	152.

W. 8,000. X. 15.

2370

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at *Warwick Castle Gardens*

in the County of *Warwick*

by *A. Smale*

Lat. .... Long. ....

Time of Observation *9 a.m.*

Nearest Railway Station *Great Western Warwick*

Diameter of Funnel of Rain Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *4* in.

" " " " Sea Level .... ft.

4 JAN 1918

2452

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·02					0·05				1
2				0·02					0·10		0·05		2
3			0·20					0·06				0·02	3
4	0·15			0·20				0·15		0·25	0·03		4
5		0·10						0·12		0·45		0·10	5
6	0·17			0·15					0·01	0·07	0·05		6
7					~~0·38~~	0·38				0·12	0·05		7
8	0·50									0·08		0·01	8
9	0·65			0·15 snow	[illegible]	0·03	0·26	0·35		0·45	0·10	0·12	9
10				0·05 snow			0·08	0·35	0·03	0·01	0·23		10
11	0·45		0·34	0·06 snow	1·00							0·01	11
12	0·15		0·05					0·86		0·23	0·01		12
13	0·05		0·04		0·04	0·40		0·12		0·26	1·01		13
14			0·01	0·03		0·01		0·19		0·01			14
15			0·08	0·02				0·02					15
16										0·04			16
17				0·08						0·02			17
18		0·02		0·04	0·78	0·53	0·25	0·06	0·04	0·17			18
19	0·10			0·02	0·05	0·04			1·15	0·04		0·16	19
20		0·35	0·20			0·05			0·02				20
21		0·16			0·45	0·04	0·05		0·01				21
22		0·02			0·08	0·16	0·12	0·02		0·01	0·01		22
23			0·15					0·12		0·20			23
24					0·03					0·05			24
25						0·20							25
26		0·20	0·07					0·02		0·26	0·02		26
27								0·40	0·14		0·12		27
28					0·25	0·02	0·02	0·65					28
29			0·08			0·32		0·10					29
30		X				0·60	0·07	0·40		0·46		0·06	30
31	0·03	X		X		X	0·45	0·25	X	0·01	X		31
Total	2·25	0·95 ·85	~~1·22~~ ·02 1·24	0·84 ·82	2·68	2·78	1.30	4·24 ·05 4·29	1·55 1·56	3·19	1·68	0·48 (–)	YEAR'S TOTAL 23.06
Rain Days.	9	6	~~10~~ 11	~~12~~ 11	8	13	8	18 19	~~1 55~~ 9 8	20	11	7	131

W. 8,000, IX. 17.

~~W.~~ E.F.F. only one state of graph

14

FORM A.
BRITISH RAINFALL
2.1.19
2452

REGISTER OF RAINFALL IN 1918

Kept at Warwick Castle Gardens
in the County of Warwick
by H. F. Smale.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station about 1 mile.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2. in.
" " " " Sea Level 197. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01		0·20	0·26							0·20	0·08	1
2				0·09						0·05		0·02	2
3		0·01		0·04	0·25			0·03			0·22	0·05	3
4		0·07	0·06						0·22		0·46	0·01	4
5		0·05	0·02	0·01				0·08	0·19	0·01			5
6		0·03		0·02	0·34				0·04	0·02			6
7		h		0·17						0·12			7
8		0·25		0·04	0·03	0·01			0·30				8
9		0·04					0·40		0·30	0·54			9
10		0·30		0·13		0·29	0·22		0·02	0·22	0·01	0·17	10
11	(·50)			0·08			0·02		0·12	0·02		0·18	11
12					0·02		0·18	0·02	0·06	0·01		0·04	12
13		0·04	0·07		0·12				0·17	0·02	0·01		13
14					0·03		0·30		0·30	0·23		0·06	14
15	0·01			0·01		0·02	0·30		0·14			0·08	15
16	1·00			0·48			0·02		0·20			0·14	16
17	0·10			0·74		0·46	0·25		0·33	0·07		0·10	17
18				0·06			0·27		0·84	0·01		0·08	18
19	(·50)	0·10				0·30	0·20			0·06		0·34	19
20	0·01	0·11		0·04			0·85		0·06	0·02		0·34	20
21				0·54		0·03	0·03		0·30	0·01		0·11	21
22	(·10)			0·62		0·03	0·04		0·07	0·29		0·06	22
23	0·01				0·36	0·01	0·22		0·02		0·02	0·44	23
24					0·60	0·01	0·47		0·02	0·02			24
25		0·15					0·02	0·37		0·02	0·02	0·01	25
26							0·42	0·02	0·03	0·01	0·02		26
27							0·02	0·32	0·06		0·12	0·12	27
28		0·06						0·01			0·10	0·16	28
29			1·26					0·08	1·40		0·10	0·15	29
30		×							0·03		0·01		30
31		×	0·44	×		×			×		×	0·25	31
Total	(2·24)	1·21	1·05	3·33	1·75	1·16	4·23	0·93	5·22	1·75	1·39	2·99	YEAR'S TOTAL 27·25 ~~27·45~~
Rain Days.	7	12	6	16	8	9	18	8	23	19	12	22	160

W. 6,500, VII. 18. w w c

Ex RR and for A&D 2228

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

2 JUN 20 2452

Kept at Warwick Castle Gardens
in the County of Warwick
by H. F. Smale.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Warwick G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (-)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.03	-	-	0.25	-	0.27	0.05	-	-	0.25	-	1
2	0.46	-	0.12	-	-	-	0.15	-	0.72	0.34	0.02	-	2
3	0.29	0.02	0.06	-	0.14	-	0.32	-	0.40	0.06	0.03	0.70	3
4	1.30	0.02	0.07	-	0.09	-	0.25	-	0.20	-	0.17	0.02	4
5	0.09	0.02	0.57	-	-	0.58	0.23	0.12	0.31	-	0.05	0.16	5
6	-	0.47	0.16	-	-	-	-	-	-	0.08	-	0.17	6
7	0.02	0.01	-	-	1.05	-	-	-	-	0.01	-	0.16	7
8	0.06	-	0.34	-	0.04	-	-	-	-	-	0.02	0.15	8
9	0.11	-	-	0.21	-	-	-	-	-	-	-	-	9
10	0.01	-	0.10	0.05	-	-	-	-	-	-	-	-	10
11	-	-	0.56	0.04	-	-	-	-	-	-	0.07	-	11
12	0.09	-	0.42	0.02	0.03	-	0.40	-	-	-	-	0.15	12
13	0.06	-	0.11	0.25	-	0.12	-	-	-	0.14	0.17	0.01	13
14	0.30	-	-	0.16	-	-	-	-	-	0.16	-	0.04	14
15	0.67	-	-	-	-	-	0.17	-	0.25	0.02	-	-	15
16	0.35	0.11	0.02	-	-	-	-	-	-	-	0.01	0.38	16
17	0.35	1.10	0.01	0.32	-	-	-	0.42	-	-	0.13	-	17
18	0.01	0.84	-	0.01	-	-	-	-	-	0.02	0.20	0.02	18
19	-	-	0.47	-	-	-	-	0.22	-	-	0.05	0.13	19
20	0.09	0.52	1.30	-	-	-	1.50	0.32	0.08	-	-	-	20
21	0.07	0.10	0.60	-	-	0.10	0.38	0.25	0.11	-	0.54	0.12	21
22	0.03	0.64	0.05	-	-	-	0.60	-	-	-	0.03	0.25	22
23	-	0.30	-	-	-	-	-	-	0.40	-	0.02	0.55	23
24	-	-	-	-	-	0.15	-	-	-	0.87	0.06	-	24
25	-	-	-	0.08	-	-	-	0.01	-	0.46	-	0.15	25
26	-	0.02	-	0.06	-	0.08	-	0.44	-	-	-	0.10	26
27	0.15	-	0.18	0.06	0.01	-	-	0.03	0.12	-	-	0.25	27
28	0.36	-	0.03	0.47	-	0.01	-	-	-	-	-	0.07	28
29	0.06	-		-	-	-	-	1.16	-	-	-	0.38	29
30	0.04		0.04	-	-	0.02	-	0.03	-	0.47	0.37	0.22	30
31	- 03		0.25	25	-	27	·05	0.01	-	25		0.32	31
TOTAL	~~4.97~~ 5.00	~~4.20~~ 4.17	5.46	~~1.93~~ 1.98	~~1.61~~ 1.36	~~1.06~~ 1.33	~~4.27~~ 4.65	~~3.06~~ 3.01	2.59	~~2.58~~ 2.83	~~2.19~~ 1.94	4.50	YEAR'S TOTAL 38.22?
Days with ·01 in. or more	~~22~~ 23	~~14~~ 13	~~19~~ 20	~~12~~ 13	~~7~~ 6	~~7~~ 8	10	~~12~~ 11	9	~~11~~ 12	~~14~~ 16	22	~~162~~ 163

Bad

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION**

22452

REGISTER OF RAINFALL IN 1920.

Kept at Warwick Castle Gardens.
in the County of Warwickshire
by H. T. Smale,

Lat. 52° 18′ N. Long. 1° 35′ W. (approx)
Time of Observation 9 am
Nearest Railway Station Warwick G. W. Ry
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.25

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-		0.10	0.[illegible]7	-	0.24	-	0.05	0.35	-	0.15	1
2	-	-		0.03		-	0.13	0.05	0.10	0.08	-	0.14	2
3	-	0.03	0.02	0.10	0.01	-	0.82	-	0.11	0.12	-	-	3
4	0.01	-	-	0.15	0.01	-	0.04	0.40	0.03	0.20	-	0.02	4
5	-	0.01	0.15	0.02	0.19	-	0.43	0.08	0.09	0.37	-	0.01	5
6	-	0.01	0.27	0.01	0.07	-	0.37	0.03	-	0.04	-	0.82	6
7	-	-	-	0.15	0.08	-	0.46	-	-	-	-	0.01	7
8	-	0.09	-	0.59	0.06	-	0.45	-	-	0.01	-	-	8
9	0.[illegible]2	0.03	-	0.44	-	-	0.10	0.10	-	-	-	-	9
10	0.46	0.12	0.10	0.02	-	-	0.16	-	0.01	-	0.03	-	10
11	0.48	0.03	0.03	0.15	0.47	0.22	0.08	-	-	-	-	-	11
12	0.30	0.02	0.04	0.07	0.03	1.00	0.10	0.24	-	0.02	0.03	0.05	12
13	0.03	0.01	0.25	0.15	-	-	-	0.15	0.02	-	-	0.07	13
14	-	0.02	0.60	0.22	-	0.31	0.03	-	0.19	0.03	0.19	-	14
15	0.03	0.02	0.53	0.27	-	0.03	-	-	0.15	0.81	0.07	-	15
16		0.15	-	0.07	0.15	0.[illegible]	0.08	-	0.22	0.31	0.05	-	16
17		-	-	0.21	0.13	-	0.03	-	0.95	0.13	-	0.04	17
18	0.30	-	-	0.13	0.07	-	0.[illegible]	0.20	0.77	-	-	0.01	18
19	0.05	0.14	-	0.20	-	0.07	0.02	0.10	0.02	-	0.01	0.03	19
20	0.02	0.27	-	0.32	-	0.37	-	-	-	-	-	0.01	20
21	-	-	-	0.03	-	-	0.03	0.03	-	-	-	0.01	21
22	0.02	-	-	0.15	-	-	0.01	0.12	0.04	-	-	0.08	22
23	-	-	-	-	-	-	0.40	0.06	-	-	-	0.30	23
24	-	-	0.12	0.06	-	-	-	-	-	-	0.02	0.15	24
25	0.01	0.04	0.04	0.01	0.10	0.01	0.69	-	-	-	-	0.10	25
26	0.22	-	0.15	0.06	0.14	-	0.24	-	-	-	0.02	0.25	26
27	0.11	-	0.03	0.15	0.02	0.44	0.01	-	0.01	-	0.12	0.08	27
28	0.72	-	0.03	-	0.23	-	0.10	-	-	-	0.01	0.08	28
29	0.04	-	0.11	-	0.21	0.03	0.12	-	0.04	-	0.10	0.48	29
30	0.01		0.01	0.05	0.02	0.07	0.03	-	0.27	-	0.09	0.25	30
31	0.05		-		0.01		0.01	-		0.42		0.06	31
Total	3.08	0.99	2.48	3.92	2.32	2.88	4.99	1.56	3.10	2.89	0.74	2.40	YEAR'S TOTAL 31.35
Days with ·01 in. or more	18	15	16	27	19	11	27	12	17	13	12	23	210
Days with ·04 in. or more	11	6	11	21	12	8	19	10	12	10	6	15	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

referred 6.IV.15

REGIS … 14

WELLESBOURNE
SCHOOL
WARWICK.
1914 - 1916.

FORM A.
BRITISH RAINFALL.

8 - MAR 191

Kept at Welles…
in the County of Wa…
by Wellesbourne… (Headmas…

…ng. 9 am
…n Hinton & Ettington
…e 5 in.
… above Ground 1 ft. in.
„ Sea Level ft.

IMPORTANT NOTI… and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. ~~Mill~~, 62, Camden Square, London, N.W.

Jan. 1, following.

Please return [illegible]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					–	–	·15	·27	–	–	·03 =	·05	1
2					·05	–	–	·16	–	–	·90	·20	2
3				·10	·10 ~~·4~~	–	·61	·06	–	–	·01	–	3
4				·01	·01	–	–	·28	–	–	·40	·13	4
5					·21	·05	·27	·01	–	–	·01	–	5
6					·05	·07	–	·01	–	–	·18	·04	6
7					·12	·05	·09	·11	–	–	·01	·04	7
8					·06	·78	·24	·12	–	–	–	·03	8
9					·04	1·39	–	·08	·10	–	–	–	9
10					·06	·01	–	–	·27	–	~~4~~	–	10
11					·19	·29	–	–	·01	–	·19	·41	11
12					·01	·01	·40	–	·34	–	·03	·29	12
13					–	–	–	–	·05	·06	·08	·34	13
14					–	–	·16	–	–	·47	·06	·09	14
15					–	–	·01	·02	·02	·10	·03	·03	15
16					–	–	·02	–	·03	–	–	–	16
17					–	–	·02	–	·06	–	–	·19	17
18					–	·01	·09	–	·01	–	–	·04 ·40	18
19					–	–	·29	–	–	–	·06	·01	19
20					–	–	–	–	·03	–	–	·25	20
21					–	·05	–	·16	–	·10	–	·23	21
22					·17	·01	–	·07	–	·13	–	–	22
23					·06	·01	·06	–	–	·18	–	·03	23
24					·31	·01	·07	–	–	·26	·06	–	24
25					–	–	·04	·22	–	·22	·04	·22	25
26					–	–	·02	·18	–	·06	·10	·18	26
27					–	–	–	–	–	·06	–	·21	27
28					·26	–	–	–	–	·04	·11	·46 ?	28
29					·02	–	–	–	–	·26	·07	–	29
30		╳			–	–	–	–	–	·03	·31	·11	30
31		╳		╳	–	╳	·34	–	╳	·02	╳	·07	31
Total					1·72 ✓	2·74 ✓	2·88 ✓	1·75 ✓	·92 ✓	1·94 ✓	2·68 ✓	4·03 ? ~~3·67~~	YEAR'S TOTAL ✓ ~~5·03~~ ?
Rain Days.					16	13	17	14	10	14	20	23	✓

W. 8,000. X. 14.

referred 6.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

3 - MAR 1915

Kept at Wellesbourne
in the County of Warwick
by Wellesbourne School (Headmaster)

Lat. ______ Long. ______
Time of Observation 9 am
Nearest Railway Station Kineton a Ettington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					–	–	·15	·27	–	–	·03	·05	1
2					·05	–	–	·16	–	–	·90	·20	2
3					·10	–	·61	·06	–	–	·01	–	3
4					·01	–	–	·28	–	–	·40	·13	4
5					·21	·05	·27	·01	–	–	·01	–	5
6					·05	·07	–	·01	–	–	·18	·04	6
7					·12	·05	·09	·11	–	–	·01	·04	7
8					·06	·78	·24	·12	–	–	–	·03	8
9					·04	1·39	–	·08	·10	–	–	–	9
10					·06	·01	–	–	·27	–	–	–	10
11					·19	·29	–	–	·01	–	·19	·41	11
12					·01	·01	·40	–	·34	–	·03	·29	12
13					–	–	–	–	·05	·06	·08	·34	13
14					–	–	·16	–	–	·47	·06	·09	14
15					–	–	·01	·02	·02	·10	·03	·03	15
16					–	–	·02	–	·03	–	–	–	16
17					–	–	·02	–	·06	–	–	·19	17
18					–	·01	·09	–	·01	–	–	·04 ·40	18
19					–	–	·29	–	–	–	·06	·01	19
20					–	–	–	–	·03	–	–	·25	20
21					–	·05	–	·16	–	·10	–	·23	21
22					·17	·01	–	·07	–	·13	–	–	22
23					·06	·01	·06	–	–	·18	–	·03	23
24					·31	·01	·07	–	–	·26	·06	–	24
25					–	–	·04	·22	–	·22	·04	·22	25
26					–	–	·02	·18	–	·06	·10	·18	26
27					–	–	–	–	–	·06	–	·21	27
28					·26	–	–	–	–	·04	·11	·46 ?	28
29					·02	–	–	–	–	·26	·07	–	29
30		X			–	–	–	–	–	·03	·31	·11	30
31		X		X	–	X	·34	–	X	·02	X	·07 ?	31
Total					1·72	2·74	2·88	1·75	·92	1·94	2·68	4·03 ? ~~3·67~~	YEAR'S TOTAL ~~5·03?~~
Rain Days.					16	13	17	14	10	14	20	23	

Please name sheet [illegible]

W. 8,000. X. 14.

Copy

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914.

Kept at Wellesbourne College
in the County of Warwickshire
by The Headmaster

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·05	1
2	Records wanted											·20	2
3	for these months											-	3
4												·15	4
5												-	5
6												·04	6
7												·04	7
8												·03	8
9												-	9
10												-	10
11												·41	11
12												·29	12
13												·34	13
14												·09	14
15												·03	15
16												-	16
17												·19	17
18												~~·04~~ ?·40	18
19											Correct	·01	19
20												·25	20
21												·23	21
22												-	22
23												·03	23
24												-	24
25												·22	25
26												·18	26
27												·21	27
28											Correct	·46 ?1·46	28
29												-	29
30		X										·11	30
31		X		X		X			X		X	·07	31
Total					1·72	2·74	2·88	1·75	·92	1·94	2·68	3·67	YEAR'S TOTAL
Rain Days.					16	13	17	14	10	14	20	23	

W. 8,000. X. 14.

Central Intermediate School.

STATION:
ETTINGTON, S.M.J.

WELLESBOURNE,
WARWICK.

ans
22/4/15

C. S./ G

April 20th 1915.

Dear Sir,

I am sorry not to have answered your letter before but was waiting to see the boys and Master on their return from their holidays before replying.

AC

I have made the correction you require in one case but in the other case we think we are correct.

The master who has charge of this is a B Sc and quite capable at the work.

We cannot supply you with the first four months of 1914 as we did not begin keeping the records in a systematic way then.

We shall be pleased to supply you with an Annual Return and any forms etc that you can supply us with to assist us in making it thoroughly accurate we shall be pleased to receive.

Yours faithfully

E H Frost.

Head Master.

Copy of entry attached to A

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
29 JAN 1916

Kept at Wellesbourne C.I. School
in the County of Warwickshire
by Head Prefect

Lat. 52° 11′ 40″ N Long. 1° 35′ 20″ W
Time of Observation 9·0 AM
Nearest Railway Station Ettington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·19	·06	—	·16	—	—	·01	·10	·12	·03	·06	1
2	·12	·08	·37	·09	—	·08	—	·24	—	·16	—	·05	2
3	·55	·01	·05	·07	·02	—	·38	·26	—	—	·02	·11	3
4	·01	—	—	—	·06	—	·21	·01	—	—	—	·57	4
5	·01	·3	—	—	·01	—	·07	·07	—	—	·02	·20	5
6	·22	·17	—	·11	—	—	·81	—	—	·01	—	·08	6
7	·04	·27	—	·03	·17	·24	·28	·08	—	—	—	·17	7
8	·06	·16	·01	·02	—	—	·02	·02	—	—	·03	—	8
9	·03	—	—	·10	—	—	—	·02	—	—	·11	·31	9
10	·24	·02	·06	—	—	—	—	·01	—	—	·03	·01	10
11	·03	—	·01	·02	·07	—	·02	—	—	·02	·79	·07	11
12	·02	·01	—	·25	·36	—	—	·17	·01	·18	·87	—	12
13	—	·41	—	—	·97	—	—	·05	·01	—	—	·01	13
14	—	·01	—	—	—	—	·08	·18	·06	·01	—	·37	14
15	·26	—	—	·03	·04	—	·01	·05	—	·04	·07	·11	15
16	·08	·34	—	—	·13	—	·59	·06	—	—	—	—	16
17	—	·12	—	—	·29	—	·04	—	—	—	—	—	17
18	—	·28	·11	—	—	—	—	—	—	—	—	—	18
19	—	·01	—	—	·05	—	·18	—	—	—	—	—	19
20	·19	·01	—	—	—	—	—	—	—	—	—	·09	20
21	·11	·18	—	·01	·01	—	·12	—	—	·05	—	·07	21
22	·12	—	·20	—	—	—	·16	—	·01	—	—	·06	22
23	·02	·10	·02	—	—	·12	·17	—	·04	·40	—	·35	23
24	—	—	·27	·05	—	·07	·20	—	·62	·56	—	·17	24
25	—	—	·02	·01	—	·44	·01	—	·15	·06	—	·21	25
26	—	·02	·01	—	—	—	·03	—	·01	—	—	·31	26
27	—	·11	·01	—	—	—	·10	—	—	·53	—	·04	27
28	—	·19	·01	—	—	·03	·01	·04	·09	—	—	—	28
29	—		—	—	—	·43	·16	·25	—	—	·08	·05	29
30	·06		·01	·02	—	·75	·12	—	—	·08	·08	·11	30
31	·02		—		—		·03	·01		·34		·10	31
Total	2·57	2·99	1·22	·81	2·34	2·16	3·80	1·53	1·10	2·56	2·13	3·68	YEAR'S TOTAL 26·89
Rain Days.	20	21	15	13	13	8	23 ~~20~~	M ~~13~~	10	14	11	24	189 ~~182~~

W. 8,000. X. 15.

2451

FORM A.
BRITISH RAINFALL.

15. APR. 1917

REGISTER OF RAINFALL IN 1916

Kept at Wellesbourne C. I. School
in the County of Warwickshire
by Head Prefect

Lat. 52° 11′ 40″ N Long. 1° 35′ 20″ W
Time of Observation 9 am.
Nearest Railway Station Ettington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·01	—	·04	·03	·03	—	—	·09	·03	—	1
2	·29	·02	·04	—	·21	·03	·14	—	·02	·52	·01	—	2
3	—	·5	—	—	·01	·02	—	—	·01	·2	·38	—	3
4	·13	·03	—	·07	·34	·23	·01	—	·02	·02	·06	—	4
5	·06	·01	·01	—	·23	·18	·32	—	—	·03	·46	—	5
6	·07	·17	·14	·10	·08	·13	·48	—	—	·14	·11	·04	6
7	·03	—	·19	—	·03	·03	·21	—	—	·01	·58	·06	7
8	·02	—	·06	—	·24	—	—	—	—	·03	—	·09	8
9	·01	—	·04	—	·2	·18	—	—	—	·02	·01	—	9
10	·01	·22	·08	·06	·07	·16	—	—	·05	·01	—	—	10
11	·04	·12	·12	·1	·14	·36	·03	—	·03	—	—	·35	11
12	·01	·06	·16	·02	·35	·02	·22	—	·01	·09	—	—	12
13	·01	·23	·17	·04	—	—	·26	·28	·01	·02	—	—	13
14	—	·49	—	·04	·02	—	—	·01	—	·05	—	—	14
15	— ·01	·34	·60	·03	·09	—	·05	·27	·01	·08	—	—	15
16	·01	—	·38	·24	·07	—	·18	·31	—	·02	—	—	16
17	·06	·13	—	·06	—	—	·03	·09	·30	·24	—	—	17
18	·01	·11	·04	·08	—	—	—	·09	·04	—	·36	·05	18
19	·03	·03	·08	·23	—	—	—	·03	—	—	·53	—	19
20	·04	—	·45	·08	—	—	—	·17	—	—	—	·36	20
21	·02	—	·37	·23	·05	—	·21	—	—	—	—	·47	21
22	·01	·03	—	·01	·09	·01	—	—	—	·03	·01	·23	22
23	·02	·44	—	·02	—	—	—	·05	—	·01	·05	·58	23
24	—	·23	—	·06	·03	—	—	·14	—	·21	·07	—	24
25	—	·06	·09	—	·02	·06	—	·17	·23	·02	·11	—	25
26	·01	·12	·09	—	—	·10	—	·07	·02	·19	·02	—	26
27	·04	·09	1·11	—	—	·35	·04	·02	·07	·09	—	·09	27
28	—	·48	·16	—	—	·31	—	—	—	·03	—	·07	28
29	—	·09	—	—	—	·31	—	1·08	—	·13	—	·06	29
30	—	✕	—	—	—	·01	—	·51	—	·02	—	·04	30
31	—	✕	—	✕	—	✕	—	·02	✕	·05	✕	·13	31
Total	1 in.	4 ins	4·39	1·41	2·25"	2·52	2·21	3·31	·76	2·24	2·73	2·62	YEAR'S TOTAL 29·47
Rain Days.	23	22	21	17	19	18	14	16	13	26	15	14	218

W. 8,000, VIII. 16

WHITACRE

BIRMINGHAM . W.W.

WARWICKSHIRE

1911 - 1920

2484

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

REG

Kept at Whitacr

in the County of Wa

by H. Wa

in.

round 1 ft. 3 in.

a Level 269·33 ft.

me Whitacre

stance 1200 yards Direction SE

IMPORTANT NOTE. he result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this t of rain, the selection and placing sh Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03		·01			·04					1
2	·02			·02	·21		·07	·07		·17	·02	·05	2
3		·01			·22			·03	·05	·04	·02	·02	3
4	·03		·10	·05	·01			·03	·03	·17	·12	·19	4
5	·08		·02					·01		·01	·01		5
6	·37		·07					·01			·02	·47	6
7	·03		·01								·15	·07	7
8	·08		·15									·34	8
9	·10		·01								·32	·03	9
10	·02	·11	·15					·12			·01	·59	10
11	·15	·01									·29		11
12	·01		·48						·10		·41		12
13			·02						·12		·01	·32	13
14	·02	·02	·01								·01	·74	14
15		·03	·06								·06	·06	15
16	·01					·09					·09	·08	16
17					·05	·05					·10	·28	17
18		·30		·03		·21				·02	·01	·23	18
19		·02			·01	·10			·23	·12	·14	·05	19
20	·01	·09		·02		·01		·42	·06	·01		·24	20
21		·30	·02					·46	·01	·36		·05	21
22		·01	·05	·03		·06				·17		·39	22
23	·01	·08	·15			·06			·33	·06		·14	23
24	·01	·07	·01	·04		·41		·02		·29		·09	24
25	·01	·06		·08	·42	·05		·02	·01			·02	25
26		·09		·24		·02		·01		·17	·26	·15	26
27		·24	·08	·11				·53	·36	·01	·03	·07	27
28		·24		·21		·02					·05	·01	28
29		×		·01		·14	·10		·20	·15	·01	·01	29
30		×	·01			·05				·10		·01	30
31		×	·01	×	·10	×			×		×		31
Total	·97	1·68	1·44	·84	1·03	1·24	·17	1·77	1·50	1·85	2·14	4·70	TOTAL for year 19·36
No. of Rain Days	17	16	19	14	8	13	2	13	11	15	21	26	172

9,000, IX. '10.

~~24~~84

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

REG

Kept at Whitacre

in the County of Warwickshire 4

by H. Wall

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 269·33 ft.

Time of Observation 9 am

Nearest Railway Station
Name Whitacre
Distance 1200 yards Direction S E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03		·01			·04					1
2	·02			·02	·21		·07	·07		·14	·02	·05	2
3		·01			·22			·03	·05	·04	·02	·02	3
4	·03		·10	·05	·01			·03	·03	·17	·12	·19	4
5	·08		·02					·01		·01	·01		5
6	·37		·07					·01			·02	·47	6
7	·03		·01								·15	·07	7
8	·08		·15									·34	8
9	·10		·01								·32	·03	9
10	·02	·11	·15					·12			·01	·59	10
11	·15	·01									·29		11
12	·01		·48						·10		41		12
13			·02						·12		·01	·32	13
14	·02	·02	·01								·01	·74	14
15		·03	06								·06	·06	15
16	·01					·09					·09	·08	16
17					·05	·05					·10	·28	17
18		·30		·03		·21				·02	·01	·23	18
19		·02			·01	·10			·23	·12	·14	·05	19
20	·01	·09		·02		·01		·42	·06	·01		·24	20
21		·30	·02					46	·01	36		·05	21
22		·01	·05	·03		·06				·17		·39	22
23	·01	·08	·15			·06			·33	·06		·14	23
24	·01	·07	·01	·04		·41		·02		·29		·09	24
25	·01	·06		·08	·42	·05		·02	·01			·02	25
26		·09		·24		·02		·01		·17	·26	·15	26
27		·24	·08	·11				·53	·36	·01	·03	·07	27
28		·24		·21		·02					·05	·01	28
29		×		·01		·14	·10		·20	·15	·01	·01	29
30		×	·01			·05				·10		·01	30
31		×	·01	×	·10	×			×		×		31
Total	·97	1·68	1·44	·84	1·03	1·27	·17	1·77	1·50	1·85	2·14	4·70	TOTAL for year 19·36
No. of Rain Days	17	16	19	11	8	13	2	13	11	15	21	26	172

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL. FORM A.
7 JAN 1913
2484

Kept at Whitacre

in the County of Warwick 4

by H Wall

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Whitacre

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 269.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·05			·33	·06	·01	·02	·01		·13	1
2		·02	·08	·07	·06	·07	·43					·01	2
3	·06		·02		·03	·13	·10	·68	·02		·01	·03	3
4	·12		·46		·15	·74		·15			·28		4
5	·10	·05	·22		·03	·25		·31	·02		·01	·01	5
6	·44	·11			·01	·14		·11	·04		·01	·07	6
7		·10			·04	·10		·02				·03	7
8	·26	·25	·23			·24	·23	·07	·16			·03	8
9	·02	·03	·07	·21		·41		·08				·32	9
10			·01	·01		·24		·78	·08		·31	·01	10
11		·09	·01			10					·08	·44	11
12	·14	·21	·09		·10		·11				·02	·01	12
13		·01				·03	·03			·02	·05		13
14	·08		·34			·05		·06					14
15	·18	·04	·07		·38	·22						·10	15
16	·44		·11		·02	·06		·10		·07	·01		16
17	·67		·16			·13		·47	·01		·08	·58	17
18	·23		·06					·20		·03	·01	·01	18
19	·33	·08			·02	·04	·38	·52		·01	·01		19
20	·10		·26				·17	·02		·13	·01		20
21			·19		·93			·40		·23	·02		21
22	·21	·06			·57	·18	·35	·37				·09	22
23	·14	·06	·20			·05	·43	·30			·09	·08	23
24	·18					·14	·26	·09		·01			24
25	·01		·01			·32		·24			·18		25
26		·07	·03			·01	·27	·68		·46	·18	·84	26
27						·16	·09			·88	·01	·16	27
28		·06	·01			·03	·08	·45	·05	·17	·44	·40	28
29		·05				·14	·16		·43	·15	·02	·02	29
30		×			·29	·01	·02			·06			30
31		×	·07	×	·13	×	·52	·12	×	·01	×	·06	31
Total	3·71	1·29	2·75	·29	2·76	4·32	3·69	6·23	·83	2·24	1·83	3·43	YEAR'S TOTAL 33·37
Rain Days.	18	16	22	3	14	26	17	23	9	14	20	21	203

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913.

BRITISH RAINFALL FORM A.
13 JAN 1914
~~2~~484

Kept at Whitacre

in the County of Warwick

by G. Hall

Lat. 52°31′ Long. 1°41′

Time of Observation 9 am

Nearest Railway Station Whitacre

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 269.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·10	·02					·58		·02		1
2	·01	·08	·01	·06						·03	·02		2
3	·06		·20		·88				·01	·10		·03	3
4	·68				·21	·01	·06			·04	·05	·26	4
5	·07	·02			·01	·07	·11		·03	·77	·01	·03	5
6	·01	·02	·08		·23	·26	·77			·05		·11	6
7		·17			·27	·07				·45		·03	7
8			·01		·13	·16		·05		·55	·01		8
9		·27	·05			·46	·03	·03	·03		·07	·04	9
10	·01			·09	·09			·03			·25		10
11	1.14	·01		·34				·06		·39	·52		11
12					·03					·01	·52	·01	12
13	·10		·08	·03				·01	·19		·20		13
14	·14		·67	·03				·02		·15	·02		14
15	·02	·08	·66	·29			·01		·03		·01		15
16	·09	·02	·55	·06					·08				16
17	·02	·02	·03	·10		·01			·13		·01		17
18			·10	·05	·03		·03				·01	·01	18
19	·13		·03		·01	·05	·02		·16				19
20	·18		·10	·07					·03	·04	·14		20
21			·14	·01	·06		·08	·04			·25		21
22	·54		·39		·01	·03		·15	·41				22
23			·01			·11		·07	·03				23
24	·10							·04			·02	·01	24
25				·02					·02	·04			25
26		·06	·03	·52	·06			·08		·10		·26	26
27		·08		·94	·03							·01	27
28	·42		·26	·21	·01					·11			28
29	·01	×	·33	1·02	·01			·13		·02		·10	29
30	·33	×								·17	·08		30
31		×	·10	×		×		·03	×	·01	×		31
													YEAR'S TOTAL
Total	4·07	·83	3·93	3·86	2·07	1·22	1·11	·74	1·73	3·03	2·21	·90	25·70 ✓
Rain Days.	20	11	21	17	16	10	8	13	13	17	18	12	176 ✓

W.7,000, XI. 13

Ex DL

2484

FORM A.
BRITISH RAINFALL.
15 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Whitacre

in the County of Warwick 4

by H. Wall

Lat. 52° 31′ Long. 1° 41′

Time of Observation 9 am

Nearest Railway Station Whitacre

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 269.33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	.01		.04	.79	.19			.01	.02	1
2	.01						.08	.20		.01	.39	.31	2
3			.03	.03	.12		.27	.21			.01	.01	3
4	.19		.03	.13	.03			.06			.54	.43	4
5	.07		.11	.26	.03	.11	.26				.08		5
6		.06		.01	.03						.10	.13	6
7		.13	.35	.02	.03	.15	.11	.11			.01	.12	7
8	.04		.01	.03	.11	.71	.08	.11	.01			.08	8
9	.31	.01	.10	.21	.02	1.06		.01	.42				9
10	.08	.14		.22	.10	.05			.14				10
11		.04	.26	.11	.02	.05					.24	.62	11
12		.07	.12		.01		.41		.22		.05	.36	12
13	.01	.18	.14						.04	.12	.20	.35	13
14	.01	.03	.08				.03		.01	.19	.12	.20	14
15	.04	.01	.08				.10		.01	.02			15
16			.03				.29		.09				16
17	.01	.16	.07						.04			.23	17
18	.01	.01					.09		.01			.50	18
19			.04				.11		.08		.02	.05	19
20		.14	.02			.01	.17		.05	.02		.28	20
21		.38	.01				.17			.07		.26	21
22		.02			.73		.04	.13		.15			22
23		.11	.10		.24		.03			.05			23
24		.01	.16	.02			.05	.11		.11	.07		24
25	.04		.01				.05	.14		.32	.04	.15	25
26			.05				.01	.13		.11	.20	.33	26
27	.04		.01								.07	.18	27
28		.04	.12		.02					.04	.40	.71	28
29		×	.05		.07					.22	.13		29
30		×	.01		.01	.08				.02	.33	.54	30
31	.01	×		×		×	.19		×		×		31
Total	.87	1.54	2.00	1.05	1.57	2.26	3.33	1.40	1.12	1.45	3.01	5.86	YEAR'S TOTA 25.46
Rain Days.	14	17	25	11	15	9	20	11	12	14	19	21	188

W. 8,000. X. 14.

2594
2484

BRITISH RAINFALL. FORM A.
8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Whitacre
in the County of Warwick
by H. Wall

Lat. 52° 31′ Long. 1° 39′
Time of Observation 9 am
Nearest Railway Station Whitacre
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft. ½ in.
" " " " Sea Level 269.12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·17	·08		·31			·01	·31	·06	·02	·10	1
2	·08	·14	·27	·09		·16		·26	·06	·21		·05	2
3	·53	·01	·01	·07			1·00	·40		·01		·17	3
4					·03		·88	·03				·78	4
5		·35			·04			·02			·01	·31	5
6	·11	·14		·25			·71	·04				·05	6
7	·07	·36		·01	·32	·15	·05	·12				·32	7
8	·11	·17	·01	·01				·04			·06		8
9	·03	·14		·07							·30	·40	9
10	·28	·05	·03	·01				·02			·09	·02	10
11	·03			·05	·32		·11	·01			·68	·07	11
12	·04			·20	·27			·88			1·07		12
13		·48			·75					·03	·01	·03	13
14	·01						·08	·32	·04	·01		·28	14
15	·25			·01	·11		·12	·12			·05	·22	15
16	·07	·52			·13		1·89						16
17		·18			·16		·03					·02	17
18		·19	·07							·01			18
19					·04		·08						19
20	·27			·11				·01				·09	20
21		·03					·17			·01		·04	21
22	·04		·17	·04			·18			·02		·06	22
23	·03	·05	·04			·05	·13		·04	·44	·01	·15	23
24			·02	·03		·05	·13		·31	·16		·09	24
25						·28	·13		·02	·01		·36	25
26		·12					·12		·02			·33	26
27							·07			·40		·08	27
28		·08	·04			·24	·02	·19	·01	·08			28
29		✕				·02	·02	·02	·01		·06	·06	29
30	·03	✕				·11	·12	·01		·12	·03	·05	30
31	·07	✕		✕		✕		·03	✕	·17	✕	·25	31
Total	2·24	3·18	·74	·95	2·48	1·06	6·04	2·53	·82	1·74	2·39	4·38	YEAR'S TOTAL 28·55
Rain Days.	18	17	10	13	11	8	20	18	9	15	12	25	176

W. 8,000. X. 15.

WD?

2484

FORM A.
BRITISH RAINFALL.
1 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Whitacre

in the County of Warwick

by H. Call

Lat. 52°31′ Long. 1°39′

Time of Observation 9 am

Nearest Railway Station Whitacre

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ½ in.

" " " " Sea Level 269·12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09		.09			.06	.08			.03	.18		1
2	.21	.03	.13		.30		.29		.03	.53	.02		2
3		.56		.01		10	62		.07	.23	.05		3
4	.23	.03		.03	.55	.02			.01	.02	.34		4
5	.02				09	.13	.13			.05	14		5
6	.05	.10	.06		.43		.43		.01	.08	.39		6
7	10		.09		.01	06	.14			.07	.13	.15	7
8	.02		.04		.04	.33				.03	.03	.26	8
9			.03		.23	.03			.02	.03		.05	9
10		.17	.04	.06		.03			.01	.02		.01	10
11	.03	.18	.06	.19	.01	.32			.03			× .46	11
12	.03	.05	.15	.01	.38	.01				.06			12
13		.13	.26		.02		.13	.21		.01			13
14		.40		.10	.01		.04	.08		.03	.02		14
15		.14	63	.02	.06			.25	.01	.02			15
16			.29	.24	.02		.11	.11		.02			16
17	.08	.10		.17			.03	.26	.20	.14			17
18	.01	.08	.04	.05			.02	.22	16	.02	× .63	.09	18
19	.08	.06	20	.10					.20		33		19
20	.02	.01	.39	.02				.02			.08	.09	20
21	.01		.10	.02	.09		.07				.01	× .29	21
22	.02	.02	.01	.02	.01	.01				.03		× .44	22
23	.02	32				.04		.08			.06	.13	23
24		× .20			.02	.01		.09		.27	.01	.19	24
25		× .01	.13		.07			.09		.03	.16		25
26	.03	× .03	.02			.04		.07		.20	.04		26
27	.02	× 13	.65			.09	.74	.32		.34			27
28		.26	.07						.02	.10	.01	.17	28
29		.10				.13		.62		.28		.11	29
30						.17		.01		.12			30
31					.01			.01		.07		.16	31
Total	1.07	3.11	3.48	1.04	2.35	1.58	2.83	2.44	.77	2.83	2.63	2.60	YEAR'S TOTAL 26.73
Rain Days.	18	22	21	14	18	17	13	15	12	26	18	14	208

W. 8,000, VIII. 16

× Snow

2407
2484
FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Whitacre
in the County of Warwick
by H. Wall

Lat. 52° 31' Long. 1.39
Time of Observation 9 am
Nearest Railway Station Whitacre
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ½ in.
" " " " Sea Level 269.12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.05		.04		.85	.24		.01	.02	1
2	.03			.01		.18		.07		.01	.02	.02	2
3	.02	.11		.18		.01		.06		.05	.03		3
4	.04	.02	.16	.03				.12		.64			4
5	.15		.09	.17				.01		.06	.10		5
6	.01		.01			.74				.07	.09	.02	6
7	.37					.01				.15	.01	.12	7
8	.47			.12			.08	.39		.37	.11	.25	8
9	.02		.18	.03	.18			.65	.01	.02	.19		9
10	.37		.26	.04	.27			.11					10
11	.11	.01	.03	.15				.04	.03	.14	.01		11
12	.10	.02	.01	.01	.06					.22		.01	12
13	.03		.01	.09	.01			.50	.08	.01			13
14	.02		.27	.25	.02			.32				.01	14
15	.02		.01				.25	.01		.03		.08	15
16	.03	.26		.07						.01		.44	16
17	.02		.01	.08	.36	.49	.37	.13	.18	.05			17
18		.02		.01	.08	.02	.25	.11	.90	.02			18
19	.04	.25	.11		.14	.07			.02				19
20	.01	21	.01		.30	.10		.13	.14		.03		20
21		.02	.07		.16	.08		.06		.01			21
22			.04			.02		.10		.14			22
23		.13			.06			.10	.05	.03		.02	23
24		.02	.01			.37	.04	.06		.24	.02	.01	24
25		.03	.04				.05				.05		25
26								.34	.17	.01	.17		26
27			.01		.41	.21	.33	.62					27
28			.04			.36		.09				.05	28
29		✕	.03	.01		.44	.05	.02		.44		.28	29
30	.01	✕					.09	.18		.01			30
31	.01	✕	.02	✕		✕	.01	.06	✕	.01	✕	.03	31
Total	1.89	1.10	1.42	1.30	2.05	3.14	1.52	5.13	1.82	2.74	.84	1.36	YEAR'S TOTAL 24.31
Rain Days.	21	12	21	16	12	15	10	25	10	23	13	14	192

W. 8,000, IX.-17.

113

2484

47

FORM A.
BRITISH RAINFALL.

8 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Whitacre

in the County of Warwickshire

by W R Welch

Lat. 52°31 Long. 1°39

Time of Observation 9 am

Nearest Railway Station Whitacre

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1/2 in.

" " " " Sea Level 269·12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·08	·01				·01	·05	·21		1
2		·03		11				·16		·05	·05	·16	2
3		·03	·01		20			·22	·39	·01	·06	·01	3
4	·01	·02	·02					·05	·70	·02	·57	·17	4
5				·03	·11			·03	·07	·09		·01	5
6		·08	·01	·18		·13			·05	·05		·01	6
7	·01	·07		·05	·01	·02			·10	·01	·12		7
8	·01	·10		·02					·04	·05		·01	8
9	·01	·22		·18		·19	·10		·32	·37		·04	9
10	·12	·01		·02			·20		·04	·04		·05	10
11				·01	·05		·10		·21			·06	11
12	·05	·02	·05		·12		·13		·03				12
13	·01			(·01)	·11	·03	·01		·15	·03		·04	13
14	x ·32					·02	·09		·22	·11		·08	14
15	x ·47			·22		·01	·21		·02			·03	15
16	x ·06			·33		·02	·01	·01	·17	·04		·02	16
17	·29			·01	·04	·09	·18		·03	·05		·13	17
18	·30					·08	·07		·29			·24	18
19	·07	·04	·05	x ·05			·03		·01	·08		·38	19
20	·11	·08		x ·55		·07	·20		·07	·01		·06	20
21	·08	·01		x ·48	·13		·08		·22			·05	21
22	·06			·01	·21	·02	·05			·05		·32	22
23	·03				~~·44~~		·08		·04				23
24	·01	·04					·01		·05		·22	·01	24
25							·23	·28		·01	·01		25
26							·07	·02	·04	·01	·05	·06	26
27		x ·03					·03	·32	·29		·01	·13	27
28		x ·11	·27								·15	·13	28
29			·01						·76		·01	·03	29
30			·35					·05	·03		·02	·12	30
31			·19										31
Total	2·02	·90	·96	2·34	1·43	·68	1·88	1·14	4·35	1·13	1·48	2·35	YEAR'S TOTAL 20·66
Rain Days.	18	16	9	17	11	11	19	9	26	19	12	25	192

W, 6,500, VII. 18. w w c

x Snow.

G4 R1

2484

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Whitacre

in the County of Warwickshire

by R. Paton

Lat. 52° 31' Long. 1° 39'

Time of Observation 9 am

Nearest Railway Station Whitacre

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ½ in.

" " " " Sea Level 269·12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·01	·03		·13		·25		·02	·30	·04	·34	1
2	·12	·01	·03		·01		·07		·09	·10	·09	·01	2
3	·73		·03		·02	·18	·21		·24		·15	·09	3
4	·04	·01	·29			·04	·01	·08	·23		·03	·18	4
5	·02	·22							·22			·08	5
6	·02	·01	·10		·80						·04	·05	6
7	·07		·09	·05									7
8	·15		·06	·10		·05							8
9	·03			·08							·01		9
10			·47	·03							·01	·16	10
11	·02		·38		·25		·30			·01		·01	11
12			·12	·04		·30			·02	·04	·03	·01	12
13	·13			·32			·12		·13	·10		·02	13
14	·35			·10			·03		·24	·02		·03	14
15	·24	·09	·02	·16							·04	·35	15
16	·05	1·04						·14			·11		16
17	·03	·26		·03		·03					·12	·01	17
18			·32				·01	·22			·02	·19	18
19	·09	·21	1·17			·13	1·52	·32	·02		·03		19
20	·27	·02	·17			·01	·19	·14	·09		·25	·06	20
21	·02	·35	·04			·01	·28	·02	·01		·04	·16	21
22		·17	·01			·02			·29			·66	22
23						·11		·03		·66			23
24				·15	·03	·01				·63	·08	·06	24
25	·18			·04	·06	·03		·42			·02	·01	25
26	·01		·18	·04		·03		·02	·06		·01	·32	26
27	·07	·01	·04	·27		·01		·25			·05	·02	27
28	·02			·01		·01		·45			·05	·20	28
29	·05			·01		·04		·03		·65	·15	·07	29
30	·02		·13	·11		·20		·01		·03	·10	·29	30
31	·02						·01			·03		·01	31
TOTAL	3·08	2·41	3·68	1·54	1·30	1·21	3·00	2·13	1·66	2·57	1·47	3·39	YEAR'S TOTAL 27·44
Days with ·01 in. or more	25	13	19	16	7	17	12	13	13	11	22	25	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ere Hr

2170

2484

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Whitacre

in the County of Warwick

by F. & W. Macaulay M. INST. C.E.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·17	·25		·34		·06	·18	·01	·31	1
2				·13			·60		·06	·24		·09	2
3	·05	·04		·19		·03	·53	·01	·08	·20		·01	3
4	·01			·27			·03	·31	·01	·39			4
5			·05	·01	·17		·40	·05	·14	·31			5
6		·01	·17	·02	·02		·11			·02		·09	6
7			·02	·08	·03		·17						7
8	·25	·06		·62	·13		·41			·01			8
9	·30			·28			·01	·30					9
10	·24	·08	·02	·02			·08				·06		10
11	·08		·03	·21	·49	·23	·02	·03				·02	11
12	·04	·01	·01	·20	·02	1·28	·02	·08		·04	·05	·15	12
13	·03	·03	·25	·16		·01		·03	·02			·03	13
14	·02		·71	·23		·06	·02		·22		·09	·01	14
15		·07	·06	·38		·01			·01	·01			15
16			·01	·09	·10	·48	·10		·04	·34			16
17					·10				·87	·05	·01	·01	17
18	·16			·01	·09		·01	·11	·41		·01		18
19		·55		·16		·19		·06					19
20	·03	·05		·24		·09	·08					·02	20
21				·04			·29	·06	·02			·02	21
22	·02	·01		·10			·02	·05	·01				22
23				·01			·18	·06				·33	23
24	·01		·18	·03						·01	·01	·50	24
25		·05	·07	·03		·01	·38						25
26	·18		·18	·03			·06		·01		·01	·20	26
27	·11	·01	·02	·07	·17		·01			·01	·12	·39	27
28	·81		·05	·06	·07	·01	·04		·01			·10	28
29	·08		·17		·58	·01	·04				·11	·34	29
30	·01	✕	·01	·13	·18	·06	·04		·24		·16	·13	30
31	·03	✕	·03	✕	·06	✕			✕	·37	✕	·02	31
TOTAL	2·46	·97	2·04	3·97	2·46	2·47	3·99	1·15	2·21	2·18	·64	2·77	YEAR'S TOTAL 27·31
Days with ·01 in. or more	19	12	18	28	15	13	26	12	16	14	11	19	202
Days with ·04 in. or more	11	7	10	20	12	7	17	9	9	9	6	11	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WITTON RES

WARWICK.

1911

R 1911

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Witto

in the County of Wa

by G. Lunn

of top 6 in.

op above Ground 3 ft. – in.

„ „ Sea Level 344.18 ft.

9 am

Railway Station Name Witton
Distance 1 Mile 615 yds Direction N.NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03					·06			·02		1
2	·02			·02	·14		·10	·11		·10	·08	·03	2
3					·21				·04	·05	·04	·06	3
4	·02		·10		·01	·07		·04	·05	·12	·16	·13	4
5	·10		·02					·05		·01	·02		5
6	·25		·05					·03		·03	·04	·25	6
7	·02										·17		7
8	·08		·15								·05	·34	8
9	·06		·05								·37	·05	9
10	·02	·05	·22					·02				·50	10
11	·09										·27		11
12			·39						·06		·25		12
13			·07						·05		·04	·29	13
14		·06										·81	14
15		·05	·04							·02	·05	·07	15
16						·10					·12	·07	16
17			·06		·01	·32					·11	·20	17
18		·17				·10				·09	·02	·23	18
19		·04				·41	·07		·24	·31	·12	·06	19
20		·10		·04				·17	·08			·32	20
21		·16	·03					·17		·34		·05	21
22			·04	·01		·05				·14	·01	·37	22
23		·09	·14			·04			·25	·08		·16	23
24	·01	·08		·06		·35		·05		·35		·06	24
25		·05		·10	·12	·06	·02	·02	·01			·03	25
26		·14		·24	·01	·04		·10		·20	·27	·11	26
27		·23	·09	·14	·04			·35	·32		·04	·09	27
28	T	·20		·19		·01					·15	·02	28
29				·01		·17	·28		·21	·13		·01	29
30				·02		·12				·10			30
31			·02		·50					·03			31
Total	·67	1·42	1·50	·83	1·04	1·84	·67	1·17	1·31	2·10	2·40	4·31	TOTAL for year 19·06
No. of Rain Days	10	13	16	10	8	13	4	12	10	16	21	24	157

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Witton
in the County of Warwickshire 4
by G. Lunn

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 3 ft. – in.
" " " Sea Level 347·18 ft.

Time of Observation 9 am

Nearest Railway Station
Name Witton
Distance 1 Mile 615-40, Direction N. NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03					·06			·02		1
2	·02			·02	·14		·10	·11		·10	·08	·03	2
3					·21				·04	·05	·04	·06	3
4	·02		·10		·01	·07		·04	·05	·12	·16	·13	4
5	·10		·02					·05		·01	·02		5
6	·25		·05					·03		·03	·04	·25	6
7	·02										·17		7
8	·08		·15								·05	·34	8
9	·06		·05								·37	·05	9
10	·02	·05	·22					·02				·50	10
11	·09										·27		11
12			·39						·06		·25		12
13			·07						·05		·04	·29	13
14		·06										·81	14
15		·05	·04							·02	·05	·07	15
16						·10					·12	·07	16
17			·06		·01	·32					·11	·20	17
18		·17				·10				·09	·02	·23	18
19		·04				·41	·07		·24	·31	·12	·06	19
20		·10		·04				·17	·08			·32	20
21		·16	·03					·17		·34		·05	21
22			·04	·01		·05				·14	·01	·37	22
23		·09	·14			·04			·25	·08		·16	23
24	·01	·08		·06		·35		·05		·35		·06	24
25		·05		·10	·12	·06	·02	·02	·01			·03	25
26		·14		·24	·01	·04		·10		·20	·27	·11	26
27		·23	·09	·14	04			·35	·32		·04	·09	27
28	T	·20		·19		·01					·15	·02	28
29				·01		·17	·28		·21	·13		·01	29
30				·02		·12				·10			30
31			·02		·50					·03			31
Total	·67	1·42	1·50	·83	1·04	1·84	·47	1·17	1·31	2·10	2·40	4·31	TOTAL for year 19·06
No. of Rain Days	10	21	16	10	8	13	4	12	10	16	21	24	157

9,000, IX. '10.

WORMLEIGHTON

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

WORMLEIGHTON, HALL
WARWICK.
1911-1916, 1918-19.

RE 1911

Kept at itish assoc

in the County of Wo

by F. W. Ri

top 5 in.
p above Ground 4 ft. 9 in.
„ Sea Level 515 ft.
n 9 a.m.
station Name Fenny Compton
Distance 1½ Direction West

IMPORTANT NOTE.—Rain should be measu m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.03	.	.	.	.	.	.	.	.01	.025	1
2	.017	.	.	.08	.19	.	.	.	.	.03	.06	.045	2
3	.	.01	.	.	.175	.	.	.09	.	.07	.01	.02	3
4	.	.01	.13	.08	.	.	.	.	.075	.16	.52	.22	4
5	.035	.	.	.	.	.	.	.17	.	.01	.04	.	5
6	.28	.	.	.02	.	.	.	.	.	.	.025	.49	6
7	.	.	.	.	.	.	.	.	.	.015	.	.13	7
8	.20	.	.17	.	.	.	.	.	.	.015		.16	8
9	.088	.	.015	.	.	.	.	.	.	.		.23	9
10	.015	.14	.355	.	.	.	.	.10	.	.	.94	.17	10
11	.	.	.	.	.	.	.	.16	.	.		.	11
12	.02	.	.60	.	.	.	.	.	.07	.			12
13	.	.	.05	.	.355	.	.	.	.48	.	.02	.475	13
14	.	.	.05	.	.	.	.	.	.	.	.	.37	14
15	.	.11	.095	.	.	.	.	.	.	.015	.085	.05	15
16	.	.	.	.	.	.05	.	.	.	.	.30	.09	16
17	.	.	.03	.	.	.05	.	.	.	.	.16	.20	17
18	.	.197	.	.	.	.	.	.	.	.	.	.16	18
19	.	.	.	.	.	.34	.085	.	.12	.11	.26	.045	19
20	.015	.085	.	.	.	.	.	.16	.11	.045	.	.535	20
21	.	.12	.05	.01	.	.	.	.57	.	.39	.	.08	21
22	.	.	.	.	.	.14	.	.02	.	.14	.02	.31	22
23	.	.075	.29	.	.	.	.	.	.26	.	.	.12	23
24	.	.09	.	.	.	.60	.	.	.	.64	.	.17	24
25	.015	.11	.02	.06	.50	.23	.	.	.	.	.	.05	25
26	.	.065	.	.255	.015	.01	.	.	.	.26	.26	.15	26
27	.	.20	.11	.225	.	.	.	.38	.185	.	.	.095	27
28	.	.18	.	.125	.	.	.	.12	.	.	.02	.	28
29	.		.	.07	.	.215	.13	.	.27	.23	.	.	29
30	.		.035	.15	.01	.025	.	.03	.	.09	.	.02	30
31	.		.03		.01		.	.		.05		.01	31
Total	.685	1.392	2.06	1.075	1.255	1.66	.215	1.80	1.57	2.17	2.73	4.42	TOTAL for year 21.032
No. of Rain Days	9	13	16	10	7	9	2	10	8	16	16 ?	27	143

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Kept at Wormleighton
in the County of Warwick
by F. W. Burnett

RAIN GAUGE
Pattern British Assoc.
Diameter of top 5 in.
Height of top above Ground 4 ft. 9 in.
" " " Sea Level 515 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Fenny Compton
Distance 1½ Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.03	.	.	.	.	.	.	.	.01	.025	1
2	.017	.	.	.08	.19	.	.	.	.	.03	.06	.045	2
3	.	.01	.	.	.175	.	.	.09	.	.07	.01	.02	3
4	.	.01	.13	.08	.	.	.	.	.075	.16	.52	.22	4
5	.035	.	.	.	.	.	.	.17	.	.01	.04	.	5
6	.28	.	.	.02	.	.	.	.	.	.	.025	.49	6
7	.	.	.	.	.	.	.	.	.	.015	.	.13	7
8	.20	.	.17	.	.	.	.	.	.	.015	.94	.16	8
9	.088	.	.015	.	.	.	.	.	.	.		.23	9
10	.015	.14	.355	.	.	.	.	.10	.	.		.17	10
11	.	.	.	.	.	.	.	.16	.	.		.	11
12	.02	.	.60	.	.	.	.	.	.07	.		.475	12
13	.	.	.05	.	.355	.	.	.	.48	.	.02		13
14	.	.	.05	.	.	.	.	.	.	.	.	.37	14
15	.	.11	.095	.	.	.	.	.	.	.015	.085	.05	15
16	.	.	.	.	.	.05	.	.	.	.	.30	.09	16
17	.	.	.03	.	.	.05	.	.	.	.	.16	.20	17
18	.	.197	.	.	.	.	.	.	.	.	.	.16	18
19	.	.	.	.	.	.34	.085	.	.12	.11	.26	.045	19
20	.015	.085	.	.	.	.	.	.16	.11	.045	.	.535	20
21	.	.12	.05	.01	.	.	.	.57	.	.39	.	.08	21
22	.	.	.	.	.	.14	.	.02	.	.14	.02	.31	22
23	.	.075	.29	.	.	.	.	.	.26	.	.	.12	23
24	.	.09	.	.	.	.60	.	.	.	.54	.	.17	24
25	.015	.11	.02	.06	.50	.23	.	.	.	.	.	.05	25
26	.	.065	.	.255	.015	.01	.	.	.	.26	.26	.15	26
27	.	.20	.11	.225	.	.	.	.38	.185	.	.	.095	27
28	.	.18	.	.125	.	.	.	.12	.	.	.02	.	28
29	.		.	.07	.	.215	.13	.	.27	.23	.	.	29
30	.		.035	.15	.01	.025	.	.03	.	.09	.	.02	30
31	.		.03		.01		.	.		.05		.01	31
Total	.685	1.392	2.06	1.075	1.255	1.66	.215	1.80	1.57	2.17	2.73	4.42	TOTAL for year 21.032
No. of Rain Days	9	13	16	10	7	9	2	10	8	16	16 ?	27	143

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

1 JAN 191

Corr for arith 7-III-13

REGISTER OF RAINFALL IN 1912

Kept at Wormleighton
in the County of Warwick
by F. W. Burnett

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Fenny Compton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.03	.	.	.	.035	.	.03	.13	.	.06	1
2	.	.03	.09	.05	.	.28	.705	.	.	.	.	.	2
3	.025	.	.	.	.09	.045	.	.345	.02	.	.	.08	3
4	.125	.	.59	.	.17	.48	.	.07	.	.	.18	.01	4
5	.095	.06	.32	.01	.34	.15	.	.29	.01	.	.07	.	5
6	.26	.04	.	.	.	.	.	{.805}	.05	.	.	.06	6
7	.	.05	.	.	.07	.665	.155		.	.	.	.015	7
8	.30	.285	{.53}	.01	.	.405	.	.	.07	.	.	.03	8
9	.	.02		.10	.	.225	.	{.156}	.	.	.	.225	9
10	.	.	.04	.	.	.01	.		.01	.	.10	.	10
11	.175	.05	.01	.	.	.11	.	.105	.	.	.11	.44	11
12	.07	.45	.12	.	.06	.	.02	.	.	.	.05	.	12
13	.	.08	.	.	.	.	.075	.	.	.	.065	.	13
14	.05	.	.37	.	.085	.04	.	.24	.	.01	.	.	14
15	.05	.07	.055	.	.29	.27	.	{.265}	.	.	.	.23	15
16	.33	.	.12	.	.04	.01	.		.	.07	.05	.	16
Snow 17	{1.00}	.	.125	.	.	.07	.		.	.	.05	.35	17
18		.	.125	.	.	.	.	.195	.	.05	.	.01	18
19	.17	.10	.01	.	.	.	.23	.215	.	.	.02	.	19
20	.10	.	.29	.	.025	.01	.365	.365	.	.49	.	.	20
21	.	.015	.14	.	.42	.	.	.91	.	.36	.	.	21
Snow [illegible] 22	{.73}	.11	.01	.	.49	.01	.41	{.92}	.	.065	.	.	22
23		.41	.32	.	.01	.07	.385		.	.	.125	.35	23
24	.05	.	.	.	.	.08	.16	.105	.	.	.	.08	24
25	.005	.	.	.	.	.615	.	.38	.	.	.25	.34	25
26	.	.01	.04	.	.	.	.79	1.06	.	.52	.19	.24	26
27	.	.	.	.	.	.205	.045	.	.	.39	.	.185	27
28	.	.	.	.	.	.135	.09	.70	.07	.24	.24	.535	28
29	.	.03	.025	.	.	.295	.26	.	.77	.30	.	.01	29
30	.		.		.25	.01	.11	.	.18	.155	.	.	30
31	.		.015		.31		.48	.08		.		.	31
Total	3.535 4.535	1.81	3.375	.17	2.65	4.19	4.315 4.315	7.205	1.21	2.78	1.44	3.25	YEAR'S TOTAL 35.93 36.335
Rain Days.	18	16	22	4	14	22	16	22	9	12	13	18	186

W. 7,500, XI. 12

Ex Dd

REGISTER OF RAINFALL IN 1913.

FORM A2.
BRITISH RAINFALL.
2 JAN 1914

Kept at Wormleighton
in the County of Warwick
by F. W. Burnett

RAIN GAUGE
Pattern British Assn
Diameter of top 5" in.
Height of top above Ground 4 ft. 9 in.
" " " Sea Level 518 ft.
Time of Observation 9 a.m
Nearest Railway Station
Name Fenny Compton
Distance 1½ Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.07	.09	.10	.	.	.	.	.95	.	.14	.	1
2	.	.165	.	.22	.	.	.03	.	.125	1.11	.02	.	2
3	.045	.	.08	.	.84	.	.	.	.01	.01	.	.22	3
4	.80	.	.	.	.02	.01	.13	.	.	.16	.03	.33	4
5	.	.	.	.	.	.035	.13	.	.04	.22	.02	.01	5
6	.	.03	.05	.	.26	.43	.27	.	.	.17	.	.09	6
7	.	.10	.	.	.10	.06	.08	.	.	.44	.	.025	7
8	.	.	.	.	.19	.015	.	.	.	.125	.13	.	8
9	.	.25	.01	.02	.01	.235	.03	.01	.21	.	.03	.	9
10	.	.	.	.10	.05	.	.	.02	.	.	{.62}	.	10
11	.53	.	.	.31	.13	.	.	.06	.	.31		.	11
12	.	.	.	.	.03	.	.	.	.	.	.98	.06	12
13	.08	.	.	.03	.	.	.	.	.12	.	.35	.	13
14	.09	.	{.53}	.01	.	.	.	.	.	.11	.	.	14
15	.15	.075		.24	.	.	.06	.	.	.	.	.	15
16	.065	.	.93	.17	.	.	.	.	.03	.01	.01	.	16
17	.	.02	.07	.28	.	.01	.17	.	.04	.	.	.02	17
18	.24	.	.185	.105	.135	.	.	.	.07	.	.	.	18
19		.	.12	.04	.02	.04	.185	.	.08	.	.	.035	19
20	.25	.	.05	.06	.	.	.	.	.06	.23	.06	.	20
21	.02	.	{.30}	.06	.12	.	.02	.	.	.	.46	.	21
22	.34	.		.	.	.	.	{.12}	.315	.	.02	.	22
23	.	.	.	.	.	.05	.		.045	.	.01	.06	23
24	.045	.	.	.10	.	.	.	.	.	.	.01	.	24
25	.	.02	.	.11	.	.	.	.	.	.03	.	.	25
26	.	.105	.06	.17	.	.	.	.11	.	.29	.	.13	26
27	.	.035	.01	.03	.	.	.	.	.	.02	.	.	27
28	.29	.	.33	.18	.	.	.	.	.	.255	.	.	28
29	.03		.28	1.16	.	.	.	.12	.	.09	.	.27	29
30	.33		.	.	.	.	.	.	.	.14	.145	.	30
31			.025		.09		.	.		.	.	.	31
Total	3.345	.87	3.12	3.495	1.995	.885	1.105	.44	2.095	3.845	3.035	1.25	TOTAL for year 25.48
No. of Rain Days.	16	10	18	20	13	9	10	7	13	17	17	11	161

W. 8,000, X. '11.

corᵈ for avaitk 2.IV.15

REGISTER OF RAINFALL IN 19~~12~~14

FORM A.
BRITISH RAINFALL.

JAN 15

Kept at Wormleighton
in the County of Warwick
by F. W. Burnett

Lat. 52.10'35" Long. 1.20'30"
Time of Observation 9 a.m
Nearest Railway Station Fenny Compton
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.	.075	.	.	.14	.285	.	.	.06	.09	1
2	.01	.	.	.01	.	.	.08	.21	.	.01	.59	.22	2
3	.	.	.01	.02	.16	.	.33	.05	.	.	.	.	3
4	.22	.	.03	.24	.	.	.	.41	.	.	.29	.31	4
5	.02	.	.05	.17	.255	.17	.22	.	.	.	.17	.	5
6	.	.03	.	.	.05	.10	.	.	.	.	.355	.08	6
7	.	.25	.39	.02	.12	.	.14	{	.	.	.01	.04	7
8	.04	.04	.24	.08	.135	1.02	.125	.22	.	.	.	.08	8
9	.22	.	.32	.28	.01	1.27	.	.015	.07	.	.	.	9
10	.09	.14	.	.07	.075	.	.	.	.32	.	.	.	10
11		.085	.35	.08	.17	.37	.	.	.01	.	.30	.335	11
12	.	.04	.10	.	.	.015	.39	.	.40	.	.03	.38	12
13	.	.13	.19	.	.	.	.	.	.06	.05	.09	.40	13
14	.	.02	.135	.	.	.	.17	.	.	.48	.59	.20	14
15	.04	.	.13	.	.	.	.015	—	.	.02	.03	.04	15
16	.	.	.075	.	.	.	.	.	.	.	.	.	16
17	.	.29	.07	.	.	.	.01	.	.17	.	.	.115	17
18	.	.	.	.	.	.	.25	.	.	.	.	.49	18
19	.02	.	.09	.	.	.	.02	.	.01	.	.09	.085	19
20	.	.22	.22	.	.	.	.	.	.	.	.	.02	20
21	.	.355	.09	.	.	.	.	.02	.	.	.01	.46	21
22	.	.	.04	.03	.13	.01	.	.05	.	{	.	.	22
23	.	.085	.10	.	.07	.	.05	.	.	.24	.	.125	23
24	.	.01	.08	.	.07	.	.	.	.	.26	.06	.	24
25	.11	.	.04	.	.	.	.	.	.	.30	.025	.21	25
26	.	.	.05	.	.	.	.045	.29	.	.095	.15	.315	26
27	.08	.	.	.	.	.	.	.	.	.085	.02	.08	27
28	.	.07	.04	.	.04	.	.	.	.	.035	.125	1.255	28
29	.		.015	.	.07	.	.	.	.	.30	.10	.41	29
30	.		.03	.	.	.03	.	.	.	.04	.30	.26	30
31	.02		.		.04		.185	.		.01		.06	31
Total	.87	1.765 1.765	2.885	1.055 1.055	1.395	2.985	2.17	1.55	1.04	1.925	2.895 2.895	6.03 ~~5.77~~	YEAR'S TOTAL 26.565 26.565
Rain Days.	11	14	24	11	14	8	15	10	7	14	20	24	172

W.7,000, XI. 13

Cnd f auth 27·111·16 ~~H~~ 78

7842

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN

Kept at Wormleighton
in the County of Warwick
by F. W. Burnett

Lat. 52°10'35" Long. 1°20'30"
Time of Observation 9 a.m.
Nearest Railway Station Fenny Compton
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20	.18	.08	.	.19	.	.	.04	.055	.07	.	.	1
2	.09	.14	.30	.14	.	.07	.	.81	.	.225	.	.08	2
3	.55	.01	.03	.05	.	.	.14	.74	.02	.	.	.16	3
4	.05	.	.	.	.03	.	.20	.01	.	.	.	.40	4
5	.01	.41	.	.	.	.	.	.04	.	.	.	.28	5
6	.27	.04	.	.15	.	.	.90	.	.	.01	.	.10	6
7	.05	.355	.01	.04	.06	.	.26	.06	.	.	.	.17	7
8	.065	.125	.	.01	.	.	.01	.035	.	.	.	.	8
9	.01	.	.	10x	.	.	.	.	.	.	.22	.35	9
10	.27	.	.04	{.175	.	.	.	.	.	.	.08	.	10
11	.02	.	.02	x	.12	.	.	.	.	.	.69	.	11
12	.085	.	.	.30	.45	.	.	.22	.02	.	.90	.19	12
13	.	.35	.	.	.94	.	.	.	.	.	.	.	13
14	.	.10	.	.	.	.	.	.21	.04	.	.	.28	14
15	.26	.	.	.	.04	.	.01	.04	.	.16	.20	.19	15
16	.035	.34	.	.	.13	.	.65	.03	.	.	.	.	16
17	.	.39	.	.	.18	.	.05	.	.	.	.	.03	17
18	.	.22	.11	.	.	.	.	.	.	.	.	.	18
19	.	.01	.01	.	.04	.	.065	.	.	.	.	.	19
20	.31	.	.	.	.	.	.	.	.	.	.	.185	20
21	.28 }	.07	.	.	.225	.	.11	.	.	.055	.	.13	21
22		.	.25	.07	.07	.	.185	.	.01	.	.02	.09	22
23	.	.16	.03	.	.	.04	.12	.	.10	.28	.	.31	23
24	.	.	.03	.08	.08	.	.33	.	1.25	.26	.	{.44	24
25	.	.	.	.	.	.29	.29	.	.025	.055	.		25
26	.	.045	.	.	.	.	.05	.	.025	.	.04	.33	26
27	.	.11	.02	.	.	.025	.215	.	.	.42	~~.04~~	.01	27
28	.	.26	.03	.	.	.	.	.16	.11	.04	.	.	28
29	.		.	.	.	.11	.11	.08	.	.01	.11	.08	29
30	.08		.	.	.	.32	.11	.01	.	.23	.06	.10	30
31	.03		.		.		.01	.01		.36		.12	31
Total	2.665	3.315	.96	~~.715~~ 1.015	2.405	.855	3.875	2.495	1.655	2.175	2.32	4.025	YEAR'S TOTAL 27.76 27.76
Rain Days.	19	18	13	10	11	6	19	15	10	13	9	22	165

W. 8,000. X. 14.

2475

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Wormleighton
in the County of Warwick
by F. W. Burnett

Lat. 52°.10'.35" Long. 1°.20'.30"
Time of Observation 9 a.m
Nearest Railway Station Fenny Compton
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	.06	.015	.	.	.05	.07	.255	.	.	.08	.25	.	1
2	.45	.01	.13x	.	.19	.04	.	.	.035	.51	.045	.	2
3	.	.62	.	.	.	.	.	.	.07	.21	.08	.	3
4	.36	.015	.	.	.225	.24	.	.	.01	.03	.29	.	4
5	.045	.	.	.	.19	.1[illegible]	.22	.	.	.065	.075	.	5
6	.065	.17	.17x	.	.	.07	.42	.	.	.	.37	.	6
7	.	.	.	.09	.	.01	.31	.	.	.095	.225	.16	7
8	.015	.	.	.	.21	.	.	.	.	.	.	.17	8
9	.	.	.02x	.	.23	.01	.	.	.	.	.	.07	9
10	.	.215	.07x	.07	.	.16	.	.	.055	.01	.	.01	10
11	.065	.07	.11	.14	.205	.58	.	.	.01	.	.	.165	11
12	.02	.06	.03	.05	.59	.035	.15	.	.	.125	.	.	12
13	.	.27	.31	.01	.	.01	.40	.	.	.	.	.	13
14	.	.37x	.	.07	.	.	.	.13	.	.04	.	.	14
15	.	.21	.50	.	.04	.	.20	.25	.05	.03	.	.	15
16	.	.015	.57	.235	.11	.	.08	.19	.	.01	.	.	16
17	.09	.11	.	.16	.	.	.03	.25	.30	.24	.	.	17
18	.	.065	.	.08	.	.	.	.46	.08	.01	.78x	.	18
19	.075	.025	.73	.18	.	.02	.	.	.17	.	.37x	.09	19
20	.02	.		.06	.	.	.	.	.	.	.	.38	20
21	.01	.	.365	.	.	.	.245	.	.	.	.	.57	x 21
22	.	.	.01	.	.20	.02	.	.	.	.03	.	.49	x 22
23	.02	.	.	.	.	.	.	.055	.	.12	.08	.32	x 23
24	.	.94x	.	.04	.	.21	.	.07	.	.09	.01	.18	x 24
25	.		.225	.	.06	.	.	.33	.	.	.23	.	25
26	.	.165	.10	.	.	.12	.	.05	.	.12	.	.	26
27	.05	.	.70x	.	.	.	.	.255	.01	.125	.	.	27
28	.	.34x		.06	.	.02	.	.	.	.12	.01	.195	28
29	.	.	.	.	.08	.21	.	1.30	.	.17	.	.06	29
30	.	X	.	.	.	.	.	.	.	.18	.	.01	30
31	.	X	.	X	.	X	.	.	X	.08	X	.115	31
Total	1.355	3.685	4.04	1.245 1.245	2.38	2.085	2.32	3.34 ~~3.37~~ 3.34	.79	2.49	2.815	2.985	YEAR'S TOTAL 29.355 29.45
Rain Days.	14	19	17	13	13	17	10	11	10	22	13	15	174

W. 8,000. X. 15. x Snow or Snow & rain

~~W.E.F.E.~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2. 9

Kept at Wormleighton
in the County of Warwick
by F. W. Burnett

Lat. 52°.16'.35" Long. 1°.20'.30"
Time of Observation 9 a.m
Nearest Railway Station Fenny Compton
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 575 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.06	.01	.06	.	.	.	.	.	.01	.26	.	1
2	.	.11	.	.045	.	.	.	.13	.	.	.05	.09	2
3	.	.025	.	.01	.20	.	.16	.01	.35	.	.30	.01	3
4	.	.05	.03	.	.	.	.	.	.21	.	.42	.04	4
5	.	.04	.	.02	.23	.	.	.10	.24	.	.	.	5
6	.	.19	.	.16	.	.	.	.	.	.025	.	.05	6
7	.13x	.10	.	.05	.025	.03	.	.	.06	.08	.14	.	7
8	.	.	.	.	.	.	.	.	.17	.03	.	.08	8
9	.	.02	.	.12	.	.32	.42	.	.32	.33	.	.06	9
10	.07	.	.	.03	.	.	.40	.	.07	.18	.	.08	10
11	.	.	.	.01	.08	.	.19	.	.04	.205	.02	.03	11
12	.07	.045	.07	.	.15	.	.16	.	.01	.	-	.	12
13	.	.	.	.015	.11	.	.05	.	.08	.	.	.11	13
14	.22	.	.	.01	.	.06	.54	.	.38	.13	.	.05	14
15	1.20x	.	.	.50	.	.	.15	.	.05	.	.	.23	15
16	.02x	.	.	.75	.	.08	.	.02	.06	.105	.	.10	16
17	.	.	.	.08	.	.	.37	.	.01	.02	.	.68	17
18	.415	.	.	.	.	.18	.22	.	.61	.005	.	.50	18
19	.025	.07	.05	.07x	.	.01	.04	.	-	.11	.	.20	19
20	.	.19	.	.55x	.	.04	.11	.	.055	.12	.	.	20
21	.05	.	.	.47x	.	.	.82	.	.29	.095	.	.04	21
22	.15	.	.	.	.23	.	.06	.	.05	.075	.	.31	22
23	.05	.	.	.	.57	.02	.02	.	.015	.	.09	.	23
24	.	.185	.	.	.	.01	.02	.	.05	.	.13	.	24
25	.	.	.	.	.	.24	.17	.20	.01	.065	.06	.	25
26	.	.	.	.	.	.	.86	.09	.	.01	.045	.155	26
27	.	√7	.	.	.	.	.005	.25	.27	.	.10	.12	27
28	.	.17	.23	.	.	.025	.	.04	.	.	.15	.095	28
29	.01	✕	.	.	.	.	.	.	1.14	.	.02	.09	29
30	.	✕	.265	.		.	.	.	.06	.	.06	.26	30
31	.005	✕	.225	✕	.	✕	.	.08	✕	.	✕	.	31
Total	2.415	1.425	.88	2.95	~~1.625~~ 1.595	1.015	3.965	.92	4.60	1.595	~~1.825~~ 1.845	~~2.74~~ 2.78	YEAR'S TOTAL ~~25.855~~ 25.885
Rain Days.	13	14	7	17	8	11	19	9	24	~~17~~ 16	14	22	~~175~~ 174

W. 8,000, IX. 17. x Snow

2220

P. T. O. for new address

~~W.~~ ~~Hosp~~

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Wormleighton

in the County of Warwick

by F. W. Burnett

moved see over

Lat. 52° 10' 35" Long. 1° 20' 30"

Time of Observation 9 a.m.

Nearest Railway Station Fenny Compton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	.10	.05	not kept	.10	.	.14	.	.07	.15	.	.40	1
2	.12	.	.01		.	.	.21	~~.045~~ .015	.025	.	.10	.085	2
3	.68x	.	.10		.04	.05	.035	.	.08	.	.13	.18	3
4	.	.	.43		.	.10	.05	.03	.27	.	.	.21	4
5	.07	.26x	.25		.07	.	.	.	.37	.	.	.265	5
6	.01	.	.05		.32	.	.	.	.	.	.08	.025	6
7	.05	.	.28		.17	.	.025	.	.	.	.13	.	7
8	.16	.	.04		.	.01	.	.	.	.	.	.	8
9	.045	.	.		.	.	.	.	.	.	.01	.	9
10	.02	.	.38		.	.	.	.	.	.02	.	.18	10
11	.05	.	.34		.	.	.	.	.	.05	.	.02	11
12	.	.	.295	* .	.05	.26	.59	.	.	.06	.	.02	12
13	.13	.01	.	.	.	.	.	.	.05	.05	.04	.03	13
14	.355	.	.	.	.	.	.04	.	.02	.01	.	.04	14
15	.40	.02	.	.02	.31	.	.	.	.	.	.04	.36	15
16	.135	.75	.	.	.	.	.	.035	.	.	.05	.01	16
17	.	.34	.	.	.	.02	.	-	.	.	.12	.	17
18	.	.	.25	.	.	.	.03	.09	.	.	.02	.05	18
19	.06	.18	.50	.	.	.13	1.42	.41	.12	.	.07	.025	19
20	.41	.	.33	.	.	.03	.	.20	.05	.	.10	.03	20
21	.03	.40	.08	.	.	.01	.24	.	.80	.	.01	.07	21
22	.	.50	.03	.	.	.02	.05	.01	.	.	.	.13	22
23	.	.	.	[illegible]	.	.	.	.	.	1.13	.02	.	23
24	.	.	.	.02	.	.015	.	.	.	.79	.165	.07	24
25	.13	.	.	.11	.12	.16	.	.15	.	.		.01	25
26	.56x	.	.08	.06	.	.035	.	.03	.07	.		.30	26
27		.	.105	.64	.	.	.	.58	.	.		.08	27
28	.	.	.	.	.	.	.	.47	.	.	.20x	.35	28
29	.	.	.01	.10	.	.	.	.025	.	.51	.20x	.17	29
30	.	X	.	.17	.	.20	.	.13	.	.06	.07	.29	30
31	.	X	.	X	.	X	.03	.	X	.	X	.	31
Total	3.675	2.56	3.61	~~1.12~~	1.18	1.04	2.80	2.165	2.25	2.83	1.555	3.40	YEAR'S TOTAL ~~28.57~~
Rain Days.	20	9	19	7	8	13	12	13	11	10	18	25	~~165~~

X Snow * moved to Levant Lodge, Earl's Croome, Worcester.